

```
80
81 -- Question 1
82 --show every user who has a subscription.Match users to subscriptionssss
83 ✓ SELECT
84     u.user_id,
85     u.user_name,
86     s.subscription_id,
87     s.start_date
88 FROM users u
89 INNER JOIN subscriptions s ON u.user_id = s.user_id;
90
```

dd parameter

able ▾ +

	1 ² ₃ user_id	A ^B _C user_name	1 ² ₃ subscription_id	📅 start_date
1	1	Nomvula	503	2026-03-10
2	2	David	502	2026-02-01
3	3	Anele	505	2026-04-05
4	1	Nomvula	501	2026-01-15

4 rows 1.313s runtime [See performance \(1\)](#) ✓ Checked for improvements

```
-- Question 2
--show every subscription with its matching plan name and monthly price
SELECT
  s.subscription_id,
  s.user_id,
  p.plan_name,
  p.monthly_price
FROM subscriptions s
INNER JOIN plans p ON s.plan_id = p.plan_id;
```

-- Q03

parameter

subscription_id	user_id	plan_name	monthly_price
501	1	Basic	79
504	6	Standard	129
503	1	Premium	199
505	3	Family	249
502	2	Standard	129

```
-- Question 3
--show every viewing session that has a matching show.Include the show title and genre

SELECT
    v.session_id,
    v.user_id,
    s.show_title,
    s.genre,
    v.watch_minutes
FROM viewing_sessions v
INNER JOIN shows s ON v.show_id = s.show_id;
```

parameter

1^2_3 session_id	1^2_3 user_id	A^B_C show_title	A^B_C genre	1^2_3 watch_minutes
904	7	Comedy Hour	Comedy	20
903	1	Crime Time	Drama	60
902	2	Tech Tales	Documentary	30
901	1	Comedy Hour	Comedy	45

Lehlohonolo Makwela
Brightlearn

SQL JOIN Exercise

```
-- Question 4
---Show every viewing session with the user who watched it.Only show session with a matching user
SELECT
    u.user_name,
    u.country,
    v.session_id,
    v.show_id,
    v.watch_minutes
FROM viewing_sessions v
INNER JOIN users u ON v.user_id = u.user_id;
```

|

parameter

A_C^B user_name	A_C^B country	1_3^2 session_id	1_3^2 show_id	1_3^2 watch_minutes
Nomvula	Johannesburg	903	702	60
David	Cape Town	902	703	30
Anele	Durban	905	705	90
Nomvula	Johannesburg	901	701	45

```
.27 | SELECT
.28 |     u.user_name,
.29 |     u.country,
.30 |     p.plan_name,
.31 |     p.monthly_price,
.32 |     s.start_date
.33 | FROM users u
.34 | INNER JOIN subscriptions s ON u.user_id = s.user_id
.35 | INNER JOIN plans p ON s.plan_id = p.plan_id;
.36
.37
```

d parameter

ble  

  user_name	  country	  plan_name	  monthly_price	 start_date
Nomvula	Johannesburg	Premium	199	2026-03-10
David	Cape Town	Standard	129	2026-02-01
Anele	Durban	Family	249	2026-04-05
Nomvula	Johannesburg	Basic	79	2026-01-15

```
-- PART B: LEFT JOIN

-- Question 6
--show every user and any subscriptions they have.Users without subscriptions must stil appear

SELECT
  u.user_id,
  u.user_name,
  s.subscription_id,
  s.start_date
FROM users u
LEFT JOIN subscriptions s ON u.user_id = s.user_id;

-- Question 7
```

parameter

+

user_id	user_name	subscription_id	start_date
1	Nomvula	503	2026-03-10
2	David	502	2026-02-01
3	Anele	505	2026-04-05
4	Kabelo	null	null
5	Lerato	null	null
1	Nomvula	501	2026-01-15

Act
Go t

```
-- Question 7
--show every plan and the subscriptions on it.Plans with no subscribers must stil appear

SELECT
    p.plan_id,
    p.plan_name,
    s.subscription_id,
    s.user_id
FROM plans p
LEFT JOIN subscriptions s ON p.plan_id = s.plan_id;

-- Question 8
SELECT
    s.show_id,
```

parameter

e ▾ +

i ² ₃ plan_id	A ^B _C plan_name	i ² ₃ subscription_id	i ² ₃ user_id
10	Basic	501	1
11	Standard	504	6
12	Premium	503	1
13	Family	505	3
14	Mobile	null	null
11	Standard	502	2

```
-- Question 8
--show every show and any viewing sessions on it. Shows that were never watched must still appear
```

```
SELECT
    s.show_id,
    s.show_title,
    v.session_id,
    v.watch_minutes
FROM shows s
LEFT JOIN viewing_sessions v ON s.show_id = v.show_id;
```

```
-- Question 9
SELECT
    v.session_id,
```

parameter

show_id	show_title	session_id	watch_minutes
701	Comedy Hour	904	20
702	Crime Time	903	60
703	Tech Tales	902	30
704	Cooking Lab	null	null
706	Wild Earth	null	null
701	Comedy Hour	901	45

Activ

```
2  -- Question 9
3  --show every viewing session and the user who watched it.Session referencing users that do not exist must still appear
4  --(with user details)---
5
6  SELECT
7      v.session_id,
8      v.show_id,
9      v.watch_minutes,
10     u.user_id,
11     u.user_name
12 FROM viewing_sessions v
13 LEFT JOIN users u ON v.user_id = u.user_id;
14
15 -- Question 10
16 SELECT
17     u.user_name,
```

parameter

1 ² session_id	1 ² show_id	1 ² watch_minutes	1 ² user_id	1 ² user_name
901	701	45	1	Nomvula
902	703	30	2	David
903	702	60	1	Nomvula
904	701	20	null	null
905	705	90	3	Anele

Activate Windows

```
-- Question 10
--show every user, the plan they are on (if any ),and the monthly price. Users without a subscription must still appear .
```

```
SELECT
  u.user_name,
  u.country,
  p.plan_name,
  p.monthly_price
FROM users u
LEFT JOIN subscriptions s ON u.user_id = s.user_id
LEFT JOIN plans p ON s.plan_id = p.plan_id;
```

```
-- PART C: FULL OUTER JOIN
```

parameter

user_name	country	plan_name	monthly_price
Nomvula	Johannesburg	Premium	199
David	Cape Town	Standard	129
Anele	Durban	Family	249
Kabelo	Pretoria	null	null
Lerato	Port Elizabeth	null	null
Nomvula	Johannesburg	Basic	79

Activate Windows

Go to Settings to activate Windows.

```
-- PART C: FULL OUTER JOIN
```

```
-- Question 11
```

```
--show every user and every subscription, including users without subscriptions AND subscriptions referencing that do not exist----
```

```
SELECT
```

```
    u.user_id,  
    u.user_name,  
    s.subscription_id,  
    s.start_date
```

```
FROM users u
```

```
FULL OUTER JOIN subscriptions s ON u.user_id = s.user_id;
```

```
-- Question 12
```

parameter

user_id	user_name	subscription_id	start_date
5	Lerato	null	null
1	Nomvula	503	2026-03-10
3	Anele	505	2026-04-05
2	David	502	2026-02-01
4	Kabelo	null	null
1	Nomvula	501	2026-01-15
null	null	504	2026-03-20

Activate Windows
Go to Settings to activate Windows

```
1  -- Question 12
2  --show every plan and every subscription, including plans without subscribers AND any subscriptions referencing plans that do
   not----
3
4  SELECT
5      p.plan_id,
6      p.plan_name,
7      s.subscription_id, |
8      s.user_id
9  FROM plans p
0  FULL OUTER JOIN subscriptions s ON p.plan_id = s.plan_id;
1
2  -- Question 13
3  SELECT
4      s.show_id,
```

parameter

e +

Q Y | □ ⚙ ^

plan_id	plan_name	subscription_id	user_id
12	Premium	503	1
10	Basic	501	1
13	Family	505	3
14	Mobile	null	null
11	Standard	504	6
11	Standard	502	2

Activate Windows

```
-- Question 13
--show every show and every viewing session, including shows that shows were never watched AND sessions referencing shows that
do not exist----

SELECT
    s.show_id,
    s.show_title,
    v.session_id,
    v.watch_minutes
FROM shows s
FULL OUTER JOIN viewing_sessions v ON s.show_id = v.show_id;
```

parameter

show_id	show_title	session_id	watch_minutes
704	Cooking Lab	null	null
703	Tech Tales	902	30
701	Comedy Hour	904	20
702	Crime Time	903	60
706	Wild Earth	null	null
701	Comedy Hour	901	45
null	null	905	90

Activate Windows
Go to Settings to activate Window:

```
-- Question 14
--show every user and every viewing session, including users with no sessions AND sessions referencing users that do not exist----
```

```
SELECT
  u.user_id,
  u.user_name,
  v.session_id,
  v.show_id,
  v.watch_minutes
FROM users u
FULL OUTER JOIN viewing_sessions v ON u.user_id = v.user_id;
```

parameter

user_id	user_name	session_id	show_id	watch_minutes
1	Nomvula	901	701	45
1	Nomvula	903	702	60
3	Anele	905	705	90
2	David	902	703	30
		904	701	20
4	Kabelo			
5	Lerato			

Activate Windows
Go to Settings to activate Windows

```
5  -- Question 15
7  --show every user, every subscription, and every plan in one query -using FULL OUTER JOIN throughout.This is the hardest
   question --get all gaps visible at once
3
3
3  SELECT
1    u.user_id,
2    u.user_name,
3    s.subscription_id,
4    p.plan_id,
5    p.plan_name
6  FROM users u
7  FULL OUTER JOIN subscriptions s ON u.user_id = s.user_id
8  FULL OUTER JOIN plans p ON s.plan_id = p.plan_id;
```

parameter

user_id	user_name	subscription_id	plan_id	plan_name
1	Nomvula	503	12	Premium
1	Nomvula	501	10	Basic
3	Anele	505	13	Family
5	Lerato	null	null	null
4	Kabelo	null	null	null
2	David	502	11	Standard
null	null	504	11	Standard

Activate Windows
Go to Settings to activate Windows