

Milk Hill 2001 - 409 Geometry to Binary to Five-Bit Record

Every diameter comparison and every complete five-bit group is shown.

Founder: Lawrence Herber | Geometric Intelligence Engine (GIE) | Revision: 14 August 2026

Binary rule: within each arm, beginning at slot 2, bit $b_i = 1$ if the current circle diameter is greater than the immediately prior circle diameter; otherwise $b_i = 0$. Six arms x 67 comparisons = 402 bits.

Bit	Arm	Slot	Circle	Prior	Prior d ft	Current d ft	Bit	Status
1	0	2	A0-R02	A0-R01	3.8222	4.2734	1	MEASURED
2	0	3	A0-R03	A0-R02	4.2734	3.8222	0	MEASURED
3	0	4	A0-R04	A0-R03	3.8222	3.3333	0	MEASURED
4	0	5	A0-R05	A0-R04	3.3333	11.9909	1	INFERRED
5	0	6	A0-R06	A0-R05	11.9909	20.6717	1	MEASURED
6	0	7	A0-R07	A0-R06	20.6717	5.7333	0	MEASURED
7	0	8	A0-R08	A0-R07	5.7333	3.3333	0	MEASURED
8	0	9	A0-R09	A0-R08	3.3333	4.6812	1	MEASURED
9	0	10	A0-R10	A0-R09	4.6812	30.8156	1	MEASURED
10	0	11	A0-R11	A0-R10	30.8156	3.8222	0	MEASURED
11	0	12	A0-R12	A0-R11	3.8222	3.3333	0	MEASURED
12	0	13	A0-R13	A0-R12	3.3333	35.5486	1	MEASURED
13	0	14	A0-R14	A0-R13	35.5486	3.8222	0	MEASURED
14	0	15	A0-R15	A0-R14	3.8222	4.9328	1	INFERRED
15	0	16	A0-R16	A0-R15	4.9328	6.0434	1	MEASURED
16	0	17	A0-R17	A0-R16	6.0434	6.0434	0	MEASURED
17	0	18	A0-R18	A0-R17	6.0434	4.6812	0	MEASURED
18	0	19	A0-R19	A0-R18	4.6812	4.2734	0	MEASURED
19	0	20	A0-R20	A0-R19	4.2734	42.1310	1	MEASURED
20	0	21	A0-R21	A0-R20	42.1310	4.6812	0	MEASURED
21	0	22	A0-R22	A0-R21	4.6812	3.8222	0	MEASURED
22	0	23	A0-R23	A0-R22	3.8222	6.0434	1	MEASURED
23	0	24	A0-R24	A0-R23	6.0434	8.5467	1	MEASURED
24	0	25	A0-R25	A0-R24	8.5467	27.2630	1	INFERRED
25	0	26	A0-R26	A0-R25	27.2630	43.9554	1	MEASURED
26	0	27	A0-R27	A0-R26	43.9554	4.2734	0	MEASURED
27	0	28	A0-R28	A0-R27	4.2734	9.3625	1	MEASURED
28	0	29	A0-R29	A0-R28	9.3625	6.6203	0	MEASURED
29	0	30	A0-R30	A0-R29	6.6203	9.9304	1	MEASURED
30	0	31	A0-R31	A0-R30	9.9304	7.8797	0	MEASURED
31	0	32	A0-R32	A0-R31	7.8797	4.2734	0	MEASURED
32	0	33	A0-R33	A0-R32	4.2734	11.6248	1	MEASURED
33	0	34	A0-R34	A0-R33	11.6248	6.3384	0	MEASURED
34	0	35	A0-R35	A0-R34	6.3384	5.8770	0	INFERRED

Bit	Arm	Slot	Circle	Prior	Prior d ft	Current d ft	Bit	Status
35	0	36	A0-R36	A0-R35	5.8770	5.7333	0	MEASURED
36	0	37	A0-R37	A0-R36	5.7333	44.1212	1	MEASURED
37	0	38	A0-R38	A0-R37	44.1212	3.3333	0	MEASURED
38	0	39	A0-R39	A0-R38	3.3333	3.8222	1	MEASURED
39	0	40	A0-R40	A0-R39	3.8222	6.3384	1	MEASURED
40	0	41	A0-R41	A0-R40	6.3384	8.1081	1	MEASURED
41	0	42	A0-R42	A0-R41	8.1081	9.9304	1	MEASURED
42	0	43	A0-R43	A0-R42	9.9304	62.4554	1	MEASURED
43	0	44	A0-R44	A0-R43	62.4554	60.8593	0	INFERRED
44	0	45	A0-R45	A0-R44	60.8593	55.8160	0	MEASURED
45	0	46	A0-R46	A0-R45	55.8160	6.0434	0	MEASURED
46	0	47	A0-R47	A0-R46	6.0434	3.8222	0	MEASURED
47	0	48	A0-R48	A0-R47	3.8222	3.3333	0	MEASURED
48	0	49	A0-R49	A0-R48	3.3333	9.7448	1	MEASURED
49	0	50	A0-R50	A0-R49	9.7448	35.0832	1	MEASURED
50	0	51	A0-R51	A0-R50	35.0832	11.3062	0	MEASURED
51	0	52	A0-R52	A0-R51	11.3062	32.3197	1	MEASURED
52	0	53	A0-R53	A0-R52	32.3197	28.0223	0	MEASURED
53	0	54	A0-R54	A0-R53	28.0223	17.4783	0	INFERRED
54	0	55	A0-R55	A0-R54	17.4783	9.7448	0	MEASURED
55	0	56	A0-R56	A0-R55	9.7448	41.3435	1	MEASURED
56	0	57	A0-R57	A0-R56	41.3435	6.8906	0	MEASURED
57	0	58	A0-R58	A0-R57	6.8906	19.5830	1	MEASURED
58	0	59	A0-R59	A0-R58	19.5830	9.5555	0	MEASURED
59	0	60	A0-R60	A0-R59	9.5555	8.9639	0	MEASURED
60	0	61	A0-R61	A0-R60	8.9639	24.6969	1	MEASURED
61	0	62	A0-R62	A0-R61	24.6969	7.4017	0	MEASURED
62	0	63	A0-R63	A0-R62	7.4017	3.8222	0	MEASURED
63	0	64	A0-R64	A0-R63	3.8222	4.1550	1	INFERRED
64	0	65	A0-R65	A0-R64	4.1550	5.0563	1	MEASURED
65	0	66	A0-R66	A0-R65	5.0563	8.5467	1	MEASURED
66	0	67	A0-R67	A0-R66	8.5467	4.6812	0	MEASURED
67	0	68	A0-R68	A0-R67	4.6812	5.0563	1	MEASURED
68	1	2	A1-R02	A1-R01	3.3333	51.1273	1	MEASURED
69	1	3	A1-R03	A1-R02	51.1273	11.7632	0	MEASURED
70	1	4	A1-R04	A1-R03	11.7632	11.6558	0	MEASURED
71	1	5	A1-R05	A1-R04	11.6558	11.6122	0	INFERRED
72	1	6	A1-R06	A1-R05	11.6122	11.5474	0	MEASURED
73	1	7	A1-R07	A1-R06	11.5474	9.9055	0	MEASURED
74	1	8	A1-R08	A1-R07	9.9055	4.1966	0	MEASURED
75	1	9	A1-R09	A1-R08	4.1966	11.7632	1	MEASURED
76	1	10	A1-R10	A1-R09	11.7632	13.0797	1	MEASURED

Bit	Arm	Slot	Circle	Prior	Prior d ft	Current d ft	Bit	Status
77	1	11	A1-R11	A1-R10	13.0797	4.4863	0	MEASURED
78	1	12	A1-R12	A1-R11	4.4863	9.3838	1	MEASURED
79	1	13	A1-R13	A1-R12	9.3838	6.0655	0	INFERRED
80	1	14	A1-R14	A1-R13	6.0655	3.3333	0	MEASURED
81	1	15	A1-R15	A1-R14	3.3333	11.7632	1	MEASURED
82	1	16	A1-R16	A1-R15	11.7632	3.5467	0	MEASURED
83	1	17	A1-R17	A1-R16	3.5467	7.6069	1	MEASURED
84	1	18	A1-R18	A1-R17	7.6069	17.6626	1	MEASURED
85	1	19	A1-R19	A1-R18	17.6626	3.5467	0	MEASURED
86	1	20	A1-R20	A1-R19	3.5467	19.2964	1	MEASURED
87	1	21	A1-R21	A1-R20	19.2964	3.3333	0	MEASURED
88	1	22	A1-R22	A1-R21	3.3333	12.7175	1	INFERRED
89	1	23	A1-R23	A1-R22	12.7175	22.2627	1	MEASURED
90	1	24	A1-R24	A1-R23	22.2627	3.3333	0	MEASURED
91	1	25	A1-R25	A1-R24	3.3333	7.0935	1	MEASURED
92	1	26	A1-R26	A1-R25	7.0935	7.6069	1	MEASURED
93	1	27	A1-R27	A1-R26	7.6069	37.0291	1	MEASURED
94	1	28	A1-R28	A1-R27	37.0291	3.5467	0	MEASURED
95	1	29	A1-R29	A1-R28	3.5467	3.8853	1	MEASURED
96	1	30	A1-R30	A1-R29	3.8853	5.6197	1	INFERRED
97	1	31	A1-R31	A1-R30	5.6197	7.0935	1	MEASURED
98	1	32	A1-R32	A1-R31	7.0935	7.0935	0	MEASURED
99	1	33	A1-R33	A1-R32	7.0935	6.7295	0	MEASURED
100	1	34	A1-R34	A1-R33	6.7295	43.3226	1	MEASURED
101	1	35	A1-R35	A1-R34	43.3226	3.5467	0	MEASURED
102	1	36	A1-R36	A1-R35	3.5467	3.3333	0	MEASURED
103	1	37	A1-R37	A1-R36	3.3333	3.3333	0	MEASURED
104	1	38	A1-R38	A1-R37	3.3333	3.5467	1	MEASURED
105	1	39	A1-R39	A1-R38	3.5467	4.2654	1	INFERRED
106	1	40	A1-R40	A1-R39	4.2654	4.7585	1	MEASURED
107	1	41	A1-R41	A1-R40	4.7585	3.5467	0	MEASURED
108	1	42	A1-R42	A1-R41	3.5467	3.3333	0	MEASURED
109	1	43	A1-R43	A1-R42	3.3333	54.1619	1	MEASURED
110	1	44	A1-R44	A1-R43	54.1619	3.5467	0	MEASURED
111	1	45	A1-R45	A1-R44	3.5467	4.4863	1	MEASURED
112	1	46	A1-R46	A1-R45	4.4863	25.3784	1	MEASURED
113	1	47	A1-R47	A1-R46	25.3784	14.9324	0	INFERRED
114	1	48	A1-R48	A1-R47	14.9324	4.4863	0	MEASURED
115	1	49	A1-R49	A1-R48	4.4863	5.7190	1	MEASURED
116	1	50	A1-R50	A1-R49	5.7190	20.5589	1	MEASURED
117	1	51	A1-R51	A1-R50	20.5589	17.3029	0	MEASURED
118	1	52	A1-R52	A1-R51	17.3029	8.3931	0	MEASURED

Bit	Arm	Slot	Circle	Prior	Prior d ft	Current d ft	Bit	Status
119	1	53	A1-R53	A1-R52	8.3931	24.4185	1	MEASURED
120	1	54	A1-R54	A1-R53	24.4185	24.9787	1	MEASURED
121	1	55	A1-R55	A1-R54	24.9787	3.3333	0	MEASURED
122	1	56	A1-R56	A1-R55	3.3333	15.8676	1	INFERRED
123	1	57	A1-R57	A1-R56	15.8676	28.9880	1	MEASURED
124	1	58	A1-R58	A1-R57	28.9880	5.2607	0	MEASURED
125	1	59	A1-R59	A1-R58	5.2607	3.3333	0	MEASURED
126	1	60	A1-R60	A1-R59	3.3333	15.7021	1	MEASURED
127	1	61	A1-R61	A1-R60	15.7021	11.8697	0	MEASURED
128	1	62	A1-R62	A1-R61	11.8697	11.8697	0	MEASURED
129	1	63	A1-R63	A1-R62	11.8697	6.5399	0	MEASURED
130	1	64	A1-R64	A1-R63	6.5399	4.6432	0	INFERRED
131	1	65	A1-R65	A1-R64	4.6432	3.8853	0	MEASURED
132	1	66	A1-R66	A1-R65	3.8853	3.8853	0	MEASURED
133	1	67	A1-R67	A1-R66	3.8853	3.8853	0	MEASURED
134	1	68	A1-R68	A1-R67	3.8853	3.3333	0	MEASURED
135	2	2	A2-R02	A2-R01	15.1340	27.1571	1	MEASURED
136	2	3	A2-R03	A2-R02	27.1571	3.3333	0	MEASURED
137	2	4	A2-R04	A2-R03	3.3333	5.8614	1	MEASURED
138	2	5	A2-R05	A2-R04	5.8614	4.4441	0	INFERRED
139	2	6	A2-R06	A2-R05	4.4441	3.3333	0	MEASURED
140	2	7	A2-R07	A2-R06	3.3333	3.3841	1	MEASURED
141	2	8	A2-R08	A2-R07	3.3841	3.3333	0	MEASURED
142	2	9	A2-R09	A2-R08	3.3333	5.4567	1	MEASURED
143	2	10	A2-R10	A2-R09	5.4567	20.9157	1	MEASURED
144	2	11	A2-R11	A2-R10	20.9157	20.3045	0	MEASURED
145	2	12	A2-R12	A2-R11	20.3045	3.3333	0	MEASURED
146	2	13	A2-R13	A2-R12	3.3333	13.2272	1	INFERRED
147	2	14	A2-R14	A2-R13	13.2272	23.8331	1	MEASURED
148	2	15	A2-R15	A2-R14	23.8331	5.6626	0	MEASURED
149	2	16	A2-R16	A2-R15	5.6626	17.0552	1	MEASURED
150	2	17	A2-R17	A2-R16	17.0552	24.3089	1	MEASURED
151	2	18	A2-R18	A2-R17	24.3089	3.7071	0	MEASURED
152	2	19	A2-R19	A2-R18	3.7071	4.5402	1	MEASURED
153	2	20	A2-R20	A2-R19	4.5402	4.0041	0	MEASURED
154	2	21	A2-R21	A2-R20	4.0041	48.2394	1	MEASURED
155	2	22	A2-R22	A2-R21	48.2394	26.1217	0	INFERRED
156	2	23	A2-R23	A2-R22	26.1217	4.0041	0	MEASURED
157	2	24	A2-R24	A2-R23	4.0041	16.0164	1	MEASURED
158	2	25	A2-R25	A2-R24	16.0164	3.3333	0	MEASURED
159	2	26	A2-R26	A2-R25	3.3333	7.0985	1	MEASURED
160	2	27	A2-R27	A2-R26	7.0985	10.4852	1	MEASURED

Bit	Arm	Slot	Circle	Prior	Prior d ft	Current d ft	Bit	Status
161	2	28	A2-R28	A2-R27	10.4852	3.3333	0	MEASURED
162	2	29	A2-R29	A2-R28	3.3333	70.0430	1	MEASURED
163	2	30	A2-R30	A2-R29	70.0430	37.6428	0	INFERRED
164	2	31	A2-R31	A2-R30	37.6428	5.2426	0	MEASURED
165	2	32	A2-R32	A2-R31	5.2426	7.2580	1	MEASURED
166	2	33	A2-R33	A2-R32	7.2580	5.6626	0	MEASURED
167	2	34	A2-R34	A2-R33	5.6626	7.0985	1	MEASURED
168	2	35	A2-R35	A2-R34	7.0985	6.9353	0	MEASURED
169	2	36	A2-R36	A2-R35	6.9353	11.0178	1	MEASURED
170	2	37	A2-R37	A2-R36	11.0178	14.0347	1	MEASURED
171	2	38	A2-R38	A2-R37	14.0347	5.2426	0	MEASURED
172	2	39	A2-R39	A2-R38	5.2426	6.1392	1	INFERRED
173	2	40	A2-R40	A2-R39	6.1392	7.5670	1	MEASURED
174	2	41	A2-R41	A2-R40	7.5670	8.5611	1	MEASURED
175	2	42	A2-R42	A2-R41	8.5611	5.8614	0	MEASURED
176	2	43	A2-R43	A2-R42	5.8614	3.3333	0	MEASURED
177	2	44	A2-R44	A2-R43	3.3333	27.3252	1	MEASURED
178	2	45	A2-R45	A2-R44	27.3252	54.4405	1	MEASURED
179	2	46	A2-R46	A2-R45	54.4405	40.1266	0	MEASURED
180	2	47	A2-R47	A2-R46	40.1266	19.4417	0	INFERRED
181	2	48	A2-R48	A2-R47	19.4417	5.2426	0	MEASURED
182	2	49	A2-R49	A2-R48	5.2426	3.7071	0	MEASURED
183	2	50	A2-R50	A2-R49	3.7071	35.4925	1	MEASURED
184	2	51	A2-R51	A2-R50	35.4925	9.6905	0	MEASURED
185	2	52	A2-R52	A2-R51	9.6905	42.4293	1	MEASURED
186	2	53	A2-R53	A2-R52	42.4293	44.2525	1	MEASURED
187	2	54	A2-R54	A2-R53	44.2525	3.3333	0	MEASURED
188	2	55	A2-R55	A2-R54	3.3333	3.3333	0	MEASURED
189	2	56	A2-R56	A2-R55	3.3333	8.6471	1	INFERRED
190	2	57	A2-R57	A2-R56	8.6471	19.2625	1	MEASURED
191	2	58	A2-R58	A2-R57	19.2625	29.2679	1	MEASURED
192	2	59	A2-R59	A2-R58	29.2679	12.4799	0	MEASURED
193	2	60	A2-R60	A2-R59	12.4799	14.1161	1	MEASURED
194	2	61	A2-R61	A2-R60	14.1161	10.9133	0	MEASURED
195	2	62	A2-R62	A2-R61	10.9133	4.5402	0	MEASURED
196	2	63	A2-R63	A2-R62	4.5402	11.5257	1	MEASURED
197	2	64	A2-R64	A2-R63	11.5257	16.0143	1	INFERRED
198	2	65	A2-R65	A2-R64	16.0143	18.1609	1	MEASURED
199	2	66	A2-R66	A2-R65	18.1609	5.2426	0	MEASURED
200	2	67	A2-R67	A2-R66	5.2426	3.3333	0	MEASURED
201	2	68	A2-R68	A2-R67	3.3333	7.4141	1	MEASURED
202	3	2	A3-R02	A3-R01	7.4536	10.8866	1	MEASURED

Bit	Arm	Slot	Circle	Prior	Prior d ft	Current d ft	Bit	Status
203	3	3	A3-R03	A3-R02	10.8866	10.1835	0	MEASURED
204	3	4	A3-R04	A3-R03	10.1835	28.1456	1	INFERRED
205	3	5	A3-R05	A3-R04	28.1456	46.1078	1	MEASURED
206	3	6	A3-R06	A3-R05	46.1078	7.2008	0	MEASURED
207	3	7	A3-R07	A3-R06	7.2008	53.4720	1	MEASURED
208	3	8	A3-R08	A3-R07	53.4720	9.6225	0	MEASURED
209	3	9	A3-R09	A3-R08	9.6225	23.2538	1	MEASURED
210	3	10	A3-R10	A3-R09	23.2538	17.8280	0	INFERRED
211	3	11	A3-R11	A3-R10	17.8280	9.2296	0	MEASURED
212	3	12	A3-R12	A3-R11	9.2296	3.3333	0	MEASURED
213	3	13	A3-R13	A3-R12	3.3333	3.8490	1	MEASURED
214	3	14	A3-R14	A3-R13	3.8490	69.7084	1	MEASURED
215	3	15	A3-R15	A3-R14	69.7084	22.2777	0	MEASURED
216	3	16	A3-R16	A3-R15	22.2777	13.6515	0	INFERRED
217	3	17	A3-R17	A3-R16	13.6515	8.6066	0	MEASURED
218	3	18	A3-R18	A3-R17	8.6066	3.3333	0	MEASURED
219	3	19	A3-R19	A3-R18	3.3333	3.3333	0	MEASURED
220	3	20	A3-R20	A3-R19	3.3333	5.0918	1	MEASURED
221	3	21	A3-R21	A3-R20	5.0918	21.8581	1	MEASURED
222	3	22	A3-R22	A3-R21	21.8581	16.5399	0	INFERRED
223	3	23	A3-R23	A3-R22	16.5399	11.2217	0	MEASURED
224	3	24	A3-R24	A3-R23	11.2217	72.0000	1	MEASURED
225	3	25	A3-R25	A3-R24	72.0000	5.7735	0	MEASURED
226	3	26	A3-R26	A3-R25	5.7735	24.7207	1	MEASURED
227	3	27	A3-R27	A3-R26	24.7207	12.9099	0	MEASURED
228	3	28	A3-R28	A3-R27	12.9099	13.1044	1	INFERRED
229	3	29	A3-R29	A3-R28	13.1044	13.7437	1	MEASURED
230	3	30	A3-R30	A3-R29	13.7437	23.3333	1	MEASURED
231	3	31	A3-R31	A3-R30	23.3333	3.8490	0	MEASURED
232	3	32	A3-R32	A3-R31	3.8490	9.0267	1	MEASURED
233	3	33	A3-R33	A3-R32	9.0267	5.4433	0	MEASURED
234	3	34	A3-R34	A3-R33	5.4433	6.9389	1	MEASURED
235	3	35	A3-R35	A3-R34	6.9389	16.2710	1	INFERRED
236	3	36	A3-R36	A3-R35	16.2710	24.4192	1	MEASURED
237	3	37	A3-R37	A3-R36	24.4192	10.5409	0	MEASURED
238	3	38	A3-R38	A3-R37	10.5409	8.8192	0	MEASURED
239	3	39	A3-R39	A3-R38	8.8192	4.7140	0	MEASURED
240	3	40	A3-R40	A3-R39	4.7140	4.3033	0	MEASURED
241	3	41	A3-R41	A3-R40	4.3033	5.1946	1	INFERRED
242	3	42	A3-R42	A3-R41	5.1946	6.0858	1	MEASURED
243	3	43	A3-R43	A3-R42	6.0858	3.8490	0	MEASURED
244	3	44	A3-R44	A3-R43	3.8490	6.9389	1	MEASURED

Bit	Arm	Slot	Circle	Prior	Prior d ft	Current d ft	Bit	Status
245	3	45	A3-R45	A3-R44	6.9389	11.2217	1	MEASURED
246	3	46	A3-R46	A3-R45	11.2217	12.7657	1	MEASURED
247	3	47	A3-R47	A3-R46	12.7657	21.4190	1	INFERRED
248	3	48	A3-R48	A3-R47	21.4190	28.8675	1	MEASURED
249	3	49	A3-R49	A3-R48	28.8675	25.2396	0	MEASURED
250	3	50	A3-R50	A3-R49	25.2396	4.3033	0	MEASURED
251	3	51	A3-R51	A3-R50	4.3033	13.7437	1	MEASURED
252	3	52	A3-R52	A3-R51	13.7437	10.1835	0	MEASURED
253	3	53	A3-R53	A3-R52	10.1835	6.1727	0	INFERRED
254	3	54	A3-R54	A3-R53	6.1727	3.8490	0	MEASURED
255	3	55	A3-R55	A3-R54	3.8490	15.3960	1	MEASURED
256	3	56	A3-R56	A3-R55	15.3960	8.3887	0	MEASURED
257	3	57	A3-R57	A3-R56	8.3887	20.0924	1	MEASURED
258	3	58	A3-R58	A3-R57	20.0924	3.3333	0	MEASURED
259	3	59	A3-R59	A3-R58	3.3333	13.4910	1	INFERRED
260	3	60	A3-R60	A3-R59	13.4910	23.6487	1	MEASURED
261	3	61	A3-R61	A3-R60	23.6487	19.7203	0	MEASURED
262	3	62	A3-R62	A3-R61	19.7203	31.7980	1	MEASURED
263	3	63	A3-R63	A3-R62	31.7980	5.4433	0	MEASURED
264	3	64	A3-R64	A3-R63	5.4433	12.3228	1	MEASURED
265	3	65	A3-R65	A3-R64	12.3228	8.7073	0	INFERRED
266	3	66	A3-R66	A3-R65	8.7073	5.0918	0	MEASURED
267	3	67	A3-R67	A3-R66	5.0918	11.7063	1	MEASURED
268	3	68	A3-R68	A3-R67	11.7063	3.3333	0	MEASURED
269	4	2	A4-R02	A4-R01	19.7047	4.6734	0	MEASURED
270	4	3	A4-R03	A4-R02	4.6734	27.1610	1	MEASURED
271	4	4	A4-R04	A4-R03	27.1610	16.0436	0	INFERRED
272	4	5	A4-R05	A4-R04	16.0436	4.9262	0	MEASURED
273	4	6	A4-R06	A4-R05	4.9262	7.6316	1	MEASURED
274	4	7	A4-R07	A4-R06	7.6316	3.3333	0	MEASURED
275	4	8	A4-R08	A4-R07	3.3333	3.3333	0	MEASURED
276	4	9	A4-R09	A4-R08	3.3333	34.9723	1	MEASURED
277	4	10	A4-R10	A4-R09	34.9723	9.7284	0	MEASURED
278	4	11	A4-R11	A4-R10	9.7284	7.0746	0	INFERRED
279	4	12	A4-R12	A4-R11	7.0746	6.2312	0	MEASURED
280	4	13	A4-R13	A4-R12	6.2312	40.6819	1	MEASURED
281	4	14	A4-R14	A4-R13	40.6819	3.3333	0	MEASURED
282	4	15	A4-R15	A4-R14	3.3333	5.6167	1	MEASURED
283	4	16	A4-R16	A4-R15	5.6167	9.2160	1	MEASURED
284	4	17	A4-R17	A4-R16	9.2160	9.4157	1	INFERRED
285	4	18	A4-R18	A4-R17	9.4157	9.4757	1	MEASURED
286	4	19	A4-R19	A4-R18	9.4757	8.9488	0	MEASURED

Bit	Arm	Slot	Circle	Prior	Prior d ft	Current d ft	Bit	Status
287	4	20	A4-R20	A4-R19	8.9488	7.3067	0	MEASURED
288	4	21	A4-R21	A4-R20	7.3067	49.8493	1	MEASURED
289	4	22	A4-R22	A4-R21	49.8493	3.3333	0	MEASURED
290	4	23	A4-R23	A4-R22	3.3333	37.9027	1	MEASURED
291	4	24	A4-R24	A4-R23	37.9027	22.1634	0	INFERRED
292	4	25	A4-R25	A4-R24	22.1634	4.9262	0	MEASURED
293	4	26	A4-R26	A4-R25	4.9262	3.3333	0	MEASURED
294	4	27	A4-R27	A4-R26	3.3333	3.3333	0	MEASURED
295	4	28	A4-R28	A4-R27	3.3333	5.8287	1	MEASURED
296	4	29	A4-R29	A4-R28	5.8287	4.9262	0	MEASURED
297	4	30	A4-R30	A4-R29	4.9262	18.1668	1	MEASURED
298	4	31	A4-R31	A4-R30	18.1668	10.4325	0	INFERRED
299	4	32	A4-R32	A4-R31	10.4325	3.3333	0	MEASURED
300	4	33	A4-R33	A4-R32	3.3333	38.4746	1	MEASURED
301	4	34	A4-R34	A4-R33	38.4746	8.3890	0	MEASURED
302	4	35	A4-R35	A4-R34	8.3890	3.3333	0	MEASURED
303	4	36	A4-R36	A4-R35	3.3333	12.7511	1	MEASURED
304	4	37	A4-R37	A4-R36	12.7511	10.5655	0	MEASURED
305	4	38	A4-R38	A4-R37	10.5655	6.3660	0	INFERRED
306	4	39	A4-R39	A4-R38	6.3660	3.4833	0	MEASURED
307	4	40	A4-R40	A4-R39	3.4833	70.8238	1	MEASURED
308	4	41	A4-R41	A4-R40	70.8238	10.0956	0	MEASURED
309	4	42	A4-R42	A4-R41	10.0956	5.1666	0	MEASURED
310	4	43	A4-R43	A4-R42	5.1666	7.9432	1	MEASURED
311	4	44	A4-R44	A4-R43	7.9432	9.6029	1	MEASURED
312	4	45	A4-R45	A4-R44	9.6029	7.7158	0	INFERRED
313	4	46	A4-R46	A4-R45	7.7158	5.8287	0	MEASURED
314	4	47	A4-R47	A4-R46	5.8287	11.6574	1	MEASURED
315	4	48	A4-R48	A4-R47	11.6574	29.7616	1	MEASURED
316	4	49	A4-R49	A4-R48	29.7616	3.3333	0	MEASURED
317	4	50	A4-R50	A4-R49	3.3333	39.7160	1	MEASURED
318	4	51	A4-R51	A4-R50	39.7160	36.6359	0	INFERRED
319	4	52	A4-R52	A4-R51	36.6359	33.5558	0	MEASURED
320	4	53	A4-R53	A4-R52	33.5558	64.8123	1	MEASURED
321	4	54	A4-R54	A4-R53	64.8123	3.3333	0	MEASURED
322	4	55	A4-R55	A4-R54	3.3333	43.2269	1	MEASURED
323	4	56	A4-R56	A4-R55	43.2269	3.8158	0	MEASURED
324	4	57	A4-R57	A4-R56	3.8158	6.7903	1	MEASURED
325	4	58	A4-R58	A4-R57	6.7903	6.6066	0	INFERRED
326	4	59	A4-R59	A4-R58	6.6066	6.4229	0	MEASURED
327	4	60	A4-R60	A4-R59	6.4229	30.4866	1	MEASURED
328	4	61	A4-R61	A4-R60	30.4866	3.3333	0	MEASURED

Bit	Arm	Slot	Circle	Prior	Prior d ft	Current d ft	Bit	Status
329	4	62	A4-R62	A4-R61	3.3333	3.3333	0	MEASURED
330	4	63	A4-R63	A4-R62	3.3333	3.8158	1	MEASURED
331	4	64	A4-R64	A4-R63	3.8158	10.4500	1	MEASURED
332	4	65	A4-R65	A4-R64	10.4500	17.6413	1	INFERRED
333	4	66	A4-R66	A4-R65	17.6413	21.7534	1	MEASURED
334	4	67	A4-R67	A4-R66	21.7534	17.2767	0	MEASURED
335	4	68	A4-R68	A4-R67	17.2767	7.7890	0	MEASURED
336	5	2	A5-R02	A5-R01	6.5046	7.5659	1	MEASURED
337	5	3	A5-R03	A5-R02	7.5659	24.1327	1	MEASURED
338	5	4	A5-R04	A5-R03	24.1327	4.9888	0	MEASURED
339	5	5	A5-R05	A5-R04	4.9888	7.0553	1	MEASURED
340	5	6	A5-R06	A5-R05	7.0553	3.3333	0	MEASURED
341	5	7	A5-R07	A5-R06	3.3333	26.3511	1	MEASURED
342	5	8	A5-R08	A5-R07	26.3511	3.3333	0	MEASURED
343	5	9	A5-R09	A5-R08	3.3333	3.5276	1	MEASURED
344	5	10	A5-R10	A5-R09	3.5276	4.9888	1	MEASURED
345	5	11	A5-R11	A5-R10	4.9888	3.8643	0	MEASURED
346	5	12	A5-R12	A5-R11	3.8643	3.3667	0	INFERRED
347	5	13	A5-R13	A5-R12	3.3667	3.3333	0	MEASURED
348	5	14	A5-R14	A5-R13	3.3333	5.2323	1	MEASURED
349	5	15	A5-R15	A5-R14	5.2323	5.4650	1	MEASURED
350	5	16	A5-R16	A5-R15	5.4650	37.8953	1	MEASURED
351	5	17	A5-R17	A5-R16	37.8953	3.5276	0	MEASURED
352	5	18	A5-R18	A5-R17	3.5276	4.7328	1	MEASURED
353	5	19	A5-R19	A5-R18	4.7328	4.9888	1	MEASURED
354	5	20	A5-R20	A5-R19	4.9888	7.3996	1	MEASURED
355	5	21	A5-R21	A5-R20	7.3996	4.4621	0	MEASURED
356	5	22	A5-R22	A5-R21	4.4621	7.2295	1	MEASURED
357	5	23	A5-R23	A5-R22	7.2295	8.9243	1	MEASURED
358	5	24	A5-R24	A5-R23	8.9243	4.1739	0	MEASURED
359	5	25	A5-R25	A5-R24	4.1739	3.3333	0	MEASURED
360	5	26	A5-R26	A5-R25	3.3333	43.2044	1	MEASURED
361	5	27	A5-R27	A5-R26	43.2044	5.6881	0	MEASURED
362	5	28	A5-R28	A5-R27	5.6881	14.1984	1	MEASURED
363	5	29	A5-R29	A5-R28	14.1984	3.8643	0	MEASURED
364	5	30	A5-R30	A5-R29	3.8643	9.5962	1	MEASURED
365	5	31	A5-R31	A5-R30	9.5962	7.8880	0	MEASURED
366	5	32	A5-R32	A5-R31	7.8880	8.6409	1	MEASURED
367	5	33	A5-R33	A5-R32	8.6409	45.7232	1	MEASURED
368	5	34	A5-R34	A5-R33	45.7232	3.3333	0	MEASURED
369	5	35	A5-R35	A5-R34	3.3333	3.8087	1	INFERRED
370	5	36	A5-R36	A5-R35	3.8087	4.4621	1	MEASURED

Bit	Arm	Slot	Circle	Prior	Prior d ft	Current d ft	Bit	Status
371	5	37	A5-R37	A5-R36	4.4621	3.3333	0	MEASURED
372	5	38	A5-R38	A5-R37	3.3333	6.1100	1	MEASURED
373	5	39	A5-R39	A5-R38	6.1100	5.2323	0	MEASURED
374	5	40	A5-R40	A5-R39	5.2323	4.7328	0	MEASURED
375	5	41	A5-R41	A5-R40	4.7328	56.3537	1	MEASURED
376	5	42	A5-R42	A5-R41	56.3537	3.3333	0	MEASURED
377	5	43	A5-R43	A5-R42	3.3333	3.8643	1	MEASURED
378	5	44	A5-R44	A5-R43	3.8643	21.2830	1	MEASURED
379	5	45	A5-R45	A5-R44	21.2830	3.5276	0	MEASURED
380	5	46	A5-R46	A5-R45	3.5276	3.8643	1	MEASURED
381	5	47	A5-R47	A5-R46	3.8643	3.3333	0	MEASURED
382	5	48	A5-R48	A5-R47	3.3333	3.8643	1	MEASURED
383	5	49	A5-R49	A5-R48	3.8643	11.4851	1	MEASURED
384	5	50	A5-R50	A5-R49	11.4851	6.1100	0	MEASURED
385	5	51	A5-R51	A5-R50	6.1100	3.3333	0	MEASURED
386	5	52	A5-R52	A5-R51	3.3333	12.3215	1	MEASURED
387	5	53	A5-R53	A5-R52	12.3215	22.0864	1	MEASURED
388	5	54	A5-R54	A5-R53	22.0864	31.7486	1	MEASURED
389	5	55	A5-R55	A5-R54	31.7486	29.6824	0	MEASURED
390	5	56	A5-R56	A5-R55	29.6824	25.6330	0	MEASURED
391	5	57	A5-R57	A5-R56	25.6330	19.6099	0	INFERRED
392	5	58	A5-R58	A5-R57	19.6099	12.9132	0	MEASURED
393	5	59	A5-R59	A5-R58	12.9132	6.8766	0	MEASURED
394	5	60	A5-R60	A5-R59	6.8766	3.3333	0	MEASURED
395	5	61	A5-R61	A5-R60	3.3333	3.3333	0	MEASURED
396	5	62	A5-R62	A5-R61	3.3333	3.3333	0	MEASURED
397	5	63	A5-R63	A5-R62	3.3333	3.3333	0	MEASURED
398	5	64	A5-R64	A5-R63	3.3333	4.9888	1	MEASURED
399	5	65	A5-R65	A5-R64	4.9888	3.3333	0	MEASURED
400	5	66	A5-R66	A5-R65	3.3333	4.9888	1	MEASURED
401	5	67	A5-R67	A5-R66	4.9888	7.2295	1	MEASURED
402	5	68	A5-R68	A5-R67	7.2295	3.8643	0	MEASURED

Five-bit grouping

The 402-bit stream contains 80 complete five-bit groups (400 bits) plus 2 trailing bits. Direct mapping used here is decimal 0 = SPACE, 1-26 = A-Z, and 27-31 = CONTROL values.

Group	Bit start	Bit end	Bits	Decimal	Interpretation
1	1	5	10011	19	S
2	6	10	00110	6	F
3	11	15	01011	11	K
4	16	20	00010	2	B
5	21	25	01111	15	O
6	26	30	01010	10	J
7	31	35	01000	8	H
8	36	40	10111	23	W
9	41	45	11000	24	X
10	46	50	00110	6	F
11	51	55	10001	17	Q
12	56	60	01001	9	I
13	61	65	00111	7	G
14	66	70	01100	12	L
15	71	75	00001	1	A
16	76	80	10100	20	T
17	81	85	10110	22	V
18	86	90	10110	22	V
19	91	95	11101	29	CONTROL 29
20	96	100	11001	25	Y
21	101	105	00011	3	C
22	106	110	10010	18	R
23	111	115	11001	25	Y
24	116	120	10011	19	S
25	121	125	01100	12	L
26	126	130	10000	16	P
27	131	135	00001	1	A
28	136	140	01001	9	I
29	141	145	01100	12	L
30	146	150	11011	27	CONTROL 27
31	151	155	01010	10	J
32	156	160	01011	11	K
33	161	165	01001	9	I
34	166	170	01011	11	K
35	171	175	01110	14	N
36	176	180	01100	12	L

Group	Bit start	Bit end	Bits	Decimal	Interpretation
37	181	185	00101	5	E
38	186	190	10011	19	S
39	191	195	10100	20	T
40	196	200	11100	28	CONTROL 28
41	201	205	11011	27	CONTROL 27
42	206	210	01010	10	J
43	211	215	00110	6	F
44	216	220	00001	1	A
45	221	225	10010	18	R
46	226	230	10111	23	W
47	231	235	01011	11	K
48	236	240	10000	16	P
49	241	245	11011	27	CONTROL 27
50	246	250	11100	28	CONTROL 28
51	251	255	10001	17	Q
52	256	260	01011	11	K
53	261	265	01010	10	J
54	266	270	01001	9	I
55	271	275	00100	4	D
56	276	280	10001	17	Q
57	281	285	01111	15	O
58	286	290	00101	5	E
59	291	295	00001	1	A
60	296	300	01001	9	I
61	301	305	00100	4	D
62	306	310	01001	9	I
63	311	315	10011	19	S
64	316	320	01001	9	I
65	321	325	01010	10	J
66	326	330	01001	9	I
67	331	335	11100	28	CONTROL 28
68	336	340	11010	26	Z
69	341	345	10110	22	V
70	346	350	00111	7	G
71	351	355	01110	14	N
72	356	360	11001	25	Y
73	361	365	01010	10	J
74	366	370	11011	27	CONTROL 27
75	371	375	01001	9	I
76	376	380	01101	13	M

Group	Bit start	Bit end	Bits	Decimal	Interpretation
77	381	385	01100	12	L
78	386	390	11100	28	CONTROL 28
79	391	395	00000	0	SPACE
80	396	400	00101	5	E

Direct output

SFKBOJHWXFQIGLATVV<29>YCRYSLPAIL<27>JKIKNLEST<28><27>JFARWKP<27><28>QKJIDQ0EAIDISIJ I<28>ZVGNYJ<27>IML<28> E