

B1)

class Household

MaHang getNSX()

TenHang getTenHang

NSX getMaHang

setGia()

class Electronic

TGBoatHang

DunAp

CongSuat

class Ceramic

Loai

NguyenLieu

class Food

NgaySX

Ngaynhansudung

B2)

class Academy

MaNV

getTrinhDo

TenNV

NamSinh

TrinhDo

setMaNV

getTenNV

getNamSinh

class Mamgym

TruongDT

ChuyenMon

LuongCB

PhuCapCV

setLuongCB

class NINh

TruongDT

ChuyenMon

LuongCB

PhuCapDH

setLuongCB

class NVPI

LuongCB

setLuongCB

B3)

class SV

MSSV

HoTen

Lop

TC

HP

DTB

getDTB

setTC

setHP

class SVCNTT

MSSV

HoTen

Lop

TC

HP

DTB

doCoding

SetTC

setHP

getDTB

lambNNLT()

SUBARU NOTE BOOK

SetDatabase()

```
public class SVCNTT {  
    INT MSSV;  
    CHAR MotNm;  
    CHAR Lop;  
    INT TC;  
    INT HP;  
    FLOAT DTB;  
    STRING MaruNNL();  
    STRING setDatabase();  
    STRING doCoding();  
    INT setTC();  
    INT setHP();  
    FLOAT getDTB();  
}
```

```
}  
public class SV {  
    INT MSSV;  
    CHAR MotNm;  
    INT Lop;  
    INT TC;  
    INT HP;  
    FLOAT DTB;  
    FLOAT getDTB();  
    INT setTC();  
    INT setHP();  
}
```

{