

BT1:

```
public interface Mail {  
    void sendMail();  
    void log();  
}
```

```
public class MailImpl implements Mail {
```

```
    @Override
```

```
    public void sendMail() {
```

```
        System.out.println("Dang gui mail...");
```

```
    }
```

```
    @Override
```

```
    public void log() {
```

```
        System.out.println("Dang ghi log...");
```

```
    }
```

```
}
```



```

class Main {
    public static void main (String [] args) {
        MailImpl mailImpl = new MailImpl ();
        mailImpl . sendMail ();
        mailImpl . log ();
    }
}

```

BT2:

```

public interface Shape {
    void draw ();
    String color = "red";
}

```

```

class Rectangle implements Shape {
    @Override

```

```

    public void draw () {

```

```

        System.out.println ("Draw " + color + " rectangle");
    }
}

```

```

class Circle implements Shape {
    @Override

```

```

    public void draw () {

```

```

        System.out.println ("Draw " + color + " circle");
    }
}

```

```

class Main {

```

```

    public static void main (String [] args) {

```

```

        Rectangle r1 = new Rectangle ();
        r1 . draw ();

```

```

        System.out.println ("---");
    }
}

```


Circle c1 = new Circle ();
c1.draw ();

}

}

BT3:

public interface HangSamXuat {

String tenHangSamXuat ();

String tenCuaGia ;

}

public abstract PhuongTien DiChuyen {

protected String loaiPhuongTien;

protected HangSamXuat hangSamXuat;

public PhuongTien DiChuyen (String loaiPhuongTien,

HangSamXuat hangSamXuat) {

this.loaiPhuongTien = loaiPhuongTien;

this.hangSamXuat = hangSamXuat;

}

template"); }