

```
public interface DịchVuDiKam {  
    double tinhPhi BaoTua;  
    double tinhPhi UopThom;  
}
```


abstract

Date:

No.

```
public class Sach {  
    private String maSach;  
    private String tenSach;  
    private String tacGia;  
    private int soTrang;  
    private int giaBan;  
    public Sach (int maSach, String tenSach, String tacGia,  
        int soTrang, int giaBan) {  
        this.maSach = "S001";  
        this.tenSach = "Hương Trời Trông";  
        this.tacGia = "Nguyễn Cửu Đàm";  
        this.soTrang = 400;  
        this.giaBan = 40000;  
    }  
    public void setMaSach (String maSach) {  
        this.maSach = maSach;  
    }  
    public String getMaSach () {  
        return maSach;  
    }  
    public void setGiaBan (int giaBan) {  
        if (giaBan > 10 000) {  
            this.giaBan = giaBan;  
        } else {  
            System.out.println ("Giá bán phải > 10 000");  
        }  
    }  
}
```



```

public int getGiaBan () {
    return giaBan;
}

public abstract double tinhChiPhi();
public double tinhLoiNhuan () {
    double thueSanXuat = this.giaBan * 3%;
    double tienNhuanBut = this.giaBan * 20%;
    return this.giaBan - this.tinhChiPhi() -
        thueSanXuat - tienNhuanBut;
}

public void xuấtThôngTin () {
    System.out.println ("Mã sách: " + maSach +
        ", Tên: " + tenSach + ", Tác giả: " + tacGia +
        ", Số trang: " + soTrang + ", Giá bán: " + giaBan);
}
}

public class SachDoHoa extends Sach implements DichVuDiKem {
    private int soHinhVx;
    private boolean mauSac;
    public SachDoHoa (int soHinhVx, boolean mauSac) {
        super ();
        this.soHinhVx = soHinhVx;
        this.mauSac = mauSac;
    }
    @Override
    public double tinhChiPhi () {
        if (mauSac == true) {

```



```
public class SachCaoCap extends Sach implements
DichVuDiKem {
```

```
    private double chiPhiThuLamBia;
```

```
    public SachCaoCap (double chiPhiThuLamBia) {
```

```
        super ();
```

```
        this.chiPhiThuLamBia = chiPhiThuLamBia;
    }
```

```
    @Override
```

```
    public double tinhChiPhi () {
```

```
        return chiPhiThuLamBia + (0,5 * giaBan);
```

```
    }
```

```
    @Override
```

```
    public double tinhPhiBaoGia () {
```

```
        return 80 000;
```

```
    }
```

```
    @Override
```

```
    public double tinhPhiVopThom () {
```

```
        return soTrang * 300;
```

```
    }
```

```
public class Main {
```

```
    public static void main (String [] args) {
```

```
        SachDoHoa s1 = mua SachDoHoa (50, true);
```

```
        s1.xuatThongTin ();
```

```
        System.out.println ("Chi phí sx: " + s1.tinhChiPhi
```

```
());
```

```
        System.out.println ("Lợi nhuận: " + s1.tinhLoiNhuan
```

```
());
```



```
import java.util.Scanner
```

```
public abstract class Sach {
```

```
    return soHinhVe * 2000;
} else {
    return soHinhVe * 1200;
}
}
```

```
@Override
```

```
public double tinhPhiBaoBia () {
    return 50000;
}
```

```
@Override
```

```
public double tinhPhiUopThom () {
    return soTrang * 200;
}
}
```

```
public class SachVanBan extends Sach {
```

```
    private String chiTietThietKeBia;
```

```
    private double chiPhiThietKeBia;
```

```
    public SachVanBan (String chiTietThietKeBia, double
    chiPhiThietKeBia) {
```

```
        super ();
```

```
        this.chiTietThietKeBia = chiTietThietKeBia;
```

```
        this.chiPhiThietKeBia = chiPhiThietKeBia;
    }
}
```

```
@Override
```

```
public double tinhChiPhi () {
```

```
    return (0.4 * giaBan) + chiPhiThietKeBia;
}
}
```


Date:

No.

System.out.println 1" - Phí dịch vụ bao bì:

S1. tính Phí Bao Bì + " 1 Phí dịch vụ xếp thêm: "

S1. tính Phí (lắp Thêm ());