U25 363 - Quantitative Political Methods Exam Two Review, Practice Problems

Disclaimer: The following questions are meant to serve as preparation, and are examples of what may appear on the first exam. Do not rely on this content as your sole means of preparation, this is meant to guide your studying.

-pa	i ation,	this is meant to guide your studying.
1.	averag respon standar	ey asked 683 students how many hours they spent doing homework in a week. On e, the 292 surveyed men responded 8.4 hours. The standard deviation of their ses was 9.5. On average, the 391 surveyed women responded 12.8 hours, with rd deviation of 11.6. We are interested in testing whether men spend less hours on work than women. (Note: round all numbers to the nearest thousandth).
	a.	Formulate the null and alternative hypotheses.
	b.	Calculate the standard error for this hypothesis test
	c.	With a confidence level of 99%, what would you conclude?

d. Construct a 99% confidence interval for the difference in the two means. Interpret.

e. What is the relationship between the p-value you observed in part c, and the confidence interval calculated in part d?

2. A group of researchers are conducting experiments to see how the price of mosquito nets sold at hospitals affects the number of patients who choose to purchase them. Unfortunately, the researchers have had computer trouble, and they have only been able to retrieve the information presented in the following table. It contains partial information for each cell, including some observed counts, some expected frequencies (in parentheses), and some column and row totals.

	Price of nets			
	\$0.65	\$1.60	\$2.50	Total
Purchased net	166		92	
	(121.27)			
Did not purchase	44	104		259
		(84.50)		
Total		200		

a. Use the information listed to complete the table. Be sure to calculate both the observed and expected frequencies for each cell.

b. Calculate the standardized residual for the upper-left cell of the table (i.e., Purchased nets when the price was \$0.65). Interpret this statistic.

c. Calculate the χ^2 statistic for this table. Specify and conduct a hypothesis test using this number. Interpret your results. What do these results tell us about the relationship between price and the purchasing of nets?

3. For the multiple regression output below, n = 50.

```
lm(formula = Y \sim X1 + X2 + X3)
Coefficients:
            Estimate Std. Error t value Pr(>|t|)
(Intercept) -272.028 253.244 -1.074 0.288
                        305.994
                                0.487
X1
              3.216
X2
                        16.369
Х3
              45.971
                         3.171 14.495 <2e-16
RMSE:
R-squared:
F-statistic:
 (TSS \leftarrow sum((Y - mean(Y))^2))
105,176,812
 (SSE <- sum (mod1$residuals^2))
18,198,652
```

Find:

a.	The p-value for the effect of X1 on Y
b.	The test statistic for the null hypothesis that X2 has no effect on Y. Find the p-value and interpret.
c.	The RMSE
d.	The R^2 value
e.	A 95% confidence interval for the estimated effect of X3 on Y
f.	The X1 estimate

	g. The F Statistic. Calculate the p-value and interpret.
	h. Write the multiple regression equation.
4.	In 2007, 11 South American countries had an average GDP per capita of \$10,752 with a standard deviation of \$6,500. 14 Central American countries had an average GDP per capital of \$12,936 with a standard deviation of \$3,500. Are income levels different between these two regions?

5.	. The National Health Interview Survey estimated that current cigarette smokers were 41.9% of American adults in 1965 and 21.5% in 2003. In 1965, the sample size was 4,238 and in 2003 the sample size was 6,947.		
	a.	Does the percentage of smokers in 2003 differ from the percentage of smokers in 1965 at a significance level of 0.01?	
	b.	Construct a 99% confidence interval around the difference in the two proportions.	

6. Researchers interested in determining if there is a relationship between death anxiety and religiosity conducted the following study. Subjects completed a death anxiety scale (high score=high anxiety) and also completed a checklist designed to measure an individual's degree of religiosity (high score=greater religiosity. For simplicity's sake, assume that religiosity is the explanatory (independent) variable and death anxiety is the response (dependent) variable). Use the data provided to answer the questions below.

X	Y (death	(X_i-X_{bar})	(Y_i-Y_{bar})	$(X_i-X_{bar})*(Y_i-Y_{bar})$	$(X_i-X_{bar})^2$	$(Y_i-Y_{bar})^2$
(religiosity)	anxiety)					
14	24	1.625	5.125	8.328	2.641	26.266
5	31	-7.375	12.125	-89.422	54.391	147.016
10	19	-2.375	.125	297	5.641	0.016
18	6	5.625	-12.875	-72.422	31.641	165.766
19	8	6.625	-10.875	-72.047	43.891	118.266
4	38	-8.375	19.125	-160.172	70.141	365.766
14	14	1.625	-4.875	-7.922	2.641	23.766
15	11	2.625	-7.875	-20.672	6.891	62.016
$X_{bar} = 12.375$	$Y_{bar} = 18.875$			Total	Total	Total
				-414.626	217.878	908.878

a. Calculate β .

b. Calculate α .

c. Write the regression equation and substantively interpret each part of the equation.

d.	Calculate conditional and unconditional standard deviation
e.	Calculate TSS
f.	Calculate SSE
g.	Calculate r

		-
h	Calculate	10
- 11		,

i. Does a correlation exist between religiosity and death anxiety? Conduct a hypothesis test to find out.

7. Below is a logit function to model admission into UCLA graduate programs:

$$Logit[P(Y = 1)] = -4.949 + 0.0026*GRE + 0.757*GPA$$


Find the estimated probability of being admitted to graduate school for:

a. An applicant with a GRE score of 750 and a GPA of 4.0


b. An applicant with a GRE score of 450 and a GPA of 2.0

c. Conduct a hypothesis test for the GPA coefficient. Interpret the results.

8. In the plots below, the residuals of a regression model are plotted against several different quantities. The regression model predicts violent crime rates for states based on several covariates. WH is one of these covariates, as is ME (percent of people living in metropolitan areas).



"Residuals covariates.	s vs WH" and "Residuals vs ME" plot the residuals against each of the
a)	What is indicated by the positive relationship between the residuals and the response variable?
b)	Is there evidence of any outliers? If so, do you think those outliers seem to be high leverage? Explain your answer.
c)	Do these residuals indicate any other potential violations of standard regression assumptions?



10. For recent data in Florida on y =selling price of a home (in dollars), $x_1 =$ size of home (in square feet), $x_2 =$ lot size (in square feet), the prediction equation is:

$$y = -10,536 + 53.8x_1 + 2.84x_2$$

a. A particular home of 1240 square feet on a lot of 18,000 square feet sold for \$145,000. Find the predicted selling price and the residual, and interpret.

b. For fixed lot size, how much is the house's selling price predicted to increase for each square-foot increase in home size? Why?

11. The table below is a regression output for the selling price of 32 grandfather clocks sold at auction. "Age" represents age of the clock (in years), "Bidders" represents the number of individuals participating in bidding, and "Price" represents selling price (in pounds sterling).

Predictor	Coefficient	SE for Coefficient
Constant	322.8	293.3
Age	0.873	2.020
Bidders	-93.41	29.71
Age*Bidders	1.2979	0.2110

a. Write the multiple regression equation.

b. Test if the "Age" coefficient is significantly different from 0 and interpret the results.

c. Construct a 92% confidence interval around the interaction coefficient and interpret.

d.	Draw the regression line that would result in a hypothetical situation with 0 bidders. Hypothetically, what does the y-intercept on this graph represent?
e.	If the age of a clock is 100 years, what happens as you increase the number of bidders?
f.	If the age of a clock is 20 years, what happens as you increase the number of bidders? Compare this answer to part e—why does this happen? What does this mean about the regression equation?

- 12. Which of the following are measures of spread?
 - a. Median
 - b. Standard deviation
 - c. Range
 - d. Root mean squared error

- 13. X is a random variable with mean μ and variance σ^2 . The "standardized form" of X is $Z = (X \mu)/\sigma$. What is the mean and variance, respectively, of Z?
 - a. Mean = 0, variance = 1
 - b. Mean = 1, variance = 0
 - c. Mean = 0.05, variance = 0
- 14. A correlation coefficient of r = 0.8 is reported for a sample of paris (x,y). Without any further information, this implies that...
 - a. As the x values decrease, the y values increase.
 - b. (x,y) are scattered about a straight line of unknown positive slope.
 - c. 80% of the variation in y is due to regression on x.
 - d. The points (x,y) are scattered about a straight line of slope 0.8.