```
public class Main {
    public static void main(String[] args)
    { XeDapDien xe = new XeDap();
      xe.run();}
}
```

Bài tập 3:

```
Class Bank {
    public void tilelaisuat(){
      System.out.print(" ");}
}
public class SBI extends Bank {
  @ override
    public void tilelaisuat(){
      System.out.print("%8"];}
}
public class ICICI extends Bank {
  @ override
    public void tilelaisuat(){
      System.out.print("7%");}
}
public class AXIS extends Bank {
  @ override
    public void tilelaisuat(){
      System.out.print("9%");}
}
public class Main {
  public static void main(String[] args)
  {
    Bank a = new SBI();
    Bank b = new ICICI();
    Bank c = new AXIS();
    a.tilelaisuat();
    b.tilelaisuat();
    c.tilelaisuat();}
}
```

* Các Bước Build chương có thể đơn giản:

- Build lớp cơ sở
- _____ dẫn xuất
- Ghi đè pt hủy
- Đa hình đối tượng.

VD:

car
class
• Methods
• move

```
class Car {
  public void move(){
    System.out.print(" ");}
}
public class LandRover extends Car {
  public String car;
  public LandRover(String car){
    this.car = Car;}
  @ override
  public void move(){
    System.out.Println(" ");}
}
public class Ford extends Car {
  public String car;
  public Ford(String car){
    this.car = car;}
  @ override
  public void move(){
    System.out.Println(" ");}
}
public class Honda extends Car {
  public String car;
  public Honda(String car){
    this.car = car;}
  @ override
  public void move(){
    System.out.Println(" ");}
}
class Main {
  public static void main(String[] args){
    Car car1 = new Car();
    Car car2 = new LandRover();
    Car car3 = new Ford();
    Car car4 = new Honda();
    car1.move()
    car2.move()
    car3.move()
    car4.move()}
}
```

Bài tập.

```
Class Person {
  public String move;
  public String setName;
  private date birthday;
  public void setBirthday(Date Birthday){
    this.Birthday = Birthday;}
  public String getDetails(){
    return This.Details;}
}
public class Employee extends Person {
  private double Salary;
  public void setSalary(Double Salary){
    this.Salary = Salary;}
```

```
public class Main {
    public static void main(String[] args)
    { XeDapDien xe = new XeDap();
      xe.run();}
}
```

Bài tập 3:

```
Class Bank {
    public void tilelaisuat(){
      System.out.print(" ");}
}
public class SBI extends Bank {
    @ override
    public void tilelaisuat(){
      System.out.print("%8");}
}
public class ICICI extends Bank {
    @ override
    public void tilelaisuat(){
      System.out.print("7%");}
}
public class AXIS extends Bank {
    @ override
    public void tilelaisuat(){
      System.out.print("9%");}
}
public class Main {
    public static void main(String[] args)
{
    Bank a = new SBI();
    Bank b = new ICICI();
    Bank c = new AXIS();
    a.tilelaisuat();
    b.tilelaisuat();
    c.tilelaisuat();}
}
```

* Các Bước Build ctrình có tính đa hình:

- Build lớp cơ sở
- _____ dẫn xuất
- Ghi đè pt hứ
- Đa hình đối tượng.

VD:

car
class
• Methods
• move

```
class Car {
    public void move(){
      System.out.print(" ");}
}
public class LandRover extends Car {
    public String car;
    public LandRover (String car){
      this.car = Car;}
    @ override
    public void move(){
      System.out.Println(" ");}
}
public class Ford extends Car {
    public String car;
    public Ford (String car){
      this.car = car;}
    @ override
    public void move(){
      System.out.Println(" ");}
}
public class Honda extends Car {
    public String car;
    public Honda (String car){
      this.car = car;}
    @ override
    public void move(){
      System.out.Println(" ");}
}
```

```
class Main {
    public static void main(String[] args){
      Car car1 = new Car();
      Car car2 = new LandRover();
      Car car3 = new Ford();
      Car car4 = new Honda();
      car1.move()
      car2.move()
      car3.move()
      car4.move()}
}
```

Bài tập.

```
Class Person {
    public String move;
    public String setName;
    private date birthday;
    public void setBirthday(Date Birthday){
      this.Birthday = Birthday;}
    public String getDetails(){
      return This.Details;}
}
public class Employee extends Person {
    private double Salary;
    public void setSalary(Double Salary){
      this.Salary = Salary;}
```

```
@override
public String getDetails(){
  return this.Details; }
~~@override~~ }
public class Manager extends Employee
 private Employee assistant;
 public void setAssistant(Employee){
  this.Assistant = Assistant; }
@override
 public string getDetails(){
  return this.Details; }
}
Class main {
  public static void main (string[] args){
    person A = new Employee();
    Employee B = new Manager();
     A.SetSalary(5.2);
     A.GetDetails();
     B.SetAssistant(N);
     B.getDetails(); }
  }
```