



Network II Set

There are up to 3 files for each glyph. The first part of the filename is the name of the image, which is followed by a number suffix, indicating the image size; either 24 or 16 pixels. The last part of the filename is the state indicator; _d is a disabled image, _h is a hot image.

		active_network_connection
		add_connection
		block_user
		connect_pc
		delete_connection
		disabled_network_connection
		disconnect
		disconnect_network_folder
		disconnect_pc
		domain_controller
		download_from_server
		edit_connection
		fax_server
		find_server



Network II Set

There are up to 3 files for each glyph. The first part of the filename is the name of the image, which is followed by a number suffix, indicating the image size; either 24 or 16 pixels. The last part of the filename is the state indicator; _d is a disabled image, _h is a hot image.



find_usera



find_userb



find_userc



hub



infrared



instant_message



keyboard



login



logout



mobile_phone



modema



modemb



mouse































networka



Network II Set



























There are up to 3 files for each glyph. The first part of the filename is the name of the image, which is followed by a number suffix, indicating the image size; either 24 or 16 pixels. The last part of the filename is the state indicator; _d is a disabled image, _h is a hot image.

		networkb
		network_fax
		network_folder
		network_places
		network_printer
		notebook
		pda
		print_server
		proxy_server
		remote_access
		router
		secure_connection
		security
		server



Network II Set

There are up to 3 files for each glyph. The first part of the filename is the name of the image, which is followed by a number suffix, indicating the image size; either 24 or 16 pixels. The last part of the filename is the state indicator; _d is a disabled image, _h is a hot image.

		service_start
		service_stop
		switch
		synchronise_server
		telnet
		terminal
		terminal_server
		upload_to_server
		usera
		userb
		user_permissions
		wireless
		workstation