

STAGE 3B PRO

Initial data logbook and research review

Batch 01 • Gameplay recorded 19–20 September 2026 (UTC)

Prepared from seven JSON exports and three multi-section CSV exports. This is the first Pro data batch, not the original Stage 1 survey of the thesis. [S01–S10]

Executive finding

The batch supports a functioning, traceable feedback-informed practice mechanism. It does not yet establish durable learning, live Jev reasoning, reduced abandonment or a validated FIAS mechanism.

Unit	Deduplicated result	Interpretation
Stored player codes	5	Not yet five verified independent people
Software-recorded visits	12	Seven contain practice; five contain no practice
Distinct run records	42	8 warmups + 17 practice runs + 17 fixed-course checks
Practice-feedback records	17	10 answered; 7 explicitly skipped
Applied decisions	10	7 final local-rule decisions; 3 player overrides
Opening–closing check pairs	5 visits / 4 codes	2 increases; 2 decreases; 1 unchanged
Active gameplay	18.38 minutes	Logged activity, not total visit elapsed time

The central implementation result is stronger than a record of recommendations alone: for all ten decisions, the feedback record, preceding performance, player choice and next-run settings form a consistent logged sequence. Pace, duration, support and practice goal agree with the applied settings. These are internal record checks, not an independent observation of the player or proof of educational benefit. [S03, S10; Decision_Audit]

All supplied exports identify the data as researcher-self-test, with participant release/approval fields false or not asserted. All indicate no configured cloud model; the ten decision cloud statuses are not_requested. The number of actual individuals, their identities across shared-device visits and the applicable consent/approval basis are not established by these files. These metadata do not determine the institution’s actual approval status. [S01–S10]

Recommended position in the review

Present this batch as a preliminary engineering and usability evaluation of the Pro prototype. Its immediate value is the auditable performance–feedback–action record and the identification of measurement and navigation gaps. Keep it separate from the original Stage 3B cohort and from the thesis evidence supporting the provisional FIAS account.

1. Source control and analytical method

The analysis preserves all ten original files and records their SHA-256 checksums. Seven JSON files contain cumulative histories for two codes; three CSV files provide histories for three other codes. The CSV filenames alone do not identify all covered visits: share5214078768679196894.csv contains three visits for PEVNZ8. [S01–S10]

Source control step	Result
Primary run appearances	81 entries across exports reduce to 42 distinct code–Run_ID records; 39 repeated appearances excluded from counts.
Repeated participant-state snapshot	S04 and S07 have identical participant_state contents but different export timestamps; neither is a new visit.
Overlapping-record consistency	No substantive field conflicts found among overlapping keyed records.
CSV redundancy and completeness	All 7 repeated practice-detail rows match their session rows. All three CSV end-marker line counts reconcile.
Source-linked extraction	Each canonical record retains its source IDs, selected JSON pointer or CSV line, and occurrence count.
Deduplication keys	Runs: code + Run_ID; visits and questionnaires: code + visit; events/feedback/decisions: code + object ID; telemetry: code + Run_ID + within-run row index.

For repeated keys, the latest exported snapshot is selected after comparing all available versions. No record from the earlier PKY3B7 self-test, the original Stage 1 survey, Stage 2 or Stage 3A is added. Blank and skipped values remain missing. A stopped warmup with no encountered obstacle is retained, with its clearance rate left undefined. [S08; Run_Log, Deduplication]

Record-level coverage

Code	Visits	Runs	Practice	Pairs	Decisions
P8P2Z9	4	18	9	2	6
PT8FJC	1	8	5	1	4
PEVNZ8	3	7	1	1	0
PZTPCG	1	4	1	1	0
PU5K58	3	5	1	0	0

The logs contain 38 runs stamped v4.1 and four runs stamped v4.1.1; the latter are P8P2Z9 visit 4. Three codes have touch input only, PZTPCG records keyboard input, and PEVNZ8 includes touch plus one stopped run with input recorded as none. PRO-SELF is a shared build/device tag, not a unique hardware identifier. [S03, S06, S08–S10]

Analysis boundaries

The summary is descriptive. Repeated runs are not independent participants; visits are not assumed to be separate appointments. No missing baseline, failure cause, return motive or participant statement is reconstructed. No p-values, population retention estimates or causal effects are calculated. The Research_Logbook is explicitly dated retrospective extraction, not a fabricated contemporaneous field diary.

2. Visit-by-visit research logbook

Each row below is a machine-recorded visit. The full workbook adds UTC timestamps, active and elapsed duration, source references, questionnaire records and a separate analyst-interpretation column. W = warmup; Pre/Post = opening/closing check; P = practice. [S03, S06, S08–S10]

Code	Visit	Start UTC MM-DD HH:MM	Recorded route	Gap from prior end	Measurement status
P8P2Z9	1	09-19 07:25	W 1 / Pre 1 / P 7 / Post 1	First recorded	Paired checks
PT8FJC	1	09-19 10:33	W 1 / Pre 1 / P 5 / Post 1	First recorded	Paired checks
PEVNZ8	1	09-19 14:12	W 1 / Pre 1 / P 1 / Post 1	First recorded	Paired checks
PEVNZ8	2	09-19 14:15	W 0 / Pre 0 / P 0 / Post 1	9.48 s	No practice
PEVNZ8	3	09-19 14:16	W 1 / Pre 0 / P 0 / Post 1	3.39 s	No practice
PZTPCG	1	09-19 14:20	W 1 / Pre 1 / P 1 / Post 1	First recorded	Paired checks
P8P2Z9	2	09-19 15:21	W 0 / Pre 0 / P 0 / Post 1	468.9 min	No practice
P8P2Z9	3	09-19 16:02	W 1 / Pre 1 / P 1 / Post 0	40.2 min	No closing check
PU5K58	1	09-19 16:07	W 0 / Pre 0 / P 0 / Post 1	First recorded	No practice
PU5K58	2	09-19 17:31	W 0 / Pre 0 / P 0 / Post 1	83.1 min	No practice
PU5K58	3	09-19 17:33	W 1 / Pre 1 / P 1 / Post 0	75.11 s	No closing check
P8P2Z9	4	09-20 03:18	W 1 / Pre 1 / P 1 / Post 1	674.1 min	Paired checks

What the routes reveal

Five of twelve visits contain no practice run. Four consist only of a closing-labelled check: P8P2Z9 visit 2, PU5K58 visits 1–2 and PEVNZ8 visit 2. PEVNZ8 visit 3 contains a 1.473-second warmup stopped before any obstacle, followed by a closing check. These records must not be treated as five completed adaptive-learning sequences. The files do not establish why those routes occurred. [S03, S06, S08]

Two of the seven visits containing practice lack a closing check: P8P2Z9 visit 3 and PU5K58 visit 3. Therefore, 5/7 practice-containing visits, or 5/12 software visits overall, have an opening–closing comparison. This is measurement availability, not adherence or effectiveness. [S03, S06]

Recorded gaps vary from 3.392 seconds to 11 hours 14 minutes 7.749 seconds. PEVNZ8’s two restarts occur after 9.484 and 3.392 seconds; these are not evidence of separate-day retention. Four restart records say self_initiated and three say not_reported; this describes the recorded response, not independently verified absence of prompting. [S03, S06, S08]

Stopping is not automatically abandonment

Fifteen of seventeen practice runs reached their planned time limit; two P8P2Z9 runs ended at the three-bump limit. Both were followed by another practice run in the same visit. Twelve visit-ended events are present. Neither a game-over event, a skipped questionnaire nor a completed visit establishes later abandonment or FIAS. No prospective non-return observation window is supplied. [S03, S06, S08–S10]

3. Feedback-informed adaptation: what operated

Ten answered practice-feedback records are linked to ten decisions and ten subsequent practice runs. All ten pass the ID-linkage, performance-input, chronology and actual-settings checks. All originate in two stored codes. No free-text response is present, and no external model request is recorded. [S03, S10; Decision_Audit]

Code / transition	Recorded feedback	Original offline proposal	Final applied result
P8P2Z9 3 → 4	Hard; frustrated; speed	Easier: 1.20 → 1.08	1.08; look ahead
P8P2Z9 4 → 5	Right; okay; visibility	Same pace + route guide	1.08; route guide
P8P2Z9 5 → 6	Right; okay; turns	Same: 1.08	1.08; gentle turns
P8P2Z9 6 → 7	Easy; okay; turns	Harder: 1.08 → 1.18	1.18; gentle turns
P8P2Z9 7 → 8	Right; okay; visibility	Same pace + route guide	1.18; route guide
P8P2Z9 8 → 9	Hard; okay; turns	Easier: 1.18 → 1.06	1.06; gentle turns
PT8FJC 3 → 4	Right; okay; speed	Easier: 1.20 → 1.08	Player override: 1.30
PT8FJC 4 → 5	Right; enjoying; coins	Same: 1.30	Player override: 1.40
PT8FJC 5 → 6	Right; enjoying; more challenge	Harder: 1.40 → 1.50	1.50; safe coins
PT8FJC 6 → 7	Right; enjoying; coins	Same: 1.50	Player override: 1.60

Transition numbers are exported Session_No values, which include warmups and probes. “Right” abbreviates the stored code right; it is not an independent judgement of optimal challenge. Pace values are multipliers. [S03, S10]

Case interpretation

P8P2Z9’s first practice ended after 6.773 seconds with three hits in four obstacles. The next run was accepted at a lower pace and lasted 29.093 seconds, also ending at the bump limit. A subsequent visibility response was followed by a route-guided run at the same pace, with no hits in 35 obstacles. This is a useful within-record adaptation sequence; changes in exposure, support and repeated practice prevent attribution of the better immediate performance to one cause. [S03]

PT8FJC’s progression from 1.20 to 1.60 should not be described as four AI-selected increases. Three were explicit player overrides and one retained a local-rule increase. In the first transition, the neutral reason speed co-occurred with right and okay, yet generated an easier offline proposal. This supports reviewing the directional meaning of the feedback options. [S10]

Not every pace change uses post-game feedback: warmup calibration determines initial practice settings. P8P2Z9 visit 4 begins practice at 0.74 without a decision ID. The logbook therefore separates warmup-setting, local-rules and player-choice rather than treating every adjustment as Jev reasoning. [S03]

4. Performance change and reported experience

Paired fixed-course checks

Code / visit	Course forms	Clearance pre → post	Change	Coins pre → post
P8P2Z9 / 1	7043 → 7043m	100% → 90%	-10 pp	15 → 14
PT8FJC / 1	7043 → 7043m	95% → 100%	+5 pp	15 → 15
PEVNZ8 / 1	7043 → 7043m	95% → 90%	-5 pp	12 → 11
PZTPCG / 1	7043 → 7043m	100% → 100%	+0 pp	14 → 15
P8P2Z9 / 4	7051m → 7051	80% → 90%	+10 pp	17 → 14

All five pairs use a pace of 0.85, 20 obstacles per probe and a planned duration of 30 seconds, with the same input mode within each pair. However, the course identifiers differ between opening and closing forms. The exports do not independently establish equivalence of difficulty. Two changes are positive, two negative and one zero; their descriptive median is zero percentage points. Two pairs belong to P8P2Z9, so the five pairs are not five independent people. [S03, S08–S10]

P8P2Z9 recorded 100% → 90% in visit 1 despite seven practice runs, and 80% → 90% in visit 4. It would be selective to cite only the second increase. The batch contains no controlled comparison, defined retention test or transfer assessment, and cannot establish durable learning or clinical balance improvement. The exported game-composite note explicitly excludes a clinical interpretation. [S03]

First-visit questionnaire: one record per code

Item descriptor	Answered n	Median [range]	Responses 4–5
D1: coordination challenge	5	4 [3–5]	4/5
D2: regular-use intention	5	4 [3–4]	3/5
F1: matched ability	5	4 [4–4]	5/5
F2: progress motivated	5	3 [3–5]	2/5
C1: getting better	4	4 [1–5]	3/4
T1: felt judged	5	3 [2–3]	0/5

The CSV headers identify a five-point response scale from strongly disagree to strongly agree. All first-visit F1 entries equal 4, whereas F2 endorsement is less consistent. PZTPCG records perfect clearance on both probes but C1 = 1: successful task performance and perceived improvement are different observations. PU5K58’s first C1 response is missing. [S02, S03, S08–S10]

Across all visits, there are ten complete questionnaire vectors, one with a single missing item, and one with all six items missing. P8P2Z9 repeats the same six-item vector at all four visits; the export alone cannot establish fresh reselection versus retained interface values. Repeated-visit responses are retained but not pooled as independent participant answers. [S03, S06]

5. Research readiness and immediate priorities

Priority	Finding to address	Required handling
Before participant claims	Five codes; all records carry self-test metadata; human identity and approved scope not verified.	Confirm code-to-person mapping, who played each visit, recruitment, consent and scope in a separate governed record. Do not infer five older-adult participants.
Before return claims	Five visits contain no practice; some restarts are seconds apart.	Use timestamps and routes, distinguish immediate replay from later visits, and record whether returns were prompted.
Before learning claims	Only five paired visits; mixed changes; mirror/base courses; build change in P8P2Z9.	Keep performance descriptive. Retain per-run version and independent measurement plans. Do not label an easier score as skill gain.
Before AI claims	Cloud off; no model response; empty free text.	Report offline performance-plus-structured-feedback adaptation with player choice, not live Jev or LLM effectiveness.
Interface refinement	Seven of 17 practice-feedback records skipped; two practice visits lack closing checks.	Investigate burden and navigation without treating optional skipping as misconduct or forcing participation.
Record preservation	Cumulative and repeated exports can inflate counts; CSV legacy level scale differs.	Retain hashes and deduplication keys. Use 1.2/1.6 multipliers from run/detail fields, not legacy 120/160 summary values.

Suggested wording for your academic review

“The initial Stage 3B Pro export batch comprised ten files representing five stored player codes and twelve software-recorded visits. Deduplication identified 42 distinct runs, including 17 practice runs. Ten answered feedback records were linked to ten applied next-run decisions, comprising seven final local-rule decisions and three player overrides. Five within-visit fixed-course comparisons showed mixed changes: two improvements, two declines and one unchanged result. The dataset supports the operation of an auditable feedback-informed practice mechanism and identifies important navigation and measurement gaps. As the exports are labelled researcher self-test, contain no live Jev inference and do not establish independent participant identities or a longitudinal follow-up design, no claim of durable learning, reduced abandonment or FIAS validation is made.” [S01–S10; derived logbook]

Relationship to the thesis

Retain this batch as a separate Pro development appendix or progress-review item. It does not replace the original Stage 3B dataset, strengthen an earlier causal FIAS claim automatically, or require reopening the thesis with a new efficacy trial. A useful engineering contribution here is the traceability from measured actions and reported experience to chosen settings, together with the explicit limits discovered through use.

No game code, thesis draft, manuscript or existing review deck was modified in preparing this logbook. The Confirmations sheet is intentionally incomplete where the exports cannot supply the answer.

6. Source references and audit record

Primary references below are the user-supplied exports, not published studies. This review is grounded in those records; no external literature or earlier test data have been substituted for missing observations. Exact checksums, file sizes, selected pointers and all original bytes are retained in the accompanying package.

[S01] Alpine3BPRO_PRO-SELF_PU5K58_v2_202609191732.json

JSON export; code PU5K58; exported 2026-09-19T17:32:56.769Z. Covers 2 run appearances and 2 recorded visit(s) in that snapshot.

[S02] Alpine3BPRO_PRO-SELF_PU5K58_v1_202609191608.json

JSON export; code PU5K58; exported 2026-09-19T16:08:47.444Z. Covers 1 run appearances and 1 recorded visit(s) in that snapshot.

[S03] Alpine3BPRO_PRO-SELF_P8P2Z9_v4_202609200321.json

JSON export; code P8P2Z9; exported 2026-09-20T03:21:42.593Z. Covers 18 run appearances and 4 recorded visit(s) in that snapshot.

[S04] Alpine3BPRO_PRO-SELF_P8P2Z9_v2_202609191523.2.json

JSON export; code P8P2Z9; exported 2026-09-19T15:23:53.195Z. Covers 11 run appearances and 2 recorded visit(s) in that snapshot.

[S05] Alpine3BPRO_PRO-SELF_P8P2Z9_v3_202609191604.json

JSON export; code P8P2Z9; exported 2026-09-19T16:04:49.705Z. Covers 14 run appearances and 3 recorded visit(s) in that snapshot.

[S06] Alpine3BPRO_PRO-SELF_PU5K58_v3_202609191735.json

JSON export; code PU5K58; exported 2026-09-19T17:35:57.692Z. Covers 5 run appearances and 3 recorded visit(s) in that snapshot.

[S07] Alpine3BPRO_PRO-SELF_P8P2Z9_v2_202609191523.json

JSON export; code P8P2Z9; exported 2026-09-19T15:23:23.243Z. Covers 11 run appearances and 2 recorded visit(s) in that snapshot.

[S08] share5214078768679196894.csv

CSV export; code PEVNZ8; exported 2026-09-19T14:17:10.436Z. Covers 7 run appearances and 3 recorded visit(s) in that snapshot.

[S09] Alpine3BPRO_PRO-SELF_PZTPCG_v1_202609191427.csv

CSV export; code PZTPCG; exported 2026-09-19T14:27:24.198Z. Covers 4 run appearances and 1 recorded visit(s) in that snapshot.

[S10] Alpine3BPRO_PRO-SELF_PT8FJC_v1_202609191040.csv

CSV export; code PT8FJC; exported 2026-09-19T10:40:54.278Z. Covers 8 run appearances and 1 recorded visit(s) in that snapshot.

Derived materials

Stage3B_Pro_Batch01_Logbook.xlsx: twenty sheets covering the dashboard, source register, codes, visits, runs, feedback, decisions, probe pairs, questionnaires, first-visit summaries, events, telemetry, mechanical checks, data quality, deduplication, record provenance, retrospective research logbook, confirmations and dictionary.

analysis/compile_logbook.py: reproducible standard-library extraction, deduplication, linkage checks and CSV generation.
analysis/compiled.json: the complete derived analytical dataset. data/: canonical tables and audit outputs. sources/: the ten unaltered input files.

Mechanical verification: all 42 runs have one matching start and end event; all 932 encountered obstacles and 51 hits reconcile to the per-obstacle telemetry; all 41 non-zero-denominator clearance rates reconcile within displayed rounding. The single zero-obstacle run is not evaluable for clearance. All ten decision chains pass the specified linkage, input, chronological and settings checks. These are source-consistency tests, not independent verification of participant behaviour.

Prepared 20 September 2026. A later signed correction or confirmed participant mapping should be appended as a dated amendment; the source exports and original self-test labels should remain preserved.