

```
Last login: Thu Feb 10 20:31:03 on ttys001
laurencebolduclandry@MacBook-Air-de-Laurence ~ % cd ~/Documents
laurencebolduclandry@MacBook-Air-de-Laurence Documents % java -jar
dna-3.0.1.jar
Warning: the fonts "Times" and "Times" are not available for the Java
logical font "Serif", which may have unexpected appearance or
behavior. Re-enable the "Times" font to remove this warning.
Exception in thread "AWT-EventQueue-0" java.lang.ClassCastException:
class java.lang.String cannot be cast to class model.Coder
(java.lang.String is in module java.base of loader 'bootstrap';
model.Coder is in unnamed module of loader 'app')
    at gui.MainWindow$4.popupMenu(MainWindow.java:518)
    at gui.MainWindow$4.mouseListenPopup(MainWindow.java:538)
    at gui.MainWindow$4.mousePressed(MainWindow.java:451)
    at java.desktop/
java.awt.AWTEventMulticaster.mousePressed(AWTEventMulticaster.java:288
)
    at java.desktop/
java.awt.Component.processMouseEvent(Component.java:6614)
    at java.desktop/
javax.swing.JComponent.processMouseEvent(JComponent.java:3342)
    at java.desktop/
java.awt.Component.processEvent(Component.java:6382)
    at java.desktop/
java.awt.Container.processEvent(Container.java:2264)
    at java.desktop/
java.awt.Component.dispatchEventImpl(Component.java:4993)
    at java.desktop/
java.awt.Container.dispatchEventImpl(Container.java:2322)
    at java.desktop/
java.awt.Component.dispatchEvent(Component.java:4825)
    at java.desktop/
java.awt.LightweightDispatcher.retargetMouseEvent(Container.java:4934)
    at java.desktop/
java.awt.LightweightDispatcher.processMouseEvent(Container.java:4560)
    at java.desktop/
java.awt.LightweightDispatcher.dispatchEvent(Container.java:4504)
    at java.desktop/
java.awt.Container.dispatchEventImpl(Container.java:2308)
    at java.desktop/
java.awt.Window.dispatchEventImpl(Window.java:2773)
    at java.desktop/
java.awt.Component.dispatchEvent(Component.java:4825)
    at java.desktop/
java.awt.EventQueue.dispatchEventImpl(EventQueue.java:772)
    at java.desktop/java.awt.EventQueue$4.run(EventQueue.java:721)
    at java.desktop/java.awt.EventQueue$4.run(EventQueue.java:715)
    at java.base/
java.security.AccessController.doPrivileged(AccessController.java:391)
    at java.base/
```

```
java.security.ProtectionDomain$JavaSecurityAccessImpl.doIntersectionPr  
ivilege(ProtectionDomain.java:85)  
    at java.base/  
java.security.ProtectionDomain$JavaSecurityAccessImpl.doIntersectionPr  
ivilege(ProtectionDomain.java:95)  
    at java.desktop/java.awt.EventQueue$5.run(EventQueue.java:745)  
    at java.desktop/java.awt.EventQueue$5.run(EventQueue.java:743)  
    at java.base/  
java.security.AccessController.doPrivileged(AccessController.java:391)  
    at java.base/  
java.security.ProtectionDomain$JavaSecurityAccessImpl.doIntersectionPr  
ivilege(ProtectionDomain.java:85)  
    at java.desktop/  
java.awt.EventQueue.dispatchEvent(EventQueue.java:742)  
    at java.desktop/  
java.awt.EventDispatchThread.pumpOneEventForFilters(EventDispatchThrea  
d.java:203)  
    at java.desktop/  
java.awt.EventDispatchThread.pumpEventsForFilter(EventDispatchThread.j  
ava:124)  
    at java.desktop/  
java.awt.EventDispatchThread.pumpEventsForHierarchy(EventDispatchThrea  
d.java:113)  
    at java.desktop/  
java.awt.EventDispatchThread.pumpEvents(EventDispatchThread.java:109)  
    at java.desktop/  
java.awt.EventDispatchThread.pumpEvents(EventDispatchThread.java:101)  
    at java.desktop/  
java.awt.EventDispatchThread.run(EventDispatchThread.java:90)  
Exception in thread "AWT-EventQueue-0" java.lang.ClassCastException:  
class java.lang.String cannot be cast to class model.Coder  
(java.lang.String is in module java.base of loader 'bootstrap';  
model.Coder is in unnamed module of loader 'app')  
    at gui.MainWindow$4.popupMenu(MainWindow.java:518)  
    at gui.MainWindow$4.mouseListenPopup(MainWindow.java:538)  
    at gui.MainWindow$4.mousePressed(MainWindow.java:451)  
    at java.desktop/  
java.awt.AWTEventMulticaster.mousePressed(AWTEventMulticaster.java:288  
)  
    at java.desktop/  
java.awt.Component.processMouseEvent(Component.java:6614)  
    at java.desktop/  
javax.swing.JComponent.processMouseEvent(JComponent.java:3342)  
    at java.desktop/  
java.awt.Component.processEvent(Component.java:6382)  
    at java.desktop/  
java.awt.Container.processEvent(Container.java:2264)  
    at java.desktop/  
java.awt.Component.dispatchEventImpl(Component.java:4993)  
    at java.desktop/
```

```
java.awt.Container.dispatchEventImpl(Container.java:2322)
    at java.desktop/
java.awt.Component.dispatchEvent(Component.java:4825)
    at java.desktop/
java.awt.LightweightDispatcher.retargetMouseEvent(Container.java:4934)
    at java.desktop/
java.awt.LightweightDispatcher.processMouseEvent(Container.java:4560)
    at java.desktop/
java.awt.LightweightDispatcher.dispatchEvent(Container.java:4504)
    at java.desktop/
java.awt.Container.dispatchEventImpl(Container.java:2308)
    at java.desktop/
java.awt.Window.dispatchEventImpl(Window.java:2773)
    at java.desktop/
java.awt.Component.dispatchEvent(Component.java:4825)
    at java.desktop/
java.awt.EventQueue.dispatchEventImpl(EventQueue.java:772)
    at java.desktop/java.awt.EventQueue$4.run(EventQueue.java:721)
    at java.desktop/java.awt.EventQueue$4.run(EventQueue.java:715)
    at java.base/
java.security.AccessController.doPrivileged(AccessController.java:391)
    at java.base/
java.security.ProtectionDomain$JavaSecurityAccessImpl.doIntersectionPr
ivilege(ProtectionDomain.java:85)
    at java.base/
java.security.ProtectionDomain$JavaSecurityAccessImpl.doIntersectionPr
ivilege(ProtectionDomain.java:95)
    at java.desktop/java.awt.EventQueue$5.run(EventQueue.java:745)
    at java.desktop/java.awt.EventQueue$5.run(EventQueue.java:743)
    at java.base/
java.security.AccessController.doPrivileged(AccessController.java:391)
    at java.base/
java.security.ProtectionDomain$JavaSecurityAccessImpl.doIntersectionPr
ivilege(ProtectionDomain.java:85)
    at java.desktop/
java.awt.EventQueue.dispatchEvent(EventQueue.java:742)
    at java.desktop/
java.awt.EventDispatchThread.pumpOneEventForFilters(EventDispatchThrea
d.java:203)
    at java.desktop/
java.awt.EventDispatchThread.pumpEventsForFilter(EventDispatchThread.j
ava:124)
    at java.desktop/
java.awt.EventDispatchThread.pumpEventsForHierarchy(EventDispatchThrea
d.java:113)
    at java.desktop/
java.awt.EventDispatchThread.pumpEvents(EventDispatchThread.java:109)
    at java.desktop/
java.awt.EventDispatchThread.pumpEvents(EventDispatchThread.java:101)
    at java.desktop/
```

```
java.awt.EventQueue.run(EventDispatchThread.java:90)
Exception in thread "AWT-EventQueue-0" java.lang.ClassCastException:
class java.lang.String cannot be cast to class model.Coder
(java.lang.String is in module java.base of loader 'bootstrap';
model.Coder is in unnamed module of loader 'app')
    at gui.MainWindow$4.popupMenu(MainWindow.java:518)
    at gui.MainWindow$4.mouseListenPopup(MainWindow.java:538)
    at gui.MainWindow$4.mousePressed(MainWindow.java:451)
    at java.desktop/
java.awt.AWTEventMulticaster.mousePressed(AWTEventMulticaster.java:288
)
    at java.desktop/
java.awt.Component.processMouseEvent(Component.java:6614)
    at java.desktop/
javax.swing.JComponent.processMouseEvent(JComponent.java:3342)
    at java.desktop/
java.awt.Component.dispatchEvent(Component.java:6382)
    at java.desktop/
java.awt.Container.dispatchEvent(Container.java:2264)
    at java.desktop/
java.awt.Component.dispatchEventImpl(Component.java:4993)
    at java.desktop/
java.awt.Container.dispatchEventImpl(Container.java:2322)
    at java.desktop/
java.awt.Component.dispatchEvent(Component.java:4825)
    at java.desktop/
java.awt.LightweightDispatcher.retargetMouseEvent(Container.java:4934)
    at java.desktop/
java.awt.LightweightDispatcher.processMouseEvent(Container.java:4560)
    at java.desktop/
java.awt.LightweightDispatcher.dispatchEvent(Container.java:4504)
    at java.desktop/
java.awt.Container.dispatchEventImpl(Container.java:2308)
    at java.desktop/
java.awt.Window.dispatchEventImpl(Window.java:2773)
    at java.desktop/
java.awt.Component.dispatchEvent(Component.java:4825)
    at java.desktop/
java.awt.EventQueue.dispatchEventImpl(EventQueue.java:772)
    at java.desktop/java.awt.EventQueue$4.run(EventQueue.java:721)
    at java.desktop/java.awt.EventQueue$4.run(EventQueue.java:715)
    at java.base/
java.security.AccessController.doPrivileged(AccessController.java:391)
    at java.base/
java.security.ProtectionDomain$JavaSecurityAccessImpl.doIntersectionPr
ivilege(ProtectionDomain.java:85)
    at java.base/
java.security.ProtectionDomain$JavaSecurityAccessImpl.doIntersectionPr
ivilege(ProtectionDomain.java:95)
    at java.desktop/java.awt.EventQueue$5.run(EventQueue.java:745)
```



```
java.awt.LightweightDispatcher.processMouseEvent(Container.java:4560)
    at java.desktop/
java.awt.LightweightDispatcher.dispatchEvent(Container.java:4504)
    at java.desktop/
java.awt.Container.dispatchEventImpl(Container.java:2308)
    at java.desktop/
java.awt.Window.dispatchEventImpl(Window.java:2773)
    at java.desktop/
java.awt.Component.dispatchEvent(Component.java:4825)
    at java.desktop/
java.awt.EventQueue.dispatchEventImpl(EventQueue.java:772)
    at java.desktop/java.awt.EventQueue$4.run(EventQueue.java:721)
    at java.desktop/java.awt.EventQueue$4.run(EventQueue.java:715)
    at java.base/
java.security.AccessController.doPrivileged(AccessController.java:391)
    at java.base/
java.security.ProtectionDomain$JavaSecurityAccessImpl.doIntersectionPr
ivilege(ProtectionDomain.java:85)
    at java.base/
java.security.ProtectionDomain$JavaSecurityAccessImpl.doIntersectionPr
ivilege(ProtectionDomain.java:95)
    at java.desktop/java.awt.EventQueue$5.run(EventQueue.java:745)
    at java.desktop/java.awt.EventQueue$5.run(EventQueue.java:743)
    at java.base/
java.security.AccessController.doPrivileged(AccessController.java:391)
    at java.base/
java.security.ProtectionDomain$JavaSecurityAccessImpl.doIntersectionPr
ivilege(ProtectionDomain.java:85)
    at java.desktop/
java.awt.EventQueue.dispatchEvent(EventQueue.java:742)
    at java.desktop/
java.awt.EventDispatchThread.pumpOneEventForFilters(EventDispatchThrea
d.java:203)
    at java.desktop/
java.awt.EventDispatchThread.pumpEventsForFilter(EventDispatchThread.j
ava:124)
    at java.desktop/
java.awt.EventDispatchThread.pumpEventsForHierarchy(EventDispatchThrea
d.java:113)
    at java.desktop/
java.awt.EventDispatchThread.pumpEvents(EventDispatchThread.java:109)
    at java.desktop/
java.awt.EventDispatchThread.pumpEvents(EventDispatchThread.java:101)
    at java.desktop/
java.awt.EventDispatchThread.run(EventDispatchThread.java:90)
Exception in thread "AWT-EventQueue-0" java.lang.ClassCastException:
class java.lang.String cannot be cast to class model.Coder
(java.lang.String is in module java.base of loader 'bootstrap';
model.Coder is in unnamed module of loader 'app')
    at gui.MainWindow$4.popupMenu(MainWindow.java:518)
```

```
    at gui.MainWindow$4.mouseListenPopup(MainWindow.java:538)
    at gui.MainWindow$4.mousePressed(MainWindow.java:451)
    at java.desktop/
java.awt.AWTEventMulticaster.mousePressed(AWTEventMulticaster.java:288
)
    at java.desktop/
java.awt.Component.processMouseEvent(Component.java:6614)
    at java.desktop/
javax.swing.JComponent.processMouseEvent(JComponent.java:3342)
    at java.desktop/
java.awt.Component.processEvent(Component.java:6382)
    at java.desktop/
java.awt.Container.processEvent(Container.java:2264)
    at java.desktop/
java.awt.Component.dispatchEventImpl(Component.java:4993)
    at java.desktop/
java.awt.Container.dispatchEventImpl(Container.java:2322)
    at java.desktop/
java.awt.Component.dispatchEvent(Component.java:4825)
    at java.desktop/
java.awt.LightweightDispatcher.retargetMouseEvent(Container.java:4934)
    at java.desktop/
java.awt.LightweightDispatcher.processMouseEvent(Container.java:4560)
    at java.desktop/
java.awt.LightweightDispatcher.dispatchEvent(Container.java:4504)
    at java.desktop/
java.awt.Container.dispatchEventImpl(Container.java:2308)
    at java.desktop/
java.awt.Window.dispatchEventImpl(Window.java:2773)
    at java.desktop/
java.awt.Component.dispatchEvent(Component.java:4825)
    at java.desktop/
java.awt.EventQueue.dispatchEventImpl(EventQueue.java:772)
    at java.desktop/java.awt.EventQueue$4.run(EventQueue.java:721)
    at java.desktop/java.awt.EventQueue$4.run(EventQueue.java:715)
    at java.base/
java.security.AccessController.doPrivileged(AccessController.java:391)
    at java.base/
java.security.ProtectionDomain$JavaSecurityAccessImpl.doIntersectionPr
ivilege(ProtectionDomain.java:85)
    at java.base/
java.security.ProtectionDomain$JavaSecurityAccessImpl.doIntersectionPr
ivilege(ProtectionDomain.java:95)
    at java.desktop/java.awt.EventQueue$5.run(EventQueue.java:745)
    at java.desktop/java.awt.EventQueue$5.run(EventQueue.java:743)
    at java.base/
java.security.AccessController.doPrivileged(AccessController.java:391)
    at java.base/
java.security.ProtectionDomain$JavaSecurityAccessImpl.doIntersectionPr
ivilege(ProtectionDomain.java:85)
```

```
    at java.desktop/
java.awt.EventQueue.dispatchEvent(EventQueue.java:742)
    at java.desktop/
java.awt.EventDispatchThread.pumpOneEventForFilters(EventDispatchThrea
d.java:203)
    at java.desktop/
java.awt.EventDispatchThread.pumpEventsForFilter(EventDispatchThread.j
ava:124)
    at java.desktop/
java.awt.EventDispatchThread.pumpEventsForHierarchy(EventDispatchThrea
d.java:113)
    at java.desktop/
java.awt.EventDispatchThread.pumpEvents(EventDispatchThread.java:109)
    at java.desktop/
java.awt.EventDispatchThread.pumpEvents(EventDispatchThread.java:101)
    at java.desktop/
java.awt.EventDispatchThread.run(EventDispatchThread.java:90)
Exception in thread "AWT-EventQueue-0" java.lang.ClassCastException:
class java.lang.String cannot be cast to class model.Coder
(java.lang.String is in module java.base of loader 'bootstrap';
model.Coder is in unnamed module of loader 'app')
    at gui.MainWindow$4.popupMenu(MainWindow.java:518)
    at gui.MainWindow$4.mouseListenPopup(MainWindow.java:538)
    at gui.MainWindow$4.mousePressed(MainWindow.java:451)
    at java.desktop/
java.awt.AWTEventMulticaster.mousePressed(AWTEventMulticaster.java:288
)
    at java.desktop/
java.awt.Component.processMouseEvent(Component.java:6614)
    at java.desktop/
javax.swing.JComponent.processMouseEvent(JComponent.java:3342)
    at java.desktop/
java.awt.Component.processEvent(Component.java:6382)
    at java.desktop/
java.awt.Container.processEvent(Container.java:2264)
    at java.desktop/
java.awt.Component.dispatchEventImpl(Component.java:4993)
    at java.desktop/
java.awt.Container.dispatchEventImpl(Container.java:2322)
    at java.desktop/
java.awt.Component.dispatchEvent(Component.java:4825)
    at java.desktop/
java.awt.LightweightDispatcher.retargetMouseEvent(Container.java:4934)
    at java.desktop/
java.awt.LightweightDispatcher.processMouseEvent(Container.java:4560)
    at java.desktop/
java.awt.LightweightDispatcher.dispatchEvent(Container.java:4504)
    at java.desktop/
java.awt.Container.dispatchEventImpl(Container.java:2308)
    at java.desktop/
```



```
java.awt.Window.dispatchEventImpl(Window.java:2773)
    at java.desktop/
java.awt.Component.dispatchEvent(Component.java:4825)
    at java.desktop/
java.awt.EventQueue.dispatchEventImpl(EventQueue.java:772)
    at java.desktop/java.awt.EventQueue$4.run(EventQueue.java:721)
    at java.desktop/java.awt.EventQueue$4.run(EventQueue.java:715)
    at java.base/
java.security.AccessController.doPrivileged(AccessController.java:391)
    at java.base/
java.security.ProtectionDomain$JavaSecurityAccessImpl.doIntersectionPr
ivilege(ProtectionDomain.java:85)
    at java.base/
java.security.ProtectionDomain$JavaSecurityAccessImpl.doIntersectionPr
ivilege(ProtectionDomain.java:95)
    at java.desktop/java.awt.EventQueue$5.run(EventQueue.java:745)
    at java.desktop/java.awt.EventQueue$5.run(EventQueue.java:743)
    at java.base/
java.security.AccessController.doPrivileged(AccessController.java:391)
    at java.base/
java.security.ProtectionDomain$JavaSecurityAccessImpl.doIntersectionPr
ivilege(ProtectionDomain.java:85)
    at java.desktop/
java.awt.EventQueue.dispatchEvent(EventQueue.java:742)
    at java.desktop/
java.awt.EventDispatchThread.pumpOneEventForFilters(EventDispatchThrea
d.java:203)
    at java.desktop/
java.awt.EventDispatchThread.pumpEventsForFilter(EventDispatchThread.j
ava:124)
    at java.desktop/
java.awt.EventDispatchThread.pumpEventsForHierarchy(EventDispatchThrea
d.java:113)
    at java.desktop/
java.awt.EventDispatchThread.pumpEvents(EventDispatchThread.java:109)
    at java.desktop/
java.awt.EventDispatchThread.pumpEvents(EventDispatchThread.java:101)
    at java.desktop/
java.awt.EventDispatchThread.run(EventDispatchThread.java:90)
```