
X chord
Y chord
J_0^2 fit to radial mean
Supplement: Bessel core images + 1D J_0^2 fits, jul29 (left pair) vs aug3 (right pair)
normalized to the global peak (scales shared across all pages and both days). page 1/3, z = 170.5-174 cm
axicon1,2 alpha = 5.0deg, axicon3 alpha = 0.5deg, $L_1$2 separation = 240.0, $L_2$3 separation = 220.0, input Gaussian 1/e² diameter 9.5 m, wavelength = 650nm
jul29, z = 170.5 cm
core Ø 119.2 µm
FWHM 55.8 µm
k_r = +4.3% ± 0.2%
k_x = +4.2%
k_y = +5.2%
RMS / A_fit = 0.006
aug3, z = 170.5 cm
core Ø 117.9 µm
FWHM 55.2 µm
k_r = +5.5% ± 0.3%
k_x = +4.9%
k_y = +7.0%
RMS / A_fit = 0.008
jul29, z = 171 cm
core Ø 119.0 µm
FWHM 55.7 µm
k_r = +4.5% ± 0.2%
k_x = +4.4%
k_y = +5.3%
RMS / A_fit = 0.005
aug3, z = 171 cm
core Ø 118.0 µm
FWHM 55.3 µm
k_r = +5.4% ± 0.3%
k_x = +4.9%
k_y = +6.8%
RMS / A_fit = 0.007
jul29, z = 171.5 cm
core Ø 119.1 µm
FWHM 55.8 µm
k_r = +4.4% ± 0.3%
k_x = +4.5%
k_y = +5.5%
RMS / A_fit = 0.006
aug3, z = 171.5 cm
core Ø 118.0 µm
FWHM 55.3 µm
k_r = +5.4% ± 0.4%
k_x = +5.1%
k_y = +6.6%
RMS / A_fit = 0.009
jul29, z = 172 cm
core Ø 118.5 µm
FWHM 55.5 µm
k_r = +4.9% ± 0.1%
k_x = +5.1%
k_y = +5.7%
RMS / A_fit = 0.003
aug3, z = 172 cm
core Ø 118.6 µm
FWHM 55.6 µm
k_r = +4.8% ± 0.3%
k_x = +4.9%
k_y = +5.5%
RMS / A_fit = 0.008
jul29, z = 172.5 cm
core Ø 118.6 µm
FWHM 55.6 µm
k_r = +4.8% ± 0.2%
k_x = +4.7%
k_y = +5.8%
RMS / A_fit = 0.006
aug3, z = 172.5 cm
core Ø 118.8 µm
FWHM 55.6 µm
k_r = +4.7% ± 0.3%
k_x = +5.1%
k_y = +4.9%
RMS / A_fit = 0.008
jul29, z = 173 cm
core Ø 118.4 µm
FWHM 55.5 µm
k_r = +5.0% ± 0.2%
k_x = +5.4%
k_y = +5.6%
RMS / A_fit = 0.004
aug3, z = 173 cm
core Ø 118.9 µm
FWHM 55.7 µm
k_r = +4.6% ± 0.3%
k_x = +5.1%
k_y = +4.7%
RMS / A_fit = 0.008
jul29, z = 173.5 cm
core Ø 118.1 µm
FWHM 55.3 µm
k_r = +5.3% ± 0.3%
k_x = +5.3%
k_y = +6.2%
RMS / A_fit = 0.007
aug3, z = 173.5 cm
core Ø 118.9 µm
FWHM 55.7 µm
k_r = +4.6% ± 0.3%
k_x = +5.5%
k_y = +4.2%
RMS / A_fit = 0.007
jul29, z = 174 cm
core Ø 118.0 µm
FWHM 55.3 µm
k_r = +5.4% ± 0.3%
k_x = +5.8%
k_y = +5.9%
RMS / A_fit = 0.007
aug3, z = 174 cm
core Ø 119.1 µm
FWHM 55.8 µm
k_r = +4.4% ± 0.3%
k_x = +5.5%
k_y = +3.9%
RMS / A_fit = 0.007
y (µm)
x (µm)
Normalized intensity (unitless)
x/y chord position (µm)

Supplement: Bessel core images + 1D J_0^2 fits, jul29 (left pair) vs aug3 (right pair)
normalized to the global peak (scales shared across all pages and both days). page 2/3, z = 174.5-178 cm
axicon1,2 alpha = 5.0deg, axicon3 alpha = 0.5deg, $L_1$2 separation = 240.0, $L_2$3 separation = 220.0, input Gaussian 1/e² diameter 9.5 m, wavelength = 650nm



X chord   Y chord J_0^2 fit to radial mean

Supplement: Bessel core images + 1D J_0^2 fits, jul29 (left pair) vs aug3 (right pair)
normalized to the global peak (scales shared across all pages and both days). page 3/3, z = 178.5-180 cm
axicon1,2 alpha = 5.0deg, axicon3 alpha = 0.5deg, L_12 separation = 240.0, L_23 separation = 220.0, input Gaussian 1/e² diameter 9.5 m, wavelength = 650nm