No.	NGR S	K Ma	terial		Date	of find	Condition
60103	278758 II mediu			iun	un 1958		
WEIGHT	POLEUWID	BLADANG	CRIFROPL	CRIFROBY	GRIFROBL	POLFROBY	POLFROBL
195	6.0	75			A commence of		Transata e e e e e e e e e e e e e e e e e e
CORFROPL	CORFROBY	CORBAPL	CORBABY	MAXTHICK	POLTHICK	BLATHICK	LEFTHICK
0	0	0	0	30	120	294	
RITHICK	TOPTHICK	BOTTHICK	MAXLENG	POLENG	BLALENG	MAXWID	POLWID
	The second secon		10:9	Ø43	294	52	247
BLAWID	LENGMAXT	LENGMAXW	CRIPOLED	LONPOLED	AREAPOLL	AREABODY	AREABLAL
5-1	4.4	34	75	75	the same of the sa		
AREABLAR	GRINSIDE	LONGSIDE	LEFEDWID				
	45	85	3.0	0	0		1000
							1

Find place Big Moor, Boblew

Collection Lahels

Sheffield Museum

Big Moor
1958

X 1969 247

comments. And Henderson 1963. Trans. Hunter Arch. Soc. 8, 71-76. found beneath round barrow (undated), according to section drawings (tig.3) in 'yellowish brown subsoil'; text p.75: 'at a depth of 1 foot 8½ indes below the barrow turf'. (elt drawn tig. t.

2-poll edge = ftake scar, only lightly ground - if at all. 3. Db. 136.