



california
health
interview
survey

CHIS 2013 DATA DICTIONARY

Public Use File

Adult Survey

September 2015



CHIS 2013 DATA DICTIONARY

Adult Survey

Public Use File

September 2015

adult.sas7bdat

Contact:
California Health Interview Survey
UCLA Center for Health Policy Research
10960 Wilshire Blvd., Suite 1550
Los Angeles, CA 90024
Email: chis@ucla.edu

Suggested Citation:

California Health Interview Survey. CHIS 2013 Adult Survey. UCLA Center for Health Policy Research. Los Angeles, CA: September 2015

TABLE OF CONTENTS

| | |
|--|-----------|
| 1. Introduction | 2 |
| 1.1 CHIS 2013 Adult Survey Data File | 2 |
| 1.2 Accompanying Files | 2 |
| 2. What's New in CHIS 2013-2014..... | 2 |
| 3. CHIS 2013-2014 Design and Methodology Summary | 4 |
| 3.1 Overview | 4 |
| 3.2 Switch to a Continuous Survey | 5 |
| 3.3 Sample Design Objectives..... | 6 |
| 3.4 Data Collection | 8 |
| 3.5 Response Rates | 9 |
| 3.6 Weighting the Sample | 10 |
| 3.7 Imputation Methods..... | 11 |
| 4. How to Use the Data Dictionary..... | 13 |
| 5. Sample Code for Analysis and Pooling of CHIS data..... | 14 |
| 6. Data Dictionary Variable Listings | 15 |
| A. Variable Name (Alphabetical) | 15 |
| B. Variable name (by Location in CHIS 2013-14 Adult Questionnaire) | 26 |
| C. Restricted Variables | 39 |
| 7. Data Dictionary..... | 40 |
| Section Q: Screening Information | 40 |
| Section A: Demographic Information, Part I..... | 42 |
| Section B: General Health Condition | 52 |
| Section C: Health Behaviors..... | 74 |
| Section D: General Health, Disability, and Sexual Health | 87 |
| Section F: Mental Health | 99 |
| Section G: Demographic Information, Part II & Child Care..... | 112 |
| Section H: Health Insurance | 124 |
| Section J: Health Care Utilization and Access | 154 |
| Section K: Employment, Income, Poverty Status & Food Security..... | 180 |
| Section L: Public Program Participation | 193 |
| Section M: Housing & Community Involvement..... | 197 |
| Section N: Demographic Info Part III, Geographic Info | 202 |
| Section O: Full Design and Replicate Weight Series 0-80..... | 206 |

1. Introduction

1.1 CHIS 2013 Adult Survey Data File

The 2013 California Health Interview Survey (CHIS 2013) Adult Data File consists of individual records obtained from the 2013 data collection period of the CHIS 2013-2014 Adult survey.

The UCLA-Center for Health Policy Research (UCLA-CHPR) is responsible for maintaining consistent standards to protect respondent confidentiality as specified in approved protocols by the UCLA IRB (IRB# 11-000068) and the California Committee for the Protection of Human Subjects (00-04-04). In order to protect respondent confidentiality, UCLA-CHPR maintains the most confidential and sensitive CHIS data only in its files at the Data Access Center (DAC) located at UCLA-CHPR. Researcher access to confidential data, including respondent latitude and longitude, is available by application to the DAC. For more information, please contact dacchpr@ucla.edu. Limited technical assistance is also available from CHIS – please send email to chis@ucla.edu.

1.2 Accompanying Files

In addition to the data file are several accompanying files that facilitate use of the data file; some are not necessary for data analysis but add convenience in utilizing the main data.

- a. **Data file:** adult.sas7bdat, adult.sav, adult.dta
- b. **Proc format file:** ADULT_PROC_FORMAT.SAS
- c. **Format file:** ADULT_FORMAT.SAS
- d. **Label file:** ADULT_LABEL.SAS
- e. **Imputation flag file:** adultf.sas7bdat, adultf.sav, adultf.dta
See Section 3.7 for descriptions of imputation flag variables and values.
- f. **Others:** ADULT.XPT, ADULTF.XPT

2. What's New in CHIS 2013-2014

As an ongoing cross-sectional survey of California's population, each CHIS two-year data cycle has its own unique features. **This document describes the main cycle-specific methodological changes that were implemented in CHIS 2013-2014.** It is recommended that CHIS data users review the information below and detailed online documentation as necessary before analyzing or reporting CHIS data.

CHIS Methodological Documentation Online:

<http://healthpolicy.ucla.edu/chis/design/Pages/methodology.aspx>

- 1) **One-Year Data File Release** – CHIS 2013 and 2014 public use files (PUFs) were released as separate, one-year data files (one file for each year), which is different from the combined two-year data files released in the past. The switch to single-year data files was facilitated by continuous data collection, which began in the CHIS 2011-2012 data collection cycle. The CHIS 2013-2014 data collection cycle includes interviews conducted between February 2013 and early January 2015 with approximately half of the interviews conducted during calendar year 2013 and the other half during calendar year 2014. We will re-release CHIS 2011 and 2012 data files as separate, one-year files

later in 2015 for researchers who want to make single year estimates across this four-year timespan. Two-year data files for the CHIS 2013-2014 cycle can be requested later this year via our Data Access Center (DAC, see <http://healthpolicy.ucla.edu/chis/data/Pages/GetCHISData.aspx>).

As of the CHIS 2013 and 2014 data file release (August 2015), AskCHIS (<http://ask.chis.ucla.edu>) included individual year data for CHIS 2011, 2012, 2013, and 2014, so users can produce single-year estimates. In future years, we anticipate releasing one-year PUFs and updating AskCHIS annually, which will provide CHIS users with much more timely data and greater flexibility in structuring their analyses. Users should be cautious examining indicators for small populations (such as child, teen, or racial/ethnic groups) due to the smaller sample sizes of the one-year data; pooling two or more cycles of one-year data is generally advised.

Users who need more information about pooling/trending data over time should review the Analyze CHIS Data website at <http://healthpolicy.ucla.edu/chis/analyze/Pages/default.aspx> or go to the Analyze CHIS Data user forum at <http://healthpolicy.ucla.edu/forum/Pages/Forum.aspx>.

- 2) **Measuring Modified Adjusted Gross Income (MAGI) and Medi-Cal Eligibility** – CHIS has always included adult survey questions to estimate eligibility for California’s Medicaid program, Medi-Cal. The 2010 Patient Protection and Affordable Care Act (ACA) included numerous changes to Medi-Cal eligibility. Effective January 1, 2014, income-based eligibility for Medi-Cal and Healthy Families (California’s Children’s Health Insurance Program) participation is determined by Modified Adjusted Gross Income (MAGI). CHIS 2014 (and CHIS 2013, but most relevant to 2014) included the following changes to approximate a respondent’s MAGI.
 - a. Added two questions to identify households receiving workers’ compensation in the past month and the amount received in order to exclude workers’ compensation income from total income (AL32, AL33);
 - b. Modified questions on child support to eliminate “other” income sources (government or veterans’ programs) (AL15, AL16) to exclude child support income from total income;
 - c. Added two questions clarifying whether there is anyone else not living in the household, but living in the U.S., who is supported by the total household income reported (AK32, AK33).

The MAGI approximation informed the construction of the CHIS 2014 variable, **ELGMAGI3**, capturing uninsured individuals who are “newly eligible” for Medi-Cal under the ACA. **ELGMAGI3** also categorizes many uninsured individuals eligible for Healthy Families as *Medi-Cal eligible* due to the transition of Healthy Families enrollees into the Targeted Low Income Medicaid Program.

Detailed documentation about the MAGI variable is forthcoming. See the Analyze CHIS Data forum for more information (<http://healthpolicy.ucla.edu/forum/Pages/Forum.aspx>).

- 3) **New and Updated Survey Questions** – Most CHIS questions are included in every CHIS cycle, but some are added or removed depending on both stake-holder input on public health importance and funding availability. Noteworthy changes include:
 - a. New content CHIS 2013-2014:
 - i. 2014 only: Questions to determine Covered California (the state health insurance marketplace) participation and experience shopping for coverage in the individual market.

- ii. 2013-2014: Contraception use, access to general and specialty care, dental insurance, industry and occupation (forthcoming), teen and child sedentary behavior, and teen grade level and organizational involvement.
 - b. Removed content: falls among older adults; moderate and vigorous activity in the past week; fruit and vegetable consumption in the past month; mammography; teen drug use/sexual behavior and STI testing; and, bullying and interpersonal violence among teens.
- 4) **Japanese American Oversample and Tagalog Interviewing** – A special oversample of Japanese Americans was conducted using telephone numbers associated with Japanese first and last names. These phone numbers were used to increase the yield of Californians of Japanese descent for an oversample of about 130 Japanese Americans. The *CHIS 2013-2014 Methodology Report 1 – Sample Design* includes more information about this oversample. CHIS continued to oversample Koreans and Vietnamese as well. CHIS 2013-2014 also includes interviews in Tagalog, in addition to its usual languages: English, Spanish, Chinese (Cantonese and Mandarin dialects), Korean and Vietnamese.
- 5) **County Oversamples** – As before, some counties funded additional interviews. In CHIS 2013-2014, approximately 1,600 additional households were sampled in San Diego County to provide sub-county estimates (as has been done since 2005). Three other counties also included supplemental oversamples (Calaveras, Siskiyou, and Tuolumne) of about 400 additional households each. An address-based sample was used in Sonoma County to complete interviews in about 500 additional households.
- 6) **Dual-Frame Cell Phone & Landline RDD Sample** – In CHIS 2013-2014, 7,752 adult interviews were conducted from the cell phone sample (19.3% of adult interviews). In CHIS 2011-2012, 9,151 adult interviews were conducted from the cell phone sample (21.3% of adult interviews). CHIS 2009 had 3,047 (6.4% of adult interviews) interviews conducted from the cell phone sample. Like CHIS 2011-2012, CHIS 2013-2014 used county-level goals for the cell phone RDD sample. The complete sample design is in *CHIS 2013-2014 Methodology Report 5 – Sample Design* (to be released Fall 2015). For more about cell phone sampling from the American Association for Public Opinion Research see http://www.aapor.org/Cell_Phone_Task_Force_Report.htm

3. CHIS 2013-2014 Design and Methodology Summary

3.1 Overview

A series of five methodology reports will be available with more detail about the methods used in CHIS 2013-2014:

- Report 1 – Sample Design;
- Report 2 – Data Collection Methods;
- Report 3 – Data Processing Procedures;
- Report 4 – Response Rates; and
- Report 5 – Weighting and Variance Estimation.

For further information on CHIS data and the methods used in the survey, visit the California Health Interview Survey Web site at <http://www.chis.ucla.edu> or contact CHIS at CHIS@ucla.edu.

The CHIS is a population-based telephone survey of California's population conducted every other year since 2001 and continually beginning in 2011. CHIS is the largest state health survey and one of the largest health surveys in the nation. CHIS is conducted by the UCLA Center for Health Policy Research (UCLA-CHPR) in collaboration with the California Department of Public Health and the Department of Health Care Services. CHIS collects extensive information for all age groups on health status, health conditions, health-related behaviors, health insurance coverage, access to health care services, and other health and health related issues.

The sample is designed to meet and optimize two objectives:

- 1) Provide estimates for large- and medium-sized counties in the state, and for groups of the smallest counties (based on population size), and
- 2) Provide statewide estimates for California's overall population, its major racial and ethnic groups, as well as several racial and ethnic subgroups.

The CHIS sample is representative of California's non-institutionalized population living in households. CHIS data and results are used extensively by federal and State agencies, local public health agencies and organizations, advocacy and community organizations, other local agencies, hospitals, community clinics, health plans, foundations, and researchers. These data are used for analyses and publications to assess public health and health care needs, to develop and advocate policies to meet those needs, and to plan and budget health care coverage and services. Many researchers throughout California and the nation use CHIS data files to further their understanding of a wide range of health-related issues (visit UCLA-CHPR's publication page at: <http://healthpolicy.ucla.edu/publications/Pages/default.aspx> for examples of CHIS studies).

3.2 Switch to a Continuous Survey

From the first CHIS cycle in 2001 through 2009, CHIS data was collected during a 7-9 month period every other year. Beginning in 2011, CHIS data have been collected continually over a 2-year cycle. This change was driven by several factors including the ability to track and release information about health in California on a more frequent and timely basis and to eliminate potential seasonality in the biennial data.

CHIS 2013-2014 data were collected between February 2013 and early January 2015. Approximately half of the interviews were conducted during the 2013 calendar year and half during the 2014 calendar year. As in previous CHIS cycles, weights are included with the data files and are based on the State of California's Department of Finance population estimates and projections, adjusted to remove the population living in group quarters (such as nursing homes, prisons, etc.) and thus not eligible to participate in CHIS. When the weights are applied to the data, the results represent California's residential population during that year for the age group corresponding to the data file in use (adult, adolescent, or child).

In order to provide CHIS data users with more complete and up-to-date information to facilitate analyses of CHIS data, additional information on how to use the CHIS sampling weights, including sample code, is available at: <http://healthpolicy.ucla.edu/chis/analyze/Pages/sample-code.aspx>.

Additional documentation on constructing the CHIS sampling weights is available in CHIS 2013-2014 Methods Report #5—Weighting and Variance Estimation, available at: <http://healthpolicy.ucla.edu/chis/design/Pages/methodology.aspx>. Other helpful information for understanding the CHIS sample design and data collection processing can be found in the four other methodology reports for each CHIS cycle year.

3.3 Sample Design Objectives

The CHIS 2013-2014 sample was designed to meet the two sampling objectives discussed above: (1) provide estimates for adults in most counties and in groups of counties with small populations; and (2) provide estimates for California's overall population, major racial and ethnic groups, and for several smaller racial and ethnic subgroups.

To achieve these objectives, CHIS employed a dual-frame, multi-stage sample design. The random-digit-dial (RDD) sample included telephone numbers assigned to both landline and cellular service. The random-digit-dial (RDD) sample was designed to achieve completed adult interviews with approximately 80% landline and 20% cellular phone numbers. For the landline RDD sample, the 58 counties in the state were grouped into 44 geographic sampling strata, and 14 sub-strata were created within the two most populous counties in the state (Los Angeles and San Diego). The Los Angeles County stratum included 8 sub-strata for Service Planning Areas, and the San Diego County stratum included 6 sub-strata for Health Service Districts. Approximately 1,600 additional households were sampled in San Diego County to obtain the sub-county estimates. Most of the strata (39 of 44) are made up of a single county with no sub-strata (counties 3-41 in Table 1-1), with three multi-county strata comprised of the 17 remaining counties (see Table 1-1). CHIS 2013-2014 also included supplemental geographic oversamples of landlines in 3 small counties (Calaveras, Siskiyou, and Tuolumne) that were part of multi-county strata (about 400 additional households for each county). An address-based sample of an additional 500 households was conducted in Sonoma County and oversamples of about 130 Japanese Americans, 104 Korean Americans, and 120 Vietnamese Americans were completed using list samples. A sufficient number of adult interviews were allocated to each stratum and sub-stratum to support the first sample design objective—to provide health estimates for adults at the local level. The same landline geographic stratification of the state has been used since CHIS 2005.

Within each geographic stratum, residential telephone numbers were selected, and within each household, one adult (age 18 and over) respondent was randomly selected. In those households with adolescents (ages 12-17) and/or children (under age 12), one adolescent and one child were randomly selected; the adolescent was interviewed directly, and the adult most knowledgeable about the child's health completed the child interview.

The RDD CHIS sample is of sufficient size to accomplish the second objective (produce estimates for the state's major racial/ethnic groups, as well as many ethnic subgroups). However, given the smaller sample sizes of one-year data files, two or more pooled cycles of CHIS data are generally required to produce statistically stable estimates for small population groups such as racial/ethnic subgroups, children, teens, etc. To increase the precision of estimates for Koreans and Vietnamese, areas with relatively high concentrations of these groups were sampled at higher rates. These geographically targeted oversamples were supplemented by telephone numbers associated with group-specific surnames, drawn from listed telephone directories to further increase the sample size for Koreans and Vietnamese. Surname and given name lists were used similarly to increase the yield of Californians of Japanese descent.

Table 3-1. California county and county group strata used in the CHIS 2013-2014 sample design

| | | |
|-------------------------|---------------------|-----------------------------------|
| 1. Los Angeles | 7. Alameda | 27. Shasta |
| 1.1 Antelope Valley | 8. Sacramento | 28. Yolo |
| 1.2 San Fernando Valley | 9. Contra Costa | 29. El Dorado |
| 1.3 San Gabriel Valley | 10. Fresno | 30. Imperial |
| 1.4 Metro | 11. San Francisco | 31. Napa |
| 1.5 West | 12. Ventura | 32. Kings |
| 1.6 South | 13. San Mateo | 33. Madera |
| 1.7 East | 14. Kern | 34. Monterey |
| 1.8 South Bay | 15. San Joaquin | 35. Humboldt |
| 2. San Diego | 16. Sonoma | 36. Nevada |
| 2.1 N. Coastal | 17. Stanislaus | 37. Mendocino |
| 2.2 N. Central | 18. Santa Barbara | 38. Sutter |
| 2.3 Central | 19. Solano | 39. Yuba |
| 2.4 South | 20. Tulare | 40. Lake |
| 2.5 East | 21. Santa Cruz | 41. San Benito |
| 2.6 N. Inland | 22. Marin | 42. Colusa, Glen, Tehama |
| 3. Orange | 23. San Luis Obispo | 43. Plumas, Sierra, Siskiyou, |
| 4. Santa Clara | 24. Placer | Lassen, Modoc, Trinity, Del Norte |
| 5. San Bernardino | 25. Merced | 44. Mariposa, Mono, Tuolumne, |
| 6. Riverside | 26. Butte | Alpine, Amador, Calaveras, Inyo |

Source: UCLA Center for Health Policy Research, 2013-2014 California Health Interview Survey.

To help compensate for the increasing number of households without landline telephone service, a separate RDD sample was drawn of telephone numbers assigned to cellular service. In CHIS 2013-2014, the goal was to complete approximately 8,000 interviews (20% of all RDD interviews statewide) with adults from the cell phone sample. Although the geographic information available for cell phone numbers is not as precise as that for landlines, cell phone numbers were assigned to the same 44 strata (i.e., 41 strata defined by a single county and 3 strata created by multiple counties). The cell phone stratification closely resembles that of the landline sample and has the same stratum names, though the cell phone strata represent slightly different geographic areas than the landline strata. As in CHIS 2011-2012, if a sampled cell number was shared by two or more adult members of a household, one household member was selected for the adult interview; otherwise the adult owner of the sampled number was selected. Cell numbers used exclusively by children under 18 were considered ineligible. About 480 teen interviews and 1,250 child interviews were completed from the cell phone sample in CHIS 2013-2014.

The cell phone sampling method used in CHIS has evolved since its first implementation in 2007 when only cell numbers belonging to adults in cell-only households were eligible for sampling adults. There have been two significant changes to the cell phone sample since 2009. First, all cell phone sample numbers used for non-business purposes by adults living in California were eligible for the extended interview. Thus, adults in households with landlines who had their own cell phones or shared one with another adult household member could have been selected through either the cell or landline sample. The second change was the inclusion of child and adolescent extended interviews.

The cell phone sample design and targets by stratum of the cell phone sample have also changed throughout the cycles of the survey. In CHIS 2007 a non-overlapping dual-frame design was implemented where cell phone only users were screened and interviewed in the cell phone sample. Beginning in 2009, an

overlapping dual-frame design has been implemented. In this design, dual phone users (e.g., those with both cell and landline service) can be selected and interviewed from either the landline or cellphone samples.

The number of strata has also evolved as more information about cell numbers has become available. In CHIS 2007 the cell phone frame was stratified into 7 geographic sampling strata created using telephone area codes. In CHIS 2009 and 2011-2012, the number of cell phone strata was increased to 28. These strata were created using both area codes and the geographic information assigned to the number. In CHIS 2011-2013, with the availability of more detailed geographic information, the number of strata was increased to 44 geographic areas that correspond to single and grouped counties similar to the landline strata.

3.4 Data Collection

To capture the rich diversity of the California population, interviews were conducted in six languages: English, Spanish, Chinese (Mandarin and Cantonese dialects), Vietnamese, Korean, and, for the first time, Tagalog. These languages were chosen based on analysis of 2010 Census data to identify the languages that would cover the largest number of Californians in the CHIS sample that either did not speak English or did not speak English well enough to otherwise participate.

Westat, a private firm that specializes in statistical research and large-scale sample surveys, conducted CHIS 2013-2014 data collection under contract with the UCLA Center for Health Policy Research. For all samples, Westat staff interviewed one randomly selected adult in each sampled household, and sampled one adolescent and one child if they were present in the household and the sampled adult was their parent or legal guardian. Thus, up to three interviews could have been completed in each household. Children and adolescents were generally sampled at the end of the adult interview. In landline, list, and ABS sample households with children where the screener respondent was someone other than the sampled adult, children and adolescents could be sampled as part of the screening interview, and the extended child (and adolescent) interviews could be completed before the adult interview. This “child-first” procedure was first used in CHIS 2005 and has been continued in subsequent CHIS cycles because it substantially increases the yield of child interviews. While numerous subsequent attempts were made to complete the adult interview for child-first cases, the final data contain completed child and adolescent interviews in households for which an adult interview was not completed. Table 1-2 shows the number of completed adult, child, and adolescent interviews in CHIS 2013-2014 by the type of sample (landline RDD, surname list, cell RDD, and Sonoma ABS). These numbers are provided in greater detail in *CHIS 2013-2014 Methodology Series: Report 2 – Data Collection*. Note that these figures were accurate as of data collection completion and may differ slightly from numbers in the data files due to data cleaning and edits. Sample sizes to compare against data files you are using are found online at <http://healthpolicy.ucla.edu/chis/design/Pages/sample.aspx>.

Table 3-2. Number of completed CHIS 2013-2014 interviews by type of sample and instrument

| Type of sample | Adult* | Child | Adolescent |
|-------------------|---------------------|-------|------------|
| Total all samples | 40,240 ¹ | 5,512 | 2,253 |
| Landline RDD | 31,615 | 4,164 | 1,738 |
| Surname list | 392 | 50 | 18 |
| Cell RDD | 7,752 | 1,256 | 482 |
| Sonoma ABS | 481 | 42 | 15 |

*Includes interviews meeting the criteria as partially complete

Source: UCLA Center for Health Policy Research, 2013-2014 California Health Interview Survey.

Interviews in all languages were administered using Westat's computer-assisted telephone interviewing (CATI) system. The average adult interview took about 36 minutes to complete. The average child and adolescent interviews took about 16 minutes and 23 minutes, respectively. For "child-first" interviews, additional household information asked as part of the child interview averaged about 9 minutes. Interviews in non-English languages generally took longer to complete. More than 11 percent of the adult interviews were completed in a language other than English, as were about 23 percent of all child (parent proxy) interviews and 5 percent of all adolescent interviews.

3.5 Response Rates

The overall response rate for CHIS 2013-2014 is a composite of the screener completion rate (i.e., success in introducing the survey to a household and randomly selecting an adult to be interviewed) and the extended interview completion rate (i.e., success in getting one or more selected persons to complete the extended interview). To maximize the response rate, especially at the screener stage, an advance letter in five languages was mailed to all landline sampled telephone numbers for which an address could be obtained from reverse directory services. An advance letter was mailed for 50.7 percent of the landline RDD sample telephone numbers not identified by the sample vendor as business or nonworking numbers, and for 82.2 percent of surname list sample numbers. Addresses were not available for the cell sample. As in all CHIS cycles since CHIS 2005, a \$2 bill was included with the CHIS 2013-2014 advance letter to encourage cooperation.

The CHIS 2013-2014 screener response rate for the landline/list sample was 28.8 percent, and was higher for households that were sent the advance letter. For the cell phone sample, the screener response rate was 30.7 percent. The extended interview response rate for the landline/list sample varied across the adult (44.8 percent), child (68.9 percent) and adolescent (40.2 percent) interviews. The adolescent rate includes getting permission from a parent or guardian. The adult interview response rate for the cell sample was 52.1 percent, the child rate was 72.2 percent, and the adolescent rate 41.0 percent. Multiplying the screener and extended rates gives an overall response rate for each type of interview. The percentage of households completing one or more of the extended interviews (adult, child, and/or adolescent) is a useful summary of the overall performance of the landline sample. For CHIS 2013-2014, the landline/list sample household response rate was 14.8 percent (the product of the screener response rate and the extended interview response rate at the household level of 51.4 percent). The cell sample household response rate was 16.6

¹Numbers in this table represent the data publically released and available through our Data Access Center. Total sample sizes may differ for specific calculations within the five methodology reports, or for specific analyses based on CHIS data.

percent, incorporating a household-level extended interview response rate of 53.9 percent. All of the household and person level response rates vary by sampling stratum.

Historically, the CHIS response rates are comparable to response rates of other scientific telephone surveys in California, such as the California Behavioral Risk Factor Surveillance System (BRFSS) Survey. However, comparing the CHIS and BRFSS response rates requires recomputing the CHIS response rates so they match the BRFSS response rate calculation methods. The 2013 California BRFSS landline response rate is 38.9 percent, the cell phone response rate is 39.3 percent, and the combined landline and cell phone rate is 39.0 percent.² Recalculating the CHIS response rates using the BRFSS method, the CHIS 2013-2014 landline response rate is 39.5, cell phone response rate is 32.1 percent, and the combined landline and cell phone response rate is 37.2 percent. California as a whole and the state's urban areas in particular are among the most difficult parts of the nation in which to conduct telephone interviews. For example, based on the last reported BRFSS refusal rates in 2011; the refusal rate for California (31.4%) was the highest in the nation and was twice the national median (16.0%). Survey response rates tend to be lower in California than nationally, and over the past decade response rates have been declining both nationally and in California. For more information about the CHIS 2013-2014 response rates please see *CHIS Methodology Series: Report 4 – Response Rates*.

Further information about CHIS data quality and nonresponse bias is available at <http://healthpolicy.ucla.edu/chis/design/Pages/data-quality.aspx>.

After all follow-up attempts to complete the full questionnaire were exhausted, adults who completed at least approximately 80 percent of the questionnaire (i.e., through Section K which covers employment, income, poverty status, and food security), were counted as “complete.” At least some responses in the employment and income series, or public program eligibility and food insecurity series were missing from those cases that did not complete the entire interview. They were imputed to enhance the analytic utility of the data (see section 2.6 on imputation methods for more information).

Proxy interviews were conducted for any adult who was unable to complete the extended adult interview for themselves, in order to avoid biases for health estimates of chronically-ill or handicapped people. Eligible selected persons were re-contacted and offered a proxy option. For 248 adults, a proxy interview was completed by either a spouse/partner or adult child. A reduced questionnaire, with questions identified as appropriate for a proxy respondent, was administered.

3.6 Weighting the Sample

To produce population estimates from CHIS data, weights are applied to the sample data to compensate for the probability of selection and a variety of other factors, some directly resulting from the design and administration of the survey. The sample is weighted to represent the non-institutionalized population for each sampling stratum and statewide. The weighting procedures used for CHIS 2013-2014 accomplish the following objectives:

- Compensate for differential probabilities of selection for households and persons;
- Reduce biases occurring because non-respondents may have different characteristics than respondents;

² As reported in the Behavioral Risk Factor Surveillance System: 2013 Summary Data Quality Report. Retrieved May 22, 2015, available online at http://www.cdc.gov/brfss/annual_data/2013/pdf/2013_dqr.pdf

- Adjust, to the extent possible, for under-coverage in the sampling frames and in the conduct of the survey; and
- Reduce the variance of the estimates by using auxiliary information.

As part of the weighting process, a household weight was created for all households that completed the screener interview. This household weight is the product of the “base weight” (the inverse of the probability of selection of the telephone number) and a variety of adjustment factors. The household weight is used to compute a person-level weight, which includes adjustments for the within-household sampling of persons and nonresponse. The final step is to adjust the person-level weight using an iterative proportional fitting method, or “raking” as it is commonly called, so that CHIS estimates are consistent with the marginal population control totals. This iterative procedure forces the CHIS weights to sum to known population control totals from an independent data source (see below). The procedure requires iteration to make sure all the control totals, or raking dimensions, are simultaneously satisfied within a pre-specified tolerance.

Population control totals of the number of persons by age, race, and sex at the stratum level for CHIS 2013-2014 were created primarily from the California Department of Finance’s (DOF) 2014 Population Estimates and 2014 Population Projections. The raking procedure used 12 raking dimensions, which are combinations of demographic variables (age, sex, race, and ethnicity), geographic variables (county, Service Planning Area in Los Angeles County, and Health Region in San Diego County), household composition (presence of children and adolescents in the household), and socio-economic variables (home ownership and education). The socio-economic variables are included to reduce biases associated with excluding households without landline telephones from the sample frame. One limitation of using Department of Finance (DOF) data is that it includes about 2.4 percent of the population of California who live in “group quarters” (i.e., persons living with nine or more unrelated persons and includes, for example nursing homes, prisons, dormitories, etc.). These persons were excluded from the CHIS target population and, as a result, the number of persons living in group quarters was estimated and removed from the Department of Finance control totals prior to raking.

The 2014 DOF control totals used to create the CHIS 2013-2014 weights are based on 2010 Census counts, as were those used for the 2011-2012 cycle. Please pay close attention when comparing estimates using CHIS 2013-2014 data with estimates using data from CHIS cycles before 2010. The most accurate California population figures are available when the US population count is conducted (every 10 years). Population-based surveys like CHIS must use estimates and projections based on the decennial population count data between Censuses. For example, population control totals for CHIS 2009 were based on 2009 DOF estimates and projections, which were based on Census 2000 counts with adjustments for demographic changes within the state between 2000 and 2009. These estimates become less accurate and more dependent on the models underlying the adjustments over time. Using the most recent Census population count information to create control totals for weighting produces the most statistically accurate population estimates for the current cycle, but it may produce unexpected increases or decreases in some survey estimates when comparing survey cycles that use 2000 Census-based information and 2010 Census-based information. For more information about the CHIS 2013-2014 response rates please see *CHIS 2013-2014 Methodology Series: Report 4 – Response Rates*.

3.7 Imputation Methods

Missing values in the CHIS data files were replaced through imputation for nearly every variable. This was a massive task designed to enhance the analytic utility of the files. Westat imputed missing values for those variables used in the weighting process and UCLA-CHPR staff imputed values for nearly every other variable.

Two different imputation procedures were used by Westat to fill in missing responses for items essential for weighting the data. The first imputation technique was a completely random selection from the observed distribution of respondents. This method was used only for a few variables when the percentage of the items missing was very small. The second technique was hot deck imputation without replacement. The hot deck approach is one of the most commonly used methods for assigning values for missing responses. With a hot deck, a value reported by a respondent for a particular item is assigned or donated to a “similar” person who did not respond to that item. The characteristics defining “similar” vary for different variables. To carry out hot deck imputation, the respondents who answer a survey item form a pool of donors, while the item non-respondents form a group of recipients. A recipient is matched to the subset pool of donors based on household and individual characteristics. A value for the recipient is then randomly imputed from one of the donors in the pool. Once a donor is used, it is removed from the pool of donors for that variable. Westat used hot deck imputation to impute the same items in all CHIS cycles since 2003 (i.e., race, ethnicity, home ownership, and education).

UCLA-CHPR imputed missing values for nearly every variable in the data files other than those imputed by Westat and some sensitive variables in which nonresponse had its own meaning. Overall, item nonresponse rates in CHIS 2013-2014 were low, with most variables missing valid responses for less than 2% of the sample. However, there were a few exceptions where item nonresponse rate was greater than 20%, such as household income.

The imputation process conducted by UCLA-CHPR started with data editing, sometimes referred to as logical or relational imputation: for any missing value, a valid replacement value was sought based on known values of other variables of the same respondent or other sample(s) from the same household. For the remaining missing values, model-based hot-deck imputation without donor replacement was used. This method replaces a missing value for one respondent using a valid response from another respondent with similar characteristics as defined by a generalized linear model with a set of control variables (predictors). The link function of the model corresponds to the nature of the variable being imputed (e.g. linear regression for continuous variables, logistic regression for binary variables, etc.). Donors and recipients are grouped based on their predicted values from the model.

Control variables (predictors) used in the model to form donor pools for hot-decking always included standard measures of demographic and socioeconomic characteristics, as well as geographic region; however, the full set of control variables varies depending on which variable is being imputed. Most imputation models included additional characteristics, such as health status or access to care, which are used to improve the quality of the donor-recipient match. Among the standard list of control variables, gender, age, race/ethnicity and region of California were imputed by Westat. UCLA-CHPR begins their imputation process by imputing household income and educational attainment, so that these characteristics are available for the imputation of other variables. Sometimes CHIS collects bracketed information about the range in which the respondent’s value falls when the respondent will not or cannot report an exact amount. Household income, for example, was imputed using the hot-deck method within ranges defined by a set of auxiliary variables such as bracketed income range and/or poverty level.

The imputation order of the other variables generally followed the questionnaire. After all imputation procedures were complete, every step in the data quality control process is performed once again to ensure consistency between the imputed and non-imputed values on a case-by-case basis.

4. How to Use the Data Dictionary

This Data Dictionary describes the variables in the CHIS 2013 data file. The index of the data dictionary lists variables first in alphabetical order and then in the order they were administered in the survey questionnaire. Please note that identical variable names appearing in the CHIS 2001, CHIS 2003, CHIS 2005, CHIS 2007, CHIS 2009 and CHIS 2011-12 data files does not guarantee identical question wording, response categories or universe; please consult the questionnaires and data dictionaries to assess comparability across cycles. A printable version of the questionnaire can be found on the California Health Interview Survey web site at <http://healthpolicy.ucla.edu/chis/design/Pages/questionnaires.aspx>.

The data dictionary contains the following fields:

- **VARNAME:** The names of the variables.
- **QNAME13:** The names of the 2013-14 survey items. A blank/NA field means the variable is constructed with survey items shown in the **INPUT VAR** field.
- **QNAME11:** The names of 2011-12 survey items identical or similar to the 2013-14 items.
- **QNAME09:** The names of 2009 survey items identical or similar to the 2013-14 items.
- **LABEL:** A description (or label) of the variable which is the same as what is included in the label file described in Section 1.2.
- **VALUE:** Response categories and their sample distributions of categorical variables. The following negative values are used for all variables:
 - 1: INAPPLICABLE.
 - 2: PROXY SKIPPED.
 - 5: CHILD/HOUSEHOLD INFORMATION NOT COLLECTED FOR TEEN AND CHILD INTERVIEWS.
 - 7: REFUSED.
 - 8: DON'T KNOW.
 - 9: NOT ASCERTAINED.
- **MEAN STATISTICS:** Sample distributions of continuous variables.
- **UNIVERSE:** The scope of eligible respondents for the corresponding item. For some questions and variables, certain respondents become ineligible due to skip patterns or other restrictions (e.g., age and sex).
- **INPUT VAR:** Source variables used to construct the one in the **VARNAME** field.
- **NOTES:** Additional information about the variable.

5. Sample Code for Analysis and Pooling of CHIS data

As previously noted, sample code to assist with analyses and pooling of CHIS data is available on the CHIS website at <http://healthpolicy.ucla.edu/chis/analyze/Pages/default.aspx>

6. Data Dictionary Variable Listings

A. Variable Name (Alphabetical)

| VARIABLE | LABEL | PAGE |
|----------|---|-------|
| AA5C | ENROLLED MEMBER IN RECOGNIZED TRIBE | DD-11 |
| AB1 | GENERAL HEALTH CONDITION | DD-13 |
| AB106_P | ER/URGT CARE VISIT FOR ASTHMA PAST YR UNABLE TO SEE OWN DR (PUF RECODE) | DD-17 |
| AB108_P1 | CONFIDENCE TO CONTROL AND MANAGE ASTHMA (PUF 1 YR RECODE) | DD-20 |
| AB109 | VISITED ER FOR DIABETES IN PAST 12 MOS | DD-26 |
| AB110_P | VISITED ER FOR DIABETES BECAUSE UNABLE TO SEE OWN DR (PUF RECODE) | DD-27 |
| AB111 | ADMITTED TO HOSPITAL OVERNIGHT OR LONGER FOR DIABETES PAST 12 MOS | DD-27 |
| AB112 | MEDICAL PROVIDERS DEVELOP DIABETES CARE | DD-28 |
| AB113 | HAVE WRITTEN COPY OF DIABETES CARE PLAN | DD-28 |
| AB114_P1 | CONFIDENCE TO CONTROL AND MANAGE DIABETES (PUF 1 YR RECODE) | DD-29 |
| AB115 | VISITED ER FOR HEART DISEASE IN PAST 12 MOS | DD-32 |
| AB116_P1 | ER VISIT FOR HEART DISEASE BECAUSE UNABLE TO SEE OWN DR (PUF 1 YR RECODE) | DD-32 |
| AB117 | ADMITTED TO HOSPITAL OVERNIGHT/LONGER FOR HEART DX PAST 12 MOS | DD-33 |
| AB118 | MEDICAL PROVIDERS DEVELOPED HEART DISEASE PLAN | DD-33 |
| AB119 | HAVE WRITTEN COPY OF HEART DISEASE CARE | DD-34 |
| AB120_P1 | CONFIDENCE TO CONTROL AND MANAGE HEART DISEASE (PUF 1 YR RECODE) | DD-34 |
| AB17 | DOCTOR EVER TOLD HAVE ASTHMA | DD-14 |
| AB18 | TAKING DAILY MEDICATION TO CONTROL ASTHMA | DD-17 |
| AB19 | FREQUENCY OF ASTHMA SYMPTOMS IN PAST 12 MOS: CURRENT ASTHMATICS | DD-18 |
| AB22 | DOCTOR EVER TOLD HAVE DIABETES | DD-21 |
| AB23_P1 | AGE FIRST TOLD HAVE DIABETES (PUF 1 YR RECODE) | DD-22 |
| AB24 | CURRENTLY TAKING INSULIN | DD-24 |
| AB25 | CURRENTLY TAKING DIABETIC PILLS TO LOWER BLOOD SUGAR | DD-24 |
| AB26 | # OF TIMES R/R'S FAMILY/R'S FRIEND CHECK BLOOD FOR GLUCOSE | DD-25 |
| AB27_P1 | # OF TIMES DOC CHECKED FOR HEMOGLOBIN A1C LAST YR (PUF 1 YR RECODE) | DD-22 |
| AB28_P1 | # OF TIMES DOC CHECKED FEET FOR SORES LAST YR (PUF 1 YR RECODE) | DD-25 |
| AB29 | DOCTOR EVER TOLD HAVE HIGH BLOOD PRESSURE | DD-30 |
| AB30 | CURRENTLY TAKING MEDICATIONS TO CONTROL HIGH BLOOD PRESSURE | DD-30 |
| AB34 | DOCTOR EVER TOLD HAVE ANY KIND OF HEART DISEASE | DD-31 |
| AB40 | STILL HAS ASTHMA | DD-14 |
| AB41 | ASTHMA EPISODE/ATTACK IN PAST 12 MOS | DD-15 |

| VARIABLE | LABEL | PAGE |
|-----------|--|--------|
| AB42 P1 | WORKDAYS MISSED DUE TO ASTHMA IN PAST 12 MOS (PUF 1 YR RECODE) | DD-19 |
| AB43 | HEALTH PROFESSIONAL EVER GAVE ASTHMA MANAGEMENT PLAN | DD-19 |
| AB51 P1 | TYPE I OR TYPE II DIABETES (PUF 1 YR RECODE) | DD-23 |
| AB52 | EVER TOLD HAVE HEART FAILURE/CONGESTIVE | DD-31 |
| AB63 | LAST EYE EXAM DILATED PUPILS | DD-26 |
| AB81 | DOCTOR TOLD HAD DIABETES ONLY DURING PREGNANCY | DD-29 |
| AB98 | HAVE WRITTEN COPY OF ASTHMA CARE PLAN | DD-20 |
| AB99 | DOC EVER TOLD HAVE PRE- OR BORDERLINE DIABETES | DD-21 |
| AC11 | # OF TIMES DRANK SODA LAST MONTH | DD-37 |
| AC31 P1 | # TIMES ATE FAST FOOD PAST WEEK (PUF 1 YR RECODE) | DD-38 |
| AC32 | HAD ALCOHOL PAST 12 MONTHS | DD-43 |
| AC34 P1 | # DAYS HAD 5+ DRINKS PAST 12 MONTHS (PUF 1 YR RECODE) | DD-43 |
| AC35 P1 | # DAYS HAD 4+ DRINKS PAST 12 MONTHS (PUF 1 YR RECODE) | DD-44 |
| AC42 | HOW OFTEN FIND FRESH FRUIT/VEG IN NEIGHB | DD-45 |
| AC42 P | HOW OFTEN FIND FRESH FRUIT/VEG IN NEIGHB (PUF RECODE) | DD-46 |
| AC44 | NEIGHBORHOOD FRUIT/VEG AFFORDABLE | DD-46 |
| AC46 | # OF TIMES DRANK SWEET FRUIT DRINKS PAST MO | DD-47 |
| AC47 P1 | # OF GLASSES OF WATER DRANK YESTERDAY (PUF 1 YR RECODE) | DD-47 |
| AC48 P1 | # OF GLASSES OF NON-LOW/FAT MILK DRANK YESTERDAY (PUF 1 YR RECODE) | DD-48 |
| AC49 | STOP SMOKING ONE DAY OR LONGER TO QUIT PAST YR | DD-40 |
| AC50 | THINK ABOUT QUIT SMOKING IN NEXT 6 MOS | DD-41 |
| ACHLDC P1 | AMOUNT SPENT ON CHILD CARE PER WEEK (PUF 1 YR RECODE) | DD-80 |
| ACMDNUM | # OF DOCTOR VISITS PAST YEAR | DD-118 |
| AD32 P1 | # OF CIGARETTES PER DAY (PUF 1 YR RECODE) | DD-39 |
| AD37W | WALKED AT LEAST 10 MIN FOR TRANSPORT PAST 7 DAYS | DD-35 |
| AD40W | WALKED AT LEAST 10 MIN FOR LEISURE PAST 7 DAYS | DD-35 |
| AD41W | # TIMES WALKED AT LEAST 10 MIN FOR LEISURE PAST 7 DAYS | DD-36 |
| AD42W | AVERAGE LENGTH OF TIME WALKED FOR LEISURE | DD-36 |
| AD50 | BLIND/DEAF OR HAS SEVERE VISION/HEARING PROBLEM | DD-52 |
| AD51 | HAS DIFFICULTY LEARNING, REMEMBERING, CONCENTRATING | DD-54 |
| AD52 | HAS DIFFICULTY DRESSING, BATHING, GETTING AROUND | DD-55 |
| AD53 | HAS DIFFICULTY GOING OUTSIDE HOME ALONE | DD-55 |
| AD54 | HAS DIFFICULTY WORKING AT A JOB | DD-55 |
| AD57 | CONDITION LIMITS BASIC PHYS ACTIVITY | DD-54 |
| AE15 | SMOKED 100 OR MORE CIGARETTES IN ENTIRE LIFETIME | DD-38 |
| AE15A | SMOKES CIGARETTES EVERYDAY, SOME DAYS OR NOT AT ALL | DD-39 |
| AE16 P1 | # OF CIGARETTES SMOKED PER DAY IN PAST 30 DAYS (PUF 1 YR RECODE) | DD-40 |
| AESODA P1 | # OF TIMES DRINKING SODA PER WEEK (PUF 1 YR RECODE) | DD-50 |
| AE SODA | # OF TIMES DRINKING SODA PER WEEK | DD-37 |
| AF62 | ANY MONTH PAST 12 MONTHS FELT WORSE | DD-67 |
| AF63 | FEEL NERVOUS WORST MONTH | DD-68 |
| AF64 | FEEL HOPELESS WORST MONTH | DD-69 |
| AF65 | FEEL RESTLESS WORST MONTH | DD-60 |

| VARIABLE | LABEL | PAGE |
|----------|---|--------|
| AF66 | FEEL DEPRESSED WORST MONTH | DD-61 |
| AF67 | FEEL EVERYTHING AN EFFORT WORST MONTH | DD-61 |
| AF68 | FEEL WORTHLESS WORST MONTH | DD-62 |
| AF69B | EMOTIONS INTERFERE W/WORK WORST MONTH | DD-62 |
| AF70B | EMOTIONS INTERFERE W/CHORES WORST MONTH | DD-63 |
| AF71B | EMOTIONS INTERFERE W/SOCIAL LIFE WORST MONTH | DD-63 |
| AF72B | EMOTIONS INTERFERE W/RELATIONSHIPS WORST MONTH | DD-64 |
| AG1 | TIME SINCE LAST VISIT TO DENTIST/SPECIALIST | DD-137 |
| AG10 | RESPONDENT USUALLY WORKS | DD-82 |
| AG11 | SPOUSE USUALLY WORKS | DD-83 |
| AG21 | LANGUAGE OF TV, RADIO, NEWSPAPERS | DD-76 |
| AG22 | EVER SERVE IN U.S. ARMED FORCES | DD-81 |
| AG3 | HAVE ANY KIND OF DENTAL INSURANCE | DD-137 |
| AG8 | WORK STATUS OF SPOUSE LAST WEEK | DD-83 |
| AG9_P1 | TYPE OF EMPLOYER ON SPOUSE'S MAIN JOB (PUF 1 YR RECODE) | DD-84 |
| AH1 | HAVE USUAL SOURCE OF HEALTH CARE | DD-115 |
| AH100 | ANYONE HELP FIND HEALTH PLAN | DD-110 |
| AH101_P | PERSON WHO HELPED FIND HEALTH PLAN (PUF RECODE) | DD-111 |
| AH102_P1 | # NIGHTS IN HOSPITAL PAST 12 MOS (PUF 1 YR RECODE) | DD-111 |
| AH103 | BUY HEALTH PLAN DIRECTLY FROM INS CO/HMO | DD-112 |
| AH12 | VISITED EMERGENCY ROOM FOR OWN HEALTH IN PAST 12 MOS | DD-136 |
| AH13A | ER/URGENT CRE VISIT FOR ASTHMA LAST 12 MOS: CURRENT ASTHMATICS | DD-18 |
| AH14 | PATIENT IN HOSP OVERNIGHT DURING PAST 12 MOS | DD-96 |
| AH16 | DELAY/NOT GET PRESCRIPTION IN PAST 12 MO | DD-124 |
| AH22 | DELAY/NOT GET OTHER MEDICAL CARE IN PAST 12 MOS | DD-125 |
| AH33NEW | BORN IN U.S. | DD-73 |
| AH34NEW | MOTHER BORN IN U.S. | DD-74 |
| AH35NEW | FATHER BORN IN U.S. | DD-74 |
| AH37 | 'LEVEL OF ENGLISH PROFICIENCY: GENERAL | DD-76 |
| AH3_P1 | KIND OF PLACE FOR USUAL SOURCE OF HEALTH CARE (PUF 1 YR RECODE) | DD-115 |
| AH43A | LIVING WITH A PARENT | DD-79 |
| AH44 | SPOUSE LIVING IN SAME HOUSEHOLD | DD-79 |
| AH44A | USED PAID CHILDCARE FOR CHILDREN UNDER 14 IN PAST MONTH | DD-80 |
| AH49 | MEDICARE COVERAGE PROVIDED THROUGH HMO | DD-85 |
| AH50_P1 | NAME OF MEDICARE HMO PLAN (PUF 1 YR RECODE) | DD-86 |
| AH52_P1 | SIGN UP FOR MEDICARE HMO DIRECTLY OR OTHERWISE (PUF 1 YR RECODE) | DD-87 |
| AH6 | HOW LONG SINCE LAST SAW DOCTOR ABOUT OWN HEALTH | DD-118 |
| AH71_P1 | HEALTH PLAN DEDUCTIBLE MORE THAN \$1,000 (PUF 1 YR RECODE) | DD-93 |
| AH72_P1 | HEALTH PLAN DEDUCTIBLE MORE THAN \$2,000 (PUF 1 YR RECODE) | DD-93 |
| AH73B | SPECIAL FUND TO PAY MEDICAL EXPENSES | DD-110 |
| AH74 | TRIED TO FIND HEALTH INSURANCE ON OWN | DD-94 |

| VARIABLE | LABEL | PAGE |
|----------|---|--------|
| AH75 | TRIED TO FIND HEALTH INSURANCE ON OWN | DD-95 |
| AH95 P1 | # TIMES VISITED ER IN PAST 12 MOS (PUF 1 YR RECODE) | DD-112 |
| AH96 P1 | HEALTH PLAN DEDUCTIBLE > \$2,000 (PUF 1 YR RECODE) | DD-113 |
| AH97 P1 | PLAN DEDUCTIBLE COVERING ALL PERSONS >\$4,000 (PUF 1 YR RECODE) | DD-113 |
| AH98 P1 | DIFFICULTY FINDING PLAN WITH NEEDED COVERAGE (PUF 1 YR RECODE) | DD-114 |
| AH99 P1 | DIFFICULTY FINDING PLAN THAT IS AFFORDABLE (PUF 1 YR RECODE) | DD-114 |
| AHEDC P1 | EDUCATIONAL ATTAINMENT (PUF 1 YR RECODE) | DD-84 |
| AI15 | MAIN REASON NOT IN EMPLOYER'S HEALTH PLAN | DD-87 |
| AI15A | MAIN REASON INELIGIBLE FOR EMPLOYER'S HEALTH PLAN | DD-88 |
| AI22A P | NAME OF HEALTH PLAN (PUF RECODE) | DD-91 |
| AI22C | MAIN HEALTH PLAN IS HMO | DD-90 |
| AI25 | COVERED FOR PRESCRIPTION DRUGS | DD-92 |
| AI25NEW | RX COVERAGE EDITED FOR MEDI-CAL/HF | DD-92 |
| AI28 | HOW LONG SINCE LAST HAD HEALTH INS | DD-95 |
| AI33 6 | OTHER INS: BOUGHT DIRECT | DD-94 |
| AI37A | SPOUSE COVERED BY MEDICARE SUPPL POLICY | DD-88 |
| AI4 | COVERED BY MEDICARE SUPPL POLICY | DD-86 |
| AI45A P1 | MAIN REASON SPOUSE INELIGIBLE EMP HEALTH PLAN (PUF 1 YR RECODE) | DD-89 |
| AI45 P1 | MAIN REASON SPOUSE NOT IN EMP HEALTH PLAN (PUF 1 YR RECODE) | DD-89 |
| AJ1 | INS COVERS TREATMENT FOR MNLT HEALTH PROBLEMS | DD-65 |
| AJ10 | NEEDED SOMEONE ELSE TO HELP UNDERSTAND DOCTOR | DD-123 |
| AJ102 | SOUGHT APPNT W/DOC IN 2 DAYS PAST YR | DD-126 |
| AJ103 | HOW OFTEN GET APPNT IN 2 DAYS | DD-127 |
| AJ105 | KNOW RIGHTS TO INTERPRETOR DURING MED VISIT | DD-127 |
| AJ106 | USUAL PLACE FOR HLTH CARE CHANGED PAST YR | DD-128 |
| AJ107 | CHANGE USUAL PLACE DUE TO INSURANCE PLAN | DD-128 |
| AJ108 | EVER USED INTERNET | DD-129 |
| AJ11 | WHO HELPED YOU UNDERSTAND DOCTOR | DD-123 |
| AJ110 | CONFIDENCE TO COMPLETE APPL ONLINE ON OWN | DD-129 |
| AJ111 | SOMEONE TO HELP FILL OUT APPL ONLINE | DD-130 |
| AJ112 | HOW OFTEN DOC LISTENS CAREFULLY | DD-130 |
| AJ113 | HOW OFTEN DOC CLEARLY EXPLAINS WHAT TO DO | DD-131 |
| AJ114 | TIME SINCE LAST DOC VISIT FOR ROUTINE CHECK-UP | DD-131 |
| AJ129 | EVENTUALLY RECEIVED MED CARE THAT WAS DELAYED | DD-132 |
| AJ131 P1 | MAIN REASON FOR DELAYING NEEDED CARE (PUF 1 YR RECODE) | DD-132 |
| AJ133 | HAD TROUBLE FINDING GENERAL DOC PAST 12 MOS | DD-133 |
| AJ134 | NOT ACCEPTED AS NEW PATIENT BY DOC PAST YR | DD-133 |
| AJ135 | INSURANCE NOT ACCEPTED BY DOC PAST YR | DD-133 |
| AJ136 | NEEDED TO SEE MED SPECIALIST PAST YR | DD-134 |
| AJ137 | HAD TROUBLE FINDING SPECIALTY DR PAST 12 MOS | DD-134 |
| AJ138 | NOT ACCEPTED AS NEW PATIENT BY SPECIALIST PAST YR | DD-135 |

| VARIABLE | LABEL | PAGE |
|----------|--|--------|
| AJ139 | INSURANCE NOT ACCEPTED BY SPECIALIST PAST YR | DD-135 |
| AJ140 | RECEIVED BIRTH CONTROL INFO FROM DR PAST YR | DD-56 |
| AJ141 | RECEIVED BIRTH CONTROL METHOD/RX FROM DR PAST YR | DD-57 |
| AJ142_P1 | MAIN TYPE OF BIRTH CONTROL RECEIVED FROM DR PAST YR (PUF 1 YR RECODE) | DD-57 |
| AJ143_P1 | PLACE RECEIVED MAIN BIRTH CONTROL METHOD/RX (PUF 1 YR RECODE) | DD-58 |
| AJ144 | RECEIVED BIRTH CONTROL INFO FROM DR PAST YR | DD-58 |
| AJ145 | RECEIVED MALE BIRTH CONTROL METHOD FROM DOC PAST YR | DD-59 |
| AJ146 | PLACE RECEIVED MAIN BIRTH CONTROL METHOD | DD-59 |
| AJ19 | COST/NO INSUR DELAYED GETTING PRESCRIPTION | DD-124 |
| AJ20 | COST/NO INSR DELAYED GETTING NEEDED CARE | DD-126 |
| AJ29 | FEEL NERVOUS PAST 30 DAYS | DD-60 |
| AJ30 | FEEL HOPELESS PAST 30 DAYS | DD-64 |
| AJ31 | FELL RESTLESS PAST 30 DAYS | DD-65 |
| AJ32 | FEEL DEPRESSED PAST 30 DAYS | DD-66 |
| AJ33 | FEEL EVERYTHING AN EFFORT PAST 30 DAYS | DD-66 |
| AJ34 | FEEL WORTHLESS PAST 30 DAYS | DD-67 |
| AJ50_P | LANGUAGE DOCTOR SPEAKS TO R (PUF RECODE) | DD-122 |
| AJ77 | HAVE PERSONAL DOCTOR AS MAIN MEDICAL PROVIDER | DD-120 |
| AJ78 | CONTACT DOC'S OFFICE WITH MEDICAL QUESTION PAST 12 MOS | DD-120 |
| AJ79 | HOW OFTEN GOT RESPONSE FROM DOC'S OFFICE | DD-121 |
| AJ80 | DOC'S OFFICE HELP COORDINATE CARE W/ OTHER MED SVCS | DD-121 |
| AJ81 | DELAYED PRESCRIPTION FOR ASTHMA | DD-125 |
| AJ9 | MD SPOKE DIFFERENT LANGUAGE REASON WHY DIFFICULT TO UNDERSTAND | DD-122 |
| AK1 | WORK STATUS LAST WEEK | DD-141 |
| AK10A_P | SPOUSE'S EARNINGS LAST MONTH (PUF RECODE) | DD-146 |
| AK10_P | RESPONDENT'S EARNINGS LAST MONTH (PUF RECODE) | DD-145 |
| AK22_P | HOUSEHOLD'S TOTAL ANNUAL INC (PUF RECODE) | DD-146 |
| AK23 | LIVE IN HOUSE, DUPLEX, BUILDING WITH 3+ UNITS, OR MOBILE HOME | DD-158 |
| AK25 | OWN OR RENT HOME | DD-158 |
| AK28 | HOW OFTEN FEEL SAFE IN NEIGHBORHOOD | DD-161 |
| AK2_P1 | MAIN REASON FOR NOT WORKING LAST WEEK (PUF 1 YR RECODE) | DD-142 |
| AK32 | HH INCOME SUPPORTS SOMEONE LIVING IN U.S. BUT NOT LIVING IN HH | DD-147 |
| AK33_P1 | # OF PERSONS SUPPORTED BY HH INCOME NOT IN HH (PUF 1 YR RECODE) | DD-147 |
| AK4 | TYPE OF EMPLOYER AT MAIN JOB | DD-143 |
| AK7_P1 | LENGTH OF TIME WORKING AT MAIN JOB (PUF 1 YR RECODE) | DD-143 |
| AK8 | # PEOPLE WORKING FOR EMPLOYER/YOU | DD-145 |
| AKWKLNG | TIME AT MAIN JOB | DD-144 |
| AL18A | RECVD SOCIAL SECURITY OR PENSION LAST MONTH | DD-157 |
| AL2 | RECEIVING TANF OR CALWORKS | DD-154 |
| AL22 | RECEIVING SOCIAL SECURITY DISABILITY INS | DD-156 |
| AL32 | RECD ANY WORKERS COMPENSATION LAST MO | DD-157 |

| VARIABLE | LABEL | PAGE |
|-------------|--|--------|
| AL5 | RECEIVING FOOD STAMP BENEFITS | DD-155 |
| AL6 | RECEIVING SSI (SUPPLEMENTAL SECURITY INCOME) | DD-155 |
| AL7 | CURRENTLY ON WIC | DD-156 |
| AM1 | HOW OFTEN FOOD DIDN'T LAST, COULDN'T AFFORD MORE, PAST 12 MOS | DD-148 |
| AM19 | PEOPLE IN NEIGHBORHOOD WILLING TO HELP EACH OTHER | DD-159 |
| AM2 | HOW OFTEN COULDN'T AFFORD TO EAT BALANCED MEALS | DD-148 |
| AM20 | PEOPLE IN NEIGHBORHOOD DO NOT GET ALONG | DD-159 |
| AM21 | PEOPLE IN NEIGHBORHOOD CAN BE TRUSTED | DD-160 |
| AM3 | ALL ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY | DD-149 |
| AM34 | TELEPHONE CALLS RECEIVED | DD-163 |
| AM35 | NEIGHBORHOOD WATCHES OUT FOR CHILDREN'S SAFETY | DD-160 |
| AM36 | DID VOLUNTEER WORK OR COMMUNITY SERVICES PAST YR | DD-161 |
| AM37 | CURRENTLY PAYING OFF MORTGAGE/HOME LOAN | DD-162 |
| AM38 P1 | MAIN REASON FOR LAST MOVE (PUF 1 YR RECODE) | DD-163 |
| AM39 | VOLUNTEER IN ORG DEALING W/COMM PROB PAST YR | DD-162 |
| AM3A | HOW OFTEN ALL ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY | DD-149 |
| AM4 | ATE LESS THAN SHOULD BECAUSE OF MONEY IN PAST 12 MOS | DD-150 |
| AM40 | MEET INFORMALLY TO DEAL W/COMM PROB PAST YR | DD-162 |
| AM5 | HOW OFTEN HUNGRY BUT DIDN'T EAT B/C OF MONEY IN PAST 12 MOS | DD-150 |
| ASTCUR | CURRENT ASTHMA STATUS | DD-15 |
| ASTS | ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION DIAGNOSED W/ ASTHMA | DD-16 |
| ASTYR | ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION CURRENTLY W/ ASTHMA | DD-16 |
| BINGE12 | BINGE DRINKING IN PAST YEAR. 5+ DRINKS (MALE), 4+ DRINKS (FEMALE) | DD-45 |
| BMI P | BODY MASS INDEX (PUF RECODE) | DD-53 |
| CARE PV | HAD A PREVENTIVE CARE VISIT IN PAST YEAR | DD-138 |
| CHORES2 | CHORE IMPAIRMENT PAST 12 MONTHS | DD-71 |
| CITIZEN2 | CITIZENSHIP STATUS (3 LVLS) | DD-77 |
| DIABCK P1 | # OF TIMES CHECKING FOR GLUCOSE/SUGAR PER MONTH (PUF 1 YR RECODE) | DD-23 |
| DISABLE | DISABILITY STATUS DUE TO PHYS/MENT/EMOT CONDITION | DD-56 |
| DISTRESS | SERIOUS PSYCHOLOGICAL DISTRESS | DD-68 |
| DOCT YR | VISITED DOCTOR IN PAST 12 MOS | DD-119 |
| DSTRS12 | LIKELY HAS HAD PSYCHOLOGICAL DISTRESS IN THE LAST YEAR | DD-69 |
| DSTRS30 | LIKELY HAS HAD PSYCHOLOGICAL DISTRESS IN THE PAST MONTH | DD-70 |
| DSTRSYR | SERIOUS PSYCHOLOGICAL DISTRESS FOR WORST MONTH PAST YR (K6 SCORE) | DD-70 |
| DSTRS P1 | SERIOUS PSYCHOLOGICAL DISTRESS (PUF 1 YR RECODE) | DD-119 |
| ELIGPRG3 | MEDI-CAL (MEDICAID)/HEALTHY FAM ELIG. - UNINSURED | DD-154 |
| ER | ER VISIT WITHIN THE PAST YEAR | DD-136 |
| FAMILY2 | FAMILY LIFE IMPAIRMENT PAST 12 MONTHS | DD-72 |
| FAMSIZE2 P1 | FAMILY SIZE: INCL. ALL PEOPLE SUPPORTED BY HH INCOME (PUF 1 YR RECODE) | DD-73 |

| VARIABLE | LABEL | PAGE |
|-----------|--|--------|
| FAMTYP P | FAMILY TYPE (PUF RECODE) | DD-85 |
| FORGO | HAD TO FORGO NECESSARY CARE | DD-138 |
| FPG | FEDERAL POVERTY GUIDELINE | DD-152 |
| FSLEV | FOOD SECURITY STATUS LEVEL | DD-151 |
| FSLEVCB | FOOD SECURITY STATUS (2 LVLS) | DD-151 |
| HEIGHM P | HEIGHT: METERS - UCLA (PUF RECODE) | DD-49 |
| HGHTI P | HEIGHT: INCHES (PUF RECODE) | DD-48 |
| HGHTM P | HEIGHT: METERS (PUF RECODE) | DD-49 |
| HHSIZE P1 | HOUSEHOLD SIZE (PUF 1 YR RECODE) | DD-1 |
| HMO | HMO STATUS | DD-90 |
| IHS | COVERED BY INDIAN HEALTH SERVICES | DD-97 |
| INS | CURRENTLY INSURED | DD-97 |
| INS12M | MOS COVERED BY HEALTH PLANS LAST 12 MOS | DD-98 |
| INS64S P | SPOUSE'S CURRENT HEALTH COVG - < 65 YRS (PUF RECODE) | DD-99 |
| INS64 P | CURRENT HEALTH COVERAGE - < 65 YRS (PUF RECODE) | DD-98 |
| INS65 | TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ELDERLY 65+ | DD-99 |
| INS65 S | TYPE OF CURRENT HEALTH COVERAGE FOR SPOUSE 65+ | DD-100 |
| INSANY | ANY INS IN LAST 12 MOS | DD-100 |
| INSEM | COVERED BY EMPLOYER-BASED PLANS | DD-101 |
| INSEM S | SPOUSE COVERED BY EMPLOYER-BASED PLANS | DD-101 |
| INSLT P | HEALTH INS COVG LAST 12 MOS, W/ CURRENT STATUS (PUF RECODE) | DD-105 |
| INSMC | COVERED BY MEDICARE | DD-102 |
| INSMC S | SPOUSE COVERED BY MEDICARE | DD-102 |
| INSMD | COVERED BY MEDI-CAL | DD-103 |
| INSMD S | SPOUSE COVERED BY MEDI-CAL | DD-103 |
| INSOG | COVERED BY OTHER GOVT PLANS | DD-104 |
| INSOG S | SPOUSE COVERED BY OTHER GOVT PLANS | DD-104 |
| INSPR | COVERED BY PLANS PURCHASED ON OWN | DD-105 |
| INSPR S | SPOUSE COVERED BY PLANS PURCHASED ON OWN | DD-106 |
| INSPS | PRIMARY OR SECONDARY COVERAGE | DD-106 |
| INSPS S | SPOUSE PRIMARY OR SECONDARY COVERAGE | DD-107 |
| INSTYP P | TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ALL AGES (PUF RECODE) | DD-108 |
| INST 12 | HEALTH INS COVERAGE IN LAST 12 MOS, INCL CURRENT STATUS:8 LVLS | DD-107 |
| INS S | SPOUSE CURRENTLY INSURED | DD-97 |
| INTVLANG | LANGUAGE OF INTERVIEW | DD-2 |
| LATIN2TP | LATIN/HISPANIC SUBTYPES - 2 LVLS | DD-13 |
| LNGHM P1 | LANGUAGE SPOKEN AT HOME (PUF 1 YR RECODE) | DD-75 |
| MARIT | MARITAL STATUS- 3 CATEGORIES | DD-11 |
| MARIT2 | MARITAL STATUS- 4 CATEGORIES | DD-12 |
| MARIT 45 | MARITAL STATUS - AGE 45 AND OLDER | DD-12 |
| NUMCIG | # OF CIGARETTES PER DAY | DD-42 |
| OFFTK | OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER BASED INS | DD-109 |
| OFFTK S | OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER-BASED INS: | DD-109 |

| VARIABLE | LABEL | PAGE |
|------------|---|--------|
| | SPOUSE | |
| OMBSRR_P1 | OMB/CURRENT DOF RACE - ETHNICITY (PUF 1 YR RECODE) | DD-7 |
| OVRWT | OVERWEIGHT OR OBESE | DD-54 |
| PCTLF_P | PERCENT LIFE IN US (PUF RECODE) | DD-78 |
| PC_INS | PRIMARY CARE: HAVE DIFFICULTY FINDING A PROVIDER THAT ACCEPTS THEIR INSURANCE | DD-138 |
| PC_NEWP | PRIMARY CARE: HAVE DIFFICULTY FINDING A PROVIDER THAT ACCEPTS NEW PATIENTS | DD-139 |
| POVGWD_P | FAMILY POVERTY THRESHOLD LEVEL (PUF RECODE) | DD-153 |
| POVLL | POVERTY LEVEL | DD-153 |
| POVLL_ACA | FAMILY POVERTY THRESHOLD LEVEL: ACA MAGI ELIGIBILITY (4 LVLS) | DD-152 |
| PROXY | A PROXY INTERVIEW | DD-2 |
| PUF1Y_ID | PUBLIC USE FILE ID - CHIS 1 YEAR DATAFILES | DD-1 |
| RACECN_P1 | RACE - CENSUS 2000 DEFINITION (PUF 1 YR RECODE) | DD-8 |
| RACEDF_P1 | FORMER DOF RACE - ETHNICITY (PUF 1 YR RECODE) | DD-8 |
| RACEHP2_P1 | RACE - UCLA CHPR DEFINITION, UNABRIDGED (PUF 1 YR RECODE) | DD-9 |
| RAKEDW0 | CHIS2013 RAKED WEIGHT - FULL SAMPLE | DD-167 |
| RAKEDW1 | CHIS2013 RAKED WEIGHT - REPLICATE 1 | DD-167 |
| RAKEDW10 | CHIS2013 RAKED WEIGHT - REPLICATE 10 | DD-170 |
| RAKEDW11 | CHIS2013 RAKED WEIGHT - REPLICATE 11 | DD-171 |
| RAKEDW12 | CHIS2013 RAKED WEIGHT - REPLICATE 12 | DD-171 |
| RAKEDW13 | CHIS2013 RAKED WEIGHT - REPLICATE 13 | DD-171 |
| RAKEDW14 | CHIS2013 RAKED WEIGHT - REPLICATE 14 | DD-172 |
| RAKEDW15 | CHIS2013 RAKED WEIGHT - REPLICATE 15 | DD-172 |
| RAKEDW16 | CHIS2013 RAKED WEIGHT - REPLICATE 16 | DD-172 |
| RAKEDW17 | CHIS2013 RAKED WEIGHT - REPLICATE 17 | DD-173 |
| RAKEDW18 | CHIS2013 RAKED WEIGHT - REPLICATE 18 | DD-173 |
| RAKEDW19 | CHIS2013 RAKED WEIGHT - REPLICATE 19 | DD-173 |
| RAKEDW2 | CHIS2013 RAKED WEIGHT - REPLICATE 2 | DD-168 |
| RAKEDW20 | CHIS2013 RAKED WEIGHT - REPLICATE 20 | DD-174 |
| RAKEDW21 | CHIS2013 RAKED WEIGHT - REPLICATE 21 | DD-174 |
| RAKEDW22 | CHIS2013 RAKED WEIGHT - REPLICATE 22 | DD-174 |
| RAKEDW23 | CHIS2013 RAKED WEIGHT - REPLICATE 23 | DD-175 |
| RAKEDW24 | CHIS2013 RAKED WEIGHT - REPLICATE 24 | DD-175 |
| RAKEDW25 | CHIS2013 RAKED WEIGHT - REPLICATE 25 | DD-175 |
| RAKEDW26 | CHIS2013 RAKED WEIGHT - REPLICATE 26 | DD-176 |
| RAKEDW27 | CHIS2013 RAKED WEIGHT - REPLICATE 27 | DD-176 |
| RAKEDW28 | CHIS2013 RAKED WEIGHT - REPLICATE 28 | DD-176 |
| RAKEDW29 | CHIS2013 RAKED WEIGHT - REPLICATE 29 | DD-177 |
| RAKEDW3 | CHIS2013 RAKED WEIGHT - REPLICATE 3 | DD-168 |
| RAKEDW30 | CHIS2013 RAKED WEIGHT - REPLICATE 30 | DD-177 |
| RAKEDW31 | CHIS2013 RAKED WEIGHT - REPLICATE 31 | DD-177 |
| RAKEDW32 | CHIS2013 RAKED WEIGHT - REPLICATE 32 | DD-178 |
| RAKEDW33 | CHIS2013 RAKED WEIGHT - REPLICATE 33 | DD-178 |

| VARIABLE | LABEL | PAGE |
|-----------------|--------------------------------------|-------------|
| RAKEDW34 | CHIS2013 RAKED WEIGHT - REPLICATE 34 | DD-178 |
| RAKEDW35 | CHIS2013 RAKED WEIGHT - REPLICATE 35 | DD-179 |
| RAKEDW36 | CHIS2013 RAKED WEIGHT - REPLICATE 36 | DD-179 |
| RAKEDW37 | CHIS2013 RAKED WEIGHT - REPLICATE 37 | DD-179 |
| RAKEDW38 | CHIS2013 RAKED WEIGHT - REPLICATE 38 | DD-180 |
| RAKEDW39 | CHIS2013 RAKED WEIGHT - REPLICATE 39 | DD-180 |
| RAKEDW4 | CHIS2013 RAKED WEIGHT - REPLICATE 4 | DD-168 |
| RAKEDW40 | CHIS2013 RAKED WEIGHT - REPLICATE 40 | DD-180 |
| RAKEDW41 | CHIS2013 RAKED WEIGHT - REPLICATE 41 | DD-181 |
| RAKEDW42 | CHIS2013 RAKED WEIGHT - REPLICATE 42 | DD-181 |
| RAKEDW43 | CHIS2013 RAKED WEIGHT - REPLICATE 43 | DD-181 |
| RAKEDW44 | CHIS2013 RAKED WEIGHT - REPLICATE 44 | DD-182 |
| RAKEDW45 | CHIS2013 RAKED WEIGHT - REPLICATE 45 | DD-182 |
| RAKEDW46 | CHIS2013 RAKED WEIGHT - REPLICATE 46 | DD-182 |
| RAKEDW47 | CHIS2013 RAKED WEIGHT - REPLICATE 47 | DD-183 |
| RAKEDW48 | CHIS2013 RAKED WEIGHT - REPLICATE 48 | DD-183 |
| RAKEDW49 | CHIS2013 RAKED WEIGHT - REPLICATE 49 | DD-183 |
| RAKEDW5 | CHIS2013 RAKED WEIGHT - REPLICATE 5 | DD-169 |
| RAKEDW50 | CHIS2013 RAKED WEIGHT - REPLICATE 50 | DD-184 |
| RAKEDW51 | CHIS2013 RAKED WEIGHT - REPLICATE 51 | DD-184 |
| RAKEDW52 | CHIS2013 RAKED WEIGHT - REPLICATE 52 | DD-184 |
| RAKEDW53 | CHIS2013 RAKED WEIGHT - REPLICATE 53 | DD-185 |
| RAKEDW54 | CHIS2013 RAKED WEIGHT - REPLICATE 54 | DD-185 |
| RAKEDW55 | CHIS2013 RAKED WEIGHT - REPLICATE 55 | DD-185 |
| RAKEDW56 | CHIS2013 RAKED WEIGHT - REPLICATE 56 | DD-186 |
| RAKEDW57 | CHIS2013 RAKED WEIGHT - REPLICATE 57 | DD-186 |
| RAKEDW58 | CHIS2013 RAKED WEIGHT - REPLICATE 58 | DD-186 |
| RAKEDW59 | CHIS2013 RAKED WEIGHT - REPLICATE 59 | DD-187 |
| RAKEDW6 | CHIS2013 RAKED WEIGHT - REPLICATE 6 | DD-169 |
| RAKEDW60 | CHIS2013 RAKED WEIGHT - REPLICATE 60 | DD-187 |
| RAKEDW61 | CHIS2013 RAKED WEIGHT - REPLICATE 61 | DD-187 |
| RAKEDW62 | CHIS2013 RAKED WEIGHT - REPLICATE 62 | DD-188 |
| RAKEDW63 | CHIS2013 RAKED WEIGHT - REPLICATE 63 | DD-188 |
| RAKEDW64 | CHIS2013 RAKED WEIGHT - REPLICATE 64 | DD-188 |
| RAKEDW65 | CHIS2013 RAKED WEIGHT - REPLICATE 65 | DD-189 |
| RAKEDW66 | CHIS2013 RAKED WEIGHT - REPLICATE 66 | DD-189 |
| RAKEDW67 | CHIS2013 RAKED WEIGHT - REPLICATE 67 | DD-189 |
| RAKEDW68 | CHIS2013 RAKED WEIGHT - REPLICATE 68 | DD-190 |
| RAKEDW69 | CHIS2013 RAKED WEIGHT - REPLICATE 69 | DD-190 |
| RAKEDW7 | CHIS2013 RAKED WEIGHT - REPLICATE 7 | DD-169 |
| RAKEDW70 | CHIS2013 RAKED WEIGHT - REPLICATE 70 | DD-190 |
| RAKEDW71 | CHIS2013 RAKED WEIGHT - REPLICATE 71 | DD-191 |
| RAKEDW72 | CHIS2013 RAKED WEIGHT - REPLICATE 72 | DD-191 |
| RAKEDW73 | CHIS2013 RAKED WEIGHT - REPLICATE 73 | DD-191 |
| RAKEDW74 | CHIS2013 RAKED WEIGHT - REPLICATE 74 | DD-192 |

| VARIABLE | LABEL | PAGE |
|------------------|---|---------------|
| RAKEDW75 | CHIS2013 RAKED WEIGHT - REPLICATE 75 | DD-192 |
| RAKEDW76 | CHIS2013 RAKED WEIGHT - REPLICATE 76 | DD-192 |
| RAKEDW77 | CHIS2013 RAKED WEIGHT - REPLICATE 77 | DD-193 |
| RAKEDW78 | CHIS2013 RAKED WEIGHT - REPLICATE 78 | DD-193 |
| RAKEDW79 | CHIS2013 RAKED WEIGHT - REPLICATE 79 | DD-193 |
| RAKEDW8 | CHIS2013 RAKED WEIGHT - REPLICATE 8 | DD-170 |
| RAKEDW80 | CHIS2013 RAKED WEIGHT - REPLICATE 80 | DD-194 |
| RAKEDW9 | CHIS2013 RAKED WEIGHT - REPLICATE 9 | DD-170 |
| RBMI | BMI DESCRIPTIVE | DD-53 |
| RN_FORGO | REASONS FORGONE NECESSARY CARE | DD-139 |
| SC_INS | SPECIALTY CARE: HAVE DIFFICULTY FINDING A PROVIDER THAT ACCEPTS THEIR INSURANCE | DD-140 |
| SC_NEWP | SPECIALTY CARE: HAVE DIFFICULTY FINDING A PROVIDER THAT ACCEPTS NEW PATIENTS | DD-140 |
| SECTION A | DEMOGRAPHIC INFORMATION, PART I | DD-3 |
| SECTION B | GENERAL HEALTH CONDITION | DD-13 |
| SECTION C | HEALTH BEHAVIORS | DD-35 |
| SECTION D | GENERAL HEALTH, DISABILITY, AND SEXUAL HEALTH | DD-48 |
| SECTION F | MENTAL HEALTH | DD-60 |
| SECTION G | DEMOGRAPHIC INFORMATION, PART II & CHILD CARE | DD-73 |
| SECTION H | HEALTH INSURANCE | DD-85 |
| SECTION J | HEALTH CARE UTILIZATION AND ACCESS | DD-115 |
| SECTION K | EMPLOYMENT, INCOME, POVERTY STATUS & FOOD SECURITY | DD-141 |
| SECTION L | PUBLIC PROGRAM PARTICIPATION | DD-154 |
| SECTION M | HOUSING & COMMUNITY INVOLVEMENT | DD-158 |
| SECTION N | DEMOGRAPHIC INFO PART III, GEOGRAPHIC INFO | DD-163 |
| SECTION O | FULL DESIGN AND REPLICATE WEIGHT SERIES 0-80 | DD-167 |
| SECTION Q | SCREENING INFORMATION | DD-1 |
| SERVED | LENGTH OF TIME SERVED IN ACTIVE DUTY | DD-81 |
| SMKCUR | CURRENT SMOKER | DD-41 |
| SMOKING | CURRENT SMOKING HABITS | DD-42 |
| SOCIAL2 | SOCIAL LIFE IMPAIRMENT PAST 12 MONTHS | DD-71 |
| SPK_ENG | ENGLISH USE AND PROFICIENCY | DD-77 |
| SRAA | SELF-REPORTED AFRICAN AMERICAN | DD-10 |
| SRAGE_P1 | SELF-REPORTED AGE (PUF 1 YR RECODE) | DD-3 |
| SRAI | SELF-REPORTED AMERICAN INDIAN | DD-10 |
| SRAS | SELF-REPORTED ASIAN | DD-4 |
| SRASO | SELF-REPORTED OTHER ASIAN GROUP | DD-4 |
| SRCH | SELF-REPORTED CHINESE | DD-5 |
| SRH | SELF-REPORTED LATINO/HISPANIC | DD-6 |
| SRJP | SELF-REPORTED JAPANESE | DD-7 |
| SRKR | SELF-REPORTED KOREAN | DD-5 |
| SRO | SELF-REPORTED OTHER RACE | DD-6 |
| SRPH | SELF-REPORTED FILIPINO | DD-5 |
| SRSEX | SELF-REPORTED GENDER | DD-4 |

| VARIABLE | LABEL | PAGE |
|----------|--|--------|
| SRTENR | SELF-REPORTED HOUSEHOLD TENURE (HH) | DD-3 |
| SRVT | SELF-REPORTED VIETNAMESE | DD-6 |
| SRW | SELF-REPORTED WHITE | DD-9 |
| TIMAPPT | ABLE TO GET AN APPOINTMENT IN A TIMELY WAY | DD-141 |
| UNINSANY | UNINSURED IN PAST 12 MOS | DD-108 |
| UR_BG | RURAL AND URBAN - CLARITAS (BY BLOCK GROUP) | DD-164 |
| UR_CLRT | RURAL AND URBAN - CLARITAS (BY ZIPCODE) (4 LVLS) | DD-164 |
| UR_CLRT2 | RURAL AND URBAN - CLARITAS (BY ZIPCODE) (2 LVLS) | DD-165 |
| UR_IHS | RURAL AND URBAN - IHS | DD-165 |
| UR_OMB | RURAL AND URBAN - OMB | DD-165 |
| UR_RHP | RURAL AND URBAN - RHP | DD-166 |
| UR_TRACT | RURAL AND URBAN - CLARITAS (BY CENSUS TRACT) | DD-166 |
| USOC | USUAL SOURCE OF CARE OTHER THAN ER | DD-116 |
| USUAL | HAVE USUAL PLACE TO GO TO WHEN SICK OR NEEDING HEALTH ADVICE | DD-116 |
| USUAL5TP | USUAL SOURCE OF CARE (5 LVLS) | DD-117 |
| USUAL_TP | USUAL SOURCE OF CARE (7 LVLS) | DD-117 |
| WEIGHK_P | WEIGHT: KG - UCLA (PUF RECODE) | DD-51 |
| WGHTK_P | WEIGHT: KG (PUF RECODE) | DD-51 |
| WGHTP_P | WEIGHT: LBS (PUF RECODE) | DD-52 |
| WORK2 | WORK IMPAIRMENT PAST 12 MONTHS | DD-72 |
| WRKST_P1 | WORKING STATUS (PUF 1 YR RECODE) | DD-82 |
| YRUS_P1 | YEARS LIVED IN THE U.S. (PUF 1 YR RECODE) | DD-78 |

B. Variable name (by Location in CHIS 2013-14 Adult Questionnaire)

| VARIABLE | LABEL | PAGE |
|------------------|---|--------------|
| SECTION Q | SCREENING INFORMATION | DD-1 |
| PUF1Y ID | PUBLIC USE FILE ID - CHIS 1 YEAR DATAFILES | DD-1 |
| HHSIZE P1 | HOUSEHOLD SIZE (PUF 1 YR RECODE) | DD-1 |
| INTVLANG | LANGUAGE OF INTERVIEW | DD-2 |
| PROXY | A PROXY INTERVIEW | DD-2 |
| SRTENR | SELF-REPORTED HOUSEHOLD TENURE (HH) | DD-3 |
| SECTION A | DEMOGRAPHIC INFORMATION, PART I | DD-3 |
| SRAGE P1 | SELF-REPORTED AGE (PUF 1 YR RECODE) | DD-3 |
| SRSEX | SELF-REPORTED GENDER | DD-4 |
| SRAS | SELF-REPORTED ASIAN | DD-4 |
| SRASO | SELF-REPORTED OTHER ASIAN GROUP | DD-4 |
| SRCH | SELF-REPORTED CHINESE | DD-5 |
| SRKR | SELF-REPORTED KOREAN | DD-5 |
| SRPH | SELF-REPORTED FILIPINO | DD-5 |
| SRVT | SELF-REPORTED VIETNAMESE | DD-6 |
| SRH | SELF-REPORTED LATINO/HISPANIC | DD-6 |
| SRO | SELF-REPORTED OTHER RACE | DD-6 |
| SRJP | SELF-REPORTED JAPANESE | DD-7 |
| OMBSRR P1 | OMB/CURRENT DOF RACE - ETHNICITY (PUF 1 YR RECODE) | DD-7 |
| RACECN P1 | RACE - CENSUS 2000 DEFINITION (PUF 1 YR RECODE) | DD-8 |
| RACEDF P1 | FORMER DOF RACE - ETHNICITY (PUF 1 YR RECODE) | DD-8 |
| RACEHP2 P1 | RACE - UCLA CHPR DEFINITION, UNABRIDGED (PUF 1 YR RECODE) | DD-9 |
| SRW | SELF-REPORTED WHITE | DD-9 |
| SRAA | SELF-REPORTED AFRICAN AMERICAN | DD-10 |
| SRAI | SELF-REPORTED AMERICAN INDIAN | DD-10 |
| AA5C | ENROLLED MEMBER IN RECOGNIZED TRIBE | DD-11 |
| MARIT | MARITAL STATUS- 3 CATEGORIES | DD-11 |
| MARIT 45 | MARITAL STATUS - AGE 45 AND OLDER | DD-12 |
| MARIT2 | MARITAL STATUS- 4 CATEGORIES | DD-12 |
| LATIN2TP | LATIN/HISPANIC SUBTYPES - 2 LVLS | DD-13 |
| SECTION B | GENERAL HEALTH CONDITION | DD-13 |
| AB1 | GENERAL HEALTH CONDITION | DD-13 |
| AB17 | DOCTOR EVER TOLD HAVE ASTHMA | DD-14 |
| AB40 | STILL HAS ASTHMA | DD-14 |

| VARIABLE | LABEL | PAGE |
|-----------|--|-------|
| AB41 | ASTHMA EPISODE/ATTACK IN PAST 12 MOS | DD-15 |
| ASTCUR | CURRENT ASTHMA STATUS | DD-15 |
| ASTS | ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION DIAGNOSED W/ ASTHMA | DD-16 |
| ASTYR | ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION CURRENTLY W/ ASTHMA | DD-16 |
| AB106 P | ER/URGT CARE VISIT FOR ASTHMA PAST YR UNABLE TO SEE OWN DR (PUF RECODE) | DD-17 |
| AB18 | TAKING DAILY MEDICATION TO CONTROL ASTHMA | DD-17 |
| AB19 | FREQUENCY OF ASTHMA SYMPTOMS IN PAST 12 MOS: CURRENT ASTHMATICS | DD-18 |
| AH13A | ER/URGENT CRE VISIT FOR ASTHMA LAST 12 MOS: CURRENT ASTHMATICS | DD-18 |
| AB42 P1 | WORKDAYS MISSED DUE TO ASTHMA IN PAST 12 MOS (PUF 1 YR RECODE) | DD-19 |
| AB43 | HEALTH PROFESSIONAL EVER GAVE ASTHMA MANAGEMENT PLAN | DD-19 |
| AB98 | HAVE WRITTEN COPY OF ASTHMA CARE PLAN | DD-20 |
| AB108 P1 | CONFIDENCE TO CONTROL AND MANAGE ASTHMA (PUF 1 YR RECODE) | DD-20 |
| AB22 | DOCTOR EVER TOLD HAVE DIABETES | DD-21 |
| AB99 | DOC EVER TOLD HAVE PRE- OR BORDERLINE DIABETES | DD-21 |
| AB23 P1 | AGE FIRST TOLD HAVE DIABETES (PUF 1 YR RECODE) | DD-22 |
| AB27 P1 | # OF TIMES DOC CHECKED FOR HEMOGLOBIN A1C LAST YR (PUF 1 YR RECODE) | DD-22 |
| DIABCK P1 | # OF TIMES CHECKING FOR GLUCOSE/SUGAR PER MONTH (PUF 1 YR RECODE) | DD-23 |
| AB51 P1 | TYPE I OR TYPE II DIABETES (PUF 1 YR RECODE) | DD-23 |
| AB24 | CURRENTLY TAKING INSULIN | DD-24 |
| AB25 | CURRENTLY TAKING DIABETIC PILLS TO LOWER BLOOD SUGAR | DD-24 |
| AB26 | # OF TIMES R/R'S FAMILY/R'S FRIEND CHECK BLOOD FOR GLUCOSE | DD-25 |
| AB28 P1 | # OF TIMES DOC CHECKED FEET FOR SORES LAST YR (PUF 1 YR RECODE) | DD-25 |
| AB63 | LAST EYE EXAM DILATED PUPILS | DD-26 |
| AB109 | VISITED ER FOR DIABETES IN PAST 12 MOS | DD-26 |
| AB110 P | VISITED ER FOR DIABETES BECAUSE UNABLE TO SEE OWN DR (PUF RECODE) | DD-27 |
| AB111 | ADMITTED TO HOSPITAL OVERNIGHT OR LONGER FOR DIABETES PAST 12 MOS | DD-27 |
| AB112 | MEDICAL PROVIDERS DEVELOP DIABETES CARE | DD-28 |
| AB113 | HAVE WRITTEN COPY OF DIABETES CARE PLAN | DD-28 |
| AB114 P1 | CONFIDENCE TO CONTROL AND MANAGE DIABETES (PUF 1 YR RECODE) | DD-29 |
| AB81 | DOCTOR TOLD HAD DIABETES ONLY DURING PREGNANCY | DD-29 |
| AB29 | DOCTOR EVER TOLD HAVE HIGH BLOOD PRESSURE | DD-30 |

| VARIABLE | LABEL | PAGE |
|------------------|---|--------------|
| AB30 | CURRENTLY TAKING MEDICATIONS TO CONTROL HIGH BLOOD PRESSURE | DD-30 |
| AB34 | DOCTOR EVER TOLD HAVE ANY KIND OF HEART DISEASE | DD-31 |
| AB52 | EVER TOLD HAVE HEART FAILURE/CONGESTIVE | DD-31 |
| AB115 | VISITED ER FOR HEART DISEASE IN PAST 12 MOS | DD-32 |
| AB116_P1 | ER VISIT FOR HEART DISEASE BECAUSE UNABLE TO SEE OWN DR (PUF 1 YR RECODE) | DD-32 |
| AB117 | ADMITTED TO HOSPITAL OVERNIGHT/LONGER FOR HEART DX PAST 12 MOS | DD-33 |
| AB118 | MEDICAL PROVIDERS DEVELOPED HEART DISEASE PLAN | DD-33 |
| AB119 | HAVE WRITTEN COPY OF HEART DISEASE CARE | DD-34 |
| AB120_P1 | CONFIDENCE TO CONTROL AND MANAGE HEART DISEASE (PUF 1 YR RECODE) | DD-34 |
| SECTION C | HEALTH BEHAVIORS | DD-35 |
| AD37W | WALKED AT LEAST 10 MIN FOR TRANSPORT PAST 7 DAYS | DD-35 |
| AD40W | WALKED AT LEAST 10 MIN FOR LEISURE PAST 7 DAYS | DD-35 |
| AD41W | # TIMES WALKED AT LEAST 10 MIN FOR LEISURE PAST 7 DAYS | DD-36 |
| AD42W | AVERAGE LENGTH OF TIME WALKED FOR LEISURE | DD-36 |
| AC11 | # OF TIMES DRANK SODA LAST MONTH | DD-37 |
| AE_SODA | # OF TIMES DRINKING SODA PER WEEK | DD-37 |
| AC31_P1 | # TIMES ATE FAST FOOD PAST WEEK (PUF 1 YR RECODE) | DD-38 |
| AE15 | SMOKED 100 OR MORE CIGARETTES IN ENTIRE LIFETIME | DD-38 |
| AE15A | SMOKES CIGARETTES EVERYDAY, SOME DAYS OR NOT AT ALL | DD-39 |
| AD32_P1 | # OF CIGARETTES PER DAY (PUF 1 YR RECODE) | DD-39 |
| AE16_P1 | # OF CIGARETTES SMOKED PER DAY IN PAST 30 DAYS (PUF 1 YR RECODE) | DD-40 |
| AC49 | STOP SMOKING ONE DAY OR LONGER TO QUIT PAST YR | DD-40 |
| AC50 | THINK ABOUT QUIT SMOKING IN NEXT 6 MOS | DD-41 |
| SMKCUR | CURRENT SMOKER | DD-41 |
| SMOKING | CURRENT SMOKING HABITS | DD-42 |
| NUMCIG | # OF CIGARETTES PER DAY | DD-42 |
| AC32 | HAD ALCOHOL PAST 12 MONTHS | DD-43 |
| AC34_P1 | # DAYS HAD 5+ DRINKS PAST 12 MONTHS (PUF 1 YR RECODE) | DD-43 |
| AC35_P1 | # DAYS HAD 4+ DRINKS PAST 12 MONTHS (PUF 1 YR RECODE) | DD-44 |
| BINGE12 | BINGE DRINKING IN PAST YEAR. 5+ DRINKS (MALE), 4+ DRINKS (FEMALE) | DD-45 |
| AC42 | HOW OFTEN FIND FRESH FRUIT/VEG IN NEIGHB | DD-45 |
| AC42_P | HOW OFTEN FIND FRESH FRUIT/VEG IN NEIGHB (PUF RECODE) | DD-46 |
| AC44 | NEIGHBORHOOD FRUIT/VEG AFFORDABLE | DD-46 |
| AC46 | # OF TIMES DRANK SWEET FRUIT DRINKS PAST MO | DD-47 |

| VARIABLE | LABEL | PAGE |
|------------------|---|--------------|
| AC47_P1 | # OF GLASSES OF WATER DRANK YESTERDAY (PUF 1 YR RECODE) | DD-47 |
| AC48_P1 | # OF GLASSES OF NON-LOW/FAT MILK DRANK YESTERDAY (PUF 1 YR RECODE) | DD-48 |
| SECTION D | GENERAL HEALTH, DISABILITY, AND SEXUAL HEALTH | DD-48 |
| HGHTI_P | HEIGHT: INCHES (PUF RECODE) | DD-48 |
| HGHTM_P | HEIGHT: METERS (PUF RECODE) | DD-49 |
| HEIGHTM_P | HEIGHT: METERS - UCLA (PUF RECODE) | DD-49 |
| AESODA_P1 | # OF TIMES DRINKING SODA PER WEEK (PUF 1 YR RECODE) | DD-50 |
| WEIGHK_P | WEIGHT: KG - UCLA (PUF RECODE) | DD-51 |
| WGHTK_P | WEIGHT: KG (PUF RECODE) | DD-51 |
| WGHTP_P | WEIGHT: LBS (PUF RECODE) | DD-52 |
| AD50 | BLIND/DEAF OR HAS SEVERE VISION/HEARING PROBLEM | DD-52 |
| BMI_P | BODY MASS INDEX (PUF RECODE) | DD-53 |
| RBMI | BMI DESCRIPTIVE | DD-53 |
| OVRWT | OVERWEIGHT OR OBESE | DD-54 |
| AD57 | CONDITION LIMITS BASIC PHYS ACTIVITY | DD-54 |
| AD51 | HAS DIFFICULTY LEARNING, REMEMBERING, CONCENTRATING | DD-54 |
| AD52 | HAS DIFFICULTY DRESSING, BATHING, GETTING AROUND | DD-55 |
| AD53 | HAS DIFFICULTY GOING OUTSIDE HOME ALONE | DD-55 |
| AD54 | HAS DIFFICULTY WORKING AT A JOB | DD-55 |
| DISABLE | DISABILITY STATUS DUE TO PHYS/MENT/EMOT CONDITION | DD-56 |
| AJ140 | RECEIVED BIRTH CONTROL INFO FROM DR PAST YR | DD-56 |
| AJ141 | RECEIVED BIRTH CONTROL METHOD/RX FROM DR PAST YR | DD-57 |
| AJ142_P1 | MAIN TYPE OF BIRTH CONTROL RECEIVED FROM DR PAST YR (PUF 1 YR RECODE) | DD-57 |
| AJ143_P1 | PLACE RECEIVED MAIN BIRTH CONTROL METHOD/RX (PUF 1 YR RECODE) | DD-58 |
| AJ144 | RECEIVED BIRTH CONTROL INFO FROM DR PAST YR | DD-58 |
| AJ145 | RECEIVED MALE BIRTH CONTROL METHOD FROM DOC PAST YR | DD-59 |
| AJ146 | PLACE RECEIVED MAIN BIRTH CONTROL METHOD | DD-59 |
| SECTION F | MENTAL HEALTH | DD-60 |
| AJ29 | FEEL NERVOUS PAST 30 DAYS | DD-60 |
| AF65 | FEEL RESTLESS WORST MONTH | DD-60 |
| AF66 | FEEL DEPRESSED WORST MONTH | DD-61 |
| AF67 | FEEL EVERYTHING AN EFFORT WORST MONTH | DD-61 |
| AF68 | FEEL WORTHLESS WORST MONTH | DD-62 |
| AF69B | EMOTIONS INTERFERE W/WORK WORST MONTH | DD-62 |
| AF70B | EMOTIONS INTERFERE W/CHORES WORST MONTH | DD-63 |

| VARIABLE | LABEL | PAGE |
|------------------|--|--------------|
| AF71B | EMOTIONS INTERFERE W/SOCIAL LIFE WORST MONTH | DD-63 |
| AF72B | EMOTIONS INTERFERE W/RELATIONSHIPS WORST MONTH | DD-64 |
| AJ30 | FEEL HOPELESS PAST 30 DAYS | DD-64 |
| AJ1 | INS COVERS TREATMENT FOR MNTL HEALTH PROBLEMS | DD-65 |
| AJ31 | FELL RESTLESS PAST 30 DAYS | DD-65 |
| AJ32 | FEEL DEPRESSED PAST 30 DAYS | DD-66 |
| AJ33 | FEEL EVERYTHING AN EFFORT PAST 30 DAYS | DD-66 |
| AJ34 | FEEL WORTHLESS PAST 30 DAYS | DD-67 |
| AF62 | ANY MONTH PAST 12 MONTHS FELT WORSE | DD-67 |
| DISTRESS | SERIOUS PSYCHOLOGICAL DISTRESS | DD-68 |
| AF63 | FEEL NERVOUS WORST MONTH | DD-68 |
| DSTRS12 | LIKELY HAS HAD PSYCHOLOGICAL DISTRESS IN THE LAST YEAR | DD-69 |
| AF64 | FEEL HOPELESS WORST MONTH | DD-69 |
| DSTRS30 | LIKELY HAS HAD PSYCHOLOGICAL DISTRESS IN THE PAST MONTH | DD-70 |
| DSTRSYR | SERIOUS PSYCHOLOGICAL DISTRESS FOR WORST MONTH PAST YR (K6 SCORE) | DD-70 |
| CHORES2 | CHORE IMPAIRMENT PAST 12 MONTHS | DD-71 |
| SOCIAL2 | SOCIAL LIFE IMPAIRMENT PAST 12 MONTHS | DD-71 |
| WORK2 | WORK IMPAIRMENT PAST 12 MONTHS | DD-72 |
| FAMILY2 | FAMILY LIFE IMPAIRMENT PAST 12 MONTHS | DD-72 |
| SECTION G | DEMOGRAPHIC INFORMATION, PART II & CHILD CARE | DD-73 |
| FAMSIZE2_P1 | FAMILY SIZE: INCL. ALL PEOPLE SUPPORTED BY HH INCOME (PUF 1 YR RECODE) | DD-73 |
| AH33NEW | BORN IN U.S. | DD-73 |
| AH34NEW | MOTHER BORN IN U.S. | DD-74 |
| AH35NEW | FATHER BORN IN U.S. | DD-74 |
| LNGHM_P1 | LANGUAGE SPOKEN AT HOME (PUF 1 YR RECODE) | DD-75 |
| AG21 | LANGUAGE OF TV, RADIO, NEWSPAPERS | DD-76 |
| AH37 | 'LEVEL OF ENGLISH PROFICIENCY: GENERAL | DD-76 |
| SPK_ENG | ENGLISH USE AND PROFICIENCY | DD-77 |
| CITIZEN2 | CITIZENSHIP STATUS (3 LVLS) | DD-77 |
| YRUS_P1 | YEARS LIVED IN THE U.S. (PUF 1 YR RECODE) | DD-78 |
| PCTLF_P | PERCENT LIFE IN US (PUF RECODE) | DD-78 |
| AH44 | SPOUSE LIVING IN SAME HOUSEHOLD | DD-79 |
| AH43A | LIVING WITH A PARENT | DD-79 |
| AH44A | USED PAID CHILDCARE FOR CHILDREN UNDER 14 IN PAST MONTH | DD-80 |
| ACHLDC_P1 | AMOUNT SPENT ON CHILD CARE PER WEEK (PUF 1 YR RECODE) | DD-80 |
| AG22 | EVER SERVE IN U.S. ARMED FORCES | DD-81 |

| VARIABLE | LABEL | PAGE |
|------------------|--|--------------|
| SERVED | LENGTH OF TIME SERVED IN ACTIVE DUTY | DD-81 |
| AG10 | RESPONDENT USUALLY WORKS | DD-82 |
| WRKST_P1 | WORKING STATUS (PUF 1 YR RECODE) | DD-82 |
| AG8 | WORK STATUS OF SPOUSE LAST WEEK | DD-83 |
| AG11 | SPOUSE USUALLY WORKS | DD-83 |
| AG9_P1 | TYPE OF EMPLOYER ON SPOUSE'S MAIN JOB (PUF 1 YR RECODE) | DD-84 |
| AHEDC_P1 | EDUCATIONAL ATTAINMENT (PUF 1 YR RECODE) | DD-84 |
| FAMTYP_P | FAMILY TYPE (PUF RECODE) | DD-85 |
| SECTION H | HEALTH INSURANCE | DD-85 |
| AH49 | MEDICARE COVERAGE PROVIDED THROUGH HMO | DD-85 |
| AH50_P1 | NAME OF MEDICARE HMO PLAN (PUF 1 YR RECODE) | DD-86 |
| AI4 | COVERED BY MEDICARE SUPPL POLICY | DD-86 |
| AH52_P1 | SIGN UP FOR MEDICARE HMO DIRECTLY OR OTHERWISE (PUF 1 YR RECODE) | DD-87 |
| AI15 | MAIN REASON NOT IN EMPLOYER'S HEALTH PLAN | DD-87 |
| AI15A | MAIN REASON INELIGIBLE FOR EMPLOYER'S HEALTH PLAN | DD-88 |
| AI37A | SPOUSE COVERED BY MEDICARE SUPPL POLICY | DD-88 |
| AI45_P1 | MAIN REASON SPOUSE NOT IN EMP HEALTH PLAN (PUF 1 YR RECODE) | DD-89 |
| AI45A_P1 | MAIN REASON SPOUSE INELIGIBLE EMP HEALTH PLAN (PUF 1 YR RECODE) | DD-89 |
| AI22C | MAIN HEALTH PLAN IS HMO | DD-90 |
| HMO | HMO STATUS | DD-90 |
| AI22A_P | NAME OF HEALTH PLAN (PUF RECODE) | DD-91 |
| AI25 | COVERED FOR PRESCRIPTION DRUGS | DD-92 |
| AI25NEW | RX COVERAGE EDITED FOR MEDI-CAL/HF | DD-92 |
| AH71_P1 | HEALTH PLAN DEDUCTIBLE MORE THAN \$1,000 (PUF 1 YR RECODE) | DD-93 |
| AH72_P1 | HEALTH PLAN DEDUCTIBLE MORE THAN \$2,000 (PUF 1 YR RECODE) | DD-93 |
| AI33_6 | OTHER INS: BOUGHT DIRECT | DD-94 |
| AH74 | TRIED TO FIND HEALTH INSURANCE ON OWN | DD-94 |
| AH75 | TRIED TO FIND HEALTH INSURANCE ON OWN | DD-95 |
| AI28 | HOW LONG SINCE LAST HAD HEALTH INS | DD-95 |
| AH14 | PATIENT IN HOSP OVERNIGHT DURING PAST 12 MOS | DD-96 |
| IHS | COVERED BY INDIAN HEALTH SERVICES | DD-97 |
| INS | CURRENTLY INSURED | DD-97 |
| INS_S | SPOUSE CURRENTLY INSURED | DD-97 |
| INS12M | MOS COVERED BY HEALTH PLANS LAST 12 MOS | DD-98 |
| INS64_P | CURRENT HEALTH COVERAGE - < 65 YRS (PUF RECODE) | DD-98 |

| VARIABLE | LABEL | PAGE |
|------------------|--|---------------|
| INS64S_P | SPOUSE'S CURRENT HEALTH COVG - < 65 YRS (PUF RECODE) | DD-99 |
| INS65 | TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ELDERLY 65+ | DD-99 |
| INS65_S | TYPE OF CURRENT HEALTH COVERAGE FOR SPOUSE 65+ | DD-100 |
| INSANY | ANY INS IN LAST 12 MOS | DD-100 |
| INSEM | COVERED BY EMPLOYER-BASED PLANS | DD-101 |
| INSEM_S | SPOUSE COVERED BY EMPLOYER-BASED PLANS | DD-101 |
| INSMC | COVERED BY MEDICARE | DD-102 |
| INSMC_S | SPOUSE COVERED BY MEDICARE | DD-102 |
| INSMD | COVERED BY MEDI-CAL | DD-103 |
| INSMD_S | SPOUSE COVERED BY MEDI-CAL | DD-103 |
| INSOG | COVERED BY OTHER GOVT PLANS | DD-104 |
| INSOG_S | SPOUSE COVERED BY OTHER GOVT PLANS | DD-104 |
| INSLT_P | HEALTH INS COVG LAST 12 MOS, W/ CURRENT STATUS (PUF RECODE) | DD-105 |
| INSPR | COVERED BY PLANS PURCHASED ON OWN | DD-105 |
| INSPR_S | SPOUSE COVERED BY PLANS PURCHASED ON OWN | DD-106 |
| INSPS | PRIMARY OR SECONDARY COVERAGE | DD-106 |
| INSPS_S | SPOUSE PRIMARY OR SECONDARY COVERAGE | DD-107 |
| INST_12 | HEALTH INS COVERAGE IN LAST 12 MOS, INCL CURRENT STATUS:8 LVLS | DD-107 |
| INSTYP_P | TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ALL AGES (PUF RECODE) | DD-108 |
| UNINSANY | UNINSURED IN PAST 12 MOS | DD-108 |
| OFFTK | OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER BASED INS | DD-109 |
| OFFTK_S | OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER-BASED INS: SPOUSE | DD-109 |
| AH73B | SPECIAL FUND TO PAY MEDICAL EXPENSES | DD-110 |
| AH100 | ANYONE HELP FIND HEALTH PLAN | DD-110 |
| AH101_P | PERSON WHO HELPED FIND HEALTH PLAN (PUF RECODE) | DD-111 |
| AH102_P1 | # NIGHTS IN HOSPITAL PAST 12 MOS (PUF 1 YR RECODE) | DD-111 |
| AH103 | BUY HEALTH PLAN DIRECTLY FROM INS CO/HMO | DD-112 |
| AH95_P1 | # TIMES VISITED ER IN PAST 12 MOS (PUF 1 YR RECODE) | DD-112 |
| AH96_P1 | HEALTH PLAN DEDUCTIBLE > \$2,000 (PUF 1 YR RECODE) | DD-113 |
| AH97_P1 | PLAN DEDUCTIBLE COVERING ALL PERSONS >\$4,000 (PUF 1 YR RECODE) | DD-113 |
| AH98_P1 | DIFFICULTY FINDING PLAN WITH NEEDED COVERAGE (PUF 1 YR RECODE) | DD-114 |
| AH99_P1 | DIFFICULTY FINDING PLAN THAT IS AFFORDABLE (PUF 1 YR RECODE) | DD-114 |
| SECTION J | HEALTH CARE UTILIZATION AND ACCESS | DD-115 |
| AH1 | HAVE USUAL SOURCE OF HEALTH CARE | DD-115 |

| VARIABLE | LABEL | PAGE |
|----------|---|--------|
| AH3_P1 | KIND OF PLACE FOR USUAL SOURCE OF HEALTH CARE (PUF 1 YR RECODE) | DD-115 |
| USOC | USUAL SOURCE OF CARE OTHER THAN ER | DD-116 |
| USUAL | HAVE USUAL PLACE TO GO TO WHEN SICK OR NEEDING HEALTH ADVICE | DD-116 |
| USUAL_TP | USUAL SOURCE OF CARE (7 LVLS) | DD-117 |
| USUAL5TP | USUAL SOURCE OF CARE (5 LVLS) | DD-117 |
| AH6 | HOW LONG SINCE LAST SAW DOCTOR ABOUT OWN HEALTH | DD-118 |
| ACMDNUM | # OF DOCTOR VISITS PAST YEAR | DD-118 |
| DOCT_YR | VISITED DOCTOR IN PAST 12 MOS | DD-119 |
| DSTRS_P1 | SERIOUS PSYCHOLOGICAL DISTRESS (PUF 1 YR RECODE) | DD-119 |
| AJ77 | HAVE PERSONAL DOCTOR AS MAIN MEDICAL PROVIDER | DD-120 |
| AJ78 | CONTACT DOC'S OFFICE WITH MEDICAL QUESTION PAST 12 MOS | DD-120 |
| AJ79 | HOW OFTEN GOT RESPONSE FROM DOC'S OFFICE | DD-121 |
| AJ80 | DOC'S OFFICE HELP COORDINATE CARE W/ OTHER MED SVCS | DD-121 |
| AJ50_P | LANGUAGE DOCTOR SPEAKS TO R (PUF RECODE) | DD-122 |
| AJ9 | MD SPOKE DIFFERENT LANGUAGE REASON WHY DIFFICULT TO UNDERSTAND | DD-122 |
| AJ10 | NEEDED SOMEONE ELSE TO HELP UNDERSTAND DOCTOR | DD-123 |
| AJ11 | WHO HELPED YOU UNDERSTAND DOCTOR | DD-123 |
| AH16 | DELAY/NOT GET PRESCRIPTION IN PAST 12 MO | DD-124 |
| AJ19 | COST/NO INSUR DELAYED GETTING PRESCRIPTION | DD-124 |
| AJ81 | DELAYED PRESCRIPTION FOR ASTHMA | DD-125 |
| AH22 | DELAY/NOT GET OTHER MEDICAL CARE IN PAST 12 MOS | DD-125 |
| AJ20 | COST/NO INSR DELAYED GETTING NEEDED CARE | DD-126 |
| AJ102 | SOUGHT APPNT W/DOC IN 2 DAYS PAST YR | DD-126 |
| AJ103 | HOW OFTEN GET APPNT IN 2 DAYS | DD-127 |
| AJ105 | KNOW RIGHTS TO INTERPRETOR DURING MED VISIT | DD-127 |
| AJ106 | USUAL PLACE FOR HLTH CARE CHANGED PAST YR | DD-128 |
| AJ107 | CHANGE USUAL PLACE DUE TO INSURANCE PLAN | DD-128 |
| AJ108 | EVER USED INTERNET | DD-129 |
| AJ110 | CONFIDENCE TO COMPLETE APPL ONLINE ON OWN | DD-129 |
| AJ111 | SOMEONE TO HELP FILL OUT APPL ONLINE | DD-130 |
| AJ112 | HOW OFTEN DOC LISTENS CAREFULLY | DD-130 |
| AJ113 | HOW OFTEN DOC CLEARLY EXPLAINS WHAT TO DO | DD-131 |
| AJ114 | TIME SINCE LAST DOC VISIT FOR ROUTINE CHECK-UP | DD-131 |
| AJ129 | EVENTUALLY RECEIVED MED CARE THAT WAS DELAYED | DD-132 |
| AJ131_P1 | MAIN REASON FOR DELAYING NEEDED CARE (PUF 1 YR RECODE) | DD-132 |

| VARIABLE | LABEL | PAGE |
|------------------|---|---------------|
| AJ133 | HAD TROUBLE FINDING GENERAL DOC PAST 12 MOS | DD-133 |
| AJ134 | NOT ACCEPTED AS NEW PATIENT BY DOC PAST YR | DD-133 |
| AJ135 | INSURANCE NOT ACCEPTED BY DOC PAST YR | DD-133 |
| AJ136 | NEEDED TO SEE MED SPECIALIST PAST YR | DD-134 |
| AJ137 | HAD TROUBLE FINDING SPECIALTY DR PAST 12 MOS | DD-134 |
| AJ138 | NOT ACCEPTED AS NEW PATIENT BY SPECIALIST PAST YR | DD-135 |
| AJ139 | INSURANCE NOT ACCEPTED BY SPECIALIST PAST YR | DD-135 |
| AH12 | VISITED EMERGENCY ROOM FOR OWN HEALTH IN PAST 12 MOS | DD-136 |
| ER | ER VISIT WITHIN THE PAST YEAR | DD-136 |
| AG1 | TIME SINCE LAST VISIT TO DENTIST/SPECIALIST | DD-137 |
| AG3 | HAVE ANY KIND OF DENTAL INSURANCE | DD-137 |
| CARE_PV | HAD A PREVENTIVE CARE VISIT IN PAST YEAR | DD-138 |
| FORGO | HAD TO FORGO NECESSARY CARE | DD-138 |
| PC_INS | PRIMARY CARE: HAVE DIFFICULTY FINDING A PROVIDER THAT ACCEPTS THEIR INSURANCE | DD-138 |
| PC_NEWP | PRIMARY CARE: HAVE DIFFICULTY FINDING A PROVIDER THAT ACCEPTS NEW PATIENTS | DD-139 |
| RN_FORGO | REASONS FORGONE NECESSARY CARE | DD-139 |
| SC_INS | SPECIALTY CARE: HAVE DIFFICULTY FINDING A PROVIDER THAT ACCEPTS THEIR INSURANCE | DD-140 |
| SC_NEWP | SPECIALTY CARE: HAVE DIFFICULTY FINDING A PROVIDER THAT ACCEPTS NEW PATIENTS | DD-140 |
| TIMAPPT | ABLE TO GET AN APPOINTMENT IN A TIMELY WAY | DD-141 |
| SECTION K | EMPLOYMENT, INCOME, POVERTY STATUS & FOOD SECURITY | DD-141 |
| AK1 | WORK STATUS LAST WEEK | DD-141 |
| AK2_P1 | MAIN REASON FOR NOT WORKING LAST WEEK (PUF 1 YR RECODE) | DD-142 |
| AK4 | TYPE OF EMPLOYER AT MAIN JOB | DD-143 |
| AK7_P1 | LENGTH OF TIME WORKING AT MAIN JOB (PUF 1 YR RECODE) | DD-143 |
| AKWKLNG | TIME AT MAIN JOB | DD-144 |
| AK8 | # PEOPLE WORKING FOR EMPLOYER/YOU | DD-145 |
| AK10_P | RESPONDENT'S EARNINGS LAST MONTH (PUF RECODE) | DD-145 |
| AK10A_P | SPOUSE'S EARNINGS LAST MONTH (PUF RECODE) | DD-146 |
| AK22_P | HOUSEHOLD'S TOTAL ANNUAL INC (PUF RECODE) | DD-146 |
| AK32 | HH INCOME SUPPORTS SOMEONE LIVING IN U.S. BUT NOT LIVING IN HH | DD-147 |
| AK33_P1 | # OF PERSONS SUPPORTED BY HH INCOME NOT IN HH (PUF 1 YR RECODE) | DD-147 |
| AM1 | HOW OFTEN FOOD DIDN'T LAST, COULDN'T AFFORD MORE, PAST 12 MOS | DD-148 |
| AM2 | HOW OFTEN COULDN'T AFFORD TO EAT BALANCED MEALS | DD-148 |
| AM3 | ALL ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY | DD-149 |

| VARIABLE | LABEL | PAGE |
|------------------|---|---------------|
| AM3A | HOW OFTEN ALL ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY | DD-149 |
| AM4 | ATE LESS THAN SHOULD BECAUSE OF MONEY IN PAST 12 MOS | DD-150 |
| AM5 | HOW OFTEN HUNGRY BUT DIDN'T EAT B/C OF MONEY IN PAST 12 MOS | DD-150 |
| FSLEV | FOOD SECURITY STATUS LEVEL | DD-151 |
| FSLEVCB | FOOD SECURITY STATUS (2 LVLS) | DD-151 |
| FPG | FEDERAL POVERTY GUIDELINE | DD-152 |
| POVLL ACA | FAMILY POVERTY THRESHOLD LEVEL: ACA MAGI ELIGIBILITY (4 LVLS) | DD-152 |
| POVGWD_P | FAMILY POVERTY THRESHOLD LEVEL (PUF RECODE) | DD-153 |
| POVLL | POVERTY LEVEL | DD-153 |
| ELIGPRG3 | MEDI-CAL (MEDICAID)/HEALTHY FAM ELIG. - UNINSURED | DD-154 |
| SECTION L | PUBLIC PROGRAM PARTICIPATION | DD-154 |
| AL2 | RECEIVING TANF OR CALWORKS | DD-154 |
| AL5 | RECEIVING FOOD STAMP BENEFITS | DD-155 |
| AL6 | RECEIVING SSI (SUPPLEMENTAL SECURITY INCOME) | DD-155 |
| AL7 | CURRENTLY ON WIC | DD-156 |
| AL22 | RECEIVING SOCIAL SECURITY DISABILITY INS | DD-156 |
| AL32 | RECD ANY WORKERS COMPENSATION LAST MO | DD-157 |
| AL18A | RECVD SOCIAL SECURITY OR PENSION LAST MONTH | DD-157 |
| SECTION M | HOUSING & COMMUNITY INVOLVEMENT | DD-158 |
| AK23 | LIVE IN HOUSE, DUPLEX, BUILDING WITH 3+ UNITS, OR MOBILE HOME | DD-158 |
| AK25 | OWN OR RENT HOME | DD-158 |
| AM19 | PEOPLE IN NEIGHBORHOOD WILLING TO HELP EACH OTHER | DD-159 |
| AM20 | PEOPLE IN NEIGHBORHOOD DO NOT GET ALONG | DD-159 |
| AM21 | PEOPLE IN NEIGHBORHOOD CAN BE TRUSTED | DD-160 |
| AM35 | NEIGHBORHOOD WATCHES OUT FOR CHILDREN'S SAFETY | DD-160 |
| AK28 | HOW OFTEN FEEL SAFE IN NEIGHBORHOOD | DD-161 |
| AM36 | DID VOLUNTEER WORK OR COMMUNITY SERVICES PAST YR | DD-161 |
| AM39 | VOLUNTEER IN ORG DEALING W/COMM PROB PAST YR | DD-162 |
| AM40 | MEET INFORMALLY TO DEAL W/COMM PROB PAST YR | DD-162 |
| AM37 | CURRENTLY PAYING OFF MORTGAGE/HOME LOAN | DD-162 |
| AM38_P1 | MAIN REASON FOR LAST MOVE (PUF 1 YR RECODE) | DD-163 |
| SECTION N | DEMOGRAPHIC INFO PART III, GEOGRAPHIC INFO | DD-163 |
| AM34 | TELEPHONE CALLS RECEIVED | DD-163 |
| UR_BG | RURAL AND URBAN - CLARITAS (BY BLOCK GROUP) | DD-164 |
| UR_CLRT | RURAL AND URBAN - CLARITAS (BY ZIPCODE) (4 LVLS) | DD-164 |

| VARIABLE | LABEL | PAGE |
|------------------|---|---------------|
| UR_CLRT2 | RURAL AND URBAN - CLARITAS (BY ZIPCODE) (2 LVLS) | DD-165 |
| UR_IHS | RURAL AND URBAN - IHS | DD-165 |
| UR_OMB | RURAL AND URBAN - OMB | DD-165 |
| UR_RHP | RURAL AND URBAN - RHP | DD-166 |
| UR_TRACT | RURAL AND URBAN - CLARITAS (BY CENSUS TRACT) | DD-166 |
| SECTION 0 | FULL DESIGN AND REPLICATE WEIGHT SERIES 0-80 | DD-167 |
| RAKEDW0 | CHIS2013 RAKED WEIGHT - FULL SAMPLE | DD-167 |
| RAKEDW1 | CHIS2013 RAKED WEIGHT - REPLICATE 1 | DD-167 |
| RAKEDW2 | CHIS2013 RAKED WEIGHT - REPLICATE 2 | DD-168 |
| RAKEDW3 | CHIS2013 RAKED WEIGHT - REPLICATE 3 | DD-168 |
| RAKEDW4 | CHIS2013 RAKED WEIGHT - REPLICATE 4 | DD-168 |
| RAKEDW5 | CHIS2013 RAKED WEIGHT - REPLICATE 5 | DD-169 |
| RAKEDW6 | CHIS2013 RAKED WEIGHT - REPLICATE 6 | DD-169 |
| RAKEDW7 | CHIS2013 RAKED WEIGHT - REPLICATE 7 | DD-169 |
| RAKEDW8 | CHIS2013 RAKED WEIGHT - REPLICATE 8 | DD-170 |
| RAKEDW9 | CHIS2013 RAKED WEIGHT - REPLICATE 9 | DD-170 |
| RAKEDW10 | CHIS2013 RAKED WEIGHT - REPLICATE 10 | DD-170 |
| RAKEDW11 | CHIS2013 RAKED WEIGHT - REPLICATE 11 | DD-171 |
| RAKEDW12 | CHIS2013 RAKED WEIGHT - REPLICATE 12 | DD-171 |
| RAKEDW13 | CHIS2013 RAKED WEIGHT - REPLICATE 13 | DD-171 |
| RAKEDW14 | CHIS2013 RAKED WEIGHT - REPLICATE 14 | DD-172 |
| RAKEDW15 | CHIS2013 RAKED WEIGHT - REPLICATE 15 | DD-172 |
| RAKEDW16 | CHIS2013 RAKED WEIGHT - REPLICATE 16 | DD-172 |
| RAKEDW17 | CHIS2013 RAKED WEIGHT - REPLICATE 17 | DD-173 |
| RAKEDW18 | CHIS2013 RAKED WEIGHT - REPLICATE 18 | DD-173 |
| RAKEDW19 | CHIS2013 RAKED WEIGHT - REPLICATE 19 | DD-173 |
| RAKEDW20 | CHIS2013 RAKED WEIGHT - REPLICATE 20 | DD-174 |
| RAKEDW21 | CHIS2013 RAKED WEIGHT - REPLICATE 21 | DD-174 |
| RAKEDW22 | CHIS2013 RAKED WEIGHT - REPLICATE 22 | DD-174 |
| RAKEDW23 | CHIS2013 RAKED WEIGHT - REPLICATE 23 | DD-175 |
| RAKEDW24 | CHIS2013 RAKED WEIGHT - REPLICATE 24 | DD-175 |
| RAKEDW25 | CHIS2013 RAKED WEIGHT - REPLICATE 25 | DD-175 |
| RAKEDW26 | CHIS2013 RAKED WEIGHT - REPLICATE 26 | DD-176 |
| RAKEDW27 | CHIS2013 RAKED WEIGHT - REPLICATE 27 | DD-176 |
| RAKEDW28 | CHIS2013 RAKED WEIGHT - REPLICATE 28 | DD-176 |
| RAKEDW29 | CHIS2013 RAKED WEIGHT - REPLICATE 29 | DD-177 |

| VARIABLE | LABEL | PAGE |
|-----------------|--------------------------------------|-------------|
| RAKEDW30 | CHIS2013 RAKED WEIGHT - REPLICATE 30 | DD-177 |
| RAKEDW31 | CHIS2013 RAKED WEIGHT - REPLICATE 31 | DD-177 |
| RAKEDW32 | CHIS2013 RAKED WEIGHT - REPLICATE 32 | DD-178 |
| RAKEDW33 | CHIS2013 RAKED WEIGHT - REPLICATE 33 | DD-178 |
| RAKEDW34 | CHIS2013 RAKED WEIGHT - REPLICATE 34 | DD-178 |
| RAKEDW35 | CHIS2013 RAKED WEIGHT - REPLICATE 35 | DD-179 |
| RAKEDW36 | CHIS2013 RAKED WEIGHT - REPLICATE 36 | DD-179 |
| RAKEDW37 | CHIS2013 RAKED WEIGHT - REPLICATE 37 | DD-179 |
| RAKEDW38 | CHIS2013 RAKED WEIGHT - REPLICATE 38 | DD-180 |
| RAKEDW39 | CHIS2013 RAKED WEIGHT - REPLICATE 39 | DD-180 |
| RAKEDW40 | CHIS2013 RAKED WEIGHT - REPLICATE 40 | DD-180 |
| RAKEDW41 | CHIS2013 RAKED WEIGHT - REPLICATE 41 | DD-181 |
| RAKEDW42 | CHIS2013 RAKED WEIGHT - REPLICATE 42 | DD-181 |
| RAKEDW43 | CHIS2013 RAKED WEIGHT - REPLICATE 43 | DD-181 |
| RAKEDW44 | CHIS2013 RAKED WEIGHT - REPLICATE 44 | DD-182 |
| RAKEDW45 | CHIS2013 RAKED WEIGHT - REPLICATE 45 | DD-182 |
| RAKEDW46 | CHIS2013 RAKED WEIGHT - REPLICATE 46 | DD-182 |
| RAKEDW47 | CHIS2013 RAKED WEIGHT - REPLICATE 47 | DD-183 |
| RAKEDW48 | CHIS2013 RAKED WEIGHT - REPLICATE 48 | DD-183 |
| RAKEDW49 | CHIS2013 RAKED WEIGHT - REPLICATE 49 | DD-183 |
| RAKEDW50 | CHIS2013 RAKED WEIGHT - REPLICATE 50 | DD-184 |
| RAKEDW51 | CHIS2013 RAKED WEIGHT - REPLICATE 51 | DD-184 |
| RAKEDW52 | CHIS2013 RAKED WEIGHT - REPLICATE 52 | DD-184 |
| RAKEDW53 | CHIS2013 RAKED WEIGHT - REPLICATE 53 | DD-185 |
| RAKEDW54 | CHIS2013 RAKED WEIGHT - REPLICATE 54 | DD-185 |
| RAKEDW55 | CHIS2013 RAKED WEIGHT - REPLICATE 55 | DD-185 |
| RAKEDW56 | CHIS2013 RAKED WEIGHT - REPLICATE 56 | DD-186 |
| RAKEDW57 | CHIS2013 RAKED WEIGHT - REPLICATE 57 | DD-186 |
| RAKEDW58 | CHIS2013 RAKED WEIGHT - REPLICATE 58 | DD-186 |
| RAKEDW59 | CHIS2013 RAKED WEIGHT - REPLICATE 59 | DD-187 |
| RAKEDW60 | CHIS2013 RAKED WEIGHT - REPLICATE 60 | DD-187 |
| RAKEDW61 | CHIS2013 RAKED WEIGHT - REPLICATE 61 | DD-187 |
| RAKEDW62 | CHIS2013 RAKED WEIGHT - REPLICATE 62 | DD-188 |
| RAKEDW63 | CHIS2013 RAKED WEIGHT - REPLICATE 63 | DD-188 |
| RAKEDW64 | CHIS2013 RAKED WEIGHT - REPLICATE 64 | DD-188 |
| RAKEDW65 | CHIS2013 RAKED WEIGHT - REPLICATE 65 | DD-189 |

| VARIABLE | LABEL | PAGE |
|-----------------|--------------------------------------|-------------|
| RAKEDW66 | CHIS2013 RAKED WEIGHT - REPLICATE 66 | DD-189 |
| RAKEDW67 | CHIS2013 RAKED WEIGHT - REPLICATE 67 | DD-189 |
| RAKEDW68 | CHIS2013 RAKED WEIGHT - REPLICATE 68 | DD-190 |
| RAKEDW69 | CHIS2013 RAKED WEIGHT - REPLICATE 69 | DD-190 |
| RAKEDW70 | CHIS2013 RAKED WEIGHT - REPLICATE 70 | DD-190 |
| RAKEDW71 | CHIS2013 RAKED WEIGHT - REPLICATE 71 | DD-191 |
| RAKEDW72 | CHIS2013 RAKED WEIGHT - REPLICATE 72 | DD-191 |
| RAKEDW73 | CHIS2013 RAKED WEIGHT - REPLICATE 73 | DD-191 |
| RAKEDW74 | CHIS2013 RAKED WEIGHT - REPLICATE 74 | DD-192 |
| RAKEDW75 | CHIS2013 RAKED WEIGHT - REPLICATE 75 | DD-192 |
| RAKEDW76 | CHIS2013 RAKED WEIGHT - REPLICATE 76 | DD-192 |
| RAKEDW77 | CHIS2013 RAKED WEIGHT - REPLICATE 77 | DD-193 |
| RAKEDW78 | CHIS2013 RAKED WEIGHT - REPLICATE 78 | DD-193 |
| RAKEDW79 | CHIS2013 RAKED WEIGHT - REPLICATE 79 | DD-193 |
| RAKEDW80 | CHIS2013 RAKED WEIGHT - REPLICATE 80 | DD-194 |

C. Restricted Variables

The following geographic variables are not located in the funder files, but may be accessible upon request and IRB approval (UCLA & CHPS). These variables are restricted due to their identifiable nature.

| VARIABLE | LABEL | NOTE |
|----------|-------------------------------------|---|
| LATITUDE | LATITUDE | GEOGRAPHIC LONGITUDE OF RESIDENCE. USED FOR MAPPING. |
| LONGIT | LONGITUDE | GEOGRAPHIC LONGITUDE OF RESIDENCE. USED FOR MAPPING. |
| CBLK | CENSUS BLOCK INCLUDING CENSUS TRACT | SMALLEST CENSUS DELINEATION AVAILABLE TO MERGE WITH CENSUS DATA; USED FOR MULTILEVEL MODELING, NEIGHBORHOOD ANALYSIS. |

Teen and child restricted variables

| VARIABLE | LABEL | NOTE |
|----------|-------------------------------------|--|
| SCH_BLK | SCHOOL CENSUS TRACT INCLUDING BLOCK | SMALLEST CENSUS DELINEATION AVAILABLE TO MERGE WITH CENSUS DATA; USED FOR MULTILEVEL MODELING, SCHOOL NEIGHBORHOOD ANALYSIS. |
| SCH_CDS | STATE SCHOOL ID NUMBER | |
| SCH_LAT | SCHOOL LATITUDE | GEOGRAPHIC LONGITUDE OF SCHOOL. USED FOR MAPPING. |
| SCH_LON | SCHOOL LONGITUDE | GEOGRAPHIC LONGITUDE OF SCHOOL. USED FOR MAPPING. |

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

| | | | | |
|------------|--|----------|---------------|-------------|
| VARNAME: | PUFLY_ID | QNAME13: | NA | |
| | | QNAME11: | NA | QNAME09: NA |
| LABEL: | PUBLIC USE FILE ID - CHIS 1 YEAR DATAFILES | | | |
| VALUE: | . | 0 - HIGH | FREQ 20724 | % 100.00 |
| UNIVERSE: | ALL ADULTS | | | |
| INPUT VAR: | | | | |
| NOTES: | | | | |

LABEL: HOUSEHOLD SIZE (PUF 1 YR RECODE)

| | |
|------|-------|
| N | 20724 |
| MIN | 1 |
| MAX | 10 |
| MEAN | 2.46 |

NOTES: ADLTCNT + KIDCNT; TOPCODE = 10

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INTVLANG QNAME13: NA

 QNAME11: NA QNAME09: NA

LABEL: LANGUAGE OF INTERVIEW

| VALUE: | | | FREQ | % |
|--------|--------------------|--|-------|-------|
| 1 | ENGLISH | | 18689 | 90.18 |
| 2 | SPANISH | | 1707 | 8.24 |
| 3 | VIETNAMESE | | 54 | 0.26 |
| 4 | KOREAN | | 147 | 0.71 |
| 5 | CANTONESE | | 68 | 0.33 |
| 6 | MANDARIN | | 58 | 0.28 |
| 8 | FILIPINO / TAGALOG | | 1 | 0.00 |

UNIVERSE: ALL ADULTS

INPUT VAR: ENGLSPAN

NOTES:

VARNAME: PROXY QNAME13: NA

 QNAME11: NA QNAME09: NA

LABEL: A PROXY INTERVIEW

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 134 | 0.65 |
| 2 | NO | | 20590 | 99.35 |

UNIVERSE: ALL ADULTS

INPUT VAR: APRX1

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

| | | | | |
|------------|-------------------------------------|-----------------------------|-------|-------------|
| VARNAME: | SRTENR | QNAME13: | NA | |
| | | QNAME11: | NA | QNAME09: NA |
| LABEL: | SELF-REPORTED HOUSEHOLD TENURE (HH) | | | |
| | | | FREQ | % |
| VALUE: | 1 | OWN | 13881 | 66.98 |
| | 2 | RENT/SOME OTHER ARRANGEMENT | 6843 | 33.02 |
| UNIVERSE: | ALL ADULTS | | | |
| INPUT VAR: | | | | |
| NOTES: | | | | |

Section A: Demographic Information, Part I

| | | | | | |
|------------|-------------------------------------|-------------|----|----------|-------|
| VARNAME: | SRAGE_P1 | QNAME13: | NA | | |
| | | QNAME11: | NA | QNAME09: | NA |
| LABEL: | SELF-REPORTED AGE (PUF 1 YR RECODE) | | | | |
| | | | | FREQ | % |
| VALUE: | 18 | 18-25 YEARS | | 1418 | 6.84 |
| | 26 | 26-29 YEARS | | 506 | 2.44 |
| | 30 | 30-34 YEARS | | 776 | 3.74 |
| | 35 | 35-39 YEARS | | 925 | 4.46 |
| | 40 | 40-44 YEARS | | 1206 | 5.82 |
| | 45 | 45-49 YEARS | | 1449 | 6.99 |
| | 50 | 50-54 YEARS | | 1871 | 9.03 |
| | 55 | 55-59 YEARS | | 2268 | 10.94 |
| | 60 | 60-64 YEARS | | 2457 | 11.86 |
| | 65 | 65-69 YEARS | | 2235 | 10.78 |
| | 70 | 70-74 YEARS | | 1917 | 9.25 |
| | 75 | 75-79 YEARS | | 1431 | 6.91 |
| | 80 | 80-84 YEARS | | 1194 | 5.76 |
| | 85 | 85+ YEARS | | 1071 | 5.17 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | SRAGE | | | | |
| NOTES: | | | | | |

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: SRSEX QNAME13: NA

 QNAME11: NA QNAME09: NA

LABEL: SELF-REPORTED GENDER

| | | | | |
|--------|---|--------|-------|-------|
| VALUE: | 1 | MALE | FREQ | % |
| | 2 | FEMALE | 8529 | 41.16 |
| | | | 12195 | 58.84 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: SRAS QNAME13: NA

 QNAME11: NA QNAME09: NA

LABEL: SELF-REPORTED ASIAN

| | | | | |
|--------|---|-----|-------|-------|
| VALUE: | 1 | YES | FREQ | % |
| | 2 | NO | 1664 | 8.03 |
| | | | 19060 | 91.97 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: SRASO QNAME13: NA

 QNAME11: NA QNAME09: NA

LABEL: SELF-REPORTED OTHER ASIAN GROUP

| | | | | |
|--------|---|-----|-------|-------|
| VALUE: | 1 | YES | FREQ | % |
| | 2 | NO | 514 | 2.48 |
| | | | 20210 | 97.52 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

| | | | | |
|------------|-----------------------|----------|-------|-------------|
| VARNAME: | SRCH | QNAME13: | NA | |
| | | QNAME11: | NA | QNAME09: NA |
| LABEL: | SELF-REPORTED CHINESE | | | |
| | | | FREQ | % |
| VALUE: | 1 | YES | 530 | 2.56 |
| | 2 | NO | 20194 | 97.44 |
| UNIVERSE: | ALL ADULTS | | | |
| INPUT VAR: | | | | |
| NOTES: | | | | |

| | | | | | |
|------------|----------------------|----------|----|----------|-------|
| VARNAME: | SRKR | QNAME13: | NA | | |
| | | QNAME11: | NA | QNAME09: | NA |
| LABEL: | SELF-REPORTED KOREAN | | | | |
| | | | | FREQ | % |
| VALUE: | 1 | YES | | 229 | 1.10 |
| | 2 | NO | | 20495 | 98.90 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

| | | | | |
|------------|------------------------|----------|-------|-------------|
| VARNAME: | SRPH | QNAME13: | NA | |
| | | QNAME11: | NA | QNAME09: NA |
| LABEL: | SELF-REPORTED FILIPINO | | | |
| | | | FREQ | % |
| VALUE: | 1 | YES | 310 | 1.50 |
| | 2 | NO | 20414 | 98.50 |
| UNIVERSE: | ALL ADULTS | | | |
| INPUT VAR: | | | | |
| NOTES: | | | | |

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: SRVT QNAME13: NA

 QNAME11: NA QNAME09: NA

LABEL: SELF-REPORTED VIETNAMESE

| | | | | |
|--------|---|-----|-------|-------|
| VALUE: | 1 | YES | FREQ | % |
| | 2 | NO | 148 | 0.71 |
| | | | 20576 | 99.29 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: SRH QNAME13: NA

 QNAME11: NA QNAME09: NA

LABEL: SELF-REPORTED LATINO/HISPANIC

| | | | | |
|--------|---|-----|-------|-------|
| VALUE: | 1 | YES | FREQ | % |
| | 2 | NO | 4203 | 20.28 |
| | | | 16521 | 79.72 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: SRO QNAME13: NA

 QNAME11: NA QNAME09: NA

LABEL: SELF-REPORTED OTHER RACE

| | | | | |
|--------|---|-----|-------|-------|
| VALUE: | 1 | YES | FREQ | % |
| | 2 | NO | 1843 | 8.89 |
| | | | 18881 | 91.11 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

| | | | | |
|------------|------------------------|----------|-------|-------------|
| VARNAME: | SRJP | QNAME13: | NA | |
| | | QNAME11: | NA | QNAME09: NA |
| LABEL: | SELF-REPORTED JAPANESE | | | |
| | | | FREQ | % |
| VALUE: | 1 | YES | 207 | 1.00 |
| | 2 | NO | 20517 | 99.00 |
| UNIVERSE: | ALL ADULTS | | | |
| INPUT VAR: | | | | |
| NOTES: | | | | |

| | | | | |
|------------|--|---|-------|-------------|
| VARNAME: | OMBSRR_P1 | QNAME13: | NA | |
| | | QNAME11: | NA | QNAME09: NA |
| LABEL: | OMB/CURRENT DOF RACE - ETHNICITY (PUF 1 YR RECODE) | | | |
| VALUE: | 1 | HISPANIC | FREQ | % |
| | 2 | WHITE, NON-HISPANIC (NH) | 4203 | 20.28 |
| | 3 | AFRICAN AMERICAN ONLY, NOT HISPANIC | 13359 | 64.46 |
| | 4 | AMERICAN INDIAN/ALASKAN NATIVE ONLY, NH | 985 | 4.75 |
| | 5 | ASIAN ONLY, NH | 165 | 0.80 |
| | 6 | OTHER, NH | 1495 | 7.21 |
| | 7 | TWO OR MORE RACES, NH | 33 | 0.16 |
| | | | 484 | 2.34 |
| UNIVERSE: | ALL ADULTS | | | |
| INPUT VAR: | | | | |
| NOTES: | | | | |

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RACECN_P1 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: RACE - CENSUS 2000 DEFINITION (PUF 1 YR RECODE)

| VALUE: | | | FREQ | % |
|--------|--------------------------------|--|-------|-------|
| 1 | OTHER SINGLE RACE | | 1875 | 9.05 |
| 2 | AMERICAN INDIAN/ALASKAN NATIVE | | 326 | 1.57 |
| 3 | ASIAN | | 1527 | 7.37 |
| 4 | AFRICAN AMERICAN | | 1022 | 4.93 |
| 5 | WHITE | | 15415 | 74.38 |
| 7 | MORE THAN ONE RACE | | 559 | 2.70 |

UNIVERSE: ALL ADULTS

INPUT VAR: SRPI SRAI SRAS SRAA SRW SRO

NOTES:

VARNAME: RACEDF_P1 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: FORMER DOF RACE - ETHNICITY (PUF 1 YR RECODE)

| VALUE: | | | FREQ | % |
|--------|--|--|-------|-------|
| 1 | LATINO | | 4203 | 20.28 |
| 2 | NON-LATINO OTHER, ONE RACE | | 71 | 0.34 |
| 3 | NON-LATINO AMERICAN INDIAN/ALASKAN NATIV | | 165 | 0.80 |
| 4 | NON-LATINO ASIAN | | 1491 | 7.19 |
| 5 | NON-LATINO AFR. AMER. | | 979 | 4.72 |
| 6 | NON-LATINO WHITE | | 13324 | 64.29 |
| 8 | NON-LATINO, TWO+ RACES | | 491 | 2.37 |

UNIVERSE: ALL ADULTS

INPUT VAR: SRPI SRAI SRAS SRAA SRW SRO SRH

NOTES: BASED ON '01 DEPT OF FINANCE DEFIN. CURRENT RACEDOF SEE OMBSRREO.

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RACEHP2_P1 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: RACE - UCLA CHPR DEFINITION, UNABRIDGED (PUF 1 YR RECODE)

| VALUE: | | | FREQ | % |
|--------|--------------------------------|--|-------|-------|
| 1 | LATINO | | 2676 | 12.91 |
| 2 | OTHER SINGLE/MULTIPLE RACE | | 1531 | 7.39 |
| 3 | AMERICAN INDIAN/ALASKAN NATIVE | | 244 | 1.18 |
| 4 | ASIAN | | 1516 | 7.32 |
| 5 | AFRICAN AMERICAN | | 1039 | 5.01 |
| 6 | WHITE | | 13718 | 66.19 |

UNIVERSE: ALL ADULTS

INPUT VAR: SRPI SRAI SRAS SRAA SRW SRO SRH AA5G AA5F ISRH ISRW AA5AOS AA5C

NOTES: NOT FOR DIRECT COMPARISON TO RACEHPR OF PREVIOUS CYCLES

VARNAME: SRW QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: SELF-REPORTED WHITE

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 15911 | 76.78 |
| 2 | NO | | 4813 | 23.22 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: SRAA QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: SELF-REPORTED AFRICAN AMERICAN

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 1161 | 5.60 |
| 2 | NO | | 19563 | 94.40 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: SRAI QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: SELF-REPORTED AMERICAN INDIAN

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 678 | 3.27 |
| 2 | NO | | 20046 | 96.73 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

| | | | | | |
|----------|-------------------------------------|--------------|----------|----------|----------|
| VARNAME: | AA5C | QNAME13: | QA13_A10 | | |
| | | QNAME11: | QA11_A10 | QNAME09: | QA09_A10 |
| LABEL: | ENROLLED MEMBER IN RECOGNIZED TRIBE | | | | |
| VALUE: | -8 | DON'T KNOW | 12 | FREQ | % |
| | -7 | REFUSED | 1 | | 0.00 |
| | -1 | INAPPLICABLE | 20115 | | 97.06 |
| | 1 | YES | 126 | | 0.61 |
| | 2 | NO | 470 | | 2.27 |

UNIVERSE: ALL ADULTS WHO ARE AMERICAN INDIAN OR ALASKA NATIVE

INPUT VAR:

NOTES:

| | | | | |
|----------|------------------------------|-----------------------------------|-------|-------------|
| VARNAME: | MARIT | QNAME13: | NA | |
| | | QNAME11: | NA | QNAME09: NA |
| LABEL: | MARITAL STATUS- 3 CATEGORIES | | | |
| | | | FREQ | % |
| VALUE: | 1 | MARRIED | 10105 | 48.76 |
| | 2 | OTHERWID/SEP/DIV/LIVING W/PARTNER | 7116 | 34.34 |
| | 3 | NEVER MARRIED | 3503 | 16.90 |

UNIVERSE: ALL ADULTS

INPUT VAR: AH43

NOTES:

| | | | | |
|------------|-----------------------------------|---------------------|------|-------------|
| VARNAME: | MARIT_45 | QNAME13: | NA | |
| | | QNAME11: | NA | QNAME09: NA |
| LABEL: | MARITAL STATUS - AGE 45 AND OLDER | | | |
| | | | FREQ | % |
| VALUE: | -1 | INAPPLICABLE | 4831 | 23.31 |
| | 1 | MARRIED | 8090 | 39.04 |
| | 2 | LIVING WITH PARTNER | 590 | 2.85 |
| | 3 | WIDOWED | 2796 | 13.49 |
| | 4 | DIVORCED/SEPARATED | 2922 | 14.10 |
| | 5 | NEVER MARRIED | 1495 | 7.21 |
| UNIVERSE: | ALL ADULTS AGE 45 AND OLDER | | | |
| INPUT VAR: | AH43 SRAGE | | | |
| NOTES: | | | | |

51

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

| | | | | |
|------------|-----------------------------------|------------|-------|-------------|
| VARNAME: | LATIN2TP | QNAME13: | NA | |
| | | QNAME11: | NA | QNAME09: NA |
| LABEL: | LATIN/HISPANIC SUBTYPES - 2 LVLS | | | |
| | | | FREQ | % |
| VALUE: | -1 | NON-LATINO | 16521 | 79.72 |
| | 1 | MEXICAN | 3364 | 16.23 |
| | 2 | OTHER | 839 | 4.05 |
| UNIVERSE: | ADULTS WHO ARE LATINO OR HISPANIC | | | |
| INPUT VAR: | | | | |
| NOTES: | | | | |

Section B: General Health Condition

| | | | | |
|------------|--------------------------|-----------|---------|------------------|
| VARNAME: | AB1 | QNAME13: | QA13_B1 | |
| | | QNAME11: | QA11_B1 | QNAME09: QA09_B1 |
| LABEL: | GENERAL HEALTH CONDITION | | | |
| | | | FREQ | % |
| VALUE: | 1 | EXCELLENT | 3745 | 18.07 |
| | 2 | VERY GOOD | 6523 | 31.48 |
| | 3 | GOOD | 6177 | 29.81 |
| | 4 | FAIR | 3149 | 15.19 |
| | 5 | POOR | 1130 | 5.45 |
| UNIVERSE: | ALL ADULTS | | | |
| INPUT VAR: | | | | |
| NOTES: | | | | |

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB17 QNAME13: QA13_B2
QNAME11: QA11_B2 QNAME09: QA09_B2

LABEL: DOCTOR EVER TOLD HAVE ASTHMA

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 2976 | 14.36 |
| 2 | NO | | 17748 | 85.64 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AB40 QNAME13: QA13_B3
QNAME11: QA11_B3 QNAME09: QA09_B3

LABEL: STILL HAS ASTHMA

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 17748 | 85.64 |
| 1 | YES | | 1822 | 8.79 |
| 2 | NO | | 1154 | 5.57 |

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB41 QNAME13: QA13_B4
QNAME11: QA11_B4 QNAME09: QA09_B4

LABEL: ASTHMA EPISODE/ATTACK IN PAST 12 MOS

| | | | | |
|--------|----|--------------|-------|-------|
| VALUE: | -1 | INAPPLICABLE | FREQ | % |
| | 1 | YES | 17748 | 85.64 |
| | 2 | NO | 949 | 4.58 |
| | | | 2027 | 9.78 |

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

VARNAME: ASTCUR QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: CURRENT ASTHMA STATUS

| | | | | |
|--------|---|-------------------|-------|-------|
| VALUE: | 1 | CURRENT ASTHMA | FREQ | % |
| | 2 | NO CURRENT ASTHMA | 1893 | 9.13 |
| | | | 18831 | 90.87 |

UNIVERSE: ADULTS WHO HAVE EVER BEEN DIAGNOSED WITH ASTHMA

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

| | | | | |
|------------|--|--------------|-------|-------------|
| VARNAME: | ASTS | QNAME13: | NA | |
| | | QNAME11: | NA | QNAME09: NA |
| LABEL: | ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION DIAGNOSED W/ ASTHMA | | | |
| | | | FREQ | % |
| VALUE: | -1 | INAPPLICABLE | 17748 | 85.64 |
| | 1 | SYMPTOMS | 2005 | 9.67 |
| | 2 | NO SYMPTOMS | 971 | 4.69 |
| UNIVERSE: | ALL ADULTS DIAGNOSED WITH ASTHMA | | | |
| INPUT VAR: | AB19 AB66 | | | |
| NOTES: | | | | |

| | | | | |
|------------|--|--------------|-------|-------------|
| VARNAME: | ASTYR | QNAME13: | NA | |
| | | QNAME11: | NA | QNAME09: NA |
| LABEL: | ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION CURRENTLY W/ ASTHMA | | | |
| | | | FREQ | % |
| VALUE: | -1 | INAPPLICABLE | 18831 | 90.87 |
| | 1 | SYMPTOMS | 1693 | 8.17 |
| | 2 | NO SYMPTOMS | 200 | 0.97 |
| UNIVERSE: | ALL ADULTS WITH ASTHMA | | | |
| INPUT VAR: | AB19 | | | |
| NOTES: | | | | |

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB106_P QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: ER/URGT CARE VISIT FOR ASTHMA PAST YR UNABLE TO SEE OWN DR (PUF RECODE)

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 20562 | 99.22 |
| 1 | YES | | 83 | 0.40 |
| 2 | NO | | 79 | 0.38 |

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA AND (STILL HAVE ASTHMA AND/OR HAD AN EPISODE/VISIT ER DUE TO ASTHMA IN LAST 12 MOS)

INPUT VAR: AB106

NOTES:

VARNAME: AB18 QNAME13: QA13_B9

QNAME11: QA11_B9 QNAME09: QA09_B9

LABEL: TAKING DAILY MEDICATION TO CONTROL ASTHMA

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 17748 | 85.64 |
| 1 | YES | | 1022 | 4.93 |
| 2 | NO | | 1954 | 9.43 |

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB19 QNAME13: QA13_B5
QNAME11: QA11_B5 QNAME09: QA09_B5

LABEL: FREQUENCY OF ASTHMA SYMPTOMS IN PAST 12 MOS: CURRENT ASTHMATICS

| VALUE: | | | FREQ | % |
|--------|-----------------------|--|-------|-------|
| -1 | INAPPLICABLE | | 18831 | 90.87 |
| 1 | NOT AT ALL | | 200 | 0.97 |
| 2 | LESS THAN EVERY MONTH | | 769 | 3.71 |
| 3 | EVERY MONTH | | 378 | 1.82 |
| 4 | EVERY WEEK | | 244 | 1.18 |
| 5 | EVERY DAY | | 302 | 1.46 |

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA AND (STILL HAVE ASTHMA
AND/OR HAD AN EPISODE IN LAST 12 MONTHS)

INPUT VAR:

NOTES:

VARNAME: AH13A QNAME13: QA13_B6
QNAME11: QA11_B6 QNAME09: QA09_B6

LABEL: ER/URGENT CRE VISIT FOR ASTHMA LAST 12 MOS: CURRENT ASTHMATICS

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 18831 | 90.87 |
| 1 | YES | | 162 | 0.78 |
| 2 | NO | | 1731 | 8.35 |

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA AND (STILL HAVE ASTHMA
AND/OR HAD AN EPISODE IN LAST 12 MONTHS)

INPUT VAR:

NOTES: SEE AB67 FOR ER VISITS AMONG THOSE W/ NO ASTHMA SYMPT, PAST 12 MOS

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB42_P1 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: WORKDAYS MISSED DUE TO ASTHMA IN PAST 12 MOS (PUF 1 YR RECODE)

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 18428 | 88.92 |
| 0 | 0 DAYS | | 2188 | 10.56 |
| 1 | 1-2 DAYS | | 40 | 0.19 |
| 3 | 3-4 DAYS | | 26 | 0.13 |
| 5 | 5+ DAYS | | 42 | 0.20 |

UNIVERSE: ALL ADULTS 69 OR YOUNGER WHOSE DR TOLD THEM THEY HAVE ASTHMA

INPUT VAR: AB42

NOTES:

VARNAME: AB43 QNAME13: QA13_B15

QNAME11: QA11_B15 QNAME09: QA09_B15

LABEL: HEALTH PROFESSIONAL EVER GAVE ASTHMA MANAGEMENT PLAN

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 17748 | 85.64 |
| 1 | YES | | 1719 | 8.29 |
| 2 | NO | | 1257 | 6.07 |

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB98 QNAME13: QA13_B16

QNAME11: QA11_B16 QNAME09: QA09_B16

LABEL: HAVE WRITTEN COPY OF ASTHMA CARE PLAN

| | | | | |
|--------|----|--------------|-------|-------|
| VALUE: | -1 | INAPPLICABLE | FREQ | % |
| | 1 | YES | 19005 | 91.71 |
| | 2 | NO | 423 | 2.04 |
| | | | 1296 | 6.25 |

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA AND CARE PROVIDERS
DEVELOP ASTHMA CARE PLAN

INPUT VAR:

NOTES:

VARNAME: AB108_P1 QNAME13: NA

QNAME11: QA11_B17 QNAME09:

LABEL: CONFIDENCE TO CONTROL AND MANAGE ASTHMA (PUF 1 YR RECODE)

| | | | | |
|--------|----|--|-------|-------|
| VALUE: | -2 | PROXY SKIPPED | FREQ | % |
| | -1 | INAPPLICABLE | 134 | 0.65 |
| | 1 | VERY CONFIDENT | 17622 | 85.03 |
| | 2 | SOMEWHAT CONFIDENT | 2316 | 11.18 |
| | 3 | NOT TOO CONFIDENT/NOT AT ALL CONFIDENT | 552 | 2.66 |
| | | | 100 | 0.48 |

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR: AB108

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB22 QNAME13: QA13_B18
QNAME11: QA11_B18 QNAME09: QA09_B18

LABEL: DOCTOR EVER TOLD HAVE DIABETES

| VALUE: | | | FREQ | % |
|--------|----------------------------|--|-------|-------|
| 1 | YES | | 2406 | 11.61 |
| 2 | NO | | 17847 | 86.12 |
| 3 | BORDERLINE OR PRE-DIABETES | | 471 | 2.27 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AB99 QNAME13: QA13_B19
QNAME11: QA11_B19 QNAME09: QA09_B19

LABEL: DOC EVER TOLD HAVE PRE- OR BORDERLINE DIABETES

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 471 | 2.27 |
| 1 | YES | | 2412 | 11.64 |
| 2 | NO | | 17841 | 86.09 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB23_P1 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: AGE FIRST TOLD HAVE DIABETES (PUF 1 YR RECODE)

| VALUE: | | FREQ | % |
|--------|-------------------|-------|-------|
| -1 | INAPPLICABLE | 18318 | 88.39 |
| 1 | AGES 18 AND UNDER | 70 | 0.34 |
| 2 | AGES 19-29 | 111 | 0.54 |
| 3 | AGES 30-39 | 227 | 1.10 |
| 4 | AGES 40-49 | 479 | 2.31 |
| 5 | AGES 50-59 | 666 | 3.21 |
| 6 | AGES 60-69 | 518 | 2.50 |
| 7 | AGES 70-79 | 254 | 1.23 |
| 8 | AGES 80 AND OVER | 81 | 0.39 |

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR: AB23

NOTES:

VARNAME: AB27_P1 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: # OF TIMES DOC CHECKED FOR HEMOGLOBIN A1C LAST YR (PUF 1 YR RECODE)

| VALUE: | | FREQ | % |
|--------|---------------------|-------|-------|
| -1 | INAPPLICABLE | 18318 | 88.39 |
| 0 | 0 TIMES | 201 | 0.97 |
| 1 | 1 TIMES | 380 | 1.83 |
| 2 | 2 TIMES | 600 | 2.90 |
| 3 | 3 TIMES | 279 | 1.35 |
| 4 | 4 TIMES | 530 | 2.56 |
| 5 | 5+ TIMES | 140 | 0.68 |
| 995 | R NEVER HEARD OF IT | 276 | 1.33 |

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR: AB27

NOTES: EXCLUDED VALUE "995" IN CALCULATING THE MEAN

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: DIABCK_P1 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: # OF TIMES CHECKING FOR GLUCOSE/SUGAR PER MONTH (PUF 1 YR RECODE)

MEAN STATISTICS

| | |
|------|-------|
| N | 2406 |
| MIN | 0 |
| MAX | 150 |
| MEAN | 39.74 |

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THEY HAVE DIABETES OR SUGAR DIABETES

INPUT VAR: AB26 AB26UNT

NOTES: TOPCODE = 150

VARNAME: AB51_P1 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: TYPE I OR TYPE II DIABETES (PUF 1 YR RECODE)

| VALUE: | | FREQ | % |
|--------|--------------|-------|-------|
| -1 | INAPPLICABLE | 18348 | 88.54 |
| 1 | TYPE I | 219 | 1.06 |
| 2 | TYPE 2 | 2157 | 10.41 |

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THEY HAVE DIABETES

INPUT VAR: AB51

NOTES: EXCLUDES INDIVIDUALS WHO REPORTED ANOTHER TYPE OF DIABETES

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB24 QNAME13: QA13_B22

QNAME11: QA11_B22 QNAME09: QA09_B22

LABEL: CURRENTLY TAKING INSULIN

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 18318 | 88.39 |
| 1 | YES | | 659 | 3.18 |
| 2 | NO | | 1747 | 8.43 |

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THEY HAVE DIABETES

INPUT VAR:

NOTES:

VARNAME: AB25 QNAME13: QA13_B23

QNAME11: QA11_B23 QNAME09: QA09_B24

LABEL: CURRENTLY TAKING DIABETIC PILLS TO LOWER BLOOD SUGAR

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 18318 | 88.39 |
| 1 | YES | | 1724 | 8.32 |
| 2 | NO | | 682 | 3.29 |

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THEY HAVE DIABETES

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB26 QNAME13: QA13_B24
QNAME11: QA11_B24 QNAME09: QA09_B29

LABEL: # OF TIMES R/R'S FAMILY/R'S FRIEND CHECK BLOOD FOR GLUCOSE

MEAN STATISTICS

| | |
|------|--------|
| N | 2406 |
| MIN | 0 |
| MAX | 5475 |
| MEAN | 501.48 |

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR:

NOTES:

VARNAME: AB28_P1 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: # OF TIMES DOC CHECKED FEET FOR SORES LAST YR (PUF 1 YR RECODE)

| VALUE: | | FREQ | % |
|--------|--------------|-------|-------|
| -1 | INAPPLICABLE | 18318 | 88.39 |
| 0 | 0 TIMES | 680 | 3.28 |
| 1 | 1 TIMES | 516 | 2.49 |
| 2 | 2 TIMES | 410 | 1.98 |
| 3 | 3 TIMES | 191 | 0.92 |
| 4 | 4 TIMES | 324 | 1.56 |
| 5 | 5+ TIMES | 285 | 1.38 |

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR: AB28

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB63 QNAME13: QA13_B27
QNAME11: QA11_B27 QNAME09: QA09_B32

LABEL: LAST EYE EXAM DILATED PUPILS

| VALUE: | | FREQ | % |
|--------|-----------------------|-------|-------|
| -1 | INAPPLICABLE | 18318 | 88.39 |
| 1 | WITHIN THE PAST MONTH | 393 | 1.90 |
| 2 | 1 TO 12 MOS AGO | 1450 | 7.00 |
| 3 | 1 TO 2 YRS AGO | 233 | 1.12 |
| 4 | 2 OR MORE YRS AGO | 242 | 1.17 |
| 5 | NEVER | 88 | 0.42 |

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THAT THEY HAVE DIABETES

INPUT VAR:

NOTES:

VARNAME: AB109 QNAME13: QA13_B28
QNAME11: QA11_B28 QNAME09: QA09_B33

LABEL: VISITED ER FOR DIABETES IN PAST 12 MOS

| VALUE: | | FREQ | % |
|--------|--------------|-------|-------|
| -1 | INAPPLICABLE | 18318 | 88.39 |
| 1 | YES | 141 | 0.68 |
| 2 | NO | 2265 | 10.93 |

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THAT THEY HAVE DIABETES

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB110_P QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: VISITED ER FOR DIABETES BECAUSE UNABLE TO SEE OWN DR (PUF RECODE)

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 20583 | 99.32 |
| 1 | YES | | 65 | 0.31 |
| 2 | NO | | 76 | 0.37 |

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE DIABETES AND VISITED ER FOR DIATBETES IN PAST 12 MOS

INPUT VAR: AB110

NOTES:

VARNAME: AB111 QNAME13: QA13_B30
QNAME11: QA11_B30 QNAME09: QA09_B35

LABEL: ADMITTED TO HOSPITAL OVERNIGHT OR LONGER FOR DIABETES PAST 12 MOS

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 18318 | 88.39 |
| 1 | YES | | 86 | 0.41 |
| 2 | NO | | 2320 | 11.19 |

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THAT THEY HAVE DIABETES

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB112 QNAME13: QA13_B31
QNAME11: QA11_B31 QNAME09: QA09_B36

LABEL: MEDICAL PROVIDERS DEVELOP DIABETES CARE

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 18318 | 88.39 |
| 1 | YES | | 1941 | 9.37 |
| 2 | NO | | 465 | 2.24 |

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THAT THEY HAVE DIABETES

INPUT VAR:

NOTES:

VARNAME: AB113 QNAME13: QA13_B32
QNAME11: QA11_B32 QNAME09: QA09_B37

LABEL: HAVE WRITTEN COPY OF DIABETES CARE PLAN

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 18783 | 90.63 |
| 1 | YES | | 812 | 3.92 |
| 2 | NO | | 1129 | 5.45 |

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE DIABETES AND MEDICAL PROVIDERS
DEVELOPED DIABETES CARE PLAN

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB114_P1 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: CONFIDENCE TO CONTROL AND MANAGE DIABETES (PUF 1 YR RECODE)

| VALUE: | | FREQ | % |
|--------|--|-------|-------|
| -2 | PROXY SKIPPED | 134 | 0.65 |
| -1 | INAPPLICABLE | 18215 | 87.89 |
| 1 | VERY CONFIDENT | 1440 | 6.95 |
| 2 | SOMEWHAT CONFIDENT | 761 | 3.67 |
| 3 | NOT TOO CONFIDENT/NOT AT ALL CONFIDENT | 174 | 0.84 |

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR: AB114

NOTES:

VARNAME: AB81 QNAME13: QA13_B34

QNAME11: QA11_B34 QNAME09: QA09_B39

LABEL: DOCTOR TOLD HAD DIABETES ONLY DURING PREGNANCY

| VALUE: | | FREQ | % |
|--------|---------------------------------|-------|-------|
| -1 | INAPPLICABLE | 8529 | 41.16 |
| 1 | YES | 494 | 2.38 |
| 2 | NO | 11622 | 56.08 |
| 3 | BORDERLINE GESTATIONAL DIABETES | 79 | 0.38 |

UNIVERSE: NON-DIABETIC WOMEN

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB29 QNAME13: QA13_B35
QNAME11: QA11_B35 QNAME09: QA09_B41
LABEL: DOCTOR EVER TOLD HAVE HIGH BLOOD PRESSURE

| VALUE: | | | FREQ | % |
|--------|-------------------------|--|-------|-------|
| 1 | YES | | 8115 | 39.16 |
| 2 | NO | | 12189 | 58.82 |
| 3 | BORDERLINE HYPERTENSION | | 420 | 2.03 |

UNIVERSE: ALL ADULTS
INPUT VAR:
NOTES:

VARNAME: AB30 QNAME13: QA13_B36
QNAME11: QA11_B36 QNAME09: QA09_B42
LABEL: CURRENTLY TAKING MEDICATIONS TO CONTROL HIGH BLOOD PRESSURE

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 12609 | 60.84 |
| 1 | YES | | 6632 | 32.00 |
| 2 | NO | | 1483 | 7.16 |

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THAT THEY HAVE HIGH BLOOD PRESSURE
INPUT VAR:
NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB34 QNAME13: QA13_B37

QNAME11: QA11_B37 QNAME09: QA09_B43

LABEL: DOCTOR EVER TOLD HAVE ANY KIND OF HEART DISEASE

| | | | | |
|--------|---|-----|-------|-------|
| VALUE: | 1 | YES | FREQ | % |
| | 2 | NO | 2239 | 10.80 |
| | | | 18485 | 89.20 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AB52 QNAME13: QA13_B38

QNAME11: QA11_B38 QNAME09: QA09_B44

LABEL: EVER TOLD HAVE HEART FAILURE/CONGESTIVE

| | | | | |
|--------|----|--------------|-------|-------|
| VALUE: | -1 | INAPPLICABLE | FREQ | % |
| | 1 | YES | 18485 | 89.20 |
| | 2 | NO | 630 | 3.04 |
| | | | 1609 | 7.76 |

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE HEART DISEASE

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB115 QNAME13: QA13_B39
QNAME11: QA11_B39 QNAME09: QA09_B45

LABEL: VISITED ER FOR HEART DISEASE IN PAST 12 MOS

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 18485 | 89.20 |
| 1 | YES | | 335 | 1.62 |
| 2 | NO | | 1904 | 9.19 |

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THAT THEY HAVE HEART DISEASE

INPUT VAR:

NOTES:

VARNAME: AB116_P1 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: ER VISIT FOR HEART DISEASE BECAUSE UNABLE TO SEE OWN DR (PUF 1 YR RECODE)

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 20391 | 98.39 |
| 1 | YES | | 111 | 0.54 |
| 2 | NO | | 222 | 1.07 |

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE HEART DISEASE AND VISITED ER FOR HEART DISEASE IN PAST 12 MOS

INPUT VAR: AB116

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB117 QNAME13: QA13_B41

QNAME11: QA11_B41 QNAME09: QA09_B47

LABEL: ADMITTED TO HOSPITAL OVERNIGHT/LONGER FOR HEART DX PAST 12 MOS

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 18485 | 89.20 |
| 1 | YES | | 285 | 1.38 |
| 2 | NO | | 1954 | 9.43 |

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THAT THEY HAVE HEART DISEASE

INPUT VAR:

NOTES:

VARNAME: AB118 QNAME13: QA13_B42

QNAME11: QA11_B42 QNAME09: QA09_B48

LABEL: MEDICAL PROVIDERS DEVELOPED HEART DISEASE PLAN

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 18485 | 89.20 |
| 1 | YES | | 1670 | 8.06 |
| 2 | NO | | 569 | 2.75 |

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THAT THEY HAVE HEART DISEASE

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB119 QNAME13: QA13_B43
QNAME11: QA11_B43 QNAME09: QA09_B49

LABEL: HAVE WRITTEN COPY OF HEART DISEASE CARE

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 19054 | 91.94 |
| 1 | YES | | 553 | 2.67 |
| 2 | NO | | 1117 | 5.39 |

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE HEART DISEASE AND MEDICAL PROVIDER DEVELOPED HEART DISEASE CARE PLAN

INPUT VAR:

NOTES:

VARNAME: AB120_P1 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: CONFIDENCE TO CONTROL AND MANAGE HEART DISEASE (PUF 1 YR RECODE)

| VALUE: | | | FREQ | % |
|--------|--|--|-------|-------|
| -2 | PROXY SKIPPED | | 134 | 0.65 |
| -1 | INAPPLICABLE | | 18397 | 88.77 |
| 1 | VERY CONFIDENT | | 1230 | 5.94 |
| 2 | SOMEWHAT CONFIDENT | | 787 | 3.80 |
| 3 | NOT TOO CONFIDENT/NOT AT ALL CONFIDENT | | 176 | 0.85 |

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE HEART DISEASE

INPUT VAR: AB120

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

Section C: Health Behaviors

VARNAME: AD37W QNAME13: QA13_C1
QNAME11: QA11_C1 QNAME09: QA09_C1

LABEL: WALKED AT LEAST 10 MIN FOR TRANSPORT PAST 7 DAYS

| VALUE: | | | FREQ | % |
|--------|----------------|--|-------|-------|
| 1 | YES | | 8840 | 42.66 |
| 2 | NO | | 11676 | 56.34 |
| 3 | UNABLE TO WALK | | 208 | 1.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AD40W QNAME13: QA13_C4
QNAME11: QA11_C4 QNAME09: QA09_C4

LABEL: WALKED AT LEAST 10 MIN FOR LEISURE PAST 7 DAYS

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 208 | 1.00 |
| 1 | YES | | 12972 | 62.59 |
| 2 | NO | | 7544 | 36.40 |

UNIVERSE: ALL ADULTS ABLE TO WALK

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AD41W

QNAME13: QA13_C5

QNAME11: QA11_C5

QNAME09: QA09_C5

LABEL: # TIMES WALKED AT LEAST 10 MIN FOR LEISURE PAST 7 DAYS

MEAN STATISTICS

| | |
|------|-------|
| N | 12972 |
| MIN | 1 |
| MAX | 99 |
| MEAN | 4.44 |

UNIVERSE: ALL ADULTS ABLE TO WALK WHO WALKED AT LEAST 10 MIN FOR LEISURE IN
PAST 7 DAYS

INPUT VAR:

NOTES:

VARNAME: AD42W

QNAME13: QA13_C6

QNAME11: QA11_C6

QNAME09: QA09_C6

LABEL: AVERAGE LENGTH OF TIME WALKED FOR LEISURE

MEAN STATISTICS

| | |
|------|-------|
| N | 12972 |
| MIN | 2 |
| MAX | 720 |
| MEAN | 34.57 |

UNIVERSE: ALL ADULTS ABLE TO WALK WHO WALKED AT LEAST 10 MIN FOR LEISURE IN
PAST 7 DAYS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC11 QNAME13: QA13_C7
QNAME11: QA11_C10 QNAME09: QA09_C16

LABEL: # OF TIMES DRANK SODA LAST MONTH

MEAN STATISTICS

| | |
|------|-------|
| N | 20724 |
| MIN | 0 |
| MAX | 300 |
| MEAN | 5.80 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AE_SODA QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: # OF TIMES DRINKING SODA PER WEEK

MEAN STATISTICS

| | |
|------|-------|
| N | 20724 |
| MIN | 0 |
| MAX | 69 |
| MEAN | 1.32 |

UNIVERSE: ALL ADULTS

INPUT VAR: AC11 AC11UNT

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC31_P1 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: # TIMES ATE FAST FOOD PAST WEEK (PUF 1 YR RECODE)

| VALUE: | | | FREQ | % |
|--------|---|--|------|-------|
| 0 | 0 | | 9742 | 47.01 |
| 1 | 1 | | 5032 | 24.28 |
| 2 | 2 | | 2826 | 13.64 |
| 3 | 3 | | 1447 | 6.98 |
| 4 | 4 | | 691 | 3.33 |
| 5 | 5 | | 462 | 2.23 |
| 6 | 6 | | 116 | 0.56 |
| 7 | 7 | | 244 | 1.18 |
| 8 | 8 | | 30 | 0.14 |
| 9 | 9 | | 134 | 0.65 |

UNIVERSE: ALL ADULTS

INPUT VAR: AC31

NOTES: TOPCODE = 9

VARNAME: AE15 QNAME13: QA13_C14

QNAME11: QA11_C16 QNAME09: QA09_C25

LABEL: SMOKED 100 OR MORE CIGARETTES IN ENTIRE LIFETIME

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 8658 | 41.78 |
| 2 | NO | | 12066 | 58.22 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE15A QNAME13: QA13_C15
QNAME11: QA11_C17 QNAME09: QA09_C26

LABEL: SMOKES CIGARETTES EVERYDAY, SOME DAYS OR NOT AT ALL

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 12066 | 58.22 |
| 1 | EVERY DAY | | 1585 | 7.65 |
| 2 | SOME DAYS | | 694 | 3.35 |
| 3 | NOT AT ALL | | 6379 | 30.78 |

UNIVERSE: ALL ADULTS WHO SMOKED AT LEAST 100 CIGARETTES IN LIFETIME

INPUT VAR:

NOTES:

VARNAME: AD32_P1 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: # OF CIGARETTES PER DAY (PUF 1 YR RECODE)

| VALUE: | | | FREQ | % |
|--------|------------------|--|-------|-------|
| -1 | INAPPLICABLE | | 19139 | 92.35 |
| 0 | 0 CIGARETTES | | 3 | 0.01 |
| 1 | 1-5 CIGARETTES | | 291 | 1.40 |
| 6 | 6-10 CIGARETTES | | 541 | 2.61 |
| 11 | 11-15 CIGARETTES | | 245 | 1.18 |
| 16 | 16+ CIGARETTES | | 505 | 2.44 |

UNIVERSE: ALL ADULTS WHO SMOKED AT LEAST 100 CIGARETTES IN LIFETIME AND NOW
SMOKE EVERY DAY

INPUT VAR: AD32

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE16_P1 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: # OF CIGARETTES SMOKED PER DAY IN PAST 30 DAYS (PUF 1 YR RECODE)

| VALUE: | | | FREQ | % |
|--------|----------------|--|-------|-------|
| -1 | INAPPLICABLE | | 20030 | 96.65 |
| 0 | 0 CIGARETTES | | 20 | 0.10 |
| 1 | 1 CIGARETTE | | 140 | 0.68 |
| 2 | 2 CIGARETTES | | 135 | 0.65 |
| 3 | 3 CIGARETTE | | 113 | 0.55 |
| 4 | 4 CIGARETTE | | 57 | 0.28 |
| 5 | 5 CIGARETTE | | 86 | 0.41 |
| 6 | 6-10 CIGARETTE | | 104 | 0.50 |
| 11 | 11+ CIGARETTE | | 39 | 0.19 |

UNIVERSE: ALL ADULTS WHO CURRENTLY DO NOT SMOKE EVERYDAY, BUT ON SOME DAYS

INPUT VAR: AE16

NOTES: TOPCODE = 6

VARNAME: AC49 QNAME13: QA13_C18

QNAME11: NA QNAME09: NA

LABEL: STOP SMOKING ONE DAY OR LONGER TO QUIT PAST YR

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 18445 | 89.00 |
| 1 | YES | | 1186 | 5.72 |
| 2 | NO | | 1093 | 5.27 |

UNIVERSE: ADULTS WHO SMOKE DAILY/SOME DAYS PER WEEK AND HAD = 100 CIG. IN LIFETIME

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC50 QNAME13: QA13_C19
QNAME11: NA QNAME09: NA

LABEL: THINK ABOUT QUIT SMOKING IN NEXT 6 MOS

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 18445 | 89.00 |
| 1 | YES | | 1642 | 7.92 |
| 2 | NO | | 637 | 3.07 |

UNIVERSE: ADULTS WHO SMOKE DAILY/SOME DAYS PER WEEK AND HAD = 100 CIG. IN LIFETIME

INPUT VAR:

NOTES:

VARNAME: SMKCUR QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: CURRENT SMOKER

| VALUE: | | | FREQ | % |
|--------|--------------------|--|-------|-------|
| 1 | CURRENT SMOKER | | 2279 | 11.00 |
| 2 | NOT CURRENT SMOKER | | 18445 | 89.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: SMOKING QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: CURRENT SMOKING HABITS

| VALUE: | | | FREQ | % |
|--------|------------------------|--|-------|-------|
| 1 | CURRENTLY SMOKES | | 2279 | 11.00 |
| 2 | QUIT SMOKING | | 6379 | 30.78 |
| 3 | NEVER SMOKED REGULARLY | | 12066 | 58.22 |

UNIVERSE: ALL ADULTS

INPUT VAR: AE15 AE15A

NOTES:

VARNAME: NUMCIG QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: # OF CIGARETTES PER DAY

| VALUE: | | | FREQ | % |
|--------|------------------|--|-------|-------|
| 1 | NONE | | 18445 | 89.00 |
| 2 | <=1 CIGARETTES | | 176 | 0.85 |
| 3 | 2-5 CIGARETTES | | 669 | 3.23 |
| 4 | 6-10 CIGARETTES | | 645 | 3.11 |
| 5 | 11-19 CIGARETTES | | 280 | 1.35 |
| 6 | 20 OR MORE | | 509 | 2.46 |

UNIVERSE: ALL ADULTS

INPUT VAR: AE15A AD32 AE16 AE15

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC32 QNAME13: QA13_C20

QNAME11: QA11_C22 QNAME09: QA09_C33

LABEL: HAD ALCOHOL PAST 12 MONTHS

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 14171 | 68.38 |
| 2 | NO | | 6553 | 31.62 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AC34_P1 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: # DAYS HAD 5+ DRINKS PAST 12 MONTHS (PUF 1 YR RECODE)

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 14352 | 69.25 |
| 0 | 0 DAYS | | 3821 | 18.44 |
| 1 | 1 DAYS | | 317 | 1.53 |
| 2 | 2 DAYS | | 324 | 1.56 |
| 3 | 3 DAYS | | 205 | 0.99 |
| 4 | 4 DAYS | | 133 | 0.64 |
| 5 | 5 DAYS | | 186 | 0.90 |
| 6 | 6 DAYS | | 115 | 0.55 |
| 7 | 7 DAYS | | 53 | 0.26 |
| 8 | 8-10 DAYS | | 252 | 1.22 |
| 11 | 11-14 DAYS | | 131 | 0.63 |
| 15 | 15-19 DAYS | | 57 | 0.28 |
| 20 | 20-24 DAYS | | 179 | 0.86 |
| 25 | 25-29 DAYS | | 29 | 0.14 |
| 30 | 30+ DAYS | | 570 | 2.75 |

UNIVERSE: MALE WHO DRANK ALCOHOL IN THE PAST 12 MOS

INPUT VAR: AC34

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC35_P1

QNAME13: NA

QNAME11: NA

QNAME09: NA

LABEL: # DAYS HAD 4+ DRINKS PAST 12 MONTHS (PUF 1 YR RECODE)

| VALUE: | | FREQ | % |
|--------|--------------|-------|-------|
| -1 | INAPPLICABLE | 12925 | 62.37 |
| 0 | 0 DAYS | 5695 | 27.48 |
| 1 | 1 DAYS | 376 | 1.81 |
| 2 | 2 DAYS | 334 | 1.61 |
| 3 | 3 DAYS | 199 | 0.96 |
| 4 | 4 DAYS | 131 | 0.63 |
| 5 | 5 DAYS | 150 | 0.72 |
| 6 | 6 DAYS | 92 | 0.44 |
| 7 | 7 DAYS | 34 | 0.16 |
| 8 | 8-10 DAYS | 185 | 0.89 |
| 11 | 11-14 DAYS | 122 | 0.59 |
| 15 | 15-19 DAYS | 42 | 0.20 |
| 20 | 20-24 DAYS | 105 | 0.51 |
| 25 | 25-29 DAYS | 23 | 0.11 |
| 30 | 30+ DAYS | 311 | 1.50 |

UNIVERSE: FEMALE WHO DRANK ALCOHOL IN THE PAST 12 MOS

INPUT VAR: AC35

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: BINGE12 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: BINGE DRINKING IN PAST YEAR. 5+ DRINKS (MALE), 4+ DRINKS (FEMALE)

| VALUE: | | FREQ | % |
|--------|--|-------|-------|
| 1 | NO BINGE DRINKING PAST YEAR | 16069 | 77.54 |
| 2 | ONCE A YEAR | 693 | 3.34 |
| 3 | LESS THAN MONTHLY, MORE THAN ONCE A YEAR | 2033 | 9.81 |
| 4 | MONTHLY | 599 | 2.89 |
| 5 | LESS THAN WEEKLY BUT MORE THAN MONTHLY | 683 | 3.30 |
| 6 | DAILY OR WEEKLY | 647 | 3.12 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AC42 QNAME13: QA13_C12

QNAME11: QA11_C12 QNAME09: NA

LABEL: HOW OFTEN FIND FRESH FRUIT/VEG IN NEIGHB

| VALUE: | | FREQ | % |
|--------|--|-------|-------|
| 1 | NEVER | 836 | 4.03 |
| 2 | SOMETIMES | 1302 | 6.28 |
| 3 | USUALLY | 1783 | 8.60 |
| 4 | ALWAYS | 16545 | 79.83 |
| 5 | DOESN'T EAT FRUITS AND VEGETABLES | 23 | 0.11 |
| 6 | DOESN'T SHOP FOR FRUITS AND VEGETABLES | 101 | 0.49 |
| 7 | DOESN'T SHOP IN HIS/HER NEIGHBORHOOD | 134 | 0.65 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC42_P QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: HOW OFTEN FIND FRESH FRUIT/VEG IN NEIGHB (PUF RECODE)

| VALUE: | | | FREQ | % |
|--------|--|-----|-------|-------|
| 1 | NEVER | | 836 | 4.03 |
| 2 | SOMETIMES | | 1302 | 6.28 |
| 3 | USUALLY | | 1783 | 8.60 |
| 4 | ALWAYS | | 16545 | 79.83 |
| 5 | DOESN'T EAT/SHOP FOR FRUITS AND VEGETABL | 258 | | 1.24 |

UNIVERSE: ALL ADULTS

INPUT VAR: AC42

NOTES:

VARNAME: AC44 QNAME13: QA13_C13

QNAME11: QA11_C13 QNAME09: NA

LABEL: NEIGHBORHOOD FRUIT/VEG AFFORDABLE

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 1094 | 5.28 |
| 1 | NEVER | | 274 | 1.32 |
| 2 | SOMETIMES | | 3147 | 15.19 |
| 3 | USUALLY | | 5219 | 25.18 |
| 4 | ALWAYS | | 10990 | 53.03 |

UNIVERSE: ALL ADULTS WHO CAN FIND FRESH FRUITS AND VEGETABLES IN NEIGHBORHOOD

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC46

QNAME13: QA13_C8

QNAME11: NA

QNAME09: NA

LABEL: # OF TIMES DRANK SWEET FRUIT DRINKS PAST MO

MEAN STATISTICS

| | |
|------|-------|
| N | 20724 |
| MIN | 0 |
| MAX | 480 |
| MEAN | 4.52 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AC47_P1

QNAME13: NA

QNAME11: NA

QNAME09: NA

LABEL: # OF GLASSES OF WATER DRANK YESTERDAY (PUF 1 YR RECODE)

MEAN STATISTICS

| | |
|------|-------|
| N | 20724 |
| MIN | 0 |
| MAX | 99 |
| MEAN | 6.05 |

UNIVERSE: ALL ADULTS

INPUT VAR: AC47

NOTES: EXCLUDED VALUE "99" IN CALCULATING THE MEAN; TOPCODE = 20; "99"
REFERS TO LESS THAN 1 GLASS OF WATER

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC48_P1 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: # OF GLASSES OF NON-LOW/FAT MILK DRANK YESTERDAY (PUF 1 YR RECODE)

| MEAN STATISTICS | |
|-----------------|-------|
| N | 20724 |
| MIN | 0 |
| MAX | 6 |
| MEAN | 0.53 |

UNIVERSE: ALL ADULTS

INPUT VAR: AC48

NOTES: TOPCODE = 6

Section D: General Health, Disability, and Sexual Health

VARNAME: HGHTI_P QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: HEIGHT: INCHES (PUF RECODE)

| MEAN STATISTICS | |
|-----------------|-------|
| N | 20724 |
| MIN | 42 |
| MAX | 77 |
| MEAN | 65.97 |

UNIVERSE: ALL ADULTS

INPUT VAR: HGHTI

NOTES: TOPCODE=77; BOTTOMCODE=42

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY[illegible]

LABEL: HEIGHT: METERS (PUF RECODE)

MEAN STATISTICS

| | |
|------|-------|
| N | 20724 |
| MIN | 1 |
| MAX | 2 |
| MEAN | 1.67 |

UNIVERSE: ALL ADULTS

INPUT VAR: HGHTM

NOTES: TOPCODE=2; BOTTOMCODE=1

[illegible]

LABEL: HEIGHT: METERS - UCLA (PUF RECODE)

MEAN STATISTICS

| | |
|------|-------|
| N | 20724 |
| MIN | 1 |
| MAX | 2 |
| MEAN | 1.67 |

UNIVERSE: ALL ADULTS

```
INPUT VAR: HEIGHTM
```

NOTES: TOPCODE=2; BOTTOMCODE=1

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AESODA_P1 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: # OF TIMES DRINKING SODA PER WEEK (PUF 1 YR RECODE)

| VALUE: | | | FREQ | % |
|--------|-------------|--|-------|-------|
| 0 | 0 TIMES | | 14756 | 71.20 |
| 1 | 1 TIME | | 2264 | 10.92 |
| 2 | 2-3 TIMES | | 1571 | 7.58 |
| 3 | 4-6 TIMES | | 509 | 2.46 |
| 4 | 7-13 TIMES | | 1030 | 4.97 |
| 5 | 14-20 TIMES | | 355 | 1.71 |
| 6 | 21+ TIMES | | 239 | 1.15 |

UNIVERSE: ALL ADULTS

INPUT VAR: AC11

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: WEIGHK_P QNAME13: NA
 QNAME11: NA QNAME09: NA

LABEL: WEIGHT: KG - UCLA (PUF RECODE)

MEAN STATISTICS

| | |
|------|-------|
| N | 20724 |
| MIN | 41 |
| MAX | 150 |
| MEAN | 76.50 |

UNIVERSE: ALL ADULTS

INPUT VAR: WEIGHTKG

NOTES: TOPCODE=150; BOTTOMCODE=41

VARNAME: WGHTK_P QNAME13: NA
 QNAME11: NA QNAME09: NA

LABEL: WEIGHT: KG (PUF RECODE)

MEAN STATISTICS

| | |
|------|-------|
| N | 20724 |
| MIN | 41 |
| MAX | 150 |
| MEAN | 76.50 |

UNIVERSE: ALL ADULTS

INPUT VAR: WGHTK

NOTES: TOPCODE=150; BOTTOMCODE=41

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY[illegible]

LABEL: WEIGHT: LBS (PUF RECODE)

MEAN STATISTICS

| | |
|------|--------|
| N | 20724 |
| MIN | 90 |
| MAX | 330 |
| MEAN | 168.65 |

UNIVERSE: ALL ADULTS

INPUT VAR: WGHTP

NOTES: TOPCODE=330; BOTTOMCODE=90

VARNAME: AD50 QNAME13: QA13_D3
QNAME11: QA11_D4 QNAME09: QA09_D4

LABEL: BLIND/DEAF OR HAS SEVERE VISION/HEARING PROBLEM

| | | | FREQ | % |
|--------|---|-----|-------|-------|
| VALUE: | 1 | YES | 2087 | 10.07 |
| | 2 | NO | 18637 | 89.93 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: BMI_P QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: BODY MASS INDEX (PUF RECODE)

MEAN STATISTICS

| | |
|------|-------|
| N | 20724 |
| MIN | 11 |
| MAX | 79 |
| MEAN | 27.32 |

UNIVERSE: ALL ADULTS

INPUT VAR: WEIGHK_P HEIGHM_P

NOTES: TOPCODE=12; BOTTOMCODE=99

VARNAME: RBMI QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: BMI DESCRIPTIVE

| VALUE: | | FREQ | % |
|--------|-----------------------|------|-------|
| 1 | UNDERWEIGHT 0-18.49 | 324 | 1.56 |
| 2 | NORMAL 18.5-24.99 | 7735 | 37.32 |
| 3 | OVERWEIGHT 25.0-29.99 | 7398 | 35.70 |
| 4 | OBESE 30.0+ | 5267 | 25.41 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: Updated category labels to reflect 2010 CDC recommendations for
overweight among teens.

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

| | | | | |
|------------|---------------------|----------|-------|-------------|
| VARNAME: | OVRWT | QNAME13: | NA | |
| | | QNAME11: | NA | QNAME09: NA |
| LABEL: | OVERWEIGHT OR OBESE | | | |
| | | | FREQ | % |
| VALUE: | 1 | YES | 12665 | 61.11 |
| | 2 | NO | 8059 | 38.89 |
| UNIVERSE: | ALL ADULTS | | | |
| INPUT VAR: | RBMI | | | |
| NOTES: | | | | |

| | | | | | |
|------------|--------------------------------------|----------|---------|----------|---------|
| VARNAME: | AD57 | QNAME13: | QA13_D5 | | |
| | | QNAME11: | QA11_D6 | QNAME09: | QA09_D6 |
| LABEL: | CONDITION LIMITS BASIC PHYS ACTIVITY | | | | |
| | | | | FREQ | % |
| VALUE: | 1 | YES | | 5247 | 25.32 |
| | 2 | NO | | 15477 | 74.68 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

| | | | | |
|------------|---|----------|---------|------------------|
| VARNAME: | AD51 | QNAME13: | QA13_D6 | |
| | | QNAME11: | QA11_D7 | QNAME09: QA09_D7 |
| LABEL: | HAS DIFFICULTY LEARNING, REMEMBERING, CONCENTRATING | | | |
| | | | FREQ | % |
| VALUE: | 1 | YES | 3220 | 15.54 |
| | 2 | NO | 17504 | 84.46 |
| UNIVERSE: | ALL ADULTS | | | |
| INPUT VAR: | | | | |
| NOTES: | | | | |

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AD52 QNAME13: QA13_D7
QNAME11: QA11_D8 QNAME09: QA09_D8
LABEL: HAS DIFFICULTY DRESSING, BATHING, GETTING AROUND
VALUE: 1 YES
2 NO
UNIVERSE: ALL ADULTS
INPUT VAR:
NOTES:

VARNAME: AD53 QNAME13: QA13_D8
QNAME11: QA11_D9 QNAME09: QA09_D9
LABEL: HAS DIFFICULTY GOING OUTSIDE HOME ALONE
VALUE: 1 YES
2 NO
UNIVERSE: ALL ADULTS
INPUT VAR:
NOTES:

VARNAME: AD54 QNAME13: QA13_D9
QNAME11: QA11_D10 QNAME09: QA09_D10
LABEL: HAS DIFFICULTY WORKING AT A JOB
VALUE: -1 INAPPLICABLE
1 YES
2 NO
UNIVERSE: ALL ADULTS UNDER 65 YEARS OLD
INPUT VAR:
NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: DISABLE QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: DISABILITY STATUS DUE TO PHYS/MENT/EMOT CONDITION

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| 1 | DISABLED | | 7913 | 38.18 |
| 2 | NOT DISABLED | | 12811 | 61.82 |

UNIVERSE: ALL ADULTS

INPUT VAR: SRAGE AD50 AD51 AD52 AD53 AD54 AD57

NOTES: ADAPTED FROM AMERICAN COMMUNITY SURVEY; FOR 65+, AD54 IS EXCLUDED

VARNAME: AJ140 QNAME13: QA13_J44

QNAME11: NA QNAME09: NA

LABEL: RECEIVED BIRTH CONTROL INFO FROM DR PAST YR

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 18054 | 87.12 |
| 1 | YES | | 797 | 3.85 |
| 2 | NO | | 1873 | 9.04 |

UNIVERSE: WOMEN 18-44 YEARS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ141 QNAME13: QA13_J45
QNAME11: NA QNAME09: NA

LABEL: RECEIVED BIRTH CONTROL METHOD/RX FROM DR PAST YR

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 18054 | 87.12 |
| 1 | YES | | 786 | 3.79 |
| 2 | NO | | 1884 | 9.09 |

UNIVERSE: WOMEN 18-44 YEARS

INPUT VAR:

NOTES:

VARNAME: AJ142_P1 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: MAIN TYPE OF BIRTH CONTROL RECEIVED FROM DR PAST YR (PUF 1 YR RECODE)

| VALUE: | | | FREQ | % |
|--------|--|--|-------|-------|
| -9 | NOT ASCERTAINED | | 2 | 0.01 |
| -1 | INAPPLICABLE | | 19938 | 96.21 |
| 3 | IUD (MIRENA PARAGARD) | | 90 | 0.43 |
| 5 | BIRTH CONTROL PILLS | | 491 | 2.37 |
| 6 | OTHER HORMONAL METHODS (INJECTION/DEPO-P | | 111 | 0.54 |
| 91 | OTHER BIRTH CONTROL | | 92 | 0.44 |

UNIVERSE: WOMEN 18-44 YRS RECEIVED BIRTH CONTROL METHOD/RX FROM DR

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ143_P1

QNAME13: NA

QNAME11: NA

QNAME09: NA

LABEL: PLACE RECEIVED MAIN BIRTH CONTROL METHOD/RX (PUF 1 YR RECODE)

| VALUE: | | | FREQ | % |
|--------|--|--|-------|-------|
| -1 | INAPPLICABLE | | 19938 | 96.21 |
| 1 | PRIVATE DOCTOR'S OFFICE OR HMO FACILITY | | 392 | 1.89 |
| 3 | HOSPITAL OR HOSPITAL CLINIC | | 127 | 0.61 |
| 4 | PLANNED PARENTHOOD OR COUNTY HEALTH DEPT | | 187 | 0.90 |
| 6 | OTHER | | 80 | 0.39 |

UNIVERSE: WOMEN 18-44 YEARS RECEIVING BIRTH CONTROL METHOD/PRESCRIPTION FROM DR

INPUT VAR: AJ143

NOTES:

VARNAME: AJ144

QNAME13: QA13_J48

QNAME11: NA

QNAME09: NA

LABEL: RECEIVED BIRTH CONTROL INFO FROM DR PAST YR

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 18582 | 89.66 |
| 1 | YES | | 121 | 0.58 |
| 2 | NO | | 2021 | 9.75 |

UNIVERSE: MEN 18-44 YEARS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ145

QNAME13: QA13_J49

QNAME11: NA

QNAME09: NA

LABEL: RECEIVED MALE BIRTH CONTROL METHOD FROM DOC PAST YR

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 18582 | 89.66 |
| 1 | YES | | 135 | 0.65 |
| 2 | NO | | 2007 | 9.68 |

UNIVERSE: MEN 18-44 YEARS

INPUT VAR:

NOTES:

VARNAME: AJ146

QNAME13: QA13_J50

QNAME11: NA

QNAME09: NA

LABEL: PLACE RECEIVED MAIN BIRTH CONTROL METHOD

| VALUE: | | | FREQ | % |
|--------|----------------------------------|--|-------|-------|
| -1 | INAPPLICABLE | | 20589 | 99.35 |
| 1 | PRIVATE DOCTOR'S OFFICE | | 38 | 0.18 |
| 2 | HMO FACILITY | | 1 | 0.00 |
| 3 | HOSPITAL OR HOSPITAL CLINIC | | 29 | 0.14 |
| 4 | PLANNED PARENTHOOD | | 24 | 0.12 |
| 5 | COUNTY HEALTH DEPARTMENT, CLINIC | | 17 | 0.08 |
| 6 | SCHOOL OR SCHOOL-BASED CLINIC | | 9 | 0.04 |
| 9 | PHARMACY | | 4 | 0.02 |
| 91 | SOME OTHER PLACE | | 13 | 0.06 |

UNIVERSE: MEN 18-44 YEARS RECEIVING MALE BIRTH CONTROL METHOD FROM DR

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

Section F: Mental Health

VARNAME: AJ29 QNAME13: QA13_F1
QNAME11: QA11_F1 QNAME09: QA09_F1

LABEL: FEEL NERVOUS PAST 30 DAYS

| VALUE: | | | FREQ | % |
|--------|----------------------|--|------|-------|
| -2 | PROXY SKIPPED | | 134 | 0.65 |
| 1 | ALL OF THE TIME | | 288 | 1.39 |
| 2 | MOST OF THE TIME | | 741 | 3.58 |
| 3 | SOME OF THE TIME | | 3545 | 17.11 |
| 4 | A LITTLE OF THE TIME | | 7042 | 33.98 |
| 5 | NOT AT ALL | | 8974 | 43.30 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AF65 QNAME13: QA13_F10
QNAME11: QA11_F10 QNAME09: QA09_F10

LABEL: FEEL RESTLESS WORST MONTH

| VALUE: | | | FREQ | % |
|--------|----------------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 134 | 0.65 |
| -1 | INAPPLICABLE | | 16778 | 80.96 |
| 1 | ALL OF THE TIME | | 346 | 1.67 |
| 2 | MOST OF THE TIME | | 597 | 2.88 |
| 3 | SOME OF THE TIME | | 1252 | 6.04 |
| 4 | A LITTLE OF THE TIME | | 833 | 4.02 |
| 5 | NOT AT ALL | | 784 | 3.78 |

UNIVERSE: ALL ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE
PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AF66 QNAME13: QA13_F11
QNAME11: QA11_F11 QNAME09: QA09_F11

LABEL: FEEL DEPRESSED WORST MONTH

| VALUE: | | | FREQ | % |
|--------|----------------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 134 | 0.65 |
| -1 | INAPPLICABLE | | 16778 | 80.96 |
| 1 | ALL OF THE TIME | | 238 | 1.15 |
| 2 | MOST OF THE TIME | | 476 | 2.30 |
| 3 | SOME OF THE TIME | | 787 | 3.80 |
| 4 | A LITTLE OF THE TIME | | 881 | 4.25 |
| 5 | NOT AT ALL | | 1430 | 6.90 |

UNIVERSE: ALL ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE
PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES:

VARNAME: AF67 QNAME13: QA13_F12
QNAME11: QA11_F12 QNAME09: QA09_F12

LABEL: FEEL EVERYTHING AN EFFORT WORST MONTH

| VALUE: | | | FREQ | % |
|--------|----------------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 134 | 0.65 |
| -1 | INAPPLICABLE | | 16778 | 80.96 |
| 1 | ALL OF THE TIME | | 504 | 2.43 |
| 2 | MOST OF THE TIME | | 695 | 3.35 |
| 3 | SOME OF THE TIME | | 1139 | 5.50 |
| 4 | A LITTLE OF THE TIME | | 823 | 3.97 |
| 5 | NOT AT ALL | | 651 | 3.14 |

UNIVERSE: ALL ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE
PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AF68 QNAME13: QA13_F13
QNAME11: QA11_F13 QNAME09: QA09_F13

LABEL: FEEL WORTHLESS WORST MONTH

| VALUE: | | | FREQ | % |
|--------|----------------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 134 | 0.65 |
| -1 | INAPPLICABLE | | 16778 | 80.96 |
| 1 | ALL OF THE TIME | | 223 | 1.08 |
| 2 | MOST OF THE TIME | | 359 | 1.73 |
| 3 | SOME OF THE TIME | | 722 | 3.48 |
| 4 | A LITTLE OF THE TIME | | 603 | 2.91 |
| 5 | NOT AT ALL | | 1905 | 9.19 |

UNIVERSE: ALL ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE
PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES:

VARNAME: AF69B QNAME13: QA13_F14
QNAME11: QA11_F14 QNAME09: QA09_F14

LABEL: EMOTIONS INTERFERE W/WORK WORST MONTH

| VALUE: | | | FREQ | % |
|--------|---------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 134 | 0.65 |
| -1 | INAPPLICABLE | | 18101 | 87.34 |
| 1 | A LOT | | 487 | 2.35 |
| 2 | SOME | | 667 | 3.22 |
| 3 | NOT AT ALL | | 402 | 1.94 |
| 4 | DOES NOT WORK | | 933 | 4.50 |

UNIVERSE: ADULT 70 OR YOUNGER WHO EXPERIENCED MODERATE PSYCHOLOGICAL
DISTRESS IN THE PAST 12 MONTHS

INPUT VAR:

NOTES: CANNOT BE TRENDED WITH AF69 (2009)

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AF70B QNAME13: QA13_F15
QNAME11: QA11_F15 QNAME09: QA09_F15

LABEL: EMOTIONS INTERFERE W/CHORES WORST MONTH

| VALUE: | | | FREQ | % |
|--------|---------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 134 | 0.65 |
| -1 | INAPPLICABLE | | 17769 | 85.74 |
| 1 | A LOT | | 1110 | 5.36 |
| 2 | SOME | | 1141 | 5.51 |
| 3 | NOT AT ALL | | 570 | 2.75 |

UNIVERSE: ADULT WHO EXPERIENCED MODERATE PSYCHOLOGICAL DISTRESS IN THE PAST 12 MONTHS

INPUT VAR:

NOTES: CANNOT BE TRENDED WITH AF70 (2009)

VARNAME: AF71B QNAME13: QA13_F16
QNAME11: QA11_F16 QNAME09: QA09_F16

LABEL: EMOTIONS INTERFERE W/SOCIAL LIFE WORST MONTH

| VALUE: | | | FREQ | % |
|--------|---------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 134 | 0.65 |
| -1 | INAPPLICABLE | | 17769 | 85.74 |
| 1 | A LOT | | 1190 | 5.74 |
| 2 | SOME | | 1164 | 5.62 |
| 3 | NOT AT ALL | | 467 | 2.25 |

UNIVERSE: ADULT WHO EXPERIENCED MODERATE PSYCHOLOGICAL DISTRESS IN THE PAST 12 MONTHS

INPUT VAR:

NOTES: CANNOT BE TRENDED WITH AF71 (2009)

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AF72B QNAME13: QA13_F17
QNAME11: QA11_F17 QNAME09: QA09_F17

LABEL: EMOTIONS INTERFERE W/RELATIONSHIPS WORST MONTH

| VALUE: | | | FREQ | % |
|--------|---------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 134 | 0.65 |
| -1 | INAPPLICABLE | | 17769 | 85.74 |
| 1 | A LOT | | 946 | 4.56 |
| 2 | SOME | | 1342 | 6.48 |
| 3 | NOT AT ALL | | 533 | 2.57 |

UNIVERSE: ADULT WHO EXPERIENCED MODERATE PSYCHOLOGICAL DISTRESS IN THE PAST 12 MONTHS

INPUT VAR:

NOTES: CANNOT BE TRENDED WITH AF72 (2009)

VARNAME: AJ30 QNAME13: QA13_F2
QNAME11: QA11_F2 QNAME09: QA09_F2

LABEL: FEEL HOPELESS PAST 30 DAYS

| VALUE: | | | FREQ | % |
|--------|----------------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 134 | 0.65 |
| 1 | ALL OF THE TIME | | 134 | 0.65 |
| 2 | MOST OF THE TIME | | 321 | 1.55 |
| 3 | SOME OF THE TIME | | 1409 | 6.80 |
| 4 | A LITTLE OF THE TIME | | 2740 | 13.22 |
| 5 | NOT AT ALL | | 15986 | 77.14 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ1 QNAME13: QA13_F20
QNAME11: QA11_F20 QNAME09: QA09_F20

LABEL: INS COVERS TREATMENT FOR MNTL HEALTH PROBLEMS

| VALUE: | | | FREQ | % |
|--------|---------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 134 | 0.65 |
| -1 | INAPPLICABLE | | 17597 | 84.91 |
| 1 | YES | | 2185 | 10.54 |
| 2 | NO | | 521 | 2.51 |
| 3 | NO INSURANCE | | 287 | 1.38 |

UNIVERSE: ALL ADULTS WHO HAVE FELT NEED FOR HELP FOR EMOTIONAL/MENTAL PROBLEMS OR HAVE SEEN SOMEONE FOR EMOTIONAL/MENTAL HEALTH PROBLEMS WITHIN PAST YEAR AND HAVE HEALTH INSURANCE

INPUT VAR:

NOTES:

VARNAME: AJ31 QNAME13: QA13_F3
QNAME11: QA11_F3 QNAME09: QA09_F3

LABEL: FELL RESTLESS PAST 30 DAYS

| VALUE: | | | FREQ | % |
|--------|----------------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 134 | 0.65 |
| 1 | ALL OF THE TIME | | 402 | 1.94 |
| 2 | MOST OF THE TIME | | 597 | 2.88 |
| 3 | SOME OF THE TIME | | 3446 | 16.63 |
| 4 | A LITTLE OF THE TIME | | 5217 | 25.17 |
| 5 | NOT AT ALL | | 10928 | 52.73 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ32 QNAME13: QA13_F4
QNAME11: QA11_F4 QNAME09: QA09_F4

LABEL: FEEL DEPRESSED PAST 30 DAYS

| VALUE: | | | FREQ | % |
|--------|----------------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 134 | 0.65 |
| 1 | ALL OF THE TIME | | 112 | 0.54 |
| 2 | MOST OF THE TIME | | 324 | 1.56 |
| 3 | SOME OF THE TIME | | 1085 | 5.24 |
| 4 | A LITTLE OF THE TIME | | 1907 | 9.20 |
| 5 | NOT AT ALL | | 17162 | 82.81 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AJ33 QNAME13: QA13_F5
QNAME11: QA11_F5 QNAME09: QA09_F5

LABEL: FEEL EVERYTHING AN EFFORT PAST 30 DAYS

| VALUE: | | | FREQ | % |
|--------|----------------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 134 | 0.65 |
| 1 | ALL OF THE TIME | | 739 | 3.57 |
| 2 | MOST OF THE TIME | | 834 | 4.02 |
| 3 | SOME OF THE TIME | | 2715 | 13.10 |
| 4 | A LITTLE OF THE TIME | | 3896 | 18.80 |
| 5 | NOT AT ALL | | 12406 | 59.86 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ34 QNAME13: QA13_F6

QNAME11: QA11_F6 QNAME09: QA09_F6

LABEL: FEEL WORTHLESS PAST 30 DAYS

| VALUE: | | FREQ | % |
|--------|----------------------|-------|-------|
| -2 | PROXY SKIPPED | 134 | 0.65 |
| 1 | ALL OF THE TIME | 177 | 0.85 |
| 2 | MOST OF THE TIME | 268 | 1.29 |
| 3 | SOME OF THE TIME | 917 | 4.42 |
| 4 | A LITTLE OF THE TIME | 1521 | 7.34 |
| 5 | NOT AT ALL | 17707 | 85.44 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AF62 QNAME13: QA13_F7

QNAME11: QA11_F7 QNAME09: QA09_F7

LABEL: ANY MONTH PAST 12 MONTHS FELT WORSE

| VALUE: | | FREQ | % |
|--------|---------------|-------|-------|
| -2 | PROXY SKIPPED | 134 | 0.65 |
| 1 | YES | 3812 | 18.39 |
| 2 | NO | 16778 | 80.96 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: DISTRESS QNAME13: NA
 QNAME11: NA QNAME09: NA

LABEL: SERIOUS PSYCHOLOGICAL DISTRESS

MEAN STATISTICS

| | |
|------|-------|
| N | 20590 |
| MIN | 0 |
| MAX | 24 |
| MEAN | 3.17 |

UNIVERSE: ALL ADULTS

INPUT VAR: AJ29 AJ30 AJ31 AJ32 AJ33 AJ34

NOTES: BASED ON KESSLER (K6) SCALE; PREVALENCE CALC USING UNADJUSTED DATA

VARNAME: AF63 QNAME13: QA13_F8
 QNAME11: QA11_F8 QNAME09: QA09_F8

LABEL: FEEL NERVOUS WORST MONTH

| VALUE: | | FREQ | % |
|--------|----------------------|-------|-------|
| -2 | PROXY SKIPPED | 134 | 0.65 |
| -1 | INAPPLICABLE | 16778 | 80.96 |
| 1 | ALL OF THE TIME | 434 | 2.09 |
| 2 | MOST OF THE TIME | 776 | 3.74 |
| 3 | SOME OF THE TIME | 1184 | 5.71 |
| 4 | A LITTLE OF THE TIME | 860 | 4.15 |
| 5 | NOT AT ALL | 558 | 2.69 |

UNIVERSE: ALL ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE
PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: DSTRS12 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: LIKELY HAS HAD PSYCHOLOGICAL DISTRESS IN THE LAST YEAR

| VALUE: | | | FREQ | % |
|--------|---------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 134 | 0.65 |
| 1 | YES | | 1342 | 6.48 |
| 2 | NO | | 19248 | 92.88 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: BASED ON DSTRSYR>=13

VARNAME: AF64 QNAME13: QA13_F9

QNAME11: QA11_F9 QNAME09: QA09_F9

LABEL: FEEL HOPELESS WORST MONTH

| VALUE: | | | FREQ | % |
|--------|----------------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 134 | 0.65 |
| -1 | INAPPLICABLE | | 16778 | 80.96 |
| 1 | ALL OF THE TIME | | 255 | 1.23 |
| 2 | MOST OF THE TIME | | 532 | 2.57 |
| 3 | SOME OF THE TIME | | 956 | 4.61 |
| 4 | A LITTLE OF THE TIME | | 945 | 4.56 |
| 5 | NOT AT ALL | | 1124 | 5.42 |

UNIVERSE: ALL ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE
PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: DSTRS30

QNAME13: NA

QNAME11: NA

QNAME09: NA

LABEL: LIKELY HAS HAD PSYCHOLOGICAL DISTRESS IN THE PAST MONTH

| VALUE: | | | FREQ | % |
|--------|---------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 134 | 0.65 |
| 1 | YES | | 689 | 3.32 |
| 2 | NO | | 19901 | 96.03 |

UNIVERSE: ALL ADULTS

INPUT VAR: DISTRESS

NOTES: BASED on DISTRESS>=13

VARNAME: DSTRSYR

QNAME13: NA

QNAME11: NA

QNAME09: NA

LABEL: SERIOUS PSYCHOLOGICAL DISTRESS FOR WORST MONTH PAST YR (K6 SCORE)

MEAN STATISTICS

| | |
|------|-------|
| N | 20590 |
| MIN | 0 |
| MAX | 24 |
| MEAN | 3.83 |

UNIVERSE: ALL ADULTS

INPUT VAR: DISTRESS AF63 AF64 AF65 AF66 AF67 AF68

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: CHORES2 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: CHORE IMPAIRMENT PAST 12 MONTHS

| VALUE: | | | FREQ | % |
|--------|---------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 134 | 0.65 |
| -1 | INAPPLICABLE | | 17769 | 85.74 |
| 0 | NONE | | 570 | 2.75 |
| 1 | MODERATE | | 1141 | 5.51 |
| 2 | SEVERE | | 1110 | 5.36 |

UNIVERSE: ADULT WHO EXPERIENCED MODERATE TO SEVERE PSYCHOLOGICAL DISTRESS
(K6>8) IN THE PAST 12 MONTHS

INPUT VAR: AF70B

NOTES: CANNOT BE TRENDED WITH CHORES (2009)

VARNAME: SOCIAL2 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: SOCIAL LIFE IMPAIRMENT PAST 12 MONTHS

| VALUE: | | | FREQ | % |
|--------|---------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 134 | 0.65 |
| -1 | INAPPLICABLE | | 17769 | 85.74 |
| 0 | NONE | | 467 | 2.25 |
| 1 | MODERATE | | 1164 | 5.62 |
| 2 | SEVERE | | 1190 | 5.74 |

UNIVERSE: ADULT WHO EXPERIENCED MODERATE TO SEVERE PSYCHOLOGICAL DISTRESS
(K6>8) IN THE PAST 12 MONTHS

INPUT VAR: AF71B

NOTES: CANNOT BE TRENDED WITH SOCIAL (2009)

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: WORK2 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: WORK IMPAIRMENT PAST 12 MONTHS

| VALUE: | | FREQ | % |
|--------|---------------|-------|-------|
| -2 | PROXY SKIPPED | 134 | 0.65 |
| -1 | INAPPLICABLE | 19034 | 91.85 |
| 0 | NONE | 402 | 1.94 |
| 1 | MODERATE | 667 | 3.22 |
| 2 | SEVERE | 487 | 2.35 |

UNIVERSE: ADULT WHO EXPERIENCED MODERATE TO SEVERE PSYCHOLOGICAL DISTRESS
 (K6>8) IN THE PAST 12 MONTHS

INPUT VAR: AF69B

NOTES: CANNOT BE TRENDED WITH WORK (2009)

VARNAME: FAMILY2 QNAME13: NA

QNAME11: NA QNAME09:

LABEL: FAMILY LIFE IMPAIRMENT PAST 12 MONTHS

| VALUE: | | FREQ | % |
|--------|---------------|-------|-------|
| -2 | PROXY SKIPPED | 134 | 0.65 |
| -1 | INAPPLICABLE | 17769 | 85.74 |
| 0 | NONE | 533 | 2.57 |
| 1 | MODERATE | 1342 | 6.48 |
| 2 | SEVERE | 946 | 4.56 |

UNIVERSE: ADULT WHO EXPERIENCED MODERATE TO SEVERE PSYCHOLOGICAL DISTRESS
 (K6>8) IN THE PAST 12 MONTHS

INPUT VAR: AF72B

NOTES: CANNOT BE TRENDED WITH FAMILY (2009)

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

Section G: Demographic Information, Part II & Child Care

VARNAME: FAMSIZE2_P1 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: FAMILY SIZE: INCL. ALL PEOPLE SUPPORTED BY HH INCOME (PUF 1 YR RECODE)

| MEAN STATISTICS | |
|-----------------|-------|
| N | 20724 |
| MIN | 1 |
| MAX | 8 |
| MEAN | 2.06 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: MAY INCLUDE INDIVIDUALS NOT IN HOUSEHOLD BUT ARE SUPPORTED BY HOUSEHOLD INCOME; TOPCODE = 8

VARNAME: AH33NEW QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: BORN IN U.S.

| VALUE: | | FREQ | % |
|--------|-------------------|-------|-------|
| 1 | BORN IN U.S. | 16320 | 78.75 |
| 2 | BORN OUTSIDE U.S. | 4404 | 21.25 |

UNIVERSE: ALL ADULTS

INPUT VAR: AH33

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH34NEW QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: MOTHER BORN IN U.S.

| VALUE: | | | FREQ | % |
|--------|-------------------|--|-------|-------|
| -1 | INAPPLICABLE | | 4439 | 21.42 |
| 1 | BORN IN U.S. | | 14044 | 67.77 |
| 2 | BORN OUTSIDE U.S. | | 2241 | 10.81 |

UNIVERSE: ALL ADULTS WHO WERE BORN IN THE UNITED STATES

INPUT VAR: AH34

NOTES:

VARNAME: AH35NEW QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: FATHER BORN IN U.S.

| VALUE: | | | FREQ | % |
|--------|-------------------|--|-------|-------|
| -1 | INAPPLICABLE | | 4439 | 21.42 |
| 1 | BORN IN U.S. | | 13758 | 66.39 |
| 2 | BORN OUTSIDE U.S. | | 2527 | 12.19 |

UNIVERSE: ALL ADULTS WHO WERE BORN IN THE UNITED STATES

INPUT VAR: AH35

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: LNGHM_P1

QNAME13: NA

QNAME11: NA

QNAME09: NA

LABEL: LANGUAGE SPOKEN AT HOME (PUF 1 YR RECODE)

| VALUE: | | | FREQ | % |
|--------|----------------------------------|--|-------|-------|
| 1 | ENGLISH | | 15044 | 72.59 |
| 2 | SPANISH | | 1119 | 5.40 |
| 3 | CHINESE | | 131 | 0.63 |
| 4 | VIETNAMESE | | 68 | 0.33 |
| 5 | KOREAN | | 118 | 0.57 |
| 6 | OTHER ONE LANGUAGE ONLY | | 69 | 0.33 |
| 8 | ENGLISH & SPANISH | | 2410 | 11.63 |
| 9 | ENGLISH & CHINESE | | 177 | 0.85 |
| 10 | ENGLISH & EUROPEAN LANGUAGE | | 451 | 2.18 |
| 11 | ENGLISH & ANOTHER ASIAN LANGUAGE | | 531 | 2.56 |
| 12 | ENGLISH & ONE OTHER LANGUAGE | | 193 | 0.93 |
| 13 | OTHER LANGUAGES (2+) | | 413 | 1.99 |

UNIVERSE: ALL ADULTS

INPUT VAR: AH36_1 AH36_2 AH36_3 AH36_4 AH36_5 AH36_6 AH36_7 AH36_8 AH36_9

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AG21 QNAME13: QA13_G5
QNAME11: QA11_G6 QNAME09: QA09_G6

LABEL: LANGUAGE OF TV, RADIO, NEWSPAPERS

| VALUE: | | | FREQ | % |
|--------|------------------------------------|--|-------|-------|
| -1 | INAPPLICABLE | | 15036 | 72.55 |
| 1 | ONLY ENGLISH | | 2349 | 11.33 |
| 2 | BOTH ENGLISH AND OTHER LANGUAGE(S) | | 1925 | 9.29 |
| 3 | ONLY OTHER LANGUAGE(S) | | 1414 | 6.82 |

UNIVERSE: ALL ADULTS WHO WERE NOT INTERVIEWED IN ENGLISH OR SPEAK LANG OTHER THAN ENGLISH AT HOME

INPUT VAR:

NOTES:

VARNAME: AH37 QNAME13: QA13_G6
QNAME11: QA11_G7 QNAME09: QA09_G7

LABEL: 'LEVEL OF ENGLISH PROFICIENCY: GENERAL

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 15035 | 72.55 |
| 1 | VERY WELL | | 2476 | 11.95 |
| 2 | WELL | | 1410 | 6.80 |
| 3 | NOT WELL | | 1122 | 5.41 |
| 4 | NOT AT ALL | | 681 | 3.29 |

UNIVERSE: ALL ADULTS WHO SPEAK LANGUAGE OTHER THAN ENGLISH AT HOME AND/OR WERE INTERVIEWED IN LANGUAGE OTHER THAN ENGLISH

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

| | | | | |
|------------|-----------------------------|---------------------|--------|---|
| VARNAME: | SPK_ENG | QNAME13: | NA | |
| | | QNAME11: | NA | QNAME09: NA |
| LABEL: | ENGLISH USE AND PROFICIENCY | | | |
| | | | FREQ | % |
| VALUE: | 1 | SPEAK ONLY ENGLISH | 15044 | 72.59 |
| | 2 | VERY WELL/WELL | 3877 | 18.71 |
| | 3 | NOT WELL/NOT AT ALL | 1803 | 8.70 |
| UNIVERSE: | ALL ADULTS | | | |
| INPUT VAR: | AH36_1 | AH36_2 | AH36_3 | AH36_4 AH36_5 AH36_6 AH36_7 AH36_8 AH36_9 |
| NOTES: | | | | |

| | | | | |
|------------|-----------------------------|---------------------|-------|-------------|
| VARNAME: | CITIZEN2 | QNAME13: | NA | |
| | | QNAME11: | NA | QNAME09: NA |
| LABEL: | CITIZENSHIP STATUS (3 LVLS) | | | |
| | | | FREQ | % |
| VALUE: | 1 | US-BORN CITIZEN | 16320 | 78.75 |
| | 2 | NATURALIZED CITIZEN | 2758 | 13.31 |
| | 3 | NON-CITIZEN | 1646 | 7.94 |
| UNIVERSE: | ALL ADULTS | | | |
| INPUT VAR: | AH39 AH33 AH40 | | | |
| NOTES: | | | | |

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: YRUS_P1 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: YEARS LIVED IN THE U.S. (PUF 1 YR RECODE)

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 16320 | 78.75 |
| 1 | <5 YEARS | | 142 | 0.69 |
| 3 | 5-9 YEARS | | 269 | 1.30 |
| 4 | 10-14 YEARS | | 502 | 2.42 |
| 5 | 15+ YEARS | | 3491 | 16.85 |

UNIVERSE: ALL ADULTS BORN IN A COUNTRY OTHER THAN US SAMOA GUAM PUERTO RICO
OR VIRGIN ISLANDS

INPUT VAR: AADATE AH41FMT AH41YR AH41

NOTES:

VARNAME: PCTLF_P QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: PERCENT LIFE IN US (PUF RECODE)

| VALUE: | | | FREQ | % |
|--------|-------|--|-------|-------|
| 1 | 0-20 | | 360 | 1.74 |
| 2 | 21-40 | | 939 | 4.53 |
| 3 | 41-60 | | 1450 | 7.00 |
| 4 | 61-80 | | 1053 | 5.08 |
| 5 | 81+ | | 16922 | 81.65 |

UNIVERSE: ALL ADULTS

INPUT VAR: PCTLF

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH44 QNAME13: QA13_G10
QNAME11: QA11_G11 QNAME09: QA09_G11

LABEL: SPOUSE LIVING IN SAME HOUSEHOLD

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 9575 | 46.20 |
| 1 | YES | | 10884 | 52.52 |
| 2 | NO | | 265 | 1.28 |

UNIVERSE: ALL ADULTS WHO ARE MARRIED OR LIVING WITH A PARTNER

INPUT VAR:

NOTES:

VARNAME: AH43A QNAME13: QA13_G12
QNAME11: QA11_G13 QNAME09: QA09_G13

LABEL: LIVING WITH A PARENT

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 19256 | 92.92 |
| 1 | YES | | 1057 | 5.10 |
| 2 | NO | | 411 | 1.98 |

UNIVERSE: ALL ADULTS UNDER 30 WHO ARE [(MARRIED AND LIVING W/ SPOUSE) OR
(LIVING W/ PARTNER AND AT LEAST 3 ALL ADULTS) OR (NOT MARRIED AND
LIVING W/ AT LEAST 2 ALL ADULTS)]

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH44A QNAME13: QA13_G19

QNAME11: QA11_G20 QNAME09: QA09_G19

LABEL: USED PAID CHILDCARE FOR CHILDREN UNDER 14 IN PAST MONTH

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 16750 | 80.82 |
| 1 | YES | | 919 | 4.43 |
| 2 | NO | | 3055 | 14.74 |

UNIVERSE: ALL ADULTS LIVING WITH CHILDREN UNDER AGE 14

INPUT VAR:

NOTES:

VARNAME: ACHLDC_P1 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: AMOUNT SPENT ON CHILD CARE PER WEEK (PUF 1 YR RECODE)

| VALUE: | | | FREQ | % |
|--------|----------------|--|-------|-------|
| -1 | INAPPLICABLE | | 19805 | 95.57 |
| 1 | \$0-24/WEEK | | 143 | 0.69 |
| 3 | \$25-49/WEEK | | 130 | 0.63 |
| 4 | \$50-99/WEEK | | 204 | 0.98 |
| 5 | \$100-199/WEEK | | 218 | 1.05 |
| 6 | \$200+/WEEK | | 224 | 1.08 |

UNIVERSE: ALL ADULTS WHO HAVE CHILDREN UNDER AGE 14 AND PAID FOR CHILDCARE
IN THE PAST MONTH.

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AG22 QNAME13: QA13_G22
QNAME11: QA11_G23 QNAME09: QA09_G23

LABEL: EVER SERVE IN U.S. ARMED FORCES

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 2560 | 12.35 |
| 2 | NO | | 18164 | 87.65 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: SERVED QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: LENGTH OF TIME SERVED IN ACTIVE DUTY

| MEAN STATISTICS | |
|-----------------|------|
| N | 2552 |
| MIN | 1 |
| MAX | 5 |
| MEAN | 3.07 |

UNIVERSE: ALL ADULTS WHO HAVE SERVED IN ACTIVE DUTY

INPUT VAR: AG22 AG24UNIT AG24NUM AG23BEG AG23END

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AG10 QNAME13: QA13_G27
QNAME11: QA11_G28 QNAME09: QA09_G25

LABEL: RESPONDENT USUALLY WORKS

| VALUE: | | | FREQ | % |
|--------|------------------|--|-------|-------|
| -1 | INAPPLICABLE | | 16945 | 81.77 |
| 1 | YES | | 1040 | 5.02 |
| 2 | NO | | 2001 | 9.66 |
| 3 | LOOKING FOR WORK | | 738 | 3.56 |

UNIVERSE: ALL ADULTS (W/ A JOB OR BUSINESS BUT NOT AT WORK) OR (NOT WORKING AT A JOB OR BUSINESS) OR LOOKING FOR WORK (NOT INCL ALL ADULTS WHO ARE RETIRED OR DISABLED)

INPUT VAR:

NOTES:

VARNAME: WRKST_P1 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: WORKING STATUS (PUF 1 YR RECODE)

| VALUE: | | | FREQ | % |
|--------|--------------------------------------|--|------|-------|
| 1 | FULL-TIME EMPLOYMENT (21+ HRS/WEEK) | | 8204 | 39.59 |
| 2 | PART-TIME EMPLOYMENT (0-20 HRS/WEEK) | | 1630 | 7.87 |
| 3 | OTHER EMPLOYED | | 76 | 0.37 |
| 4 | UNEMPLOYED, LOOKING FOR WORK | | 985 | 4.75 |
| 5 | UNEMPLOYED, NOT LOOKING FOR WORK | | 9829 | 47.43 |

UNIVERSE: ALL ADULTS

INPUT VAR: AK3 AK1 AK2 AG10

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AG8 QNAME13: QA13_G32
QNAME11: QA11_G31 QNAME09: QA09_G28

LABEL: WORK STATUS OF SPOUSE LAST WEEK

| VALUE: | | | FREQ | % |
|--------|--------------------------------------|--|-------|-------|
| -1 | INAPPLICABLE | | 10554 | 50.93 |
| 1 | WORKING AT A JOB OR BUSINESS | | 5153 | 24.86 |
| 2 | WITH A JOB/BUSINESS, BUT NOT AT WORK | | 186 | 0.90 |
| 3 | LOOKING FOR WORK | | 239 | 1.15 |
| 4 | NOT WORKING AT A JOB OR BUSINESS | | 4592 | 22.16 |

UNIVERSE: ALL ADULTS WHO ARE MARRIED OR HAVE A LEGAL PARTNER

INPUT VAR:

NOTES:

VARNAME: AG11 QNAME13: QA13_G33
QNAME11: QA11_G32 QNAME09: QA09_G29

LABEL: SPOUSE USUALLY WORKS

| VALUE: | | | FREQ | % |
|--------|------------------|--|-------|-------|
| -1 | INAPPLICABLE | | 15893 | 76.69 |
| 1 | YES | | 285 | 1.38 |
| 2 | NO | | 4380 | 21.13 |
| 3 | LOOKING FOR WORK | | 166 | 0.80 |

UNIVERSE: MARRIED OR HAVE LEGAL PARTNER ALL ADULTS WITH SPOUSE/ PARTNER WHO
IS LOOKING FOR WORK, NOT WORKING, OR REFUSED/DIDN'T KNOW ANSWER TO
QUESTION

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AG9_P1

QNAME13: NA

QNAME11: NA

QNAME09: NA

LABEL: TYPE OF EMPLOYER ON SPOUSE'S MAIN JOB (PUF 1 YR RECODE)

| VALUE: | | | FREQ | % |
|--------|------------------------------------|--|-------|-------|
| -1 | INAPPLICABLE | | 15100 | 72.86 |
| 1 | PRIVATE COMPANY/NON-PROFIT ORG | | 3267 | 15.76 |
| 2 | GOVERNMENT | | 1100 | 5.31 |
| 3 | SELF-EMPLOYED/FAMILY BUSINESS/FARM | | 1257 | 6.07 |

UNIVERSE: ALL ADULTS WITH SPOUSE/ PARTNER THAT HAS JOB OR USUALLY WORKS

INPUT VAR: AG9

NOTES:

VARNAME: AHEDC_P1

QNAME13: NA

QNAME11: NA

QNAME09: NA

LABEL: EDUCATIONAL ATTAINMENT (PUF 1 YR RECODE)

| VALUE: | | | FREQ | % |
|--------|----------------------------------|--|------|-------|
| 1 | NO FORMAL EDUCATION OR GRADE 1-8 | | 1184 | 5.71 |
| 2 | GRADE 9-11 | | 928 | 4.48 |
| 3 | GRADE 12/H.S. DIPLOMA | | 4370 | 21.09 |
| 4 | SOME COLLEGE | | 3402 | 16.42 |
| 5 | VOCATIONAL SCHOOL | | 695 | 3.35 |
| 6 | AA OR AS DEGREE | | 1901 | 9.17 |
| 7 | BA OR BS DEGREE | | 4540 | 21.91 |
| 8 | SOME GRAD. SCHOOL | | 282 | 1.36 |
| 9 | MA OR MS DEGREE | | 2478 | 11.96 |
| 10 | PH.D. OR EQUIVALENT | | 944 | 4.56 |

UNIVERSE: ALL ADULTS

INPUT VAR: AH47

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: FAMTYP_P QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: FAMILY TYPE (PUF RECODE)

| VALUE: | | | FREQ | % |
|--------|---------------------------|--|------|-------|
| 1 | SINGLE ADULT, 21+ | | 9063 | 43.73 |
| 2 | SINGLE YOUNG ADULT, 19-20 | | 394 | 1.90 |
| 3 | MARRIED, NO KIDS | | 6899 | 33.29 |
| 4 | MARRIED WITH KIDS | | 3251 | 15.69 |
| 5 | SINGLE WITH KIDS | | 914 | 4.41 |
| 6 | SINGLE 18 YEARS OLD | | 203 | 0.98 |

UNIVERSE: ALL ADULTS

INPUT VAR: FAM_TYPE

NOTES: "SINGLE" CATEGORIES INCLUDE MARRIED R NOT LIVING WITH SPOUSE.

Section H: Health Insurance

VARNAME: AH49 QNAME13: QA13_H8

QNAME11: QA11_H8 QNAME09: QA09_H7

LABEL: MEDICARE COVERAGE PROVIDED THROUGH HMO

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -8 | DON'T KNOW | | 51 | 0.25 |
| -1 | INAPPLICABLE | | 12379 | 59.73 |
| 1 | YES | | 3769 | 18.19 |
| 2 | NO | | 4525 | 21.83 |

UNIVERSE: ALL ADULTS WITH MEDICARE

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH50_P1 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: NAME OF MEDICARE HMO PLAN (PUF 1 YR RECODE)

| VALUE: | | | FREQ | % |
|--------|---------------------------------------|--|-------|-------|
| -8 | DON'T KNOW | | 66 | 0.32 |
| -1 | INAPPLICABLE | | 16955 | 81.81 |
| 1 | KAISER | | 1626 | 7.85 |
| 2 | BLUE CROSS | | 171 | 0.83 |
| 3 | UNITED HEALTHCARE (FORMER PACIFICARE) | | 499 | 2.41 |
| 4 | BLUE SHIELD | | 175 | 0.84 |
| 5 | HEALTH NET | | 253 | 1.22 |
| 8 | OTHER | | 979 | 4.72 |

UNIVERSE: ADULTS WITH MEDICARE PROVIDED THROUGH HMO

INPUT VAR:

NOTES: CATEGORY CHANGE; CHIS 2013-14 NOW INCORPORATES UPCODING OF
OTHER-SPECIFY RESPONSES INTO THE PRE-EXISTING AH50 CATEGORIES (DID
NOT APPLY IN CHIS 2011 AND PRIOR)

VARNAME: AI4 QNAME13: QA13_H10
QNAME11: QA11_H10 QNAME09: QA09_H9

LABEL: COVERED BY MEDICARE SUPPL POLICY

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 16154 | 77.95 |
| 1 | YES | | 2897 | 13.98 |
| 2 | NO | | 1673 | 8.07 |

UNIVERSE: ALL ADULTS WITH MEDICARE NOT PROVIDED THROUGH HMO

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH52_P1 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: SIGN UP FOR MEDICARE HMO DIRECTLY OR OTHERWISE (PUF 1 YR RECODE)

| VALUE: | | FREQ | % |
|--------|----------------------------------|-------|-------|
| -1 | INAPPLICABLE | 14050 | 67.80 |
| 1 | DIRECTLY | 2975 | 14.36 |
| 2 | CURRENT EMPLOYER | 114 | 0.55 |
| 3 | FORMER EMPLOYER | 1921 | 9.27 |
| 4 | UNION | 134 | 0.65 |
| 6 | AARP | 622 | 3.00 |
| 7 | SPOUSE'S EMPLOYER/SPOUSE'S UNION | 290 | 1.40 |
| 8 | OTHER | 618 | 2.98 |

UNIVERSE: ALL ADULTS WITH MEDICARE PROVIDED THROUGH HMO OR MEDIGAP/MEDICARE SUPPLEMENT

INPUT VAR: AH52

NOTES:

VARNAME: AI15 QNAME13: QA13_H30

QNAME11: QA11_H26 QNAME09: QA09_H25

LABEL: MAIN REASON NOT IN EMPLOYER'S HEALTH PLAN

| VALUE: | | FREQ | % |
|--------|--|-------|-------|
| -1 | INAPPLICABLE | 19608 | 94.61 |
| 1 | COVERED BY ANOTHER PLAN | 643 | 3.10 |
| 2 | TOO EXPENSIVE | 347 | 1.67 |
| 3 | DIDNT LIKE PLAN OFFERED | 64 | 0.31 |
| 4 | DONT NEED OR BELIEVE IN HEALTH INSURANCE | 24 | 0.12 |
| 5 | IN PROCESS | 8 | 0.04 |
| 6 | DIDNT TAKE UP - OTHER | 24 | 0.12 |
| 7 | RECEIVE EXTRA PAY/BENEFITS NOT TO ENROLL | 6 | 0.03 |

UNIVERSE: ALL ADULTS WHO WORKED IN PAST WK OR USUALLY WORK, ARE NOT SELF-EMPLOYED, AND DO NOT HAVE EMPLOYER-BASED COVERAGE THOUGH ELIGIBLE

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AI15A

QNAME13: QA13_H31

QNAME11: QA11_H27

QNAME09: QA09_H26

LABEL: MAIN REASON INELIGIBLE FOR EMPLOYER'S HEALTH PLAN

| VALUE: | | | FREQ | % |
|--------|--|--|-------|-------|
| -1 | INAPPLICABLE | | 19905 | 96.05 |
| 1 | HAVENT WORKED HERE LONG ENOUGH | | 150 | 0.72 |
| 2 | CONTRACT OR TEMP EMPLOYEE | | 162 | 0.78 |
| 3 | DONT WORK ENOUGH HOURS PER WEEK | | 444 | 2.14 |
| 5 | ONLY MANAGEMENT CAN GET HEALTH INSURANCE | | 14 | 0.07 |
| 6 | NOT ELIGIBLE - OTHER | | 23 | 0.11 |
| 7 | HAS LEFT POSITION/RETIRED/LAID OFF | | 26 | 0.13 |

UNIVERSE: ALL ADULTS WHO WORKED IN PAST WEEK OR USUALLY WORK, ARE NOT
SELF-EMPLOYED, AND ARE NOT ELIGIBLE FOR EMPLOYER-BASED HEALTH PLAN

INPUT VAR:

NOTES:

VARNAME: AI37A

QNAME13: QA13_H43

QNAME11: QA11_H39

QNAME09: QA09_H38

LABEL: SPOUSE COVERED BY MEDICARE SUPPL POLICY

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 18852 | 90.97 |
| 1 | YES | | 1459 | 7.04 |
| 2 | NO | | 413 | 1.99 |

UNIVERSE: ALL ADULTS LIVING WITH SPOUSE AGE 65 OR OVER WITH MEDICARE NOT
COVERED BY HMO

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AI45_P1 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: MAIN REASON SPOUSE NOT IN EMP HEALTH PLAN (PUF 1 YR RECODE)

| VALUE: | | | FREQ | % |
|--------|-------------------------|--|-------|-------|
| -1 | INAPPLICABLE | | 20043 | 96.71 |
| 1 | COVERED BY ANOTHER PLAN | | 399 | 1.93 |
| 2 | TOO EXPENSIVE | | 215 | 1.04 |
| 3 | DIDNT LIKE PLAN OFFERED | | 33 | 0.16 |
| 4 | OTHER REASON | | 34 | 0.16 |

UNIVERSE: ALL ADULTS LIVING WITH EMPLOYED SPOUSE (OR USUALLY WORKS) WITH NO EMPLOYER-BASED HEALTH INSURANCE IN OWN NAME EVEN THOUGH OFFERED AND ELIGIBLE

INPUT VAR: AI45

NOTES:

VARNAME: AI45A_P1 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: MAIN REASON SPOUSE INELIGIBLE EMP HEALTH PLAN (PUF 1 YR RECODE)

| VALUE: | | | FREQ | % |
|--------|-------------------------|--|-------|-------|
| -1 | INAPPLICABLE | | 20484 | 98.84 |
| 1 | COVERED BY ANOTHER PLAN | | 29 | 0.14 |
| 2 | TOO EXPENSIVE | | 45 | 0.22 |
| 3 | DIDNT LIKE PLAN OFFERED | | 146 | 0.70 |
| 4 | OTHER REASON | | 20 | 0.10 |

UNIVERSE: ALL ADULTS LIVING WITH EMPLOYED SPOUSE (OR USUALLY WORKS) WHOSE EMPLOYER OFFERS HLTH INSURANCE IN OWN NAME BUT IS NOT ELIGIBLE

INPUT VAR: AI45A

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AI22C QNAME13: QA13_H63

QNAME11: QA11_H57 QNAME09: QA09_H56

LABEL: MAIN HEALTH PLAN IS HMO

| VALUE: | | | FREQ | % |
|--------|--------------|--|------|-------|
| -8 | DON'T KNOW | | 84 | 0.41 |
| -1 | INAPPLICABLE | | 5934 | 28.63 |
| 1 | YES | | 5760 | 27.79 |
| 2 | NO | | 8946 | 43.17 |

UNIVERSE: ALL ADULTS WHO HAVE HEALTH INSURANCE COVERAGE OTHER THAN MEDICARE
HMO

INPUT VAR:

NOTES:

VARNAME: HMO QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: HMO STATUS

| VALUE: | | | FREQ | % |
|--------|-----------|--|------|-------|
| 1 | HMO | | 9575 | 46.20 |
| 2 | NON-HMO | | 9050 | 43.67 |
| 3 | UNINSURED | | 2099 | 10.13 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AI22A_P QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: NAME OF HEALTH PLAN (PUF RECODE)

| VALUE: | | FREQ | % |
|--------|---------------------------------------|------|-------|
| -8 | DON'T KNOW | 357 | 1.72 |
| -1 | INAPPLICABLE | 5938 | 28.65 |
| 1 | KAISER | 2435 | 11.75 |
| 2 | BLUE CROSS | 3588 | 17.31 |
| 3 | UNITED HEALTHCARE (FORMER PACIFICARE) | 1444 | 6.97 |
| 4 | BLUE SHIELD | 1410 | 6.80 |
| 5 | HEALTH NET | 642 | 3.10 |
| 6 | AETNA | 759 | 3.66 |
| 7 | CIGNA HEALTH CARE | 383 | 1.85 |
| 8 | OTHER | 3768 | 18.18 |

UNIVERSE: ALL ADULTS WHO HAVE HEALTH INSURANCE COVERAGE OTHER THAN MEDICARE HMO

INPUT VAR: AI22A

NOTES: CATEGORY CHANGES; CHIS 2013-14 NOW INCORPORATES UPCODING OF OTHER-SPECIFY RESPONSES INTO THE PRE-EXISTING AI22A CATEGORIES (DID NOT APPLY IN CHIS 2011 AND PRIOR)

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AI25 QNAME13: QA13_H65
QNAME11: QA11_H59 QNAME09: QA09_H58

LABEL: COVERED FOR PRESCRIPTION DRUGS

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 2069 | 9.98 |
| 1 | YES | | 17417 | 84.04 |
| 2 | NO | | 1238 | 5.97 |

UNIVERSE: ALL ADULTS WHO HAVE ANY HEALTH INSURANCE COVERAGE

INPUT VAR:

NOTES:

VARNAME: AI25NEW QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: RX COVERAGE EDITED FOR MEDI-CAL/HF

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 2000 | 9.65 |
| 1 | YES | | 17757 | 85.68 |
| 2 | NO | | 967 | 4.67 |

UNIVERSE: ALL ADULTS

INPUT VAR: INSMD INSHF AI25

NOTES: ADJUSTED FOR RX COVERAGE UNDER MEDI-CAL AND HEALTHY FAMILIES

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH71_P1 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: HEALTH PLAN DEDUCTIBLE MORE THAN \$1,000 (PUF 1 YR RECODE)

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 10916 | 52.67 |
| 1 | YES | | 2791 | 13.47 |
| 2 | NO | | 7017 | 33.86 |

UNIVERSE: ALL ADULTS COVERED BY EMPLOYER-BASED OR DIRECTLY PURCHASED HEALTH INS

INPUT VAR: AH71

NOTES:

VARNAME: AH72_P1 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: HEALTH PLAN DEDUCTIBLE MORE THAN \$2,000 (PUF 1 YR RECODE)

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 12051 | 58.15 |
| 1 | YES | | 1240 | 5.98 |
| 2 | NO | | 7433 | 35.87 |

UNIVERSE: ALL ADULTS COVERED BY EMPLOYER-BASED OR DIRECTLY PURCHASED HEALTH PLANS WITH A DEDUCTIBLE < \$2,000

INPUT VAR: AH72

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

| | | | | |
|-----------|---|--------------|----------|-------------|
| VARNAME: | AI33_6 | QNAME13: | QA13_H73 | |
| | | QNAME11: | QA11_H67 | QNAME09: NA |
| LABEL: | OTHER INS: BOUGHT DIRECT | | | |
| VALUE: | -1 | INAPPLICABLE | FREQ | % |
| | 1 | YES | 19363 | 93.43 |
| | 2 | NO | 262 | 1.26 |
| | | | 1099 | 5.30 |
| UNIVERSE: | ALL ADULTS WHO HAVE NOT HAD CURRENT HEALTH COVERAGE FOR PAST 12 CONSECUTIVE MOS AND HAVE USED ANOTHER INS WHEN NOT COVERED BY CURRENT INS | | | |

INPUT VAR:

NOTES:

| | | | | | |
|----------|---------------------------------------|--------------|----------|----------|----------|
| VARNAME: | AH74 | QNAME13: | QA11_H71 | | |
| | | QNAME11: | QA11_H71 | QNAME09: | QA09_H68 |
| LABEL: | TRIED TO FIND HEALTH INSURANCE ON OWN | | | | |
| VALUE: | -1 | INAPPLICABLE | | FREQ | % |
| | | | | 20132 | 97.14 |
| | 1 | YES | | 231 | 1.11 |
| | 2 | NO | | 361 | 1.74 |

UNIVERSE: ALL ADULTS WHO WERE UNINSURED AT SOME POINT IN THE LAST 12 MOS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH75 QNAME13: QA11_H73

QNAME11: QA11_H73 QNAME09: QA09_H70

LABEL: TRIED TO FIND HEALTH INSURANCE ON OWN

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 18655 | 90.02 |
| 1 | YES | | 848 | 4.09 |
| 2 | NO | | 1221 | 5.89 |

UNIVERSE: ALL ADULTS WHO WERE UNINSURED IN THE LAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AI28 QNAME13: QA13_H81

QNAME11: QA11_H75 QNAME09: QA09_H72

LABEL: HOW LONG SINCE LAST HAD HEALTH INS

| VALUE: | | | FREQ | % |
|--------|-------------------------------------|--|-------|-------|
| -1 | INAPPLICABLE | | 19059 | 91.97 |
| 1 | 1 TO 3 YRS AGO | | 450 | 2.17 |
| 2 | MORE THAN 3 YRS AGO | | 869 | 4.19 |
| 3 | NEVER HAD HEALTH INSURANCE COVERAGE | | 346 | 1.67 |

UNIVERSE: ALL ADULTS WHO WERE NOT COVERED BY HEALTH INSURANCE AT ANY TIME
DURING THE PAST 12 MONTHS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AH14

QNAME13:

QNAME11: QA11_H83

QNAME09: QA09_H75

LABEL: PATIENT IN HOSP OVERNIGHT DURING PAST 12 MOS

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 411 | 1.98 |
| 1 | YES | | 1932 | 9.32 |
| 2 | NO | | 18381 | 88.69 |

UNIVERSE: ALL ADULTS WHO WERE NOT HOSPITALIZED FOR ASTHMA/ DIABETES OR HEART
DISEASE DURING THE PAST 12 MOS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: IHS QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: COVERED BY INDIAN HEALTH SERVICES

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 78 | 0.38 |
| 2 | NO | | 20646 | 99.62 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: INS QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: CURRENTLY INSURED

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 18625 | 89.87 |
| 2 | NO | | 2099 | 10.13 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: INS_S QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: SPOUSE CURRENTLY INSURED

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 10769 | 51.96 |
| 1 | YES | | 9203 | 44.41 |
| 2 | NO | | 752 | 3.63 |

UNIVERSE: ALL ADULTS WITH SPOUSE

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INS12M QNAME13: NA
 QNAME11: NA QNAME09: NA

LABEL: MOS COVERED BY HEALTH PLANS LAST 12 MOS

MEAN STATISTICS

| | |
|------|-------|
| N | 20724 |
| MIN | 0 |
| MAX | 12 |
| MEAN | 10.71 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: INS64_P QNAME13: NA
 QNAME11: NA QNAME09: NA

LABEL: CURRENT HEALTH COVERAGE - < 65 YRS (PUF RECODE)

| VALUE: | | FREQ | % |
|--------|------------------------|------|-------|
| -1 | SKIPPED - AGE >= 65 | 7848 | 37.87 |
| 1 | UNINSURED | 2057 | 9.93 |
| 2 | MEDI-CAL (MEDICAID) | 1781 | 8.59 |
| 3 | MEDICARE | 243 | 1.17 |
| 4 | EMPLOYMENT-BASED | 7449 | 35.94 |
| 5 | PRIVATELY PURCHASED | 927 | 4.47 |
| 6 | CHIP/OTHER PUBLIC PRGM | 419 | 2.02 |

UNIVERSE: ALL ADULTS UNDER 65

INPUT VAR: INS64

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INS64S_P QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: SPOUSE'S CURRENT HEALTH COVG - < 65 YRS (PUF RECODE)

| VALUE: | | FREQ | % |
|--------|------------------------|-------|-------|
| -1 | SKIPPED - AGE >= 65 | 14101 | 68.04 |
| 1 | UNINSURED | 739 | 3.57 |
| 2 | MEDI-CAL (MEDICAID) | 378 | 1.82 |
| 3 | MEDICARE | 203 | 0.98 |
| 4 | EMPLOYMENT-BASED | 4777 | 23.05 |
| 5 | PRIVATELY PURCHASED | 404 | 1.95 |
| 6 | CHIP/OTHER PUBLIC PRGM | 122 | 0.59 |

UNIVERSE: ALL ADULTS WITH SPOUSE UNDER 65

INPUT VAR: INS64_S

NOTES:

VARNAME: INS65 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ELDERLY 65+

| VALUE: | | FREQ | % |
|--------|--------------------------------|-------|-------|
| -1 | SKIPPED - AGE < 65 | 12876 | 62.13 |
| 1 | MEDICARE + MEDI-CAL (MEDICAID) | 1072 | 5.17 |
| 2 | MEDICARE + OTHER | 5994 | 28.92 |
| 3 | MEDICARE ONLY | 455 | 2.20 |
| 4 | OTHER ONLY | 285 | 1.38 |
| 5 | UNINSURED | 42 | 0.20 |

UNIVERSE: ALL ADULTS 65 YEARS AND OVER

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INS65_S QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: TYPE OF CURRENT HEALTH COVERAGE FOR SPOUSE 65+

| VALUE: | | FREQ | % |
|--------|-----------------------------|-------|-------|
| -1 | NO SPOUSE IN HH OR AGE < 65 | 17392 | 83.92 |
| 1 | MEDICARE + MEDICAID | 187 | 0.90 |
| 2 | MEDICARE + OTHER | 766 | 3.70 |
| 3 | MEDICARE ONLY | 2164 | 10.44 |
| 4 | OTHER ONLY | 202 | 0.97 |
| 5 | UNINSURED | 13 | 0.06 |

UNIVERSE: ALL ADULTS WITH SPOUSE 65 YEARS AND OVER

INPUT VAR:

NOTES:

VARNAME: INSANY QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: ANY INS IN LAST 12 MOS

| VALUE: | | FREQ | % |
|--------|------------------------|-------|-------|
| 1 | CURRENTLY UNINSURED | 2099 | 10.13 |
| 2 | UNINS. ANY PAST 12 MO | 654 | 3.16 |
| 3 | INSURED ALL PAST 12 MO | 17971 | 86.72 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INSEM QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: COVERED BY EMPLOYER-BASED PLANS

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 8923 | 43.06 |
| 2 | NO | | 11801 | 56.94 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: INSEM_S QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: SPOUSE COVERED BY EMPLOYER-BASED PLANS

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 10769 | 51.96 |
| 1 | YES | | 5565 | 26.85 |
| 2 | NO | | 4390 | 21.18 |

UNIVERSE: ALL ADULTS WITH SPOUSE

INPUT VAR:

NOTES:

| | | | | |
|------------|---------------------|----------|-------|-------------|
| VARNAME: | INSMC | QNAME13: | NA | |
| | | QNAME11: | NA | QNAME09: NA |
| LABEL: | COVERED BY MEDICARE | | | |
| | | | FREQ | % |
| VALUE: | 1 | YES | 8093 | 39.05 |
| | 2 | NO | 12631 | 60.95 |
| UNIVERSE: | ALL ADULTS | | | |
| INPUT VAR: | | | | |
| NOTES: | | | | |

| | | | | |
|------------|----------------------------|--------------|-------|-------------|
| VARNAME: | INSMC_S | QNAME13: | NA | |
| | | QNAME11: | NA | QNAME09: NA |
| LABEL: | SPOUSE COVERED BY MEDICARE | | | |
| | | | FREQ | % |
| VALUE: | -1 | INAPPLICABLE | 10769 | 51.96 |
| | 1 | YES | 3369 | 16.26 |
| | 2 | NO | 6586 | 31.78 |
| UNIVERSE: | ALL ADULTS WITH SPOUSE | | | |
| INPUT VAR: | | | | |
| NOTES: | | | | |

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INSMD QNAME13: NA

 QNAME11: NA QNAME09: NA

LABEL: COVERED BY MEDI-CAL

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 2878 | 13.89 |
| 2 | NO | | 17846 | 86.11 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: INSMD_S QNAME13: NA

 QNAME11: NA QNAME09: NA

LABEL: SPOUSE COVERED BY MEDI-CAL

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 10769 | 51.96 |
| 1 | YES | | 575 | 2.77 |
| 2 | NO | | 9380 | 45.26 |

UNIVERSE: ALL ADULTS WITH SPOUSE

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INSOG

QNAME13: NA

QNAME11: NA

QNAME09: NA

LABEL: COVERED BY OTHER GOVT PLANS

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 302 | 1.46 |
| 2 | NO | | 20422 | 98.54 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: INSOG_S

QNAME13: NA

QNAME11: NA

QNAME09: NA

LABEL: SPOUSE COVERED BY OTHER GOVT PLANS

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 10769 | 51.96 |
| 1 | YES | | 109 | 0.53 |
| 2 | NO | | 9846 | 47.51 |

UNIVERSE: ALL ADULTS WITH SPOUSE

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INSLT_P QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: HEALTH INS COVG LAST 12 MOS, W/ CURRENT STATUS (PUF RECODE)

| VALUE: | | | FREQ | % |
|--------|---|--|------|-------|
| -1 | INAPPLICABLE-AGE>=65 | | 7848 | 37.87 |
| 1 | MEDI-CAL (MEDICAID) ONLY | | 1505 | 7.26 |
| 2 | EMPLOYER-BASED OR MILITARY ONLY | | 7187 | 34.68 |
| 3 | UNINSURED ONLY | | 1678 | 8.10 |
| 4 | PRIVATEDLY PURCHASED ONLY | | 849 | 4.10 |
| 5 | PARTIALLY INSURED WITH MC/HF | | 293 | 1.41 |
| 6 | PARTIALLY INSURED WITH NO MC/HF | | 680 | 3.28 |
| 7 | INSURE ALL YEAR WITH SOME MC/HF | | 80 | 0.39 |
| 8 | HEALTHY FAM ONLY/OTHER INSURED ALL YEAR | | 604 | 2.91 |

UNIVERSE: ALL ADULTS UNDER 65

INPUT VAR: INSLT12R

NOTES:

VARNAME: INSPR QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: COVERED BY PLANS PURCHASED ON OWN

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 947 | 4.57 |
| 2 | NO | | 19777 | 95.43 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

| | | | | |
|------------|--|--------------|-------|-------------|
| VARNAME: | INSPR_S | QNAME13: | NA | |
| | | QNAME11: | NA | QNAME09: NA |
| LABEL: | SPOUSE COVERED BY PLANS PURCHASED ON OWN | | | |
| VALUE: | -1 | INAPPLICABLE | FREQ | % |
| | 1 | YES | 10769 | 51.96 |
| | 2 | NO | 524 | 2.53 |
| | | | 9431 | 45.51 |
| UNIVERSE: | ALL ADULTS WITH SPOUSE | | | |
| INPUT VAR: | | | | |
| NOTES: | | | | |

| | | | | |
|------------|--|--------------|-------|-------------|
| VARNAME: | INSPS | QNAME13: | NA | |
| | | QNAME11: | NA | QNAME09: NA |
| LABEL: | PRIMARY OR SECONDARY COVERAGE | | | |
| | | | FREQ | % |
| VALUE: | -1 | INAPPLICABLE | 10966 | 52.91 |
| | 1 | PRIMARY | 7064 | 34.09 |
| | 2 | SECONDARY | 2694 | 13.00 |
| UNIVERSE: | ALL ADULTS COVERED BY EMPLOYMENT-BASED INSURANCE PLANS | | | |
| INPUT VAR: | | | | |
| NOTES: | | | | |

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

| | | | | |
|------------|--|--------------|-------|-------------|
| VARNAME: | INSPS_S | QNAME13: | NA | |
| | | QNAME11: | NA | QNAME09: NA |
| LABEL: | SPOUSE PRIMARY OR SECONDARY COVERAGE | | | |
| | | | FREQ | % |
| VALUE: | -1 | INAPPLICABLE | 15159 | 73.15 |
| | 1 | PRIMARY | 3382 | 16.32 |
| | 2 | SECONDARY | 2183 | 10.53 |
| UNIVERSE: | ALL ADULTS WITH SPOUSE COVERED BY HIS/HER OWN EMPLOYMENT-BASED INSURANCE PLANS | | | |
| INPUT VAR: | | | | |
| NOTES: | | | | |

| | | | | |
|------------|--|---------------------------------------|------|-------------|
| VARNAME: | INST_12 | QNAME13: | NA | |
| | | QNAME11: | NA | QNAME09: NA |
| LABEL: | HEALTH INS COVERAGE IN LAST 12 MOS, INCL CURRENT STATUS:8 LVLS | | | |
| VALUE: | -1 | INAPPLICABLE-AGE>=65 | FREQ | % |
| | 1 | MEDI-CAL (MEDICAID) ONLY | 7848 | 37.87 |
| | 2 | EMPLOYER-BASED COVERAGE ONLY (EBI) | 1505 | 7.26 |
| | 3 | PRIVATE COVERAGE ONLY | 7071 | 34.12 |
| | 4 | OTHER COVERAGE ONLY | 849 | 4.10 |
| | 5 | ANY 2 OR MORE TYPES (NEVER UNINSURED) | 557 | 2.69 |
| | 6 | UNINSURED ONLY | 243 | 1.17 |
| | 7 | UNINSURED + EMPLOYER-BASED ONLY | 1678 | 8.10 |
| | 8 | ANY 1 OR MORE TYPES + UNINSURED | 363 | 1.75 |
| | | | 610 | 2.94 |
| UNIVERSE: | ALL ADULTS UNDER 65 | | | |
| INPUT VAR: | INSLT12 | | | |
| NOTES: | | | | |

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INSTYP_P QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ALL AGES (PUF RECODE)

| VALUE: | | | FREQ | % |
|--------|--------------------------|--|------|-------|
| 1 | UNINSURED | | 2099 | 10.13 |
| 2 | MEDICARE & MEDICAID | | 1401 | 6.76 |
| 3 | MEDICARE & OTHERS | | 5876 | 28.35 |
| 4 | MEDICARE ONLY | | 816 | 3.94 |
| 5 | MEDICAID | | 1470 | 7.09 |
| 6 | EMPLOYMENT-BASED | | 7669 | 37.01 |
| 7 | PRIVATELY PURCHASED | | 944 | 4.56 |
| 8 | HEALTHY FAM/OTHER PUBLIC | | 449 | 2.17 |

UNIVERSE: ALL ADULTS

INPUT VAR: INSTYPE

NOTES:

VARNAME: UNINSANY QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: UNINSURED IN PAST 12 MOS

| VALUE: | | | FREQ | % |
|--------|---------------------|--|-------|-------|
| -1 | SKIPPED - AGES>=65 | | 7848 | 37.87 |
| 1 | UNINSURED ALL YEAR | | 1678 | 8.10 |
| 2 | UNINSURED PART YEAR | | 973 | 4.70 |
| 3 | INSURED ALL YEAR | | 10225 | 49.34 |

UNIVERSE: ALL ADULTS UNDER 65

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: OFFTK QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER BASED INS

| | | | | |
|--------|----|--------------------------------------|-------|-------|
| VALUE: | -1 | UNEMPLOYED OR SELF-EMPLOYED | FREQ | % |
| | 1 | ACCEPTED EBI | 11039 | 53.27 |
| | 2 | NOT ACCEPT EBI, OFFERED AND ELIGIBLE | 6382 | 30.80 |
| | 3 | WAS OFFERED EBI, NOT ELIGIBLE | 1114 | 5.38 |
| | 4 | WAS NOT OFFERED EBI | 814 | 3.93 |
| | | | 1375 | 6.63 |

UNIVERSE: ALL ADULTS WHO ARE WORKING FOR WAGES

INPUT VAR: INSEM INSPS AK1 AG10 AK4 AI13 AI14

NOTES:

VARNAME: OFFTK_S QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER-BASED INS: SPOUSE

| | | | | |
|--------|----|--------------------------------------|-------|-------|
| VALUE: | -1 | UNEMPLOYED OR SELF-EMPLOYED | FREQ | % |
| | 1 | ACCEPTED EBI | 15650 | 75.52 |
| | 2 | NOT ACCEPT EBI, OFFERED AND ELIGIBLE | 3435 | 16.57 |
| | 3 | WAS OFFERED EBI, NOT ELIGIBLE | 676 | 3.26 |
| | 4 | WAS NOT OFFERED EBI | 239 | 1.15 |
| | | | 724 | 3.49 |

UNIVERSE: ALL ADULTS WHO ARE WORKING FOR WAGES

INPUT VAR: INSEM_S INSPS_S AG8 AG11 AG9 AI43 AI44

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH73B QNAME13: QA13_H70

QNAME11: NA QNAME09: NA

LABEL: SPECIAL FUND TO PAY MEDICAL EXPENSES

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 11934 | 57.59 |
| 1 | YES | | 2183 | 10.53 |
| 2 | NO | | 6607 | 31.88 |

UNIVERSE: ADULTS WITH EMPLOYER-BASED COVERAGE OR COVERAGE PURCHASED FROM INS COMPANY/HMO/COVERED CALIFORNIA

INPUT VAR:

NOTES: Cannot trend with CHIS 2011 AH73 due to universe change.

VARNAME: AH100 QNAME13: QA13_H88

QNAME11: QA11_H81 QNAME09: NA

LABEL: ANYONE HELP FIND HEALTH PLAN

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 20162 | 97.29 |
| 1 | YES | | 204 | 0.98 |
| 2 | NO | | 358 | 1.73 |

UNIVERSE: ALL ADULTS UNINSURED OR HAVE BEEN IN PAST 12 MOS. AND WHO TRIED TO BUY INS DIRECTLY FROM INS COMPANY

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH101_P QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: PERSON WHO HELPED FIND HEALTH PLAN (PUF RECODE)

| VALUE: | | FREQ | % |
|--------|------------------------|-------|-------|
| -1 | INAPPLICABLE | 20520 | 99.02 |
| 1 | BROKER | 132 | 0.64 |
| 2 | FAMILY MEMBER/FRIEND | 50 | 0.24 |
| 3 | INTERNET | 7 | 0.03 |
| 4 | OTHER/MULTIPLE REASONS | 15 | 0.07 |

UNIVERSE: ALL ADULTS UNINSURED OR HAVE BEEN IN PAST 12 MOS. AND WHO TRIED TO
BUY INS DIRECTLY FROM INS COMPANY AND WAS HELPED BY SOMEONE

INPUT VAR: AH101

NOTES:

VARNAME: AH102_P1 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: # NIGHTS IN HOSPITAL PAST 12 MOS (PUF 1 YR RECODE)

| MEAN STATISTICS | |
|-----------------|------|
| N | 2343 |
| MIN | 0 |
| MAX | 9 |
| MEAN | 3.89 |

UNIVERSE: ALL ADULTS WHO WERE HOSPITALIZED FOR ASTHMA/ DIABETES OR HEART
DISEASE DURING THE PAST 12 MOS

INPUT VAR: AH102

NOTES: TOPCODE = 9

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH103 QNAME13: QA13_I81
QNAME11: QA11_H78 QNAME09: NA

LABEL: BUY HEALTH PLAN DIRECTLY FROM INS CO/HMO

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 16979 | 81.93 |
| 1 | YES | | 562 | 2.71 |
| 2 | NO | | 3183 | 15.36 |

UNIVERSE: ALL ADULTS WHO ARE UNINSURED OR HAVE BEEN AT SOME POINT IN LAST 12 MOS OR WHO BOUGHT INS DIRECTLY FROM INS COMPANY

INPUT VAR:

NOTES:

VARNAME: AH95_P1 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: # TIMES VISITED ER IN PAST 12 MOS (PUF 1 YR RECODE)

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 16491 | 79.57 |
| 0 | 0 TIMES | | 78 | 0.38 |
| 1 | 1 TIMES | | 2642 | 12.75 |
| 2 | 2 TIMES | | 823 | 3.97 |
| 3 | 3 TIMES | | 315 | 1.52 |
| 4 | 4 TIMES | | 161 | 0.78 |
| 5 | 5+ TIMES | | 214 | 1.03 |

UNIVERSE: ALL ADULTS WHO VISITED ER FOR OWN HEALTH IN PAST 12 MOS

INPUT VAR: AH95

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH96_P1 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: HEALTH PLAN DEDUCTIBLE > \$2,000 (PUF 1 YR RECODE)

| | | | | |
|--------|----|--------------|-------|-------|
| VALUE: | -1 | INAPPLICABLE | FREQ | % |
| | 1 | YES | 18497 | 89.25 |
| | 2 | NO | 1135 | 5.48 |
| | | | 1092 | 5.27 |

UNIVERSE: ALL ADULTS COVERED BY EMPLOYER-BASED OR DIRECTLY PURCHASED HEALTH
INS WITH DEDUCTIBLE GREATER THAN \$1,000

INPUT VAR: AH96

NOTES:

VARNAME: AH97_P1 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: PLAN DEDUCTIBLE COVERING ALL PERSONS >\$4,000 (PUF 1 YR RECODE)

| | | | | |
|--------|----|--------------|-------|-------|
| VALUE: | -1 | INAPPLICABLE | FREQ | % |
| | 1 | YES | 18839 | 90.90 |
| | 2 | NO | 831 | 4.01 |
| | | | 1054 | 5.09 |

UNIVERSE: ALL ADULTS COVERED BY EMPLOYER-BASED OR DIRECTLY PURCHASED HEALTH
INS WITH DEDUCTIBLE GREATER THAN \$2,000

INPUT VAR: AH97

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH98_P1 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: DIFFICULTY FINDING PLAN WITH NEEDED COVERAGE (PUF 1 YR RECODE)

| VALUE: | | | FREQ | % |
|--------|--|--|-------|-------|
| -1 | INAPPLICABLE | | 20162 | 97.29 |
| 1 | VERY DIFFICULT | | 236 | 1.14 |
| 2 | SOMEWHAT DIFFICULT | | 111 | 0.54 |
| 3 | NOT TOO DIFFICULT/NOT AT ALL DIFFICULT | | 215 | 1.04 |

UNIVERSE: ALL ADULTS UNINSURED OR HAVE BEEN IN PAST 12 MOS. AND WHO TRIED TO
BUY INS DIRECTLY FROM INS COMPANY

INPUT VAR: AH98

NOTES:

VARNAME: AH99_P1 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: DIFFICULTY FINDING PLAN THAT IS AFFORDABLE (PUF 1 YR RECODE)

| VALUE: | | | FREQ | % |
|--------|--|--|-------|-------|
| -1 | INAPPLICABLE | | 20162 | 97.29 |
| 1 | VERY DIFFICULT | | 302 | 1.46 |
| 2 | SOMEWHAT DIFFICULT | | 115 | 0.55 |
| 3 | NOT TOO DIFFICULT/NOT AT ALL DIFFICULT | | 145 | 0.70 |

UNIVERSE: ALL ADULTS UNINSURED OR HAVE BEEN IN PAST 12 MOS. AND WHO TRIED TO
BUY INS DIRECTLY FROM INS COMPANY

INPUT VAR: AH99

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

Section J: Health Care Utilization and Access

VARNAME: AH1 QNAME13: QA13_H1
QNAME11: QA11_H1 QNAME09: QA09_H1

LABEL: HAVE USUAL SOURCE OF HEALTH CARE

| VALUE: | | | FREQ | % |
|--------|---------------------|--|-------|-------|
| 1 | YES | | 13712 | 66.16 |
| 2 | NO | | 1975 | 9.53 |
| 3 | DOCTOR / MY DOCTOR | | 4010 | 19.35 |
| 4 | KAISER | | 968 | 4.67 |
| 5 | MORE THAN ONE PLACE | | 59 | 0.28 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AH3_P1 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: KIND OF PLACE FOR USUAL SOURCE OF HEALTH CARE (PUF 1 YR RECODE)

| VALUE: | | | FREQ | % |
|--------|--------------------------------------|--|-------|-------|
| -1 | INAPPLICABLE | | 1975 | 9.53 |
| 1 | DOCTOR'S OFFICE/KAISER/HMO | | 13681 | 66.02 |
| 2 | CLINIC/HEALTH CENTER/HOSPITAL CLINIC | | 4725 | 22.80 |
| 3 | EMERGENCY ROOM | | 169 | 0.82 |
| 4 | OTHER/NO ONE PLACE | | 174 | 0.84 |

UNIVERSE: ALL ADULTS WHO HAVE USUAL SOURCE OF HEALTH INSURANCE/ CARE

INPUT VAR: AH3

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: USOC QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: USUAL SOURCE OF CARE OTHER THAN ER

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 18586 | 89.68 |
| 2 | NO | | 2138 | 10.32 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: USUAL QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: HAVE USUAL PLACE TO GO TO WHEN SICK OR NEEDING HEALTH ADVICE

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 18749 | 90.47 |
| 2 | NO | | 1975 | 9.53 |

UNIVERSE: ALL ADULTS

INPUT VAR: AH1

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: USUAL_TP QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: USUAL SOURCE OF CARE (7 LVLS)

| VALUE: | | FREQ | % |
|--------|------------------------------|-------|-------|
| 1 | DOC OFFICE/HMO/KAISER | 14523 | 70.08 |
| 2 | COMMUN/GOV CLIN, COMMUN HOSP | 3899 | 18.81 |
| 3 | EMERGENCY ROOM | 163 | 0.79 |
| 5 | SOME OTHER PLACE | 117 | 0.56 |
| 6 | NO ONE PARTICULAR PLACE | 47 | 0.23 |
| 7 | NO USUAL SOURCE OF CARE | 1975 | 9.53 |

UNIVERSE: ALL ADULTS

INPUT VAR: AH1 AH3

NOTES:

VARNAME: USUAL5TP QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: USUAL SOURCE OF CARE (5 LVLS)

| VALUE: | | FREQ | % |
|--------|------------------------------|-------|-------|
| 1 | DOC OFFICE/HMO/KAISER | 14523 | 70.08 |
| 2 | COMMUN/GOV CLIN, COMMUN HOSP | 3899 | 18.81 |
| 3 | EMERGENCY ROOM/URGENT CARE | 163 | 0.79 |
| 4 | OTHER PLACE/NO ONE PLACE | 164 | 0.79 |
| 5 | NO USUAL SOURCE OF CARE | 1975 | 9.53 |

UNIVERSE: ALL ADULTS

INPUT VAR: USUAL_TP

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH6

QNAME13: QA13_J2

QNAME11: QA11_J2

QNAME09: QA09_J2

LABEL: HOW LONG SINCE LAST SAW DOCTOR ABOUT OWN HEALTH

| VALUE: | | | FREQ | % |
|--------|---------------------|--|-------|-------|
| -1 | INAPPLICABLE | | 17844 | 86.10 |
| 0 | WITHIN THE PAST YR | | 503 | 2.43 |
| 1 | 1 TO 2 YRS AGO | | 1193 | 5.76 |
| 2 | 2 TO 5 YRS AGO | | 719 | 3.47 |
| 3 | MORE THAN 5 YRS AGO | | 408 | 1.97 |
| 4 | NEVER | | 57 | 0.28 |

UNIVERSE: ADULT RESPONDENT WHO HAVE NOT SEEN A DOC IN LAST 12 MOS OR REF/DK

INPUT VAR:

NOTES:

VARNAME: ACMDNUM

QNAME13: NA

QNAME11: NA

QNAME09: NA

LABEL: # OF DOCTOR VISITS PAST YEAR

| VALUE: | | | FREQ | % |
|--------|-------------|--|------|-------|
| 0 | 0 TIME | | 2880 | 13.90 |
| 1 | 1 TIMES | | 3568 | 17.22 |
| 2 | 2 TIMES | | 3484 | 16.81 |
| 3 | 3 TIMES | | 2377 | 11.47 |
| 4 | 4 TIMES | | 2265 | 10.93 |
| 5 | 5 TIMES | | 1197 | 5.78 |
| 6 | 6 TIMES | | 1294 | 6.24 |
| 7 | 7-8 TIMES | | 842 | 4.06 |
| 8 | 9-12 TIMES | | 1555 | 7.50 |
| 9 | 13-24 TIMES | | 780 | 3.76 |
| 10 | 25+ TIMES | | 482 | 2.33 |

UNIVERSE: ALL ADULTS

INPUT VAR: AH5

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: DOCT_YR QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: VISITED DOCTOR IN PAST 12 MOS

| | | | | |
|--------|---|-----|-------|-------|
| VALUE: | 1 | YES | FREQ | % |
| | 2 | NO | 17844 | 86.10 |
| | | | 2880 | 13.90 |

UNIVERSE: ALL ADULTS

INPUT VAR: AH5

NOTES:

VARNAME: DSTRS_P1 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: SERIOUS PSYCHOLOGICAL DISTRESS (PUF 1 YR RECODE)

| | |
|-----------------|-------|
| MEAN STATISTICS | |
| N | 20590 |
| MIN | 0 |
| MAX | 21 |
| MEAN | 3.16 |

UNIVERSE: ALL ADULTS

INPUT VAR: AJ29 AJ30 AJ31 AJ32 AJ33 AJ34

NOTES: BASED ON KESSLER (K6) SCALE; PREVALENCE CALC USING UNADJUSTED
DATA; TOPCODE = 21

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ77 QNAME13: QA13_J4
QNAME11: QA11_J3 QNAME09: QA09_J3

LABEL: HAVE PERSONAL DOCTOR AS MAIN MEDICAL PROVIDER

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 1975 | 9.53 |
| 1 | YES | | 16810 | 81.11 |
| 2 | NO | | 1939 | 9.36 |

UNIVERSE: ADULT WHO USUALLY HAVE A PLACE TO GO WHEN SICK OR NEED ADVICE ABOUT HEALTH

INPUT VAR:

NOTES:

VARNAME: AJ78 QNAME13: QA13_J5
QNAME11: QA11_J4 QNAME09: QA09_J4

LABEL: CONTACT DOC'S OFFICE WITH MEDICAL QUESTION PAST 12 MOS

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 1453 | 7.01 |
| 1 | YES | | 6364 | 30.71 |
| 2 | NO | | 12907 | 62.28 |

UNIVERSE: ALL ADULTS WHO HAVE A PERSONAL DOCTOR OR HAD A DOCTOR VISIT IN PAST 12 MOS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ79 QNAME13: QA13_J6
QNAME11: QA11_J5 QNAME09: QA09_J5

LABEL: HOW OFTEN GOT RESPONSE FROM DOC'S OFFICE

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 14360 | 69.29 |
| 1 | NEVER | | 164 | 0.79 |
| 2 | SOMETIMES | | 465 | 2.24 |
| 3 | USUALLY | | 1241 | 5.99 |
| 4 | ALWAYS | | 4494 | 21.69 |

UNIVERSE: ALL ADULTS WHO HAVE A PERSONAL DOCTOR OR HAD A DOCTOR VISIT IN
PAST 12 MOS AND CONTACTED DOC OFFICE WITH A MEDICAL QUESTION

INPUT VAR:

NOTES:

VARNAME: AJ80 QNAME13: QA13_J11
QNAME11: QA11_J11 QNAME09: QA09_J6

LABEL: DOC'S OFFICE HELP COORDINATE CARE W/ OTHER MED SVCS

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 15893 | 76.69 |
| 1 | YES | | 3362 | 16.22 |
| 2 | NO | | 1469 | 7.09 |

UNIVERSE: ALL ADULTS WHO HAVE USUAL SOURCE OF CARE AND HAS PERSONAL DR AND
HAVE ASTHMA OR DIABETES OR HEART DISEASE

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ50_P

QNAME13: NA

QNAME11: NA

QNAME09: NA

LABEL: LANGUAGE DOCTOR SPEAKS TO R (PUF RECODE)

| VALUE: | | | FREQ | % |
|--------|---------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 134 | 0.65 |
| -1 | INAPPLICABLE | | 15610 | 75.32 |
| 1 | ENGLISH | | 3608 | 17.41 |
| 2 | SPANISH | | 1040 | 5.02 |
| 3 | VIETNAMESE | | 50 | 0.24 |
| 4 | KOREAN | | 101 | 0.49 |
| 5 | CANTONESE | | 39 | 0.19 |
| 6 | MANDARIN | | 76 | 0.37 |
| 7 | OTHER | | 66 | 0.32 |

UNIVERSE: ALL ADULTS WHO DID NOT HAVE HAD HARD TIME UNDERSTANDING MD AT LAST
APPT AND SPEAK LANG OTHER THAN ENGLISH AT HOME

INPUT VAR: AJ50

NOTES:

VARNAME: AJ9

QNAME13: QA13_J14

QNAME11: QA11_J14

QNAME09: QA09_J9

LABEL: MD SPOKE DIFFERENT LANGUAGE REASON WHY DIFFICULT TO UNDERSTAND

| VALUE: | | | FREQ | % |
|--------|---------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 134 | 0.65 |
| -1 | INAPPLICABLE | | 19978 | 96.40 |
| 1 | YES | | 349 | 1.68 |
| 2 | NO | | 263 | 1.27 |

UNIVERSE: ALL ADULTS WHO HAVE SEEN A DOCTOR IN THE PAST 2 YEARS AND HAD A
HARD TIME UNDERSTANDING DOCTOR

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ10 QNAME13: QA13_J15

 QNAME11: QA11_J15 QNAME09: QA09_J10

LABEL: NEEDED SOMEONE ELSE TO HELP UNDERSTAND DOCTOR

| | | | | |
|--------|----|---------------|-------|-------|
| VALUE: | -2 | PROXY SKIPPED | FREQ | % |
| | -1 | INAPPLICABLE | 134 | 0.65 |
| | 1 | YES | 16370 | 78.99 |
| | 2 | NO | 509 | 2.46 |
| | | | 3711 | 17.91 |

UNIVERSE: ALL ADULTS WHO HAVE SEEN A DOCTOR IN THE PAST 2 YEARS AND DIDN'T
 HAVE HARD TIME UNDERSTANDING DOCTOR SPEAKING TO THEM IN ENGLISH

INPUT VAR:

NOTES:

VARNAME: AJ11 QNAME13: QA13_J16

 QNAME11: QA11_J16 QNAME09: QA09_J11

LABEL: WHO HELPED YOU UNDERSTAND DOCTOR

| | | | | |
|--------|----|--|-------|-------|
| VALUE: | -2 | PROXY SKIPPED | FREQ | % |
| | -1 | INAPPLICABLE | 134 | 0.65 |
| | 1 | MINOR CHILD (UNDER AGE 18) | 20081 | 96.90 |
| | 2 | AN ADULT FAMILY MEMBER OR FRIEND OF MINE | 7 | 0.03 |
| | 3 | NON-MEDICAL OFFICE STAFF | 142 | 0.69 |
| | 4 | MEDICAL STAFF INCLUDING NURSES / DOCTORS | 29 | 0.14 |
| | 5 | PROFESSIONAL INTERPRETER (BOTH IN PERSON | 253 | 1.22 |
| | 6 | OTHER (PATIENTS, SOMEONE ELSE) | 48 | 0.23 |
| | 7 | DID NOT HAVE SOMEONE TO HELP | 10 | 0.05 |
| | | | 20 | 0.10 |

UNIVERSE: ALL ADULTS WHO HAVE SEEN A DOCTOR IN THE PAST 2 YEARS AND HAD A
 HARD TIME UNDERSTANDING THE DOCTOR ON LAST VISIT AND NEEDED
 SOMEONE ELSE'S HELP TO UNDERSTAND

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH16 QNAME13: QA13_J20
QNAME11: QA11_J20 QNAME09: QA09_J12
LABEL: DELAY/NOT GET PRESCRIPTION IN PAST 12 MO
VALUE: 1 YES
2 NO
UNIVERSE: ALL ADULTS
INPUT VAR:
NOTES:

VARNAME: AJ19 QNAME13: QA13_J21
QNAME11: QA11_J21 QNAME09: QA09_J13
LABEL: COST/NO INSUR DELAYED GETTING PRESCRIPTION
VALUE: -1 INAPPLICABLE
1 YES
2 NO
UNIVERSE: ALL ADULTS WHO DELAYED/DID NOT GET TRTMENT MD PRESCRIBED IN LAST 12 MOS
INPUT VAR:
NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

```

VARNAME:      AJ81                                QNAME13:    QA13_J22

                                           QNAME11:    QA11_J22           QNAME09:    QA09_J14

LABEL:        DELAYED PRESCRIPTION FOR ASTHMA

                                           FREQ        %
VALUE:        -1          INAPPLICABLE          20534      99.08
              1           YES                   68        0.33
              2           NO                    122        0.59

UNIVERSE:     ALL ADULTS WITH ASTHMA WHO CITED COST/ LACK OF INSURANCE AS REASON
              FOR DELAY IN GETTING PRESCRIBED MEDICINE

INPUT VAR:

NOTES:

```

| | | | | |
|------------|---|----------|----------|-------------------|
| VARNAME: | AH22 | QNAME13: | QA13_J25 | |
| | | QNAME11: | QA11_J25 | QNAME09: QA09_J17 |
| LABEL: | DELAY/NOT GET OTHER MEDICAL CARE IN PAST 12 MOS | | | |
| | | | FREQ | % |
| VALUE: | 1 | YES | 2797 | 13.50 |
| | 2 | NO | 17927 | 86.50 |
| UNIVERSE: | ALL ADULTS | | | |
| INPUT VAR: | | | | |
| NOTES: | | | | |

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

| | | | | |
|------------|---|--------------|----------|-------------------|
| VARNAME: | AJ20 | QNAME13: | QA13_J27 | |
| | | QNAME11: | QA11_J26 | QNAME09: QA09_J18 |
| LABEL: | COST/NO INSR DELAYED GETTING NEEDED CARE | | | |
| | | | FREQ | % |
| VALUE: | -1 | INAPPLICABLE | 17927 | 86.50 |
| | 1 | YES | 1421 | 6.86 |
| | 2 | NO | 1376 | 6.64 |
| UNIVERSE: | ALL ADULTS WHO DELAYED/DID NOT GET NEEDED MEDICAL CARE IN LAST 12 MOS | | | |
| INPUT VAR: | | | | |
| NOTES: | | | | |

```

VARNAM:      AJ102                                QNAME13:   QA13_J9

                                           QNAME11:   QA11_J8           QNAME09:   NA

LABEL:      SOUGHT APPNT W/DOC IN 2 DAYS PAST YR

                                           FREQ      %
VALUE:      -1          INAPPLICABLE          855      4.13
            1           YES                   6361     30.69
            2           NO                    13508    65.18

UNIVERSE:   ALL ADULTS WHO ARE INSURED/ HAVE USUAL SOURCE OF CARE

INPUT VAR:

NOTES:

```


2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ103 QNAME13: QA13_J10
QNAME11: QA11_J9 QNAME09: NA

LABEL: HOW OFTEN GET APPNT IN 2 DAYS

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 14363 | 69.31 |
| 1 | NEVER | | 483 | 2.33 |
| 2 | SOMETIMES | | 804 | 3.88 |
| 3 | USUALLY | | 1452 | 7.01 |
| 4 | ALWAYS | | 3622 | 17.48 |

UNIVERSE: ALL ADULTS WHO ARE INSURED/ HAVE USUAL SOURCE OF CARE AND WHO
TRIED TO GET A DOC APPT. WITH/IN TWO DAYS

INPUT VAR:

NOTES:

VARNAME: AJ105 QNAME13: QA13_J17
QNAME11: QA11_J17 QNAME09: NA

LABEL: KNOW RIGHTS TO INTERPRETOR DURING MED VISIT

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 18935 | 91.37 |
| 1 | YES | | 1171 | 5.65 |
| 2 | NO | | 618 | 2.98 |

UNIVERSE: ALL ADULTS WHO SPEAK ENGLISH NOT WELL OR NOT AT ALL

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ106 QNAME13: QA13_J18

QNAME11: QA11_J18 QNAME09: NA

LABEL: USUAL PLACE FOR HLTH CARE CHANGED PAST YR

VALUE: -1 INAPPLICABLE FREQ %

 1 YES 2934 14.16

 2 NO 1569 7.57

 16221 78.27

UNIVERSE: ALL ADULTS WHO ARE INSURED/ HAD INSURANCE AT ANY TIME DURING THE
PAST 12 MOS AND HAVE A USUAL SOURCE OF CARE

INPUT VAR:

NOTES:

VARNAME: AJ107 QNAME13: QA13_J19

QNAME11: QA11_J19 QNAME09: NA

LABEL: CHANGE USUAL PLACE DUE TO INSURANCE PLAN

VALUE: -1 INAPPLICABLE FREQ %

 1 YES 19155 92.43

 2 NO 457 2.21

 1112 5.37

UNIVERSE: ALL ADULTS WHO ARE INSURED/ HAD INSURANCE AT ANY TIME DURING THE
PAST 12 MOS AND HAVE A USUAL SOURCE OF CARE AND CHANGED PLACE OF
HEALTH CARE

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ108 QNAME13: QA13_J41

 QNAME11: QA11_J30 QNAME09: NA

LABEL: EVER USED INTERNET

| | | | | |
|--------|----|---------------|-------|-------|
| VALUE: | -2 | PROXY SKIPPED | FREQ | % |
| | 1 | YES | 134 | 0.65 |
| | 2 | NO | 16409 | 79.18 |
| | | | 4181 | 20.17 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AJ110 QNAME13: QA13_J42

 QNAME11: QA11_J32 QNAME09: NA

LABEL: CONFIDENCE TO COMPLETE APPL ONLINE ON OWN

| | | | | |
|--------|----|----------------------|-------|-------|
| VALUE: | -2 | PROXY SKIPPED | FREQ | % |
| | -1 | INAPPLICABLE | 134 | 0.65 |
| | 1 | VERY CONFIDENT | 4181 | 20.17 |
| | 2 | SOMEWHAT CONFIDENT | 11746 | 56.68 |
| | 3 | NOT TOO CONFIDENT | 3070 | 14.81 |
| | 4 | NOT AT ALL CONFIDENT | 1040 | 5.02 |
| | | | 553 | 2.67 |

UNIVERSE: ALL ADULTS WHO EVER USED INTERNET

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ111 QNAME13: QA13_J43
QNAME11: QA11_J33 QNAME09: NA

LABEL: SOMEONE TO HELP FILL OUT APPL ONLINE

| VALUE: | | | FREQ | % |
|--------|---------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 134 | 0.65 |
| -1 | INAPPLICABLE | | 14816 | 71.49 |
| 1 | YES | | 4357 | 21.02 |
| 2 | NO | | 1417 | 6.84 |

UNIVERSE: ALL ADULTS WHO ARE NOT VERY CONFIDENT/NOT SOMEWHAT CONFIDENT WHEN
FILLING OUT AN APPLICATION ON-LINE ON THEIR OWN

INPUT VAR:

NOTES:

VARNAME: AJ112 QNAME13: QA13_J7
QNAME11: QA11_J6 QNAME09: NA

LABEL: HOW OFTEN DOC LISTENS CAREFULLY

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 3914 | 18.89 |
| 1 | NEVER | | 183 | 0.88 |
| 2 | SOMETIMES | | 1094 | 5.28 |
| 3 | USUALLY | | 3424 | 16.52 |
| 4 | ALWAYS | | 12109 | 58.43 |

UNIVERSE: ALL ADULTS WHO HAVE A PERSONAL DOCTOR

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ113 QNAME13: QA13_J8

 QNAME11: QA11_J7 QNAME09: NA

LABEL: HOW OFTEN DOC CLEARLY EXPLAINS WHAT TO DO

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 3914 | 18.89 |
| 1 | NEVER | | 221 | 1.07 |
| 2 | SOMETIMES | | 1080 | 5.21 |
| 3 | USUALLY | | 3587 | 17.31 |
| 4 | ALWAYS | | 11922 | 57.53 |

UNIVERSE: ALL ADULTS WHO HAVE A PERSONAL DOCTOR

INPUT VAR:

NOTES:

VARNAME: AJ114 QNAME13: QA13_J3

 QNAME11: NA QNAME09: NA

LABEL: TIME SINCE LAST DOC VISIT FOR ROUTINE CHECK-UP

| VALUE: | | | FREQ | % |
|--------|-------------------------------|--|-------|-------|
| -1 | INAPPLICABLE | | 57 | 0.28 |
| 0 | ONE YEAR AGO OR LESS | | 15743 | 75.97 |
| 1 | MORE THAN 1 UP TO 2 YEARS AGO | | 2455 | 11.85 |
| 2 | MORE THAN 2 UP TO 5 YEARS AGO | | 1224 | 5.91 |
| 3 | MORE THAN 5 YEARS AGO | | 818 | 3.95 |
| 4 | NEVER | | 427 | 2.06 |

UNIVERSE: ADULTS EVER SEEN DOCTOR FOR OWN HEALTH

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ129

QNAME13: QA13_J26

QNAME11: NA

QNAME09: NA

LABEL: EVENTUALLY RECEIVED MED CARE THAT WAS DELAYED

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 17927 | 86.50 |
| 1 | YES | | 1079 | 5.21 |
| 2 | NO | | 1718 | 8.29 |

UNIVERSE: ADULTS WHO DELAYED/DID NOT GET OTHER NEEDED MEDICAL CARE IN PAST YR

INPUT VAR:

NOTES:

VARNAME: AJ131_P1

QNAME13: NA

QNAME11: NA

QNAME09: NA

LABEL: MAIN REASON FOR DELAYING NEEDED CARE (PUF 1 YR RECODE)

| VALUE: | | | FREQ | % |
|--------|--|--|-------|-------|
| -1 | INAPPLICABLE | | 19272 | 92.99 |
| 1 | COULDN'T GET APPOINTMENT | | 196 | 0.95 |
| 2 | INSURANCE NOT ACCEPTED/DID NOT COVER OR | | 90 | 0.43 |
| 5 | TRANSPORTATION PROBLEMS | | 67 | 0.32 |
| 6 | HOURS NOT CONVENIENT | | 85 | 0.41 |
| 9 | I DIDN'T HAVE TIME | | 345 | 1.66 |
| 12 | DID NOT THINK SERIOUS ENOUGH/NEEDED | | 159 | 0.77 |
| 13 | NOT SATISFIED WITH HEALTH CARE RECEIVED | | 88 | 0.42 |
| 14 | OTHER REASON | | 261 | 1.26 |
| 15 | ANXIETY, FEAR, OR AVOIDANCE OF MEDICAL C | | 161 | 0.78 |

UNIVERSE: ADULTS WHO DELAYED/DID NOT GET OTHER NEEDED MEDICAL CARE IN PAST YR DUE TO OTHER REASON (NOT DUE TO COST/LACK OF INSURANCE)

INPUT VAR: AJ131

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ133 QNAME13: QA13_J37
QNAME11: NA QNAME09: NA

LABEL: HAD TROUBLE FINDING GENERAL DOC PAST 12 MOS

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 557 | 2.69 |
| 2 | NO | | 20167 | 97.31 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AJ134 QNAME13: QA13_J38
QNAME11: NA QNAME09: NA

LABEL: NOT ACCEPTED AS NEW PATIENT BY DOC PAST YR

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 593 | 2.86 |
| 2 | NO | | 20131 | 97.14 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AJ135 QNAME13: QA13_J39
QNAME11: NA QNAME09: NA

LABEL: INSURANCE NOT ACCEPTED BY DOC PAST YR

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 2069 | 9.98 |
| 1 | YES | | 684 | 3.30 |
| 2 | NO | | 17971 | 86.72 |

UNIVERSE: CURRENTLY INSURED ADULTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ136 QNAME13: QA13_J33
QNAME11: NA QNAME09: NA
LABEL: NEEDED TO SEE MED SPECIALIST PAST YR
VALUE: 1 YES
2 NO
UNIVERSE: ALL ADULTS
INPUT VAR:
NOTES:

VARNAME: AJ137 QNAME13: QA13_J34
QNAME11: NA QNAME09: NA
LABEL: HAD TROUBLE FINDING SPECIALTY DR PAST 12 MOS
VALUE: -1 INAPPLICABLE
1 YES
2 NO
UNIVERSE: ADULTS NEEDING TO SEE MEDICAL SPECIALIST
INPUT VAR:
NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ138

QNAME13: QA13_J35

QNAME11: NA

QNAME09: NA

LABEL: NOT ACCEPTED AS NEW PATIENT BY SPECIALIST PAST YR

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 10883 | 52.51 |
| 1 | YES | | 441 | 2.13 |
| 2 | NO | | 9400 | 45.36 |

UNIVERSE: ADULTS NEEDING TO SEE MEDICAL SPECIALIST

INPUT VAR:

NOTES:

VARNAME: AJ139

QNAME13: QA13_J36

QNAME11: NA

QNAME09: NA

LABEL: INSURANCE NOT ACCEPTED BY SPECIALIST PAST YR

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 11334 | 54.69 |
| 1 | YES | | 692 | 3.34 |
| 2 | NO | | 8698 | 41.97 |

UNIVERSE: INSURED ADULTS NEEDING TO SEE MEDICAL SPECIALIST

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH12

QNAME13: QA13_H3

QNAME11: QA11_H3

QNAME09: QA09_H3

LABEL: VISITED EMERGENCY ROOM FOR OWN HEALTH IN PAST 12 MOS

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 604 | 2.91 |
| 1 | YES | | 3629 | 17.51 |
| 2 | NO | | 16491 | 79.57 |

UNIVERSE: ALL ADULTS WHO DID NOT VISIT ER FOR ASTHMA/ DIABETES/ HEART DISEASE IN LAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: ER

QNAME13: NA

QNAME11: NA

QNAME09: NA

LABEL: ER VISIT WITHIN THE PAST YEAR

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 4233 | 20.43 |
| 2 | NO | | 16491 | 79.57 |

UNIVERSE: ALL ADULTS WHO VISITED ER FOR OWN HEALTH OR VISITED DUE TO ASTHMA

INPUT VAR: AH12 AH13A AB67 AB109 AB115

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AG1 QNAME13: QA13_J51
QNAME11: NA QNAME09: NA

LABEL: TIME SINCE LAST VISIT TO DENTIST/SPECIALIST

| VALUE: | | | FREQ | % |
|--------|-------------------------------------|--|-------|-------|
| 0 | HAS NEVER VISITED | | 224 | 1.08 |
| 1 | 6 MONTHS AGO OR LESS | | 12456 | 60.10 |
| 2 | MORE THAN 6 MONTHS UP TO 1 YEAR AGO | | 2804 | 13.53 |
| 3 | MORE THAN 1 YEAR UP TO 2 YEARS AGO | | 1763 | 8.51 |
| 4 | MORE THAN 2 YEARS UP TO 5 YEARS AGO | | 1842 | 8.89 |
| 5 | MORE THAN 5 YEARS AGO | | 1635 | 7.89 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AG3 QNAME13: QA13_J52
QNAME11: NA QNAME09: NA

LABEL: HAVE ANY KIND OF DENTAL INSURANCE

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 11186 | 53.98 |
| 2 | NO | | 9538 | 46.02 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: CARE_PV QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: HAD A PREVENTIVE CARE VISIT IN PAST YEAR

| | | | | |
|--------|---|-----|-------|-------|
| VALUE: | 1 | YES | FREQ | % |
| | 2 | NO | 15743 | 75.97 |
| | | | 4981 | 24.03 |

UNIVERSE: ALL ADULTS

INPUT VAR: AJ114

NOTES:

VARNAME: FORGO QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: HAD TO FORGO NECESSARY CARE

| | | | | |
|--------|---|-----|-------|-------|
| VALUE: | 1 | YES | FREQ | % |
| | 2 | NO | 1718 | 8.29 |
| | | | 19006 | 91.71 |

UNIVERSE: ALL ADULTS

INPUT VAR: AH22 AJ129

NOTES:

VARNAME: PC_INS QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: PRIMARY CARE: HAVE DIFFICULTY FINDING A PROVIDER THAT ACCEPTS THEIR INSURANCE

| | | | | |
|--------|----|--------------|-------|-------|
| VALUE: | -1 | INAPPLICABLE | FREQ | % |
| | 1 | YES | 2069 | 9.98 |
| | 2 | NO | 684 | 3.30 |
| | | | 17971 | 86.72 |

UNIVERSE: CURRENTLY INSURED ADULTS

INPUT VAR: AJ135

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: PC_NEWP QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: PRIMARY CARE: HAVE DIFFICULTY FINDING A PROVIDER THAT ACCEPTS NEW PATIENTS

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 593 | 2.86 |
| 2 | NO | | 20131 | 97.14 |

UNIVERSE: ALL ADULTS

INPUT VAR: AJ134

NOTES:

VARNAME: RN_FORGO QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: REASONS FORGONE NECESSARY CARE

| VALUE: | | | FREQ | % |
|--------|--------------------------|--|-------|-------|
| -1 | INAPPLICABLE | | 17927 | 86.50 |
| 1 | COST | | 1371 | 6.62 |
| 2 | COULDN'T GET APPOINTMENT | | 196 | 0.95 |
| 3 | DIDN'T HAVE TIME | | 429 | 2.07 |
| 4 | OTHERS | | 801 | 3.87 |

UNIVERSE: ADULTS WHO DID NOT GET NEEDED MEDICAL CARE

INPUT VAR: AJ20 AJ130

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: SC_INS QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: SPECIALTY CARE: HAVE DIFFICULTY FINDING A PROVIDER THAT ACCEPTS THEIR INSURANCE

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 11334 | 54.69 |
| 1 | YES | | 692 | 3.34 |
| 2 | NO | | 8698 | 41.97 |

UNIVERSE: INSURED ADULTS NEEDING SPECIALTY CARE

INPUT VAR: AJ139

NOTES:

VARNAME: SC_NEWP QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: SPECIALTY CARE: HAVE DIFFICULTY FINDING A PROVIDER THAT ACCEPTS NEW PATIENTS

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 10883 | 52.51 |
| 1 | YES | | 441 | 2.13 |
| 2 | NO | | 9400 | 45.36 |

UNIVERSE: ADULTS NEEDING SPECIALTY CARE

INPUT VAR: AJ138

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: TIMAPPT QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: ABLE TO GET AN APPOINTMENT IN A TIMELY WAY

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 14363 | 69.31 |
| 1 | YES | | 5878 | 28.36 |
| 2 | NO | | 483 | 2.33 |

UNIVERSE: INSURED ADULTS/ADULTS WITH USUAL SOURCE OF CARE WHO NEEDED DR.
APPT WITHIN 2 DAYS IN PAST YEAR

INPUT VAR: AJ102 AJ103

NOTES:

Section K: Employment, Income, Poverty Status & Food Security

VARNAME: AK1 QNAME13: QA13_G25

QNAME11: QA11_G26 QNAME09: QA09_G22

LABEL: WORK STATUS LAST WEEK

| VALUE: | | | FREQ | % |
|--------|-------------------------------------|--|-------|-------|
| 1 | WORKING AT A JOB/BUSINESS | | 8951 | 43.19 |
| 2 | WITH A JOB/BUSINESS BUT NOT AT WORK | | 434 | 2.09 |
| 3 | LOOKING FOR WORK | | 936 | 4.52 |
| 4 | NOT WORKING JOB/BUSINESS (UNEMP) | | 10403 | 50.20 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AK2_P1

QNAME13: NA

QNAME11: NA

QNAME09: NA

LABEL: MAIN REASON FOR NOT WORKING LAST WEEK (PUF 1 YR RECODE)

| VALUE: | | FREQ | % |
|--------|--------------------------------|------|-------|
| -1 | INAPPLICABLE | 8951 | 43.19 |
| 1 | TAKING CARE OF HOUSE OR FAMILY | 857 | 4.14 |
| 2 | ON PLANNED VACATION | 309 | 1.49 |
| 3 | COULDN'T FIND A JOB | 879 | 4.24 |
| 4 | GOING TO SCHOOL/STUDENT | 365 | 1.76 |
| 5 | RETIRED | 6701 | 32.33 |
| 6 | PHYSICAL DISABILITY | 1293 | 6.24 |
| 7 | UNABLE TO WORK TEMPORARILY | 92 | 0.44 |
| 8 | ON LAYOFF OR STRIKE | 140 | 0.68 |
| 10 | OFF SEASON | 104 | 0.50 |
| 11 | SICK | 181 | 0.87 |
| 91 | OTHER | 852 | 4.11 |

UNIVERSE: ALL ADULTS WITH A JOB BUT NOT AT WORK LAST WEEK, LOOKING FOR WORK,
OR NOT WORKING AT A JOB LAST WEEK

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AK4 QNAME13: QA13_G29
QNAME11: QA11_G30 QNAME09: QA09_G27

LABEL: TYPE OF EMPLOYER AT MAIN JOB

| VALUE: | | FREQ | % |
|--------|---------------------------------|-------|-------|
| -1 | INAPPLICABLE | 10724 | 51.75 |
| 1 | PRIVATE COMPANY, NON-PROFIT ORG | 5680 | 27.41 |
| 2 | GOVERNMENT | 2057 | 9.93 |
| 3 | SELF-EMPLOYED | 2076 | 10.02 |
| 4 | FAMILY BUSINESS OR FARM | 187 | 0.90 |

UNIVERSE: ALL ADULTS WITH A JOB OR WHO USUALLY WORK (EXCLUDING THOSE WHO ARE LESS THAN 65 AND DISABLED OR RETIRED LAST WEEK)

INPUT VAR:

NOTES:

VARNAME: AK7_P1 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: LENGTH OF TIME WORKING AT MAIN JOB (PUF 1 YR RECODE)

| MEAN STATISTICS | |
|-----------------|--------|
| N | 10037 |
| MIN | 0 |
| MAX | 456 |
| MEAN | 136.64 |

UNIVERSE: ALL ADULTS WHO CURRENTLY/USUALLY WORK

INPUT VAR:

NOTES: TOPCODE = 456

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AKWKLNG

QNAME13: NA

QNAME11: NA

QNAME09: NA

LABEL: TIME AT MAIN JOB

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 10687 | 51.57 |
| 0 | <1 YEAR | | 751 | 3.62 |
| 1 | 1 YEAR | | 1036 | 5.00 |
| 2 | 2 YEARS | | 780 | 3.76 |
| 3 | 3 YEARS | | 570 | 2.75 |
| 4 | 4 YEARS | | 386 | 1.86 |
| 5 | 5 YEARS | | 532 | 2.57 |
| 6 | 6-9 YEARS | | 1367 | 6.60 |
| 7 | 10-14 YEARS | | 1448 | 6.99 |
| 8 | 15-19 YEARS | | 862 | 4.16 |
| 9 | 20-29 YEARS | | 1307 | 6.31 |
| 10 | 30+ YEARS | | 998 | 4.82 |

UNIVERSE: ALL ADULTS EXCEPT FOR (THOSE WHO ARE LOOKING FOR WORK OR NOT
WORKING LAST WEEK) OR (THOSE WHO USUALLY WORK ZERO HOURS)

INPUT VAR: AK7 AK7UNT

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AK8 QNAME13: QA13_K3
QNAME11: QA11_K3 QNAME09: QA09_K3

LABEL: # PEOPLE WORKING FOR EMPLOYER/YOU

| VALUE: | | | FREQ | % |
|--------|---------------|--|-------|-------|
| -1 | INAPPLICABLE | | 10687 | 51.57 |
| 1 | 1 OR 2 | | 1912 | 9.23 |
| 2 | 3 - 9 | | 929 | 4.48 |
| 3 | 10 - 24 | | 790 | 3.81 |
| 4 | 25 - 50 | | 680 | 3.28 |
| 5 | 51 - 100 | | 477 | 2.30 |
| 6 | 101 - 200 | | 428 | 2.07 |
| 7 | 201 - 999 | | 697 | 3.36 |
| 8 | 1,000 OR MORE | | 4124 | 19.90 |

UNIVERSE: ALL ADULTS WHO CURRENTLY/USUALLY WORK AND ARE NOT GOV. EMPLOYEE

INPUT VAR:

NOTES: CATEGORY CHANGE IN CHIS 2011-2012

VARNAME: AK10_P QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: RESPONDENT'S EARNINGS LAST MONTH (PUF RECODE)

| MEAN STATISTICS | |
|-----------------|---------|
| N | 10037 |
| MIN | 0 |
| MAX | 30000 |
| MEAN | 4751.97 |

UNIVERSE: ALL ADULTS WHO CURRENTLY/USUALLY WORK

INPUT VAR: AK10

NOTES: TOPCODE=30,000

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AK10A_P QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: SPOUSE'S EARNINGS LAST MONTH (PUF RECODE)

MEAN STATISTICS

| | |
|------|---------|
| N | 5521 |
| MIN | 0 |
| MAX | 30000 |
| MEAN | 5329.41 |

UNIVERSE: ALL ADULTS WHOSE SPOUSE WORKS MORE THAN 0 HOURS PER WEEK

INPUT VAR: AK10A

NOTES: TOPCODE=30,000

VARNAME: AK22_P QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: HOUSEHOLD'S TOTAL ANNUAL INC (PUF RECODE)

MEAN STATISTICS

| | |
|------|----------|
| N | 20724 |
| MIN | 0 |
| MAX | 300000 |
| MEAN | 71769.18 |

UNIVERSE: ALL ADULTS

INPUT VAR: AK22

NOTES: TOPCODE=300,000

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AK32 QNAME13: QA13_K17

QNAME11: NA QNAME09: NA

LABEL: HH INCOME SUPPORTS SOMEONE LIVING IN U.S. BUT NOT LIVING IN HH

| | | | | |
|--------|---|-----|-------|-------|
| VALUE: | 1 | YES | FREQ | % |
| | 2 | NO | 1949 | 9.40 |
| | | | 18775 | 90.60 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AK33_P1 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: # OF PERSONS SUPPORTED BY HH INCOME NOT IN HH (PUF 1 YR RECODE)

| | |
|-----------------|------|
| MEAN STATISTICS | |
| N | 1949 |
| MIN | 0 |
| MAX | 3 |
| MEAN | 1.45 |

UNIVERSE: ALL ADULTS WHOSE HH INCOME SUPPORTS SOMEONE IN U.S. BUT NOT IN HOUSEHOLD

INPUT VAR: AK33

NOTES: TOPCODE = 3

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AM1 QNAME13: QA13_K25
QNAME11: QA11_K23 QNAME09: QA09_K21

LABEL: HOW OFTEN FOOD DIDN'T LAST, COULDN'T AFFORD MORE, PAST 12 MOS

| VALUE: | | FREQ | % |
|--------|----------------|-------|-------|
| -2 | PROXY SKIPPED | 134 | 0.65 |
| -1 | INAPPLICABLE | 12604 | 60.82 |
| 1 | OFTEN TRUE | 623 | 3.01 |
| 2 | SOMETIMES TRUE | 1969 | 9.50 |
| 3 | NEVER TRUE | 5394 | 26.03 |

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS 200% FPL OR LESS
OR NOT KNOWN

INPUT VAR:

NOTES: PROXIES WERE NOT ASKED QUESTION IN 2001 AND 2003

VARNAME: AM2 QNAME13: QA13_K26
QNAME11: QA11_K24 QNAME09: QA09_K22

LABEL: HOW OFTEN COULDN'T AFFORD TO EAT BALANCED MEALS

| VALUE: | | FREQ | % |
|--------|----------------|-------|-------|
| -2 | PROXY SKIPPED | 134 | 0.65 |
| -1 | INAPPLICABLE | 12604 | 60.82 |
| 1 | OFTEN TRUE | 645 | 3.11 |
| 2 | SOMETIMES TRUE | 2060 | 9.94 |
| 3 | NEVER TRUE | 5281 | 25.48 |

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS 200% FPL OR LESS
OR NOT KNOWN

INPUT VAR:

NOTES: PROXIES WERE NOT ASKED QUESTION IN 2001 AND 2003

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AM3 QNAME13: QA13_K27
QNAME11: QA11_K25 QNAME09: QA09_K23

LABEL: ALL ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 12683 | 61.20 |
| 1 | YES | | 1474 | 7.11 |
| 2 | NO | | 6567 | 31.69 |

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS 200% FPL OR LESS OR NOT KNOWN

INPUT VAR:

NOTES: PROXIES WERE NOT ASKED QUESTION IN 2001 AND 2003

VARNAME: AM3A QNAME13: QA13_K28
QNAME11: QA11_K26 QNAME09: QA09_K24

LABEL: HOW OFTEN ALL ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY

| VALUE: | | | FREQ | % |
|--------|---------------------------------|--|-------|-------|
| -1 | INAPPLICABLE | | 19250 | 92.89 |
| 1 | ALMOST EVERY MONTH | | 545 | 2.63 |
| 2 | SOME MONTHS BUT NOT EVERY MONTH | | 558 | 2.69 |
| 3 | ONLY IN 1 OR 2 MONTHS | | 371 | 1.79 |

UNIVERSE: ALL ADULTS W/ TOTAL ANNUAL HOUSEHOLD INCOME 200% FPL OR LESS OR NOT KNOWN AND SKIPPED MEALS IN PAST 12 MOS

INPUT VAR:

NOTES: PROXIES WERE NOT ASKED QUESTION IN 2001 AND 2003

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AM4 QNAME13: QA13_K29
QNAME11: QA11_K27 QNAME09: QA09_K25

LABEL: ATE LESS THAN SHOULD BECAUSE OF MONEY IN PAST 12 MOS

| VALUE: | | | FREQ | % |
|--------|---------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 134 | 0.65 |
| -1 | INAPPLICABLE | | 12604 | 60.82 |
| 1 | YES | | 1559 | 7.52 |
| 2 | NO | | 6427 | 31.01 |

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS 200% FPL OR LESS
OR NOT KNOWN

INPUT VAR:

NOTES: PROXIES WERE NOT ASKED QUESTION IN 2001 AND 2003

VARNAME: AM5 QNAME13: QA13_K30
QNAME11: QA11_K28 QNAME09: QA09_K26

LABEL: HOW OFTEN HUNGRY BUT DIDN'T EAT B/C OF MONEY IN PAST 12 MOS

| VALUE: | | | FREQ | % |
|--------|---------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 134 | 0.65 |
| -1 | INAPPLICABLE | | 12604 | 60.82 |
| 1 | YES | | 953 | 4.60 |
| 2 | NO | | 7033 | 33.94 |

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS 200% FPL OR LESS
OR NOT KNOWN

INPUT VAR:

NOTES: PROXIES WERE NOT ASKED QUESTION IN 2001 AND 2003

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: FSLEV

QNAME13: NA

QNAME11: NA

QNAME09: NA

LABEL: FOOD SECURITY STATUS LEVEL

| VALUE: | | | FREQ | % |
|--------|----------------------------|--|-------|-------|
| -1 | INAPPLICABLE - >=200% FPL | | 14509 | 70.01 |
| 1 | FOOD SECURITY | | 3930 | 18.96 |
| 2 | FOOD INSECURITY W/O HUNGER | | 1418 | 6.84 |
| 3 | FOOD INSECURITY W/ HUNGER | | 867 | 4.18 |

UNIVERSE: ALL ADULTS WHOSE POVERTY LEVEL IS LESS THAN 200% FPL (INCL PROXIES)

INPUT VAR: POVLL AM1 AM2 AM3 AM3A AM4 AM5 PROXY

NOTES: PROXIES WERE ASKED QUESTION IN ONLY 2005, BUT NOT OTHER YEARS.

VARNAME: FSLEVCB

QNAME13: NA

QNAME11: NA

QNAME09: NA

LABEL: FOOD SECURITY STATUS (2 LVLS)

| VALUE: | | | FREQ | % |
|--------|--------------------------------------|--|-------|-------|
| -1 | INAPPLICABLE - >=200% FPL | | 14509 | 70.01 |
| 1 | FOOD SECURITY | | 3930 | 18.96 |
| 2 | FOOD INSECURITY WITH/ WITHOUT HUNGER | | 2285 | 11.03 |

UNIVERSE: ADULTS WHOSE POVERTY LEVEL IS LESS THAN 200% FPL (INCL PROXIES)

INPUT VAR:

NOTES: PROXIES WERE ASKED QUESTION IN ONLY 2005, BUT NOT OTHER YEARS.

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: FPG QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: FEDERAL POVERTY GUIDELINE

| VALUE: | | | FREQ | % |
|--------|----------------|--|------|-------|
| 1 | FPG 0 TO 138 | | 4972 | 23.99 |
| 2 | FPG 139 TO 200 | | 2132 | 10.29 |
| 3 | FPG 201 TO 400 | | 5229 | 25.23 |
| 4 | FPG 400+ | | 8391 | 40.49 |

UNIVERSE: ADULTS 18-64 YEARS

INPUT VAR: POVGWD

NOTES:

VARNAME: POVLL_ACA QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: FAMILY POVERTY THRESHOLD LEVEL: ACA MAGI ELIGIBILITY (4 LVLS)

| VALUE: | | | FREQ | % |
|--------|--------------------|--|------|-------|
| 1 | 0-138% FPL | | 4296 | 20.73 |
| 2 | 139-249% FPL | | 3507 | 16.92 |
| 3 | 250-399% FPL | | 3792 | 18.30 |
| 4 | 400% FPL AND ABOVE | | 9129 | 44.05 |

UNIVERSE: ALL ADULTS

INPUT VAR: POVLL2

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: POVGWD_P QNAME13: NA
 QNAME11: NA QNAME09: NA

LABEL: FAMILY POVERTY THRESHOLD LEVEL (PUF RECODE)

MEAN STATISTICS

| | |
|------|-------|
| N | 20724 |
| MIN | 0 |
| MAX | 24 |
| MEAN | 4.49 |

UNIVERSE: ALL ADULTS

INPUT VAR: POVGWD

NOTES: TOPCODE=24

VARNAME: POVLL QNAME13: NA
 QNAME11: NA QNAME09: NA

LABEL: POVERTY LEVEL

| VALUE: | | FREQ | % |
|--------|--------------------|-------|-------|
| 1 | 0-99% FPL | 2555 | 12.33 |
| 2 | 100-199% FPL | 3706 | 17.88 |
| 3 | 200-299% FPL | 3037 | 14.65 |
| 4 | 300% FPL AND ABOVE | 11426 | 55.13 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

```

VARNAM1:      ELIGPRG3              QNAME13:   NA

                                QNAME11:   NA              QNAME09:   NA

LABEL:         MEDI-CAL (MEDICAID)/HEALTHY FAM ELIG. - UNINSURED

                                FREQ          %
VALUE:         -5             INSURED          10819        52.21
               -1             INAPPLICABLE-AGES>=65      7848        37.87
               1             MEDI-CAL (MEDICAID) ELIG.    119         0.57
               2             HEALTHY FAM ELIG.            7          0.03
               3             NOT ELIG.                   1931        9.32

UNIVERSE:      ALL ADULTS UNDER AGE 65 AND UNINSURED

INPUT VAR:

NOTES:

```

Section L: Public Program Participation

| | | | | | |
|------------|--|--------------|---------|----------|---------|
| VARNAME: | AL2 | QNAME13: | QA13_L1 | | |
| | | QNAME11: | QA11_L1 | QNAME09: | QA09_L1 |
| LABEL: | RECEIVING TANF OR CALWORKS | | | | |
| | | | | FREQ | % |
| VALUE: | -1 | INAPPLICABLE | | 10128 | 48.87 |
| | 1 | YES | | 324 | 1.56 |
| | 2 | NO | | 10272 | 49.57 |
| UNIVERSE: | ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 300% FPL OR HH POVERTY LEVEL NOT KNOWN | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AL5 QNAME13: QA13_L3
QNAME11: QA11_L3 QNAME09: QA09_L3

LABEL: RECEIVING FOOD STAMP BENEFITS

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 10128 | 48.87 |
| 1 | YES | | 1001 | 4.83 |
| 2 | NO | | 9595 | 46.30 |

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 300% FPL

INPUT VAR:

NOTES:

VARNAME: AL6 QNAME13: QA13_L5
QNAME11: QA11_L5 QNAME09: QA09_L5

LABEL: RECEIVING SSI (SUPPLEMENTAL SECURITY INCOME)

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 10128 | 48.87 |
| 1 | YES | | 1024 | 4.94 |
| 2 | NO | | 9572 | 46.19 |

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 300% FPL

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AL7 QNAME13: QA13_L6
QNAME11: QA11_L6 QNAME09: QA09_L6

LABEL: CURRENTLY ON WIC

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 20054 | 96.77 |
| 1 | YES | | 284 | 1.37 |
| 2 | NO | | 386 | 1.86 |

UNIVERSE: ADULT WOMEN WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 300% FPL AND HAS A CHILD UNDER AGE 7

INPUT VAR:

NOTES: CAUTION TRENDING WITH PRIOR YEARS DUE TO UNIVERSE CHANGES.

VARNAME: AL22 QNAME13: QA13_G28
QNAME11: QA11_G29 QNAME09: QA09_G26

LABEL: RECEIVING SOCIAL SECURITY DISABILITY INS

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 17178 | 82.89 |
| 1 | YES | | 908 | 4.38 |
| 2 | NO | | 2638 | 12.73 |

UNIVERSE: ALL ADULTS UNDER 65 WHO ARE RETIRED, DISABLED, OR DO NOT USUALLY WORK

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AL32 QNAME13: QA13_L12
QNAME11: NA QNAME09: NA

LABEL: RECD ANY WORKERS COMPENSATION LAST MO

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 10128 | 48.87 |
| 1 | YES | | 99 | 0.48 |
| 2 | NO | | 10497 | 50.65 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AL18A QNAME13: QA13_L14
QNAME11: QA11_L12 QNAME09: QA09_L12

LABEL: RECVD SOCIAL SECURITY OR PENSION LAST MONTH

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 15363 | 74.13 |
| 1 | YES | | 4145 | 20.00 |
| 2 | NO | | 1216 | 5.87 |

UNIVERSE: (ALL ADULTS 65 OR OLDER WHO ARE NOT MARRIED OR LIVING WITH PARTNER OR OVER 50 WHO ARE MARRIED AND LIVING WITH SPOUSE) AND TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 300% FPL

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

Section M: Housing & Community Involvement

VARNAME: AK23 QNAME13: QA13_M1
QNAME11: QA11_M1 QNAME09: QA09_M1

LABEL: LIVE IN HOUSE, DUPLEX, BUILDING WITH 3+ UNITS, OR MOBILE HOME

| VALUE: | | | FREQ | % |
|--------|-------------------------------|--|-------|-------|
| 1 | HOUSE | | 14975 | 72.26 |
| 2 | DUPLEX | | 819 | 3.95 |
| 3 | BUILDING WITH 3 OR MORE UNITS | | 3876 | 18.70 |
| 4 | MOBILE HOME | | 1054 | 5.09 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AK25 QNAME13: QA13_M2
QNAME11: QA11_M2 QNAME09: QA09_M2

LABEL: OWN OR RENT HOME

| VALUE: | | | FREQ | % |
|--------|-------------------|--|-------|-------|
| -8 | DON'T KNOW | | 27 | 0.13 |
| -7 | REFUSED | | 61 | 0.29 |
| 1 | OWN | | 13833 | 66.75 |
| 2 | RENT | | 5993 | 28.92 |
| 3 | OTHER ARRANGEMENT | | 810 | 3.91 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AM19 QNAME13: QA13_M7
QNAME11: QA11_M7 QNAME09: QA09_M4

LABEL: PEOPLE IN NEIGHBORHOOD WILLING TO HELP EACH OTHER

| VALUE: | | | FREQ | % |
|--------|-------------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 134 | 0.65 |
| 1 | STRONGLY AGREE | | 5375 | 25.94 |
| 2 | AGREE | | 12384 | 59.76 |
| 3 | DISAGREE | | 2298 | 11.09 |
| 4 | STRONGLY DISAGREE | | 533 | 2.57 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: IF CHILD INTERVIEW DONE FIRST, THEN ADULTS NOT ASKED THIS QUESTION

VARNAME: AM20 QNAME13: QA13_M8
QNAME11: NA QNAME09: NA

LABEL: PEOPLE IN NEIGHBORHOOD DO NOT GET ALONG

| VALUE: | | | FREQ | % |
|--------|-------------------|--|-------|-------|
| -8 | DON'T KNOW | | 1188 | 5.73 |
| -7 | REFUSED | | 48 | 0.23 |
| -2 | PROXY SKIPPED | | 134 | 0.65 |
| -1 | INAPPLICABLE | | 8 | 0.04 |
| 1 | STRONGLY AGREE | | 305 | 1.47 |
| 2 | AGREE | | 2106 | 10.16 |
| 3 | DISAGREE | | 12726 | 61.41 |
| 4 | STRONGLY DISAGREE | | 4209 | 20.31 |

UNIVERSE: ALL ADULTS WITH CHILD UNDER 18 IN HH

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AM21 QNAME13: QA13_M9
QNAME11: QA11_M8 QNAME09: QA09_M6

LABEL: PEOPLE IN NEIGHBORHOOD CAN BE TRUSTED

| VALUE: | | | FREQ | % |
|--------|-------------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 134 | 0.65 |
| 1 | STRONGLY AGREE | | 4273 | 20.62 |
| 2 | AGREE | | 13503 | 65.16 |
| 3 | DISAGREE | | 2312 | 11.16 |
| 4 | STRONGLY DISAGREE | | 502 | 2.42 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: IF CHILD INTERVIEW DONE FIRST, THEN ADULTS NOT ASKED THIS QUESTION

VARNAME: AM35 QNAME13: QA13_M10
QNAME11: QA11_M9 QNAME09: QA09_M7

LABEL: NEIGHBORHOOD WATCHES OUT FOR CHILDREN'S SAFETY

| VALUE: | | | FREQ | % |
|--------|-------------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 134 | 0.65 |
| 1 | STRONGLY AGREE | | 4487 | 21.65 |
| 2 | AGREE | | 12005 | 57.93 |
| 3 | DISAGREE | | 1780 | 8.59 |
| 4 | STRONGLY DISAGREE | | 320 | 1.54 |
| 5 | NOT APPLICABLE | | 1998 | 9.64 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: IF CHILD INTERVIEW DONE FIRST, THEN ADULTS NOT ASKED THIS QUESTION

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AK28 QNAME13: QA13_M11
QNAME11: QA11_M10 QNAME09: QA09_M8

LABEL: HOW OFTEN FEEL SAFE IN NEIGHBORHOOD

| VALUE: | | | FREQ | % |
|--------|------------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 134 | 0.65 |
| 1 | ALL OF THE TIME | | 11002 | 53.09 |
| 2 | MOST OF THE TIME | | 7813 | 37.70 |
| 3 | SOME OF THE TIME | | 1542 | 7.44 |
| 4 | NONE OF THE TIME | | 233 | 1.12 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: IF CHILD INTERVIEW DONE FIRST, THEN ADULTS NOT ASKED THIS QUESTION

VARNAME: AM36 QNAME13: QA13_M12
QNAME11: QA11_M11 QNAME09: QA09_M9

LABEL: DID VOLUNTEER WORK OR COMMUNITY SERVICES PAST YR

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 9307 | 44.91 |
| 2 | NO | | 11417 | 55.09 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: IF CHILD INTERVIEW DONE FIRST, THEN ADULTS NOT ASKED THIS QUESTION

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AM39 QNAME13: QA13_M13
QNAME11: QA11_M12 QNAME09: NA

LABEL: VOLUNTEER IN ORG DEALING W/COMM PROB PAST YR

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 2799 | 13.51 |
| 2 | NO | | 17925 | 86.49 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AM40 QNAME13: QA13_M14
QNAME11: QA11_M13 QNAME09: NA

LABEL: MEET INFORMALLY TO DEAL W/COMM PROB PAST YR

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 4651 | 22.44 |
| 2 | NO | | 16073 | 77.56 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AM37 QNAME13: QA13_M3
QNAME11: QA11_M3 QNAME09: NA

LABEL: CURRENTLY PAYING OFF MORTGAGE/HOME LOAN

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 14609 | 70.49 |
| 1 | YES | | 2444 | 11.79 |
| 2 | NO | | 3671 | 17.71 |

UNIVERSE: ALL ADULTS WHO ARE >= 65 AND OWN HOME

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AM38_P1 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: MAIN REASON FOR LAST MOVE (PUF 1 YR RECODE)

| VALUE: | | FREQ | % |
|--------|--|-------|-------|
| -1 | INAPPLICABLE | 15333 | 73.99 |
| 1 | CHANGE IN MARITAL/RELATIONSHIP STATUS | 353 | 1.70 |
| 2 | TO ESTABLISH OWN HOUSEHOLD | 501 | 2.42 |
| 3 | FOR CHILD'S EDUCATION/TO ATTEND OR LEAVE | 189 | 0.91 |
| 5 | WORK RELATED | 534 | 2.58 |
| 6 | COULDN'T AFFORD MORTGAGE/RENT | 634 | 3.06 |
| 7 | OTHER HOUSING RELATED | 1729 | 8.34 |
| 8 | BETTER NEIGHBORHOOD/LESS CRIME | 292 | 1.41 |
| 91 | OTHER | 1159 | 5.59 |

UNIVERSE: ALL ADULTS WHO HAVE LIVED AT CURRENT ADDRESS FOR LESS THAN 5 YEARS

INPUT VAR:

NOTES:

Section N: Demographic Info Part III, Geographic Info

VARNAME: AM34 QNAME13: QA13_N10

QNAME11: QA11_N10 QNAME09: QA09_N8

LABEL: TELEPHONE CALLS RECEIVED

| VALUE: | | FREQ | % |
|--------|---|------|-------|
| -8 | DON'T KNOW | 49 | 0.24 |
| -7 | REFUSED | 10 | 0.05 |
| -1 | INAPPLICABLE | 6359 | 30.68 |
| 1 | ALL OR ALMOST ALL CALLS ON CELL PHONES | 3929 | 18.96 |
| 2 | SOME CALLS ON CELL, SOME REGULAR PHONES | 5477 | 26.43 |
| 3 | VERY FEW OR NO CALLS ON CELL PHONES | 4900 | 23.64 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: UR_BG

QNAME13: NA

QNAME11: NA

QNAME09: NA

LABEL: RURAL AND URBAN - CLARITAS (BY BLOCK GROUP)

| VALUE: | | | FREQ | % |
|--------|----------------|--|------|-------|
| 1 | URBAN | | 7006 | 33.81 |
| 2 | 2ND CITY | | 4144 | 20.00 |
| 3 | SUBURBAN | | 4766 | 23.00 |
| 4 | TOWN AND RURAL | | 4808 | 23.20 |

UNIVERSE: ALL ADULTS

INPUT VAR: CBLK

NOTES:

VARNAME: UR_CLRT

QNAME13: NA

QNAME11: NA

QNAME09: NA

LABEL: RURAL AND URBAN - CLARITAS (BY ZIPCODE) (4 LVLS)

| VALUE: | | | FREQ | % |
|--------|----------------|--|------|-------|
| 1 | URBAN | | 7625 | 36.79 |
| 2 | 2ND CITY | | 5456 | 26.33 |
| 3 | SUBURBAN | | 3656 | 17.64 |
| 4 | TOWN AND RURAL | | 3987 | 19.24 |

UNIVERSE: ALL ADULTS

INPUT VAR: BESTZIP

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: UR_CLRT2 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: RURAL AND URBAN - CLARITAS (BY ZIPCODE) (2 LVLS)

| | | | | |
|--------|---|-------|-------|-------|
| VALUE: | 1 | URBAN | FREQ | % |
| | 2 | RURAL | 16737 | 80.76 |
| | | | 3987 | 19.24 |

UNIVERSE: ALL ADULTS

INPUT VAR: UR_CLRT

NOTES:

VARNAME: UR_IHS QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: RURAL AND URBAN - IHS

| | | | | |
|--------|---|-------|-------|-------|
| VALUE: | 1 | URBAN | FREQ | % |
| | 2 | RURAL | 12328 | 59.49 |
| | | | 8396 | 40.51 |

UNIVERSE: ALL ADULTS

INPUT VAR: SRCNTY BESTZIP

NOTES:

VARNAME: UR_OMB QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: RURAL AND URBAN - OMB

| | | | | |
|--------|---|------------------|-------|-------|
| VALUE: | 1 | METROPOLITAN | FREQ | % |
| | 2 | NON-METROPOLITAN | 19057 | 91.96 |
| | | | 1667 | 8.04 |

UNIVERSE: ALL ADULTS

INPUT VAR: SRCNTY

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: UR_RHP QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: RURAL AND URBAN - RHP

| VALUE: | | | FREQ | % |
|--------|-------|--|-------|-------|
| 1 | URBAN | | 17526 | 84.57 |
| 2 | RURAL | | 3198 | 15.43 |

UNIVERSE: ALL ADULTS

INPUT VAR: SRCNTY CBLK

NOTES:

VARNAME: UR_TRACT QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: RURAL AND URBAN - CLARITAS (BY CENSUS TRACT)

| VALUE: | | | FREQ | % |
|--------|----------------|--|------|-------|
| 1 | URBAN | | 7152 | 34.51 |
| 2 | 2ND CITY | | 4433 | 21.39 |
| 3 | SUBURBAN | | 4486 | 21.65 |
| 4 | TOWN AND RURAL | | 4653 | 22.45 |

UNIVERSE: ALL ADULTS

INPUT VAR: CBLK

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

Section O: Full Design and Replicate Weight Series 0-80

VARNAME: RAKEDW0 QNAME13: NA

QNAME11: NA

QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - FULL SAMPLE

| VALUE: | | | FREQ | % |
|--------|----------|--|-------|--------|
| . | 0 - HIGH | | 20724 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR: NA

NOTES:

VARNAME: RAKEDW1 QNAME13: NA

QNAME11: NA

QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 1

| VALUE: | | | FREQ | % |
|--------|----------|--|-------|--------|
| . | 0 - HIGH | | 20724 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR: NA

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RAKEDW2 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 2
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW3 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 3
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW4 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 4
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RAKEDW5 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 5
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW6 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 6
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW7 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 7
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RAKEDW8 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 8
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW9 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 9
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW10 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 10
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RAKEDW11 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 11
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW12 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 12
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW13 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 13
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RAKEDW14 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 14
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW15 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 15
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW16 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 16
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RAKEDW17 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 17
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW18 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 18
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW19 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 19
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RAKEDW20 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 20
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW21 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 21
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW22 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 22
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RAKEDW23 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 23
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW24 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 24
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW25 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 25
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RAKEDW26 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 26
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW27 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 27
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW28 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 28
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RAKEDW29 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 29
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW30 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 30
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW31 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 31
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RAKEDW32 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 32
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW33 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 33
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW34 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 34
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RAKEDW35 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 35
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW36 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 36
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW37 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 37
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RAKEDW38 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 38

| VALUE: | | | FREQ | % |
|--------|----------|--|-------|--------|
| . | 0 - HIGH | | 20724 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR: NA

NOTES:

VARNAME: RAKEDW39 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 39

| VALUE: | | | FREQ | % |
|--------|----------|--|-------|--------|
| . | 0 - HIGH | | 20724 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR: NA

NOTES:

VARNAME: RAKEDW40 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 40

| VALUE: | | | FREQ | % |
|--------|----------|--|-------|--------|
| . | 0 - HIGH | | 20724 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR: NA

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RAKEDW41 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 41

| VALUE: | | | FREQ | % |
|--------|----------|--|-------|--------|
| . | 0 - HIGH | | 20724 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR: NA

NOTES:

VARNAME: RAKEDW42 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 42

| VALUE: | | | FREQ | % |
|--------|----------|--|-------|--------|
| . | 0 - HIGH | | 20724 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR: NA

NOTES:

VARNAME: RAKEDW43 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 43

| VALUE: | | | FREQ | % |
|--------|----------|--|-------|--------|
| . | 0 - HIGH | | 20724 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR: NA

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RAKEDW44 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 44
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW45 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 45
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW46 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 46
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RAKEDW47 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 47

| VALUE: | | | FREQ | % |
|--------|----------|--|-------|--------|
| . | 0 - HIGH | | 20724 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR: NA

NOTES:

VARNAME: RAKEDW48 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 48

| VALUE: | | | FREQ | % |
|--------|----------|--|-------|--------|
| . | 0 - HIGH | | 20724 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR: NA

NOTES:

VARNAME: RAKEDW49 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 49

| VALUE: | | | FREQ | % |
|--------|----------|--|-------|--------|
| . | 0 - HIGH | | 20724 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR: NA

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RAKEDW50 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 50
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW51 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 51
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW52 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 52
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RAKEDW53 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 53
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW54 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 54
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW55 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 55
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RAKEDW56 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 56
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW57 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 57
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW58 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 58
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RAKEDW59 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 59
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW60 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 60
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW61 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 61
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RAKEDW62 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 62
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW63 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 63
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW64 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 64
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RAKEDW65 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 65

| VALUE: | | | FREQ | % |
|--------|----------|--|-------|--------|
| . | 0 - HIGH | | 20724 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR: NA

NOTES:

VARNAME: RAKEDW66 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 66

| VALUE: | | | FREQ | % |
|--------|----------|--|-------|--------|
| . | 0 - HIGH | | 20724 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR: NA

NOTES:

VARNAME: RAKEDW67 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 67

| VALUE: | | | FREQ | % |
|--------|----------|--|-------|--------|
| . | 0 - HIGH | | 20724 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR: NA

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RAKEDW68 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 68
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW69 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 69
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW70 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 70
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RAKEDW71 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 71
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW72 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 72
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW73 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 73
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RAKEDW74 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 74
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW75 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 75
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW76 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 76
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RAKEDW77 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 77
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW78 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 78
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW79 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 79
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

| | | | | |
|------------|--------------------------------------|----------|---------------|-------------|
| VARNAME: | RAKEDW80 | QNAME13: | NA | |
| | | QNAME11: | NA | QNAME09: NA |
| LABEL: | CHIS2013 RAKED WEIGHT - REPLICATE 80 | | | |
| VALUE: | . | 0 - HIGH | FREQ 20724 | % 100.00 |
| UNIVERSE: | ALL ADULTS | | | |
| INPUT VAR: | NA | | | |
| NOTES: | | | | |