# **Create Laravel Project**

## **Create Project mystore**

#### Method 1: Via Laravel

In cmder, <path to project>\kodeblog\
 laravel new mystore

#### **Method 2: Via Composer**

In cmder, <path to project>\kodeblog\
 composer create-project laravel/laravel mystore

#### **After Create the Project**

• In VSC, you will see

```
File Edit Selection View Go Debug Terminal Help
                                                                          package.json - kodeblog - Visual Studio
        EXPLORER
                                               package.json ×
                                             mystore > package.json > {} devDependencies
      OPEN EDITORS
                                                          "private": true,
       KODEBLOG
                                                          "scripts": {
        🗸 📹 docs
                                                              "dev": "npm run development",
         > 6 00_Resources
                                                              "development": "cross-env NODE_ENV=de
         > = 01_installation
                                                              "watch": "npm run development -- --wa
宓
        v 📹 mystore
                                                              "watch-poll": "npm run watch -- --wat
                                                              "hot": "cross-env NODE_ENV=developmer
         > 🕝 app
                                                              "prod": "npm run production",
         bootstrap
                                                              "production": "cross-env NODE_ENV=pro
           config
           database
(\mathbf{h})
                                                          "devDependencies": {
          public g
          resources
                                                              "axios": "^0.19",
R
          routes
                                                              Satisfies 5.2.1 | latest: † 6.0.3
                                                               "cross-env": "^5.1",
           storage
           🧖 tests
                                                              "laravel-mix": "^4.0.7",
                                               15
           vendor
                                                              Satisfies latest | latest: † 4.17.15 
"lodash": "^4.17.13",
           leditorconfig
           🏚 .env
                                                              Satisfies † 2.3.2 | latest: † 3.1.0
           env.example.
                                                              "resolve-url-loader": "^2.3.1",
           👀 .gitattributes
                                                              Satisfies latest | latest: † 1.23.0
                                                              "sass": "^1.15.2",
           .gitignore
           .styleci.yml
                                                              "sass-loader": "^7.1.0"
           artisan
           composer.json
                                                     }
           composer.lock
              package.json
           🧢 phpunit.xml
              server.php
```

### **Install NPM Packages**

### **Update NPM Packages' Version**

```
    In cmder
    cd mystore
    npm i -g npm-check-updates
    ncu -u
```

#### **Manually Update the Ones Still Have Latest Versions**

- In VSC, open file kodeblog\mystore\package.json
- Manually update version by clicking latest

```
Edit Selection View
                             Go Debug
                                          Terminal Help
                                                                      package.json - kodeblog - Visual Studio
       EXPLORER
                                             package.json ×

∨ OPEN EDITORS

                                                      package.json > ...
                                           mystore > ==
       × um package.json mystore
                                                       "private": true,

∨ KODEBLOG

                                                       "scripts": {
       "dev": "npm run development",
        > = 00_Resources
                                                           "development": "cross-env NODE_ENV=de
        > = 01_installation
                                                           "watch": "npm run development -- --wa
傚
       v 📹 mystore
                                                           "watch-poll": "npm run watch -- --wat
                                                           "hot": "cross-env NODE_ENV=developmen
        > 👼 app
                                                           "prod": "npm run production",
           bootstrap
                                                           "production": "cross-env NODE_ENV=pro
          config
          database
(\mathbf{h})
                                                       "devDependencies": {
           public 🔣
          ii resources
                                                           "axios": "^0.19",
R
          routes
                                                           "cross-env": "^6.0",
         storage
           🧖 tests
                                                           "laravel-mix": "^5.0.0",
           vendor
           .editorconfig
                                                           "lodash": "^4.17.15",
           🌣 .env
           env.example.
                                                           "resolve-url-loader": "^3.1.0",
           .gitattributes
                                                           "sass": "^1.23.0",
             .gitignore
                                                           Latest
           .styleci.yml
                                                           "sass-loader": "^8.0.0"
           artisan
           🙀 composer.json
           iii composer.lock
                                            22
             package.json
           phpunit.xml
           server.php
```

#### Save the File

In VSC, save the file kodeblog\mystore\package.json

```
package.json - kodeblog - Visual Studio Co
    File Edit Selection View Go Debug Terminal Help
        EXPLORER
                                             package.json X
                                           mystore > package.json > ...

∨ OPEN EDITORS

        X m package.json mystore
                                                       "private": true,

∨ KODEBLOG

                                                       "scripts": {
        🗦 📫 docs
                                                           "dev": "npm run development",
        v 📹 mystore
                                                           "development": "cross-env NODE_ENV=devel
           app
                                                           "watch": "npm run development -- --watch
公
         bootstrap
                                                           "watch-poll": "npm run watch -- --watch
                                                           "hot": "cross-env NODE_ENV=development |
         > 📹 config
                                                           "prod": "npm run production",
           database
                                                           "production": "cross-env NODE_ENV=production"
           public public
           resources
(1)
                                                       "devDependencies": {
           routes
                                                           Latest
          storage
                                                           "axios": "^0.19.0",
6
         > 🧖 tests
                                                           "cross-env": "^6.0.3",
         > 📹 vendor
           .editorconfig
                                                           "laravel-mix": "^5.0.0",
                                                           Latest
           .env.example
                                                           "lodash": "^4.17.15",
           .gitattributes
                                                           Latest
                                                           "resolve-url-loader": "^3.1.0",
           .gitignore
           .styleci.yml
                                                           "sass": "^1.23.0",
           artisan
           composer.json
                                                           "sass-loader": "^8.0.0"
           composer.lock
                                                  Ж
                                            21
           🍂 phpunit.xml
           server.php
             webpack.mix.js
```

## Install NPM Packages and Build Development

#### **Install NPM Packages**

In cmdernpm install

#### **Build Development**

In cmdernpm run dev

## **Commit Step**

• In cmder

```
git status
git add .
git commit -m "start project"
```

```
In [ ]:
```