

API Usage Document: Book Orders

This document outlines the usage and technical specifications for the Book Order API endpoint. This endpoint allows clients to submit an order containing a list of books and their corresponding quantities, and returns the calculated billing details including any applicable discounts.

Endpoint Specification

POST

http://localhost:8080/api/orders/book

1. Request Structure

The request accepts a JSON array of `BookItem` objects. Each object specifies the book being ordered and the quantity.

1.1 Request Fields

Field Name	Data Type	Description
<code>book</code>	Enum (String)	The exact identifier for the book from the <code>BooksEnum</code> list.
<code>quantity</code>	Integer	The number of copies of the specific book being ordered.

1.2 Allowed Values (BooksEnum)

The `book` field strictly accepts the following Enum constants. Each enum is mapped to specific book details internally:

Enum Value	Title	Author	Year	Price
<code>BOOK1</code>	Clean Code	Robert Martin	2008	\$50.0
<code>BOOK2</code>	The Clean Coder	Robert Martin	2011	\$50.0
<code>BOOK3</code>	Clean Architecture	Robert Martin	2017	\$50.0

Enum Value	Title	Author	Year	Price
B00K4	Test Driven Development by Example	Kent Beck	2003	\$50.0
B00K5	Working Effectively with Legacy Code	Michael C. Feathers	2004	\$50.0

1.3 Sample Request Payload

```
[
  {
    "book": "B00K1",
    "quantity": 2
  },
  {
    "book": "B00K4",
    "quantity": 1
  },
  {
    "book": "B00K5",
    "quantity": 1
  },
  {
    "book": "B00K2",
    "quantity": 2
  },
  {
    "book": "B00K3",
    "quantity": 2
  }
]
```

2. Response Structure

The endpoint returns a **BillDetails** object containing the summarized financial breakdown of the order.

2.1 Response Fields

Field Name	Data Type	Description
<code>originalPrice</code>	Double	The total cost of the books before any discounts are applied.
<code>finalPrice</code>	Double	The final amount payable after deducting the discount from the original price.
<code>discount</code>	Double	The total discount value applied to the order.

2.2 Sample Response Payload

```
{
  "originalPrice": 400.0,
  "finalPrice": 320.0,
  "discount": 80.0
}
```