Status	Finished
Started	Thursday, 22 October 2026, 12:02 PM
Completed	Thursday, 22 October 2026, 12:12 PM
Duration	9 mins 6 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

What does the following code do?

fo = open("foo.txt", "w")

a. Appends to an existing file

b. Opens an existing file in read mode

c. Opens a file in binary mode

d. Creates a new file for writing ✓

The correct answer is: Creates a new file for writing

Question **2**

Correct

Mark 1.00 out of 1.00

To open a file c:\scores.txt for writing, we use ____

a. outfile = open(file = "c:\scores.txt", "w")

b. outfile = open(file = "c:\\scores.txt", "w")

c. outfile = open("c:\\scores.txt", "w") ✓

d. outfile = open("c:\scores.txt", "w")

The correct answer is:
outfile = open("c:\\scores.txt", "w")

Question **3**

Correct

Mark 1.00 out of 1.00

To open a file c:\scores.txt for appending data, we use _____

a. outfile = open(file = “c:\\scores.txt”, “w”)

b. outfile = open(“c:\\scores.txt”, “a”) ✓

c. outfile = open(file = “c:\scores.txt”, “w”)

d. outfile = open(“c:\\scores.txt”, “rw”)

The correct answer is:
outfile = open(“c:\\scores.txt”, “a”)

Question **4**

Correct

Mark 1.00 out of 1.00

What does the buffering parameter in the open() function control?

a. The encoding of the file

b. The buffer size for the file operations ✓

c. The access mode of the file

d. The file's read/write position

The correct answer is: The buffer size for the file operations

Question **5**

Correct

Mark 1.00 out of 1.00

Which function is used to open a file in Python?

a. open_file()

b. open() ✓

c. openfile()

d. file()

The correct answer is: open()

Question **6**

Correct

Mark 1.00 out of 1.00

Which method is used to close a file in Python?

- a. close() ✓
- b. finish()
- c. end()
- d. terminate()

The correct answer is: close()

Question **7**

Correct

Mark 1.00 out of 1.00

Default EOL character of text file in python is ,

- a. \t
- b. ,
- c. \n ✓
- d. space

The correct answer is:
\n

Question **8**

Correct

Mark 1.00 out of 1.00

What happens if you try to open a file in read mode ('r') that does not exist?

- a. A new file is created
- b. The operation is ignored
- c. An empty file object is returned
- d. An error is raised ✓

The correct answer is: An error is raised

Question **9**

Correct

Mark 1.00 out of 1.00

Which of the following modes opens a file for writing in binary format?

a. w
b. r+
c. wb ✓
d. rb

The correct answer is: wb

Question **10**

Correct

Mark 1.00 out of 1.00

How can you read a file line by line efficiently in Python?

a. Using the readlines() method
b. Using the read() method
c. Using the readline() method
d. Using a for loop ✓

The correct answer is: Using a for loop

Question **11**

Correct

Mark 1.00 out of 1.00

What is the use of seek() method in files?

a. none of the mentioned
b. sets the file's previous position at the offset
c. sets the file's current position at the offset ✓
d. sets the file's current position within the file

The correct answer is:
sets the file's current position at the offset

Question **12**

Correct

Mark 1.00 out of 1.00

What does the mode attribute of a file object indicate?

- a. The name of the file
- b. The current position of the file cursor
- c. The size of the file
- d. The access mode in which the file was opened ✓

The correct answer is: The access mode in which the file was opened

Question **13**

Correct

Mark 1.00 out of 1.00

What is the output of the following code?

```
f = open("test.txt", "w")
f.write("Hello, world!")
f.close()
f = open("test.txt", "r")
print(f.read())
f.close()
```

- a. world
- b. Hello, world! ✓
- c. An error is raised
- d. Hello

The correct answer is: Hello, world!

Question **14**

Correct

Mark 1.00 out of 1.00

What does the flush() method do in file handling?

- a. Deletes the file content
- b. Flushes the internal buffer to the file ✓
- c. Moves the file cursor to the beginning
- d. Closes the file

The correct answer is: Flushes the internal buffer to the file

Question **15**

Correct

Mark 1.00 out of 1.00

Which method is used to get the current file position?

- a. tell() ✓
- b. position()
- c. current()
- d. locate()

The correct answer is: tell()