

Shell & Database Commands

- show dbs

MITS 72.00 KiB

sample_mflix 124.68 MiB

admin 0 B

local 0 B

- use placement_db

switched to db placement_db

- use placement_db

already on db placement_db

- db

placement_db

- db.createCollection("students")

{ ok: 1 }

- show collections

students

- db.createCollection("companies")

{ ok: 1 }

- show collections

companies

students

- db.createCollection("applications")

{ ok: 1 }

- db.applications.drop()

true

- db.createCollection("applications")

{ ok: 1 }

- db.stats()

```
{ db: 'placement_db',
  collections: 3,
  views: 0,
  objects: Long('0'),
  avgObjSize: 0,
  dataSize: Long('0'),
  storageSize: Long('12288'),
  totalFreeStorageSize: Long('0'),
  numExtents: Long('0'),
  indexes: 3,
  indexSize: Long('12288'),
  indexFreeStorageSize: Long('0'),
  fileSize: Long('0'),
  nsSizeMB: 0,
  ok: 1}
```

- help

Shell Help

Log

'log.info(<msg>)': Write a custom info/warn/error/fatal/debug message to the log file 'log.getPath()': Gets a path to the current log file

Use

Set current database

'show databases'/'show dbs': Print a list of all available databases 'show collections'/'show tables': Print a list of all collections for current database 'show profile': Prints system.profile information 'show users': Print a list of all users for current database 'show roles': Print a list of all roles for current database 'show log <name>': Display log for current connection, if name is not set uses 'global' 'show logs': Print all logger names.

show

Exit	Quit the MongoDB shell with exit/exit()/exit
Quit	Quit the MongoDB shell with quit/quit()
Mongo	Create a new connection and return the Mongo object. Usage: new Mongo(URI, options [optional])
connect	Create a new connection and return the Database object. Usage: connect(URI, username [optional], password [optional])
It	result of the last line evaluated; use to further iterate
version	Shell version
Load	Loads and runs a JavaScript file into the current shell environment
enableTelemetry	Enables collection of anonymous usage data to improve the mongosh CLI
disableTelemetry	Disables collection of anonymous usage data to improve the mongosh CLI
passwordPrompt	Prompts the user for a password
Sleep	Sleep for the specified number of milliseconds
Print	Prints the contents of an object to the output
printjson	Alias for print()
convertShardKeyToHashed	Returns the hashed value for the input using the same hashing function as a hashed index.
Cls	Clears the screen like console.clear()
isInteractive	Returns whether the shell will enter or has entered interactive mode

For more information on

usage: <https://mongodb.com/docs/manual/reference/method>

- use admin

switched to db admin

- use placement_db

switched to db placement_db

- db.students.insertOne({

```

    name: "Rahul",
    department: "CSE",
    cgpa: 8.5})
{ acknowledged: true,
insertedId: ObjectId('6a32a9d89077c4ae50888a3f')}
    • db.students.insertOne({
    name: "Priya",
    department: "ECE",
    cgpa: 8.2})
{ acknowledged: true,
insertedId: ObjectId('6a32a9df9077c4ae50888a40')}
    • db.students.insertMany([
{name:"Saran", department:"CSE", cgpa:9.1},
{name:"Kumar", department:"EEE", cgpa:7.4},
{name:"Anu", department:"ECE", cgpa:8.7}])
{ acknowledged: true,
insertedIds: {
'0': ObjectId('6a32a9e79077c4ae50888a41'),
'1': ObjectId('6a32a9e79077c4ae50888a42'),
'2': ObjectId('6a32a9e79077c4ae50888a43') }}
    • db.companies.insertOne({
name:"TCS",
location:"Hyderabad",
package:6})
{ acknowledged: true,
insertedId: ObjectId('6a32a9ef9077c4ae50888a44')}
    • db.companies.insertMany([
{name:"Infosys", location:"Bangalore", package:5},

```

```

    {name:"Wipro", location:"Chennai", package:4.5},
    {name:"Accenture", location:"Pune", package:7}})
{ acknowledged: true,
  insertedIds: {
    '0': ObjectId('6a32a9f69077c4ae50888a45'),
    '1': ObjectId('6a32a9f69077c4ae50888a46'),
    '2': ObjectId('6a32a9f69077c4ae50888a47') }}
    • db.applications.insertOne({
      student:"Rahul",
      company:"TCS",
      status:"Applied"})
{ acknowledged: true,
  insertedId: ObjectId('6a32a9fd9077c4ae50888a48')}
    • db.applications.insertMany([
      {student:"Priya", company:"Infosys", status:"Applied"},
      {student:"Saran", company:"Accenture", status:"Selected"},
      {student:"Kumar", company:"Wipro", status:"Rejected"}])
{ acknowledged: true,
  insertedIds: { '0': ObjectId('6a32aa059077c4ae50888a49'),
    '1': ObjectId('6a32aa059077c4ae50888a4a'),
    '2': ObjectId('6a32aa059077c4ae50888a4b') }}
    • db.students.find()
{ _id: ObjectId('6a32a9d89077c4ae50888a3f'),
  name: 'Rahul',
  department: 'CSE',
  cgpa: 8.5}
{ _id: ObjectId('6a32a9df9077c4ae50888a40'),
  name: 'Priya',

```

```
department: 'ECE',
cgpa: 8.2}
{ _id: ObjectId('6a32a9e79077c4ae50888a41'),
name: 'Saran',
department: 'CSE',
cgpa: 9.1}
{ _id: ObjectId('6a32a9e79077c4ae50888a42'),
name: 'Kumar',
department: 'EEE',
cgpa: 7.4}
{ _id: ObjectId('6a32a9e79077c4ae50888a43'),
name: 'Anu',
department: 'ECE',
cgpa: 8.7}
```

- db.companies.find()

```
{ _id: ObjectId('6a32a9ef9077c4ae50888a44'),
name: 'TCS',
location: 'Hyderabad',
package: 6}
{ _id: ObjectId('6a32a9f69077c4ae50888a45'),
name: 'Infosys',
location: 'Bangalore',
package: 5}
{ _id: ObjectId('6a32a9f69077c4ae50888a46'),
name: 'Wipro',
location: 'Chennai',
package: 4.5}
{ _id: ObjectId('6a32a9f69077c4ae50888a47'),
```

name: '**Accenture**',

location: '**Pune**',

package: 7}

- db.applications.find()

{ _id: ObjectId('6a32a9fd9077c4ae50888a48'),

student: '**Rahul**',

company: '**TCS**',

status: '**Applied**'}

{ _id: ObjectId('6a32aa059077c4ae50888a49'),

student: '**Priya**',

company: '**Infosys**',

status: '**Applied**'}

{ _id: ObjectId('6a32aa059077c4ae50888a4a'),

student: '**Saran**',

company: '**Accenture**',

status: '**Selected**'}

{ _id: ObjectId('6a32aa059077c4ae50888a4b'),

student: '**Kumar**',

company: '**Wipro**',

status: '**Rejected**'}

- db.students.find({name:"Saran"})

{ _id: ObjectId('6a32a9e79077c4ae50888a41'),

name: '**Saran**',

department: '**CSE**',

cgpa: 9.1}

- db.students.find({department:"CSE"})

{ _id: ObjectId('6a32a9d89077c4ae50888a3f'),

name: '**Rahul**',

department: 'CSE',

cgpa: 8.5}

{ _id: ObjectId('6a32a9e79077c4ae50888a41'),

name: 'Saran',

department: 'CSE',

cgpa: 9.1}

- db.companies.find({location:"Hyderabad"})

{ _id: ObjectId('6a32a9ef9077c4ae50888a44'),

name: 'TCS',

location: 'Hyderabad',

package: 6}

- db.applications.find({status:"Applied"})

{ _id: ObjectId('6a32a9fd9077c4ae50888a48'),

student: 'Rahul',

company: 'TCS',

status: 'Applied'}

{ _id: ObjectId('6a32aa059077c4ae50888a49'),

student: 'Priya',

company: 'Infosys',

status: 'Applied'}

- db.students.find({cgpa:{\$gt:8}})

{ _id: ObjectId('6a32a9d89077c4ae50888a3f'),

name: 'Rahul',

department: 'CSE',

cgpa: 8.5}

{ _id: ObjectId('6a32a9df9077c4ae50888a40'),

name: 'Priya',

department: 'ECE',

cgpa: 8.2}

{ _id: ObjectId('6a32a9e79077c4ae50888a41'),

name: '**Saran**',

department: '**CSE**',

cgpa: 9.1}

{ _id: ObjectId('6a32a9e79077c4ae50888a43'),

name: '**Anu**',

department: '**ECE**',

cgpa: 8.7}

- db.students.updateOne(

{name:"Rahul"},

{\$set:{cgpa:9.0}})

{ acknowledged: true,

insertedId: null,

matchedCount: 1,

modifiedCount: 1,

upsertedCount: 0}

- db.students.updateOne(

{name:"Priya"},

{\$set:{department:"CSE"}})

{ acknowledged: true,

insertedId: null,

matchedCount: 1,

modifiedCount: 1,

upsertedCount: 0}

- db.companies.updateOne(

{name:"TCS"},

{\$inc:{package:1}})

```
{ acknowledged: true,  
  insertedId: null,  
  matchedCount: 1,  
  modifiedCount: 1,  
  upsertedCount: 0}  
  
  • db.applications.updateOne(  
    {student:"Rahul"},  
    {$set:{status:"Selected"}})
```

```
{ acknowledged: true,  
  insertedId: null,  
  matchedCount: 1,  
  modifiedCount: 1,  
  upsertedCount: 0}  
  
  • db.applications.updateOne(  
    {student:"Rahul"},  
    {$set:{status:"Selected"}})
```

```
{ acknowledged: true,  
  insertedId: null,  
  matchedCount: 1,  
  modifiedCount: 0,  
  upsertedCount: 0}  
  
  • db.students.updateMany(  
    {department:"ECE"},  
    {$set:{department:"ECE-Core"}})
```

```
{ acknowledged: true,  
  insertedId: null,  
  matchedCount: 1,  
  modifiedCount: 1,
```

upsertedCount: 0}

- db.students.updateMany(

{},

{\$inc:{cgpa:0.1}})

{ acknowledged: true,

insertedId: null,

matchedCount: 5,

modifiedCount: 5,

upsertedCount: 0}

- db.students.deleteOne({name:"Kumar"})

{ acknowledged: true,

deletedCount: 1}

- db.applications.deleteMany({status:"Rejected"})

{ acknowledged: true,

deletedCount: 1}

- db.companies.deleteMany({location:"Pune"})

{ acknowledged: true,

deletedCount: 1}

- db.students.deleteMany({cgpa:{\$lt:7}})

{ acknowledged: true,

deletedCount: 0}

- db.students.find({cgpa:{\$gt:8}})

{ _id: ObjectId('6a32a9d89077c4ae50888a3f'),

name: 'Rahul',

department: 'CSE',

cgpa: 9.1}

{ _id: ObjectId('6a32a9df9077c4ae50888a40'),

name: 'Priya',

```
department: 'CSE',
cgpa: 8.299999999999999}
{ _id: ObjectId('6a32a9e79077c4ae50888a41'),
name: 'Saran',
department: 'CSE',
cgpa: 9.2}
{ _id: ObjectId('6a32a9e79077c4ae50888a43'),
name: 'Anu',
department: 'ECE-Core',
cgpa: 8.799999999999999}
  • db.students.find({cgpa:{$lt:8}})
  • db.students.find({cgpa:{$gte:8}})
{ _id: ObjectId('6a32a9d89077c4ae50888a3f'),
name: 'Rahul',
department: 'CSE',
cgpa: 9.1}
{ _id: ObjectId('6a32a9df9077c4ae50888a40'),
name: 'Priya',
department: 'CSE',
cgpa: 8.299999999999999}
{ _id: ObjectId('6a32a9e79077c4ae50888a41'),
name: 'Saran',
department: 'CSE',
cgpa: 9.2}
{ _id: ObjectId('6a32a9e79077c4ae50888a43'),
name: 'Anu',
department: 'ECE-Core',
cgpa: 8.799999999999999}
```

- db.companies.find({package:{\$gt:5}})

```
{ _id: ObjectId('6a32a9ef9077c4ae50888a44'),
  name: 'TCS',
  location: 'Hyderabad',
  package: 7}
```

- db.companies.find({package:{\$lte:6}})

```
{ _id: ObjectId('6a32a9f69077c4ae50888a45'),
  name: 'Infosys',
  location: 'Bangalore',
  package: 5}
```

```
{ _id: ObjectId('6a32a9f69077c4ae50888a46'),
  name: 'Wipro',
  location: 'Chennai',
  package: 4.5}
```

```
db.students.find({
  department:"CSE",
  cgpa:{$gt:8}})
```

```
{ _id: ObjectId('6a32a9d89077c4ae50888a3f'),
  name: 'Rahul',
  department: 'CSE',
  cgpa: 9.1}
```

```
{ _id: ObjectId('6a32a9df9077c4ae50888a40'),
  name: 'Priya',
  department: 'CSE',
  cgpa: 8.299999999999999}
```

```
{ _id: ObjectId('6a32a9e79077c4ae50888a41'),
  name: 'Saran',
  department: 'CSE',
```

cgpa: 9.2}

- db.companies.find({

location:"Hyderabad",

package:{\$gt:5}})

{ _id: ObjectId('6a32a9ef9077c4ae50888a44'),

name: 'TCS',

location: 'Hyderabad',

package: 7}

- db.students.find({

\$or:[{department:"CSE"},

{department:"ECE"}}})

{ _id: ObjectId('6a32a9d89077c4ae50888a3f'),

name: 'Rahul',

department: 'CSE',

cgpa: 9.1}

{ _id: ObjectId('6a32a9df9077c4ae50888a40'),

name: 'Priya',

department: 'CSE',

cgpa: 8.299999999999999}

{ _id: ObjectId('6a32a9e79077c4ae50888a41'),

name: 'Saran',

department: 'CSE',

cgpa: 9.2}

- db.companies.find({

\$or:[{location:"Bangalore"},

{location:"Hyderabad"}}})

{ _id: ObjectId('6a32a9ef9077c4ae50888a44'),

name: 'TCS',

```
location: 'Hyderabad',
package: 7}
{ _id: ObjectId('6a32a9f69077c4ae50888a45'),
name: 'Infosys',
location: 'Bangalore',
package: 5}
  • db.students.find({
    department:{$ne:"CSE"}})
{ _id: ObjectId('6a32a9e79077c4ae50888a43'),
name: 'Anu',
department: 'ECE-Core',
cgpa: 8.799999999999999}
  • db.companies.find({
    location:{$ne:"Chennai"}})
{ _id: ObjectId('6a32a9ef9077c4ae50888a44'),
name: 'TCS',
location: 'Hyderabad',
package: 7}
{ _id: ObjectId('6a32a9f69077c4ae50888a45'),
name: 'Infosys',
location: 'Bangalore',
package: 5}
  • db.students.find({
    department:{
      $in:["CSE","ECE","EEE"]})
{ _id: ObjectId('6a32a9d89077c4ae50888a3f'),
name: 'Rahul',
department: 'CSE,
```

```
cgpa: 9.1}
{ _id: ObjectId('6a32a9df9077c4ae50888a40'),
  name: 'Priya',
  department: 'CSE',
  cgpa: 8.299999999999999}
{ _id: ObjectId('6a32a9e79077c4ae50888a41'),
  name: 'Saran',
  department: 'CSE',
  cgpa: 9.2}
  • db.companies.find({
    location:{
      $in:["Hyderabad","Bangalore"]})
{ _id: ObjectId('6a32a9ef9077c4ae50888a44'),
  name: 'TCS',
  location: 'Hyderabad',
  package: 7}
{ _id: ObjectId('6a32a9f69077c4ae50888a45'),
  name: 'Infosys',
  location: 'Bangalore',
  package: 5}
  • db.students.find({
    department:{
      $nin:["Civil","Mechanical"]})
{ _id: ObjectId('6a32a9d89077c4ae50888a3f'),
  name: 'Rahul',
  department: 'CSE',
  cgpa: 9.1}
{ _id: ObjectId('6a32a9df9077c4ae50888a40'),
```



```

name: 'Priya',
department: 'CSE',
cgpa: 8.299999999999999}
{ _id: ObjectId('6a32a9e79077c4ae50888a41'),
name: 'Saran',
department: 'CSE',
cgpa: 9.2}
{ _id: ObjectId('6a32a9e79077c4ae50888a43'),
name: 'Anu',
department: 'ECE-Core',
cgpa: 8.799999999999999}
  • db.companies.find({
location:{
  $nin:["Pune","Chennai"]})
{ _id: ObjectId('6a32a9ef9077c4ae50888a44'),
name: 'TCS',
location: 'Hyderabad',
package: 7}
{ _id: ObjectId('6a32a9f69077c4ae50888a45'),
name: 'Infosys',
location: 'Bangalore',
package: 5}
  • db.students.find().sort({ cgpa: 1 })
{ _id: ObjectId('6a32a9df9077c4ae50888a40'),
name: 'Priya',
department: 'CSE',
cgpa: 8.299999999999999}
{ _id: ObjectId('6a32a9e79077c4ae50888a43'),

```

```
name: 'Anu',
department: 'ECE-Core',
cgpa: 8.799999999999999}
{ _id: ObjectId('6a32a9d89077c4ae50888a3f'),
name: 'Rahul',
department: 'CSE',
cgpa: 9.1}
{ _id: ObjectId('6a32a9e79077c4ae50888a41'),
name: 'Saran',
department: 'CSE',
cgpa: 9.2}
  • db.students.find().sort({ cgpa: -1 })
{ _id: ObjectId('6a32a9e79077c4ae50888a41'),
name: 'Saran',
department: 'CSE',
cgpa: 9.2}
{ _id: ObjectId('6a32a9d89077c4ae50888a3f'),
name: 'Rahul',
department: 'CSE',
cgpa: 9.1}
{ _id: ObjectId('6a32a9e79077c4ae50888a43'),
name: 'Anu',
department: 'ECE-Core',
cgpa: 8.799999999999999}
{ _id: ObjectId('6a32a9df9077c4ae50888a40'),
name: 'Priya',
department: 'CSE',
cgpa: 8.299999999999999}
```

- db.companies.find().sort({ package: 1 })

```
{ _id: ObjectId('6a32a9f69077c4ae50888a46'),  
  name: 'Wipro',  
  location: 'Chennai',  
  package: 4.5}
```

```
{ _id: ObjectId('6a32a9f69077c4ae50888a45'),  
  name: 'Infosys',  
  location: 'Bangalore',  
  package: 5}
```

```
{ _id: ObjectId('6a32a9ef9077c4ae50888a44'),  
  name: 'TCS',  
  location: 'Hyderabad',  
  package: 7}
```

- db.companies.find().sort({ package: -1 })

```
{ _id: ObjectId('6a32a9ef9077c4ae50888a44'),  
  name: 'TCS',  
  location: 'Hyderabad',  
  package: 7}
```

```
{ _id: ObjectId('6a32a9f69077c4ae50888a45'),  
  name: 'Infosys',  
  location: 'Bangalore',  
  package: 5}
```

```
{ _id: ObjectId('6a32a9f69077c4ae50888a46'),  
  name: 'Wipro',  
  location: 'Chennai',  
  package: 4.5}
```

- db.students.find().sort({ name: 1 })

```
{ _id: ObjectId('6a32a9e79077c4ae50888a43'),
```

```
name: 'Anu',
department: 'ECE-Core',
cgpa: 8.799999999999999}
{ _id: ObjectId('6a32a9df9077c4ae50888a40'),
name: 'Priya',
department: 'CSE',
cgpa: 8.299999999999999}
{ _id: ObjectId('6a32a9d89077c4ae50888a3f'),
name: 'Rahul',
department: 'CSE',
cgpa: 9.1}
{ _id: ObjectId('6a32a9e79077c4ae50888a41'),
name: 'Saran',
department: 'CSE',
cgpa: 9.2}
db.students.find().limit(3)
{ _id: ObjectId('6a32a9d89077c4ae50888a3f'),
name: 'Rahul',
department: 'CSE',
cgpa: 9.1}
{ _id: ObjectId('6a32a9df9077c4ae50888a40'),
name: 'Priya',
department: 'CSE',
cgpa: 8.299999999999999}
{ _id: ObjectId('6a32a9e79077c4ae50888a41'),
name: 'Saran',
department: 'CSE',
cgpa: 9.2}
```

- db.companies.find().limit(5)

```
{ _id: ObjectId('6a32a9ef9077c4ae50888a44'),  
  name: 'TCS',  
  location: 'Hyderabad',  
  package: 7}
```

```
{ _id: ObjectId('6a32a9f69077c4ae50888a45'),  
  name: 'Infosys',  
  location: 'Bangalore',  
  package: 5}
```

```
{ _id: ObjectId('6a32a9f69077c4ae50888a46'),  
  name: 'Wipro',  
  location: 'Chennai',  
  package: 4.5}
```

- db.students.find().sort({ cgpa: -1 }).limit(3)

```
{ _id: ObjectId('6a32a9e79077c4ae50888a41'),  
  name: 'Saran',  
  department: 'CSE',  
  cgpa: 9.2}
```

```
{ _id: ObjectId('6a32a9d89077c4ae50888a3f'),  
  name: 'Rahul',  
  department: 'CSE',  
  cgpa: 9.1}
```

```
{ _id: ObjectId('6a32a9e79077c4ae50888a43'),  
  name: 'Anu',  
  department: 'ECE-Core',  
  cgpa: 8.799999999999999}
```

- db.companies.find().sort({ package: -1 }).limit(2)

```
{ _id: ObjectId('6a32a9ef9077c4ae50888a44'),
```

name: **'TCS'**,

location: **'Hyderabad'**,

package: 7}

{ _id: ObjectId('6a32a9f69077c4ae50888a45'),

name: **'Infosys'**,

location: **'Bangalore'**,

package: 5}

- db.students.find({}, { name: 1 })

{ _id: ObjectId('6a32a9d89077c4ae50888a3f'),

name: **'Rahul'**}

{ _id: ObjectId('6a32a9df9077c4ae50888a40'),

name: **'Priya'**}

{ _id: ObjectId('6a32a9e79077c4ae50888a41'),

name: **'Saran'**}

{ _id: ObjectId('6a32a9e79077c4ae50888a43'),

name: **'Anu'**}

- db.students.find({}, { name: 1, cgpa: 1 })

{ _id: ObjectId('6a32a9d89077c4ae50888a3f'),

name: **'Rahul'**,

cgpa: 9.1}

{ _id: ObjectId('6a32a9df9077c4ae50888a40'),

name: **'Priya'**,

cgpa: 8.299999999999999}

{ _id: ObjectId('6a32a9e79077c4ae50888a41'),

name: **'Saran'**,

cgpa: 9.2}

{ _id: ObjectId('6a32a9e79077c4ae50888a43'),

name: **'Anu'**,

cgpa: 8.799999999999999}

- db.companies.find({}, { name: 1, location: 1 })

{ _id: ObjectId('6a32a9ef9077c4ae50888a44'),

name: 'TCS',

location: 'Hyderabad'}

{ _id: ObjectId('6a32a9f69077c4ae50888a45'),

name: 'Infosys',

location: 'Bangalore'}

{ _id: ObjectId('6a32a9f69077c4ae50888a46'),

name: 'Wipro',

location: 'Chennai'}

- db.students.find({}, { _id: 0, name: 1 })

{ name: 'Rahul'}

{ name: 'Priya'}

{ name: 'Saran'}

{ name: 'Anu'}

- db.companies.find({}, { name: 1, package: 1 })

{ _id: ObjectId('6a32a9ef9077c4ae50888a44'),

name: 'TCS',

package: 7}

{ _id: ObjectId('6a32a9f69077c4ae50888a45'),

name: 'Infosys',

package: 5}

{ _id: ObjectId('6a32a9f69077c4ae50888a46'),

name: 'Wipro',

package: 4.5}