Ansible

Roles



vim main.yaml

```
---
- name: yourappn
  hosts: servers
  roles:
    - apache
```


folder
ansible.cfg
myinventory
main.yaml
roles
apache
mysql
xyz
[dev]
[prod]
[silc]
[xyz]

Roles



Roles


wordpress
two roles
Appnserver
all slws
ip
dbserver
mysql
RDS
mysql
database
username
password

Linux 7.7

Linux → ≤ 6

mysql == mariadb



```
// ** MySQL settings - You can get this info from your web host ** //
/** The name of the database for WordPress */
define( 'DB_NAME', 'dvsdevops' );

/** MySQL database username */
define( 'DB_USER', 'admin' );

/** MySQL database password */
define( 'DB_PASSWORD', 'admin123' );

/** MySQL hostname */
define( 'DB_HOST', '172.31.17.147' );

/** Database Charset to use in creating database tables. */
define( 'DB_CHARSET', 'utf8' );

/** The Database Collate type. Don't change this if in doubt. */
define( 'DB_COLLATE', '' );
```

① update resumes

shahan.aix@gmail.com

20-25

1 month time to sync your profile

→ Before you sleep

≤ 11:49 PM IST

update naukri profile

Syllabus

1st phase

- cloud
- Automation
- IaC
- operations

↓

Building blocks

2nd phase

DevOps

- packer (1HR)
- Git (2-3HRS)

Syllabus

1st phase

- cloud
- Automation
- IaC
- operations

↓

Building blocks

2nd phase

DevOps

- packer (1HR)
- Git (2-3HRS)

Sat 7-9:30 ??





variable "name" {

default = {



variables.tf

```
variable "region" {
  default = ""
}
```

main.tf

```
module "" {
  region = "${var.region}"
}
```


ping
8509
3306
5607
telnet server
3306
5607
8509
✓ curl -v -k telnet://ip:8509
3306
5607
ping