


White I stores data
Plesystem ?? stores data










	position dan ve
Pinar	Pagroto

windows 7 /5e pendrive -7 format -> (type) NIFS
EAT32


Linux -> Fis types 1. Esta Choux sedhat (center 5) a. ext3 [11 6) 3. ext4 (1, 647) 4 xfx (7,7)









100618





dnawbachs

1) you can't increase partition size dynamically 10063 max. " F6" | partition (can)










```
lsblk
blkid
pvcreate /dev/xvdg
pvs
vgcreate myvg /dev/sdg
vgs
lvcreate -L +10G -n mylv myvg
lvcreate -L +9G -n mylv myvg
lvs
mkfs.ext4 /dev/myvg/mylv
mkdir /app1
mount -t ext4 /dev/myvg/mylv /app1
df -hT /app1
history
```

```
/dev/mapper/myvg-myiv ext4
[root@linuxserver ~]# cd
[root@linuxserver ~]# umount /app1/
[root@linuxserver ~]# lvremove /dev/myvg/mylv
Do you really want to remove active logical volume myvg/mylv? [y/n]: y
 Logical volume "mylv" successfully removed
[root@linuxserver ~] # vgremove myvg
 Volume group "myvg" successfully removed
[root@linuxserver ~]# pvremove /dev/sdg /dev/sdh
 Labels on physical volume "/dev/sdg" successfully wiped.
 Labels on physical volume "/dev/sdh" successfully wiped.
[root@linuxserver ~]# pvs
[root@linuxserver ~]# vqs
                                                          Ctrl
[root@linuxserver ~]# lvgs
-bash: lvgs: command not found
[root@linuxserver ~]# lvs
[root@linuxserver ~]# df -hT /app1
              Type Size Used Avail Use% Mounted on
Filesystem
/dev/xvda1
              xfs 8.0G 1.5G 6.6G 18% /
[root@linuxserver ~1# [
```



```
lsblk
fdisk /dev/xvdf
lsblk
fdisk /dev/xvdf
l
fdisk /dev/xvdf
lsblk
mkfs.ext4 /dev/xvdf1
blkid
mkdir /batch1
mount -t ext4 /dev/xvdf1 /batch1
df -hT /batch1/
history
```

