

Patient Name: MAMATHA	Age/Gender: 34Y/F	Patient ID: 3215586
Study Date: N/A	Ref. Doctor: N/A	Accession No: 65800
Reported Date: 25/2/2026, 3:22:34 pm	Modality: CR	Body Part: CHEST

CR CHEST REPORT

History:

THE TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED.THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNREMARKABLE.BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED.THE VISUALIZED BONY THORACIC CAGE SHOWS NO OBVIOUS ABNORMALITY.THE TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED.THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS.

THE TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED.THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNREMARKABLE.BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED.THE VISUALIZED BONY THORACIC CAGE SHOWS NO OBVIOUS ABNORMALITY.THE TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED.THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNREMARKABLE.BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED.THE VISUALIZED BONY THORACIC CAGE SHOWS NO OBVIOUS ABNORMALITY.THE TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED.THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNREMARKABLE.BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED.THE VISUALIZED BONY THORACIC CAGE SHOWS NO OBVIOUS ABNORMALITY.THE TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED.THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNREMARKABLE.BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED.THE VISUALIZED BONY THORACIC CAGE SHOWS NO OBVIOUS ABNORMALITY.

THE TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY

LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED.THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNREMARKABLE.BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED.THE VISUALIZED BONY THORACIC CAGE SHOWS NO OBVIOUS ABNORMALITY.THE TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED.THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNREMARKABLE.BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED.THE VISUALIZED BONY THORACIC CAGE SHOWS NO OBVIOUS ABNORMALITY.THE TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED.THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNREMARKABLE.BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED.THE VISUALIZED BONY THORACIC CAGE SHOWS NO OBVIOUS ABNORMALITY.THE TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED.THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNREMARKABLE.BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED.THE VISUALIZED BONY THORACIC CAGE SHOWS NO OBVIOUS ABNORMALITY.

THE TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED.THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNREMARKABLE.BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED.THE VISUALIZED BONY THORACIC CAGE SHOWS NO OBVIOUS ABNORMALITY.THE TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED.THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNREMARKABLE.BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED.THE VISUALIZED BONY THORACIC CAGE SHOWS NO OBVIOUS ABNORMALITY.THE TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED.THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNREMARKABLE.BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED.THE VISUALIZED BONY THORACIC CAGE SHOWS NO OBVIOUS ABNORMALITY.THE TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL CONSOLIDATION,

COLLAPSE, OR CAVITARY LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED. THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNREMARKABLE. BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED. THE VISUALIZED BONY THORACIC CAGE SHOWS NO OBVIOUS ABNORMALITY.

THE TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED. THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNREMARKABLE. BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED. THE VISUALIZED BONY THORACIC CAGE SHOWS NO OBVIOUS ABNORMALITY. THE TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED. THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNREMARKABLE. BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED. THE VISUALIZED BONY THORACIC CAGE SHOWS NO OBVIOUS ABNORMALITY. THE TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED. THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNREMARKABLE. BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED. THE VISUALIZED BONY THORACIC CAGE SHOWS NO OBVIOUS ABNORMALITY. THE TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED. THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNREMARKABLE. BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED. THE VISUALIZED BONY THORACIC CAGE SHOWS NO OBVIOUS ABNORMALITY. THE TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED. THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNREMARKABLE. BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED. THE VISUALIZED BONY THORACIC CAGE SHOWS NO OBVIOUS ABNORMALITY.

THE TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED. THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNREMARKABLE. BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED. THE VISUALIZED BONY THORACIC CAGE SHOWS NO OBVIOUS ABNORMALITY. THE TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED. THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNREMARKABLE. BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED. THE VISUALIZED BONY THORACIC CAGE SHOWS NO OBVIOUS ABNORMALITY. THE TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL

CONSOLIDATION, COLLAPSE, OR CAVITARY LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED. THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNREMARKABLE. BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED. THE VISUALIZED BONY THORACIC CAGE SHOWS NO OBVIOUS ABNORMALITY. THE TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED. THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNREMARKABLE. BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED. THE VISUALIZED BONY THORACIC CAGE SHOWS NO OBVIOUS ABNORMALITY.

THE TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED. THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNREMARKABLE. BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED. THE VISUALIZED BONY THORACIC CAGE SHOWS NO OBVIOUS ABNORMALITY. THE TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED. THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNREMARKABLE. BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED. THE VISUALIZED BONY THORACIC CAGE SHOWS NO OBVIOUS ABNORMALITY. THE TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED. THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNREMARKABLE. BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED. THE VISUALIZED BONY THORACIC CAGE SHOWS NO OBVIOUS ABNORMALITY. THE TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED. THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNREMARKABLE. BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED. THE VISUALIZED BONY THORACIC CAGE SHOWS NO OBVIOUS ABNORMALITY. THE TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED. THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNREMARKABLE. BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED. THE VISUALIZED BONY THORACIC CAGE SHOWS NO OBVIOUS ABNORMALITY.

THE TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED. THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNREMARKABLE. BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED. THE VISUALIZED BONY THORACIC CAGE SHOWS NO OBVIOUS ABNORMALITY. THE TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC

TRANSLUCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED.THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNREMARKABLE.BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED.THE VISUALIZED BONY THORACIC CAGE SHOWS NO OBVIOUS ABNORMALITY.THE TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED.THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNREMARKABLE.BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED.THE VISUALIZED BONY THORACIC CAGE SHOWS NO OBVIOUS ABNORMALITY.THE TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED.THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNREMARKABLE.BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED.THE VISUALIZED BONY THORACIC CAGE SHOWS NO OBVIOUS ABNORMALITY.

THE TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED.THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNREMARKABLE.BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED.THE VISUALIZED BONY THORACIC CAGE SHOWS NO OBVIOUS ABNORMALITY.THE TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED.THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNREMARKABLE.BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED.THE VISUALIZED BONY THORACIC CAGE SHOWS NO OBVIOUS ABNORMALITY.THE TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED.THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNREMARKABLE.BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED.THE VISUALIZED BONY THORACIC CAGE SHOWS NO OBVIOUS ABNORMALITY.THE TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED.THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNREMARKABLE.BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED.THE VISUALIZED BONY THORACIC CAGE SHOWS NO OBVIOUS ABNORMALITY.

THE TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS ARE WELL EXPANDED AND SHOW

NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED.THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNREMARKABLE.BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED.THE VISUALIZED BONY THORACIC CAGE SHOWS NO OBVIOUS ABNORMALITY.THE TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED.THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNREMARKABLE.BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED.THE VISUALIZED BONY THORACIC CAGE SHOWS NO OBVIOUS ABNORMALITY.THE TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED.THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNREMARKABLE.BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED.THE VISUALIZED BONY THORACIC CAGE SHOWS NO OBVIOUS ABNORMALITY.THE TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED.THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNREMARKABLE.BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED.THE VISUALIZED BONY THORACIC CAGE SHOWS NO OBVIOUS ABNORMALITY.

THE TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED.THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNREMARKABLE.BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED.THE VISUALIZED BONY THORACIC CAGE SHOWS NO OBVIOUS ABNORMALITY.THE TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED.THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNREMARKABLE.BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED.THE VISUALIZED BONY THORACIC CAGE SHOWS NO OBVIOUS ABNORMALITY.THE TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED.THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNREMARKABLE.BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED.THE VISUALIZED BONY THORACIC CAGE SHOWS NO OBVIOUS ABNORMALITY.THE TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS ARE WELL

EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED.THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNREMARKABLE.BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED.THE VISUALIZED BONY THORACIC CAGE SHOWS NO OBVIOUS ABNORMALITY.

THE TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED.THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNREMARKABLE.BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED.THE VISUALIZED BONY THORACIC CAGE SHOWS NO OBVIOUS ABNORMALITY.THE TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED.THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNREMARKABLE.BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED.THE VISUALIZED BONY THORACIC CAGE SHOWS NO OBVIOUS ABNORMALITY.THE TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED.THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNREMARKABLE.BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED.THE VISUALIZED BONY THORACIC CAGE SHOWS NO OBVIOUS ABNORMALITY.THE TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED.THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNREMARKABLE.BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED.THE VISUALIZED BONY THORACIC CAGE SHOWS NO OBVIOUS ABNORMALITY.THE TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED.THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNREMARKABLE.BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED.THE VISUALIZED BONY THORACIC CAGE SHOWS NO OBVIOUS ABNORMALITY.

THE TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED.THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNREMARKABLE.BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED.THE VISUALIZED BONY THORACIC CAGE SHOWS NO OBVIOUS ABNORMALITY.THE TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED.THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNREMARKABLE.BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED.THE VISUALIZED BONY THORACIC CAGE SHOWS NO OBVIOUS ABNORMALITY.THE TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS

ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED.THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNREMARKABLE.BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED.THE VISUALIZED BONY THORACIC CAGE SHOWS NO OBVIOUS ABNORMALITY.THE TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED.THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNREMARKABLE.BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED.THE VISUALIZED BONY THORACIC CAGE SHOWS NO OBVIOUS ABNORMALITY.

THE TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED.THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNREMARKABLE.BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED.THE VISUALIZED BONY THORACIC CAGE SHOWS NO OBVIOUS ABNORMALITY.THE TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED.THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNREMARKABLE.BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED.THE VISUALIZED BONY THORACIC CAGE SHOWS NO OBVIOUS ABNORMALITY.THE TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED.THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNREMARKABLE.BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED.THE VISUALIZED BONY THORACIC CAGE SHOWS NO OBVIOUS ABNORMALITY.THE TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED.THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNREMARKABLE.BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED.THE VISUALIZED BONY THORACIC CAGE SHOWS NO OBVIOUS ABNORMALITY.

THE TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED.THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNREMARKABLE.BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED.THE VISUALIZED BONY THORACIC CAGE SHOWS NO OBVIOUS ABNORMALITY.THE TRACHEA IS CENTRAL IN

POSITION. BOTH LUNG FIELDS ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED.THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNREMARKABLE.BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED.THE VISUALIZED BONY THORACIC CAGE SHOWS NO OBVIOUS ABNORMALITY.THE TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED.THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNREMARKABLE.BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED.THE VISUALIZED BONY THORACIC CAGE SHOWS NO OBVIOUS ABNORMALITY.THE TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED.THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNREMARKABLE.BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED.THE VISUALIZED BONY THORACIC CAGE SHOWS NO OBVIOUS ABNORMALITY.THE TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED.THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CON FIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNREMARKABLE.BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED.THE VISUALIZED BONY THORACIC CAGE SHOWS NO OBVIOUS ABNORMALITY.THE TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED.THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNREMARKABLE.BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED.THE VISUALIZED BONY THORACIC CAGE SHOWS NO OBVIOUS ABNORMALITY.THE TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED.THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNREMARKABLE.BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED.THE VISUALIZED BONY THORACIC CAGE SHOWS NO OBVIOUS ABNORMALITY.THE TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED.THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNREMARKABLE.BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED.THE VISUALIZED BONY THORACIC CAGE

SHOWS NO OBVIOUS ABNORMALITY.

THE TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED. THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNR

EMARKABLE. BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED. THE VISUALIZED BONY THORACIC CAGE SHOWS NO OBVIOUS ABNORMALITY. THE TRACHEA IS CENTRAL IN POSITION. BOTH LUN

G FIELDS ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED. THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNREMARKABLE. BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED. THE VISUALIZED BONY THORACIC CAGE SHOWS NO OBVIOUS

ABNORMALITY. THE TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED. THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNREMARKABLE. BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED. THE VISUALIZED BONY THORACIC CAGE SHOWS NO OBVIOUS ABNORMALITY. THE TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED. THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNREMARKABLE. BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED. THE VISUALIZED BONY THORACIC CAGE SHOWS NO OBVIOUS ABNORMALITY.

THE TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED. THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNREMARKABLE. BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED. THE VISUALIZED BONY THORACIC CAGE SHOWS NO OBVIOUS ABNORMALITY. THE TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSL

UCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED. THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNREMARKABLE. BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED. THE VISUALIZED BONY THORACIC CAGE SHOWS NO OBVIOUS ABNORMALITY. TH

E TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY

LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED.THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNREMARKABLE.BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED.THE VISUALIZED BONY THORACIC CAGE SHOWS NO OBVIOUS ABNORMALITY.THE TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED.THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNREMARKABLE.BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED.THE VISUALIZED BONY THORACIC CAGE SHOWS NO OBVIOUS ABNORMALITY.

THE TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED.THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNREMARKABLE.BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED.THE VISUALIZED BONY THORACIC CAGE SHOWS NO OBVIOUS ABNORMALITY.THE TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED.THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNREMARKABLE.BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED.THE VISUALIZED BONY THORACIC CAGE SHOWS NO OBVIOUS ABNORMALITY.TH

E TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED.THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNREMARKABLE.BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED.THE VISUALIZED BONY

Y THORACIC CAGE SHOWS NO OBVIOUS ABNORMALITY.THE TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY

LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED.THE HILAR REGIONS APPEAR NORMAL. CARDIAC SIZE AND CONFIGURATION ARE WITHIN NORMAL LIMITS. THE MEDIASTINAL CONTOURS ARE UNREMARKABLE.BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED.THE VISUALIZED BONY THORACIC CAGE SHOWS NO OBVIOUS ABNORMALITY.

THE MEDIASTINAL CONTOURS ARE UNREMARKABLE.BOTH COSTOPHRENIC ANGLES ARE CLEAR. NO EVIDENCE OF PLEURAL EFFUSION OR PNEUMOTHORAX IS NOTED.THE VISUALIZED BONY THORACIC CAGE SHOWS NO OBVIOUS ABNORMALITY.THE TRACHEA IS CENTRAL IN POSITION. BOTH LUNG FIELDS ARE WELL EXPANDED AND SHOW NORMAL RADIOGRAPHIC TRANSLUCENCY. NO FOCAL CONSOLIDATION, COLLAPSE, OR CAVITARY LESION IS SEEN. NO EVIDENCE OF MASS LESION OR NODULAR OPACITY IS IDENTIFIED.THE HILAR REGIONS APPEAR NORMAL. CARDIAC

Findings:

Key Images:



The trachea is central in position. Both lung fields are well expanded and show normal radiographic translucency. No focal consolidation, collapse, or cavitary lesion is seen. No evidence of mass lesion or nodular opacity is identified. The hilar regions appear normal. Cardiac size and configuration are within normal limits. The mediastinal contours are unremarkable. Both costophrenic angles are clear. No evidence of pleural effusion or pneumothorax is noted. The visualized bony thoracic cage shows no obvious abnormality.

The trachea is central in position. Both lung fields are well expanded and show normal radiographic translucency. No focal consolidation, collapse, or cavitary lesion is seen. No evidence of mass lesion or nodular opacity is identified. The hilar regions appear normal. Cardiac size and configuration are within normal limits. The mediastinal contours are unremarkable. Both costophrenic angles are clear. No evidence of pleural effusion or pneumothorax is noted. The visualized bony thoracic cage shows no obvious abnormality.

The trachea is central in position. Both lung fields are well expanded and show normal radiographic translucency. No focal consolidation, collapse, or cavitary lesion is seen. No evidence of mass lesion or nodular opacity is identified. The hilar regions appear normal. Cardiac size and configuration are within normal limits. The mediastinal contours are unremarkable. Both costophrenic angles are clear. No evidence of pleural effusion or pneumothorax is noted. The visualized bony thoracic cage shows no obvious abnormality.

The trachea is central in position. Both lung fields are well expanded and show normal radiographic translucency. No focal consolidation, collapse, or cavitary lesion is seen. No evidence of mass lesion or nodular opacity is identified. The hilar regions appear normal. Cardiac size and configuration are within normal limits. The mediastinal contours are unremarkable. Both costophrenic angles are clear. No evidence of pleural effusion or pneumothorax is noted. The visualized bony thoracic cage shows no obvious abnormality.

and show normal radiographic translucency. No focal consolidation, collapse, or cavitary lesion is seen. No evidence of mass lesion or nodular opacity is identified. The hilar regions appear normal. Cardiac size and configuration are within normal limits. The mediastinal contours are unremarkable. Both costophrenic angles are clear. No evidence of pleural effusion or pneumothorax is noted. The visualized bony thoracic cage shows no obvious abnormality. The trachea is central in position. Both lung fields are well expanded and show normal radiographic translucency. No focal consolidation, collapse, or cavitary lesion is seen. No evidence of mass lesion or nodular opacity is identified. The hilar regions appear normal. Cardiac size and configuration are within normal limits. The mediastinal contours are unremarkable. Both costophrenic angles are clear. No evidence of pleural effusion or pneumothorax is noted. The visualized bony thoracic cage shows no obvious abnormality. The trachea is central in position. Both lung fields are well expanded and show normal radiographic translucency. No focal consolidation, collapse, or cavitary lesion is seen. No evidence of mass lesion or nodular opacity is identified. The hilar regions appear normal. Cardiac size and configuration are within normal limits. The mediastinal contours are unremarkable. Both costophrenic angles are clear. No evidence of pleural effusion or pneumothorax is noted. The visualized bony thoracic cage shows no obvious abnormality.

Reported By:

ANJALI

anjali
MBBS
Signed on 23/2/2026, 11:43:25 am

Approved By:

nydile

Nydile D
MBBS, MD (Radiology)
Signed on 23/2/2026, 11:43:29 am