Exercise - 2 Table

Id	First Name	Last Name	Department	Salary	hiredate	City
1	John	Doe	IT	55000	2018-06-15	New York
2	Jane	Smith	HR	48000	2019-07-20	Chicago
3	Mike	Johnson	Finance	60000	2017-09-30	Los Angeles
4	Sarah	Brown	IT	53000	2021-03-25	New York
5	David	White	Marketing	52000	2016-04-10	San Francisco
6	Emily	Davis	IT	62000	2015-02-14	Chicago
7	Robert	Wilson	Finance	59000	2019-10-01	Houston
8	Jessica	Moore	HR	51000	2018-05-22	Los Angeles
9	Daniel	Clark	Marketing	53000	2022-06-01	Chicago
10	Laura	Hall	IT	50 000	2020-08-10	San Francisco

Powered by CamScanner

EXERCISE 2

1. Write a SQL query to find the total number of employees in the company

ntax
```
SELECT COUNT(ID) AS Total_Number_Employees
FROM `workspace`.`default`.`employees`;
```

Results

Total_Number_Employees
10

2. Write a SQL query to find total Salary paid to all employees in the IT department

ntax
```
SELECT SUM(Salary) AS Total_Salary
FROM `workspace`.`default`.`employees`
WHERE department = 'IT';
```

sult

Total_Salary
22000

3. Write a SQL query to calculate the average salary of employees in the HR department

ntax
```
SELECT AVG(Salary) AS Average_Salary
FROM `workspace`.`default`.`employees`
WHERE department = 'HR';
```

esults

Average_Salary
49500

Powered by CamScanner

4. Write a SQL query to find the highest and lowest salary in the company

Syntex
```
SELECT MAX (Salary) AS Highest_Salary,
       MIN (salary) AS Lowest_Salary
FROM 'workspace'.'default'.'employees';
```

Results

Highest_Salary	Lowest_Salary
62000	48000

5. Write a SQL query to group employees by department and display the total salary paid in each department

syntex
```
SELECT department,
SUM (Salary) AS Total_Salary
FROM 'workspace'.'default'.'employees'
GROUP BY department;
```

Results

Department	Total_Salary
IT	220000
HR	99000
Finance	119000
Marketing	10500

Powered by CamScanner

6. Write a SQL query to count how many employees work in each city.

syntex

```
SELECT city,
COUNT (id) AS Number_Employees
FROM `workspace`.`default`.`employees`
GROUP BY city;
```

Results

City	Total_Employees
New York	2
Chicago	3
Los Angeles	2
San Franscisco	2
Houston	1

7. Write a SQL query to group employees by department, calculate the average salary in each department, and order the results in descending order of average salary

syntex

```
SELECT department,
AVG(Salary) AS Average_Salary
FROM `Workspace`.`default`.`employees`
GROUP BY department
ORDER BY Average_Salary DESC;
```

Results

Department	Average_Salary
Finance	59500
IT	55000
Marketing	52500
HR	49500

Powered by CamScanner

5. Write a SQL query to find departments where the total salary paid exceed 100 000. Use GROUP BY and HAVING

ex

```
SELECT department,
SUM (salary) AS Total Salary
FROM 'workspace' . 'default' . 'employees'
GROUP BY department
HAVING Total_Salary >100000;
```

lts

Department	Total_Salary
IT	220000
Finance	119000
Marketing	105000

. Write a SQL query to list cities where more than one employee works, ordered by the number of employees in ascending order

ex

```
SELECT city,
COUNT (ID) AS Number_of_Employees
FROM 'workspace' . 'default' . 'employees'
GROUP BY city
HAVING Number_of_Employees
ORDER BY Number_of_Employees DESC;
```

lts

City	Number_of_Employees
Chicago	3
New York	2
San Francisco	2
Los Angeles	2
Houston	1

Powered by CamScanner

10 Write a SQL query to find the department with the highest average salary

Syntax

```
SELECT department,
AVG (salary) AS Average_Salary
FROM 'workspace'.'default'.'employees'
GROUP BY department
ORDER BY Average_Salary DESC
Limit 1;
```

Results

Department	Average_Salary
Finance	59500

Powered by CamScanner