

08:12:36.555 [1;36mINFO[1;0m: Initializaing jamPi System version 0.2.0...

08:12:42.812 [1;36mINFO[1;0m: Mediastreamer2 factory 2.12.0 (git: 3.9.0) initialized.

08:12:42.813 [1;36mINFO[1;0m: CPU count set to 4

08:12:42.813 [1;36mINFO[1;0m: ms_factory_init() done: platform_tags=linux,arm,embedded

08:12:42.821 [1;36mINFO[1;0m: srtp init

08:12:42.849 [1;36mINFO[1;0m: Registering all soundcard handlers

08:12:42.903 [1;36mINFO[1;0m: Card 'ALSA: default device' added

08:12:42.912 [1;36mINFO[1;0m: also error in pcm_hw.c:1557 - open '/dev/snd/pcmC0D0c' failed (-2)

08:12:42.915 [1;36mINFO[1;0m: Card 'ALSA: bcm2835 ALSA' added

08:12:42.934 [1;36mINFO[1;0m: Card 'ALSA: USB PnP Sound Device' added

08:12:42.934 [1;36mINFO[1;0m: Registering all webcam handlers

08:12:42.935 [1;36mINFO[1;0m: Webcam StaticImage: Static picture added

08:12:42.935 [1;36mINFO[1;0m: ms_factory_init_voip() done

08:12:42.935 [1;36mINFO[1;0m: Loading ms plugins from [./lib/mediastreamer/plugins]

08:12:42.935 [1;36mINFO[1;0m: Cannot open directory ./lib/mediastreamer/plugins: No such file or directory

08:12:42.936 [1;36mINFO[1;0m: Initializing LinphoneCore 3.9.0

08:12:42.941 [1;36mINFO[1;0m: Vtable [0x20b6110] registered on core [0x20d8d18]

08:12:42.942 [1;36mINFO[1;0m: Linphone core [0x20b6110] notifying [global_state_changed]

08:12:42.942 [1;36mINFO[1;0m: oRTP-0.25.0 initialized.

08:12:42.942 [1;36mINFO[1;0m: Skipping ms_base_init, because [2] ref

08:12:42.943 [1;36mINFO[1;0m: Skipping ms_voip_init, because [2] ref

08:12:42.943 [1;36mINFO[1;0m: Skipping ms_plugins_init, because [2] ref

08:12:42.943 [1;36mINFO[1;0m: Codec opus/48000 fmp=[useinbandfec=1] number=-1, enabled=1) added to default capabilities.

08:12:42.943 [1;36mINFO[1;0m: Could not find encoder for SILK

08:12:42.944 [1;36mINFO[1;0m: Could not find decoder for SILK

08:12:42.944 [1;36mINFO[1;0m: Codec speex/16000 fmp=[vbr=on] number=-1, enabled=1) added to default capabilities.

08:12:42.944 [1;36mINFO[1;0m: Codec speex/8000 fntp=[vbr=on] number=-1, enabled=1) added to default capabilities.

08:12:42.944 [1;36mINFO[1;0m: Codec PCMU/8000 fntp=[] number=0, enabled=1) added to default capabilities.

08:12:42.945 [1;36mINFO[1;0m: Codec PCMA/8000 fntp=[] number=8, enabled=1) added to default capabilities.

08:12:42.945 [1;36mINFO[1;0m: Codec t140/1000 fntp=[] number=96, enabled=1) added to default capabilities.

08:12:42.945 [1;36mINFO[1;0m: Codec red/1000 fntp=[] number=97, enabled=1) added to default capabilities.

08:12:42.945 [1;36mINFO[1;0m: Codec GSM/8000 fntp=[] number=3, enabled=0) added to default capabilities.

08:12:42.945 [1;36mINFO[1;0m: Codec G722/8000 fntp=[] number=9, enabled=0) added to default capabilities.

08:12:42.946 [1;36mINFO[1;0m: Could not find encoder for iLBC

08:12:42.946 [1;36mINFO[1;0m: Could not find decoder for iLBC

08:12:42.946 [1;36mINFO[1;0m: Could not find encoder for AMR

08:12:42.946 [1;36mINFO[1;0m: Could not find decoder for AMR

08:12:42.947 [1;36mINFO[1;0m: Could not find encoder for AMR-WB

08:12:42.947 [1;36mINFO[1;0m: Could not find decoder for AMR-WB

08:12:42.947 [1;36mINFO[1;0m: Could not find encoder for G729

08:12:42.947 [1;36mINFO[1;0m: Could not find decoder for G729

08:12:42.947 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

08:12:42.948 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

08:12:42.948 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

08:12:42.948 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

08:12:42.948 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

08:12:42.949 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

08:12:42.949 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

08:12:42.949 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

08:12:42.949 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

08:12:42.949 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

08:12:42.950 [1;36mINFO[1;0m: Could not find encoder for iSAC

08:12:42.950 [1;36mINFO[1;0m: Could not find decoder for iSAC

08:12:42.950 [1;36mINFO[1;0m: Codec speex/32000 fntp=[vbr=on] number=-1, enabled=0) added to default capabilities.

08:12:42.950 [1;36mINFO[1;0m: Could not find encoder for SILK

08:12:42.951 [1;36mINFO[1;0m: Could not find decoder for SILK

08:12:42.951 [1;36mINFO[1;0m: Could not find encoder for SILK

08:12:42.951 [1;36mINFO[1;0m: Could not find decoder for SILK

08:12:42.951 [1;36mINFO[1;0m: Could not find encoder for SILK

08:12:42.951 [1;36mINFO[1;0m: Could not find decoder for SILK

08:12:42.951 [1;36mINFO[1;0m: Could not find encoder for SILK

08:12:42.952 [1;36mINFO[1;0m: Could not find encoder for G726-16

08:12:42.952 [1;36mINFO[1;0m: Could not find decoder for G726-16

08:12:42.952 [1;36mINFO[1;0m: Could not find encoder for G726-24

08:12:42.952 [1;36mINFO[1;0m: Could not find decoder for G726-24

08:12:42.953 [1;36mINFO[1;0m: Could not find encoder for G726-32

08:12:42.953 [1;36mINFO[1;0m: Could not find decoder for G726-32

08:12:42.953 [1;36mINFO[1;0m: Could not find encoder for G726-40

08:12:42.953 [1;36mINFO[1;0m: Could not find decoder for G726-40

08:12:42.953 [1;36mINFO[1;0m: Could not find encoder for AAL2-G726-16

08:12:42.954 [1;36mINFO[1;0m: Could not find decoder for AAL2-G726-16

08:12:42.954 [1;36mINFO[1;0m: Could not find encoder for AAL2-G726-24

08:12:42.954 [1;36mINFO[1;0m: Could not find decoder for AAL2-G726-24

08:12:42.954 [1;36mINFO[1;0m: Could not find encoder for AAL2-G726-32

08:12:42.954 [1;36mINFO[1;0m: Could not find decoder for AAL2-G726-32

08:12:42.955 [1;36mINFO[1;0m: Could not find encoder for AAL2-G726-40

08:12:42.955 [1;36mINFO[1;0m: Could not find decoder for AAL2-G726-40

08:12:42.955 [1;36mINFO[1;0m: Could not find encoder for CODEC2

08:12:42.955 [1;36mINFO[1;0m: Could not find decoder for CODEC2

08:12:42.956 [1;36mINFO[1;0m: Codec VP8/90000 fmt=[] number=-1, enabled=1) added to default capabilities.

08:12:42.956 [1;36mINFO[1;0m: Could not find encoder for H264

08:12:42.956 [1;36mINFO[1;0m: Could not find decoder for H264

08:12:42.956 [1;36mINFO[1;0m: Could not find encoder for MP4V-ES

08:12:42.957 [1;36mINFO[1;0m: Could not find encoder for H263-1998

08:12:42.957 [1;36mINFO[1;0m: Could not find encoder for H263

08:12:42.957 [1;36mINFO[1;0m: Could not find encoder for 1016

08:12:42.957 [1;36mINFO[1;0m: Could not find decoder for 1016

08:12:42.957 [1;36mINFO[1;0m: Could not find encoder for G723

08:12:42.958 [1;36mINFO[1;0m: Could not find decoder for G723

08:12:42.958 [1;36mINFO[1;0m: Could not find encoder for LPC

08:12:42.958 [1;36mINFO[1;0m: Could not find decoder for LPC

08:12:42.958 [1;36mINFO[1;0m: Codec L16/44100 fmt=[] number=10, enabled=0) added to default capabilities.

08:12:42.959 [1;36mINFO[1;0m: Codec L16/44100 fmt=[] number=11, enabled=0) added to default capabilities.

08:12:42.959 [1;36mINFO[1;0m: Could not find encoder for CN

08:12:42.959 [1;36mINFO[1;0m: Could not find decoder for CN

08:12:42.959 [1;36mINFO[1;0m: Could not find encoder for G729

08:12:42.959 [1;36mINFO[1;0m: Could not find decoder for G729

08:12:42.960 [1;36mINFO[1;0m: Could not find encoder for H261

08:12:42.960 [1;36mINFO[1;0m: Could not find decoder for H261

08:12:42.960 [1;36mINFO[1;0m: Could not find encoder for MPV

08:12:42.960 [1;36mINFO[1;0m: Could not find decoder for MPV

08:12:42.961 [1;36mINFO[1;0m: Could not find encoder for H263

08:12:42.980 [1;36mINFO[1;0m: Sal nat helper [enabled]

08:12:42.980 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

08:12:42.980 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

08:12:42.980 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

08:12:42.981 [1;36mINFO[1;0m: Linphone core [0x20b6110] notifying [configuring_status]

08:12:42.981 [1;36mINFO[1;0m: Cannot open directory ./lib/liblinphone/plugins: No such file or directory

08:12:42.981 [1;31mWARNING[1;0m: ./share/sounds/linphone/rings/oldphone.wav does not exist

08:12:42.981 [1;36mINFO[1;0m: linphone_core_set_playback_gain_db(): no active call.

08:12:42.982 [1;36mINFO[1;0m: linphone_core_set_mic_gain_db(): no active call.

08:12:42.982 [1;36mINFO[1;0m: MTU is supposed to be 1300, rtp payload max size will be 1240

08:12:42.982 [1;36mINFO[1;0m: Sal nat helper [enabled]

08:12:42.982 [1;36mINFO[1;0m: Sal use rport [enabled]

08:12:42.983 [1;36mINFO[1;0m: Supported codec opus/48000 fmp=useinbandfec=1 automatically added to codec list.

08:12:42.983 [1;36mINFO[1;0m: Supported codec speex/16000 fmp=vbr=on automatically added to codec list.

08:12:42.983 [1;36mINFO[1;0m: Supported codec speex/8000 fmp=vbr=on automatically added to codec list.

08:12:42.983 [1;36mINFO[1;0m: Supported codec PCMU/8000 fmp= automatically added to codec list.

08:12:42.983 [1;36mINFO[1;0m: Supported codec PCMA/8000 fmp= automatically added to codec list.

08:12:42.984 [1;36mINFO[1;0m: Supported codec GSM/8000 fmp= automatically added to codec list.

08:12:42.984 [1;36mINFO[1;0m: Supported codec G722/8000 fmp= automatically added to codec list.

08:12:42.984 [1;36mINFO[1;0m: Supported codec speex/32000 fmp=vbr=on automatically added to codec list.

08:12:42.984 [1;36mINFO[1;0m: Supported codec L16/44100 fmp= automatically added to codec list.

08:12:42.985 [1;36mINFO[1;0m: Supported codec L16/44100 fmp= automatically added to codec list.

08:12:42.985 [1;36mINFO[1;0m: Supported codec VP8/90000 fmp= automatically added to codec list.

08:12:42.985 [1;36mINFO[1;0m: Supported codec t140/1000 fmp= automatically added to codec list.

08:12:42.985 [1;36mINFO[1;0m: Supported codec red/1000 fmp= automatically added to codec list.

08:12:42.985 [1;36mINFO[1;0m: Sal use rport [enabled]

08:12:42.986 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

08:12:42.986 [1;36mINFO[1;0m: sal_unlisten_ports done

08:12:42.986 [1;36mINFO[1;0m: Creating listening point [0x20b5e28] on [sip:0.0.0.0:5060;transport=UDP]

08:12:42.987 [1;36mINFO[1;0m: Creating listening point [0x20b6788] on [sip:0.0.0.0:5060;transport=TCP]

08:12:42.996 [1;36mINFO[1;0m: Creating listening point [0x20b6928] on [sip:0.0.0.0:-1;transport=TLS]

08:12:42.996 [1;36mINFO[1;0m: Random TCP port is 58711

08:12:42.997 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

08:12:42.997 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

08:12:43.063 [1;36mINFO[1;0m: Linphone core [0x20b6110] notifying [global_state_changed]

08:12:43.064 [1;36mINFO[1;0m: Listening point [0x20b5e28] on [sip:0.0.0.0:5060;transport=UDP] destroyed

08:12:43.064 [1;36mINFO[1;0m: Listening point [0x20b6788] on [sip:0.0.0.0:5060;transport=TCP] destroyed

08:12:43.064 [1;36mINFO[1;0m: Listening point [0x20b6928] on [sip:0.0.0.0:58711;transport=TLS] destroyed

08:12:43.065 [1;36mINFO[1;0m: sal_unlisten_ports done

08:12:43.065 [1;36mINFO[1;0m: Creating listening point [0x20b5d20] on [sip:0.0.0.0:5063;transport=UDP]

08:12:43.065 [1;36mINFO[1;0m: Creating listening point [0x20b5f10] on [sip:0.0.0.0:5067;transport=TCP]

08:12:43.066 [1;36mINFO[1;0m: Creating listening point [0x20b66a0] on [sip:0.0.0.0:32737;transport=TLS]

08:12:43.066 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

08:12:43.066 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

08:12:43.071 [1;36mINFO[1;0m: Resolver is using DNS server(s):

08:12:43.071 [1;36mINFO[1;0m: 75.75.75.75

08:12:43.071 [1;36mINFO[1;0m: 75.75.76.76

08:12:43.071 [1;36mINFO[1;0m: 2001:558:feed::1

08:12:43.072 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress

08:12:43.072 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop

08:12:43.073 [1;36mINFO[1;0m: Sal nat helper [enabled]

08:12:43.073 [1;36mINFO[1;0m: Sal use rport [enabled]

08:12:43.074 [1;36mINFO[1;0m: no camera with id V4L2: /dev/video0

08:12:43.075 [1;31mWARNING[1;0m: Could not find video device V4L2: /dev/video0

08:12:43.078 [1;36mINFO[1;0m: Adding codec PCMU...

08:12:43.078 [1;36mINFO[1;0m: Adding codec PCMA...

08:12:43.080 [1;36mINFO[1;0m: Adding codec VP8...

08:12:43.081 [1;36mINFO[1;0m: [org.antlr.runtime.MismatchedTokenException] reason [()* loopback of 1637:21: (domainlabel DOT)*]

08:12:43.082 [1;41mERROR[1;0m: header_address parser error for [sip:zahersyed@sip.linphone.org@sip.linphone.org:5061]

08:12:43.082 [1;41mERROR[1;0m: Cannot create LinphoneAddress, bad uri [sip:zahersyed@sip.linphone.org@sip.linphone.org:5061]

08:12:43.082 [1;31mWARNING[1;0m: Invalid sip identity: NULL

08:12:43.084 [1;31mWARNING[1;0m: Bad proxy address: it is not in the list !

08:12:43.084 [1;36mINFO[1;0m: auth_info.username = zahersyed@sip.linphone.org,

08:12:46.136 [1;36mINFO[1;0m: stun.linphone.org resolved to 37.59.51.72

08:12:46.137 [1;36mINFO[1;0m: Stun server resolution successful.

08:12:46.138 [1;36mINFO[1;0m: New local ip address is 10.1.10.45

08:12:46.138 [1;36mINFO[1;0m: Network state is now [UP]

08:12:46.139 [1;36mINFO[1;0m: Resolver is using DNS server(s):

08:12:46.140 [1;36mINFO[1;0m: 75.75.75.75

08:12:46.140 [1;36mINFO[1;0m: 75.75.76.76

08:12:46.141 [1;36mINFO[1;0m: 2001:558:feed::1

08:12:46.142 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress

08:12:46.142 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop

08:12:46.143 [1;36mINFO[1;0m: Linphone core [0x20b6110] notifying [network_reachable]

08:12:46.253 [1;36mINFO[1;0m: stun.linphone.org resolved to 37.59.51.72

08:12:46.253 [1;36mINFO[1;0m: Stun server resolution successful.

08:14:21.944 [1;36mINFO[1;0m: Initializaing jamPi System version 0.2.0...

08:14:28.151 [1;36mINFO[1;0m: Mediastreamer2 factory 2.12.0 (git: 3.9.0) initialized.

08:14:28.152 [1;36mINFO[1;0m: CPU count set to 4

08:14:28.152 [1;36mINFO[1;0m: ms_factory_init() done: platform_tags=linux,arm,embedded

08:14:28.152 [1;36mINFO[1;0m: srtp init

08:14:28.169 [1;36mINFO[1;0m: Registering all soundcard handlers

08:14:28.223 [1;36mINFO[1;0m: Card 'ALSA: default device' added

08:14:28.231 [1;36mINFO[1;0m: also error in pcm_hw.c:1557 - open '/dev/snd/pcmC0D0c' failed (-2)

08:14:28.233 [1;36mINFO[1;0m: Card 'ALSA: bcm2835 ALSA' added

08:14:28.245 [1;36mINFO[1;0m: Card 'ALSA: USB PnP Sound Device' added

08:14:28.245 [1;36mINFO[1;0m: Registering all webcam handlers

08:14:28.246 [1;36mINFO[1;0m: Webcam StaticImage: Static picture added

08:14:28.246 [1;36mINFO[1;0m: ms_factory_init_voip() done

08:14:28.246 [1;36mINFO[1;0m: Loading ms plugins from [./lib/mediastreamer/plugins]

08:14:28.247 [1;36mINFO[1;0m: Cannot open directory ./lib/mediastreamer/plugins: No such file or directory

08:14:28.247 [1;36mINFO[1;0m: Initializing LinphoneCore 3.9.0

08:14:28.247 [1;36mINFO[1;0m: Vtable [0x268dc10] registered on core [0x268d480]

08:14:28.247 [1;36mINFO[1;0m: Linphone core [0x268dc10] notifying [global_state_changed]

08:14:28.248 [1;36mINFO[1;0m: oRTP-0.25.0 initialized.

08:14:28.248 [1;36mINFO[1;0m: Skipping ms_base_init, because [2] ref

08:14:28.248 [1;36mINFO[1;0m: Skipping ms_voip_init, because [2] ref

08:14:28.248 [1;36mINFO[1;0m: Skipping ms_plugins_init, because [2] ref

08:14:28.249 [1;36mINFO[1;0m: Codec opus/48000 fmt=[useinbandfec=1] number=-1, enabled=1) added to default capabilities.

08:14:28.249 [1;36mINFO[1;0m: Could not find encoder for SILK

08:14:28.249 [1;36mINFO[1;0m: Could not find decoder for SILK

08:14:28.249 [1;36mINFO[1;0m: Codec speex/16000 fmt=[vbr=on] number=-1, enabled=1) added to default capabilities.

08:14:28.249 [1;36mINFO[1;0m: Codec speex/8000 fmt=[vbr=on] number=-1, enabled=1) added to default capabilities.

08:14:28.250 [1;36mINFO[1;0m: Codec PCMU/8000 fmt=[] number=0, enabled=1) added to default capabilities.

08:14:28.250 [1;36mINFO[1;0m: Codec PCMA/8000 fmt=[] number=8, enabled=1) added to default capabilities.

08:14:28.250 [1;36mINFO[1;0m: Codec t140/1000 fntp=[] number=96, enabled=1) added to default capabilities.

08:14:28.250 [1;36mINFO[1;0m: Codec red/1000 fntp=[] number=97, enabled=1) added to default capabilities.

08:14:28.251 [1;36mINFO[1;0m: Codec GSM/8000 fntp=[] number=3, enabled=0) added to default capabilities.

08:14:28.251 [1;36mINFO[1;0m: Codec G722/8000 fntp=[] number=9, enabled=0) added to default capabilities.

08:14:28.251 [1;36mINFO[1;0m: Could not find encoder for iLBC

08:14:28.251 [1;36mINFO[1;0m: Could not find decoder for iLBC

08:14:28.252 [1;36mINFO[1;0m: Could not find encoder for AMR

08:14:28.252 [1;36mINFO[1;0m: Could not find decoder for AMR

08:14:28.252 [1;36mINFO[1;0m: Could not find encoder for AMR-WB

08:14:28.252 [1;36mINFO[1;0m: Could not find decoder for AMR-WB

08:14:28.253 [1;36mINFO[1;0m: Could not find encoder for G729

08:14:28.253 [1;36mINFO[1;0m: Could not find decoder for G729

08:14:28.253 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

08:14:28.253 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

08:14:28.253 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

08:14:28.254 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

08:14:28.254 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

08:14:28.254 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

08:14:28.254 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

08:14:28.255 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

08:14:28.255 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

08:14:28.255 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

08:14:28.255 [1;36mINFO[1;0m: Could not find encoder for iSAC

08:14:28.255 [1;36mINFO[1;0m: Could not find decoder for iSAC

08:14:28.256 [1;36mINFO[1;0m: Codec speex/32000 fntp=[vbr=on] number=-1, enabled=0) added to default capabilities.

08:14:28.256 [1;36mINFO[1;0m: Could not find encoder for SILK

08:14:28.256 [1;36mINFO[1;0m: Could not find decoder for SILK

08:14:28.256 [1;36mINFO[1;0m: Could not find encoder for SILK

08:14:28.257 [1;36mINFO[1;0m: Could not find decoder for SILK

08:14:28.257 [1;36mINFO[1;0m: Could not find encoder for SILK

08:14:28.257 [1;36mINFO[1;0m: Could not find decoder for SILK

08:14:28.257 [1;36mINFO[1;0m: Could not find encoder for G726-16

08:14:28.258 [1;36mINFO[1;0m: Could not find decoder for G726-16

08:14:28.258 [1;36mINFO[1;0m: Could not find encoder for G726-24

08:14:28.258 [1;36mINFO[1;0m: Could not find decoder for G726-24

08:14:28.258 [1;36mINFO[1;0m: Could not find encoder for G726-32

08:14:28.258 [1;36mINFO[1;0m: Could not find decoder for G726-32

08:14:28.259 [1;36mINFO[1;0m: Could not find encoder for G726-40

08:14:28.259 [1;36mINFO[1;0m: Could not find decoder for G726-40

08:14:28.259 [1;36mINFO[1;0m: Could not find encoder for AAL2-G726-16

08:14:28.259 [1;36mINFO[1;0m: Could not find decoder for AAL2-G726-16

08:14:28.260 [1;36mINFO[1;0m: Could not find encoder for AAL2-G726-24

08:14:28.260 [1;36mINFO[1;0m: Could not find decoder for AAL2-G726-24

08:14:28.260 [1;36mINFO[1;0m: Could not find encoder for AAL2-G726-32

08:14:28.260 [1;36mINFO[1;0m: Could not find decoder for AAL2-G726-32

08:14:28.260 [1;36mINFO[1;0m: Could not find encoder for AAL2-G726-40

08:14:28.261 [1;36mINFO[1;0m: Could not find decoder for AAL2-G726-40

08:14:28.261 [1;36mINFO[1;0m: Could not find encoder for CODEC2

08:14:28.261 [1;36mINFO[1;0m: Could not find decoder for CODEC2

08:14:28.261 [1;36mINFO[1;0m: Codec VP8/90000 fntp=[] number=-1, enabled=1) added to default capabilities.

08:14:28.262 [1;36mINFO[1;0m: Could not find encoder for H264

08:14:28.262 [1;36mINFO[1;0m: Could not find decoder for H264

08:14:28.262 [1;36mINFO[1;0m: Could not find encoder for MP4V-ES

08:14:28.262 [1;36mINFO[1;0m: Could not find encoder for H263-1998

08:14:28.263 [1;36mINFO[1;0m: Could not find encoder for H263

08:14:28.263 [1;36mINFO[1;0m: Could not find encoder for 1016

08:14:28.263 [1;36mINFO[1;0m: Could not find decoder for 1016

08:14:28.263 [1;36mINFO[1;0m: Could not find encoder for G723

08:14:28.263 [1;36mINFO[1;0m: Could not find decoder for G723

08:14:28.264 [1;36mINFO[1;0m: Could not find encoder for LPC

08:14:28.264 [1;36mINFO[1;0m: Could not find decoder for LPC

08:14:28.264 [1;36mINFO[1;0m: Codec L16/44100 fmtp=[] number=10, enabled=0) added to default capabilities.

08:14:28.264 [1;36mINFO[1;0m: Codec L16/44100 fmtp=[] number=11, enabled=0) added to default capabilities.

08:14:28.265 [1;36mINFO[1;0m: Could not find encoder for CN

08:14:28.265 [1;36mINFO[1;0m: Could not find decoder for CN

08:14:28.265 [1;36mINFO[1;0m: Could not find encoder for G729

08:14:28.265 [1;36mINFO[1;0m: Could not find decoder for G729

08:14:28.265 [1;36mINFO[1;0m: Could not find encoder for H261

08:14:28.266 [1;36mINFO[1;0m: Could not find decoder for H261

08:14:28.266 [1;36mINFO[1;0m: Could not find encoder for MPV

08:14:28.266 [1;36mINFO[1;0m: Could not find decoder for MPV

08:14:28.266 [1;36mINFO[1;0m: Could not find encoder for H263

08:14:28.267 [1;36mINFO[1;0m: Sal nat helper [enabled]

08:14:28.267 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

08:14:28.267 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

08:14:28.267 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

08:14:28.268 [1;36mINFO[1;0m: Linphone core [0x268dc10] notifying [configuring_status]

08:14:28.268 [1;36mINFO[1;0m: Cannot open directory ./lib/liblinphone/plugins: No such file or directory

08:14:28.268 [1;31mWARNING[1;0m: ./share/sounds/linphone/rings/oldphone.wav does not exist

08:14:28.268 [1;36mINFO[1;0m: linphone_core_set_playback_gain_db(): no active call.

08:14:28.269 [1;36mINFO[1;0m: linphone_core_set_mic_gain_db(): no active call.

08:14:28.269 [1;36mINFO[1;0m: MTU is supposed to be 1300, rtp payload max size will be 1240

08:14:28.269 [1;36mINFO[1;0m: Sal nat helper [enabled]

08:14:28.269 [1;36mINFO[1;0m: Sal use rport [enabled]

08:14:28.270 [1;36mINFO[1;0m: Supported codec opus/48000 fmp=useinbandfec=1 automatically added to codec list.

08:14:28.270 [1;36mINFO[1;0m: Supported codec speex/16000 fmp=vbr=on automatically added to codec list.

08:14:28.270 [1;36mINFO[1;0m: Supported codec speex/8000 fmp=vbr=on automatically added to codec list.

08:14:28.270 [1;36mINFO[1;0m: Supported codec PCMU/8000 fmp= automatically added to codec list.

08:14:28.271 [1;36mINFO[1;0m: Supported codec PCMA/8000 fmp= automatically added to codec list.

08:14:28.271 [1;36mINFO[1;0m: Supported codec GSM/8000 fmp= automatically added to codec list.

08:14:28.271 [1;36mINFO[1;0m: Supported codec G722/8000 fmp= automatically added to codec list.

08:14:28.271 [1;36mINFO[1;0m: Supported codec speex/32000 fmp=vbr=on automatically added to codec list.

08:14:28.271 [1;36mINFO[1;0m: Supported codec L16/44100 fmp= automatically added to codec list.

08:14:28.272 [1;36mINFO[1;0m: Supported codec L16/44100 fmp= automatically added to codec list.

08:14:28.272 [1;36mINFO[1;0m: Supported codec VP8/90000 fmp= automatically added to codec list.

08:14:28.272 [1;36mINFO[1;0m: Supported codec t140/1000 fmp= automatically added to codec list.

08:14:28.272 [1;36mINFO[1;0m: Supported codec red/1000 fmp= automatically added to codec list.

08:14:28.273 [1;36mINFO[1;0m: Sal use rport [enabled]

08:14:28.273 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

08:14:28.273 [1;36mINFO[1;0m: sal_unlisten_ports done

08:14:28.273 [1;36mINFO[1;0m: Creating listening point [0x26b09b0] on [sip:0.0.0.0:5060;transport=UDP]

08:14:28.274 [1;36mINFO[1;0m: Creating listening point [0x268e6b8] on [sip:0.0.0.0:5060;transport=TCP]

08:14:28.274 [1;36mINFO[1;0m: Creating listening point [0x268e938] on [sip:0.0.0.0:-1;transport=TLS]

08:14:28.274 [1;36mINFO[1;0m: Random TCP port is 42878

08:14:28.275 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

08:14:28.275 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

08:14:28.277 [1;36mINFO[1;0m: Linphone core [0x268dc10] notifying [global_state_changed]

08:14:28.278 [1;36mINFO[1;0m: Listening point [0x26b09b0] on [sip:0.0.0.0:5060;transport=UDP] destroyed

08:14:28.279 [1;36mINFO[1;0m: Listening point [0x268e6b8] on [sip:0.0.0.0:5060;transport=TCP] destroyed

08:14:28.279 [1;36mINFO[1;0m: Listening point [0x268e938] on [sip:0.0.0.0:42878;transport=TLS] destroyed

08:14:28.279 [1;36mINFO[1;0m: sal_unlisten_ports done

08:14:28.279 [1;36mINFO[1;0m: Creating listening point [0x2692bd0] on [sip:0.0.0.0:5063;transport=UDP]

08:14:28.280 [1;36mINFO[1;0m: Creating listening point [0x2692f50] on [sip:0.0.0.0:5067;transport=TCP]

08:14:28.280 [1;41mERROR[1;0m: TCP bind() failed for 0.0.0.0 port 5067: Address already in use

08:14:28.280 [1;36mINFO[1;0m: Listening point [0x2692f50] on [sip:0.0.0.0:5067;transport=TCP] destroyed

08:14:28.281 [1;31mWARNING[1;0m: Could not start tcp transport on port 5067, maybe this port is already used.

08:14:28.281 [1;36mINFO[1;0m: Creating listening point [0x26b0a48] on [sip:0.0.0.0:32737;transport=TLS]

08:14:28.281 [1;41mERROR[1;0m: TCP bind() failed for 0.0.0.0 port 32737: Address already in use

08:14:28.281 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

08:14:28.282 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

08:14:28.283 [1;36mINFO[1;0m: Resolver is using DNS server(s):

08:14:28.283 [1;36mINFO[1;0m: 75.75.75.75

08:14:28.283 [1;36mINFO[1;0m: 75.75.76.76

08:14:28.283 [1;36mINFO[1;0m: 2001:558:feed::1

08:14:28.284 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress

08:14:28.284 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop

08:14:28.285 [1;36mINFO[1;0m: Sal nat helper [enabled]

08:14:28.285 [1;36mINFO[1;0m: Sal use rport [enabled]

08:14:28.286 [1;36mINFO[1;0m: no camera with id V4L2: /dev/video0

08:14:28.287 [1;31mWARNING[1;0m: Could not find video device V4L2: /dev/video0

08:14:28.290 [1;36mINFO[1;0m: Adding codec PCMU...

08:14:28.290 [1;36mINFO[1;0m: Adding codec PCMA...

08:14:28.292 [1;36mINFO[1;0m: Adding codec VP8...

08:14:28.293 [1;36mINFO[1;0m: [org.antlr.runtime.MismatchedTokenException] reason [()* loopback of 1637:21: (domainlabel DOT)*]

08:14:28.293 [1;41mERROR[1;0m: header_address parser error for [sip:zahersyed@sip.linphone.org@sip.linphone.org:5061]

08:14:28.294 [1;41mERROR[1;0m: Cannot create LinphoneAddress, bad uri [sip:zahersyed@sip.linphone.org@sip.linphone.org:5061]

08:14:28.294 [1;31mWARNING[1;0m: Invalid sip identity: NULL

08:14:28.296 [1;31mWARNING[1;0m: Bad proxy address: it is not in the list !

08:14:28.296 [1;36mINFO[1;0m: auth_info.username = zahersyed@sip.linphone.org,

08:14:31.354 [1;36mINFO[1;0m: stun.linphone.org resolved to 37.59.51.72

08:14:31.354 [1;36mINFO[1;0m: Stun server resolution successful.

08:14:31.355 [1;36mINFO[1;0m: New local ip address is 10.1.10.45

08:14:31.356 [1;36mINFO[1;0m: Network state is now [UP]

08:14:31.357 [1;36mINFO[1;0m: Resolver is using DNS server(s):

08:14:31.357 [1;36mINFO[1;0m: 75.75.75.75

08:14:31.358 [1;36mINFO[1;0m: 75.75.76.76

08:14:31.358 [1;36mINFO[1;0m: 2001:558:feed::1

08:14:31.359 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress

08:14:31.360 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop

08:14:31.361 [1;36mINFO[1;0m: Linphone core [0x268dc10] notifying [network_reachable]

08:14:31.473 [1;36mINFO[1;0m: stun.linphone.org resolved to 37.59.51.72

08:14:31.474 [1;36mINFO[1;0m: Stun server resolution successful.

08:25:58.562 [1;36mINFO[1;0m: Initializaing jamPi System version 0.2.0...

08:26:03.565 [1;36mINFO[1;0m: Sensor online... Turning on motion sensor...

08:26:08.572 [1;36mINFO[1;0m: PIR sensor is ready.

08:26:09.773 [1;36mINFO[1;0m: Mediastreamer2 factory 2.12.0 (git: 3.9.0) initialized.

08:26:09.773 [1;36mINFO[1;0m: CPU count set to 4

08:26:09.773 [1;36mINFO[1;0m: ms_factory_init() done: platform_tags=linux,arm,embedded

08:26:09.774 [1;36mINFO[1;0m: srtp init

08:26:09.790 [1;36mINFO[1;0m: Registering all soundcard handlers

08:26:09.850 [1;36mINFO[1;0m: Card 'ALSA: default device' added

08:26:09.860 [1;36mINFO[1;0m: also error in pcm_hw.c:1557 - open '/dev/snd/pcmC0D0c' failed (-2)

08:26:09.861 [1;36mINFO[1;0m: Card 'ALSA: bcm2835 ALSA' added

08:26:09.872 [1;36mINFO[1;0m: Card 'ALSA: USB PnP Sound Device' added

08:26:09.872 [1;36mINFO[1;0m: Registering all webcam handlers

08:26:09.873 [1;36mINFO[1;0m: Webcam StaticImage: Static picture added

08:26:09.873 [1;36mINFO[1;0m: ms_factory_init_voip() done

08:26:09.873 [1;36mINFO[1;0m: Loading ms plugins from [./lib/mediastreamer/plugins]

08:26:09.874 [1;36mINFO[1;0m: Cannot open directory ./lib/mediastreamer/plugins: No such file or directory

08:26:09.874 [1;36mINFO[1;0m: Initializing LinphoneCore 3.9.0

08:26:09.874 [1;36mINFO[1;0m: Vtable [0x1838188] registered on core [0x185ad88]

08:26:09.874 [1;36mINFO[1;0m: Linphone core [0x1838188] notifying [global_state_changed]

08:26:09.875 [1;36mINFO[1;0m: oRTP-0.25.0 initialized.

08:26:09.875 [1;36mINFO[1;0m: Skipping ms_base_init, because [2] ref

08:26:09.875 [1;36mINFO[1;0m: Skipping ms_voip_init, because [2] ref

08:26:09.875 [1;36mINFO[1;0m: Skipping ms_plugins_init, because [2] ref

08:26:09.875 [1;36mINFO[1;0m: Codec opus/48000 fmt=[useinbandfec=1] number=-1, enabled=1) added to default capabilities.

08:26:09.876 [1;36mINFO[1;0m: Could not find encoder for SILK

08:26:09.876 [1;36mINFO[1;0m: Could not find decoder for SILK

08:26:09.876 [1;36mINFO[1;0m: Codec speex/16000 fmt=[vbr=on] number=-1, enabled=1) added to default capabilities.

08:26:09.876 [1;36mINFO[1;0m: Codec speex/8000 fmt=[vbr=on] number=-1, enabled=1) added to default capabilities.

08:26:09.877 [1;36mINFO[1;0m: Codec PCMU/8000 fmt=[] number=0, enabled=1) added to default capabilities.

08:26:09.877 [1;36mINFO[1;0m: Codec PCMA/8000 fmt=[] number=8, enabled=1) added to default capabilities.

08:26:09.877 [1;36mINFO[1;0m: Codec t140/1000 fmt=[] number=96, enabled=1) added to default capabilities.

08:26:09.877 [1;36mINFO[1;0m: Codec red/1000 fmt=[] number=97, enabled=1) added to default capabilities.

08:26:09.878 [1;36mINFO[1;0m: Codec GSM/8000 fmt=[] number=3, enabled=0) added to default capabilities.

08:26:09.878 [1;36mINFO[1;0m: Codec G722/8000 fmt=[] number=9, enabled=0) added to default capabilities.

08:26:09.878 [1;36mINFO[1;0m: Could not find encoder for iLBC

08:26:09.878 [1;36mINFO[1;0m: Could not find decoder for iLBC

08:26:09.879 [1;36mINFO[1;0m: Could not find encoder for AMR

08:26:09.879 [1;36mINFO[1;0m: Could not find decoder for AMR

08:26:09.879 [1;36mINFO[1;0m: Could not find encoder for AMR-WB

08:26:09.879 [1;36mINFO[1;0m: Could not find decoder for AMR-WB

08:26:09.880 [1;36mINFO[1;0m: Could not find encoder for G729

08:26:09.880 [1;36mINFO[1;0m: Could not find decoder for G729

08:26:09.880 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

08:26:09.880 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

08:26:09.881 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

08:26:09.881 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

08:26:09.881 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

08:26:09.881 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

08:26:09.881 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

08:26:09.882 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

08:26:09.882 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

08:26:09.882 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

08:26:09.882 [1;36mINFO[1;0m: Could not find encoder for iSAC

08:26:09.883 [1;36mINFO[1;0m: Could not find decoder for iSAC

08:26:09.883 [1;36mINFO[1;0m: Codec speex/32000 fmtpl=[vbr=on] number=-1, enabled=0) added to default capabilities.

08:26:09.883 [1;36mINFO[1;0m: Could not find encoder for SILK

08:26:09.883 [1;36mINFO[1;0m: Could not find decoder for SILK

08:26:09.883 [1;36mINFO[1;0m: Could not find encoder for SILK

08:26:09.884 [1;36mINFO[1;0m: Could not find decoder for SILK

08:26:09.884 [1;36mINFO[1;0m: Could not find encoder for SILK

08:26:09.884 [1;36mINFO[1;0m: Could not find decoder for SILK

08:26:09.884 [1;36mINFO[1;0m: Could not find encoder for G726-16

08:26:09.884 [1;36mINFO[1;0m: Could not find decoder for G726-16

08:26:09.885 [1;36mINFO[1;0m: Could not find encoder for G726-24

08:26:09.885 [1;36mINFO[1;0m: Could not find decoder for G726-24

08:26:09.885 [1;36mINFO[1;0m: Could not find encoder for G726-32

08:26:09.885 [1;36mINFO[1;0m: Could not find decoder for G726-32

08:26:09.886 [1;36mINFO[1;0m: Could not find encoder for G726-40

08:26:09.886 [1;36mINFO[1;0m: Could not find decoder for G726-40

08:26:09.886 [1;36mINFO[1;0m: Could not find encoder for AAL2-G726-16

08:26:09.886 [1;36mINFO[1;0m: Could not find decoder for AAL2-G726-16

08:26:09.887 [1;36mINFO[1;0m: Could not find encoder for AAL2-G726-24

08:26:09.887 [1;36mINFO[1;0m: Could not find decoder for AAL2-G726-24

08:26:09.887 [1;36mINFO[1;0m: Could not find encoder for AAL2-G726-32

08:26:09.887 [1;36mINFO[1;0m: Could not find decoder for AAL2-G726-32

08:26:09.887 [1;36mINFO[1;0m: Could not find encoder for AAL2-G726-40

08:26:09.888 [1;36mINFO[1;0m: Could not find decoder for AAL2-G726-40

08:26:09.888 [1;36mINFO[1;0m: Could not find encoder for CODEC2

08:26:09.888 [1;36mINFO[1;0m: Could not find decoder for CODEC2

08:26:09.888 [1;36mINFO[1;0m: Codec VP8/90000 fmtpl=[] number=-1, enabled=1) added to default capabilities.

08:26:09.889 [1;36mINFO[1;0m: Could not find encoder for H264

08:26:09.889 [1;36mINFO[1;0m: Could not find decoder for H264

08:26:09.889 [1;36mINFO[1;0m: Could not find encoder for MP4V-ES

08:26:09.889 [1;36mINFO[1;0m: Could not find encoder for H263-1998

08:26:09.889 [1;36mINFO[1;0m: Could not find encoder for H263

08:26:09.890 [1;36mINFO[1;0m: Could not find encoder for 1016

08:26:09.890 [1;36mINFO[1;0m: Could not find decoder for 1016

08:26:09.890 [1;36mINFO[1;0m: Could not find encoder for G723

08:26:09.890 [1;36mINFO[1;0m: Could not find decoder for G723

08:26:09.891 [1;36mINFO[1;0m: Could not find encoder for LPC

08:26:09.891 [1;36mINFO[1;0m: Could not find decoder for LPC

08:26:09.891 [1;36mINFO[1;0m: Codec L16/44100 fmt=[] number=10, enabled=0) added to default capabilities.

08:26:09.891 [1;36mINFO[1;0m: Codec L16/44100 fmt=[] number=11, enabled=0) added to default capabilities.

08:26:09.891 [1;36mINFO[1;0m: Could not find encoder for CN

08:26:09.892 [1;36mINFO[1;0m: Could not find decoder for CN

08:26:09.892 [1;36mINFO[1;0m: Could not find encoder for G729

08:26:09.892 [1;36mINFO[1;0m: Could not find decoder for G729

08:26:09.892 [1;36mINFO[1;0m: Could not find encoder for H261

08:26:09.893 [1;36mINFO[1;0m: Could not find decoder for H261

08:26:09.893 [1;36mINFO[1;0m: Could not find encoder for MPV

08:26:09.893 [1;36mINFO[1;0m: Could not find decoder for MPV

08:26:09.893 [1;36mINFO[1;0m: Could not find encoder for H263

08:26:09.894 [1;36mINFO[1;0m: Sal nat helper [enabled]

08:26:09.894 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

08:26:09.894 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

08:26:09.894 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

08:26:09.895 [1;36mINFO[1;0m: Linphone core [0x1838188] notifying [configuring_status]

08:26:09.895 [1;36mINFO[1;0m: Cannot open directory ./lib/liblinphone/plugins: No such file or directory

08:26:09.895 [1;31mWARNING[1;0m: ./share/sounds/linphone/rings/oldphone.wav does not exist

08:26:09.895 [1;36mINFO[1;0m: linphone_core_set_playback_gain_db(): no active call.

08:26:09.895 [1;36mINFO[1;0m: linphone_core_set_mic_gain_db(): no active call.

08:26:09.896 [1;36mINFO[1;0m: MTU is supposed to be 1300, rtp payload max size will be 1240

08:26:09.896 [1;36mINFO[1;0m: Sal nat helper [enabled]

08:26:09.896 [1;36mINFO[1;0m: Sal use rport [enabled]

08:26:09.896 [1;36mINFO[1;0m: Supported codec opus/48000 fmp=useinbandfec=1 automatically added to codec list.

08:26:09.897 [1;36mINFO[1;0m: Supported codec speex/16000 fmp=vbr=on automatically added to codec list.

08:26:09.897 [1;36mINFO[1;0m: Supported codec speex/8000 fmp=vbr=on automatically added to codec list.

08:26:09.897 [1;36mINFO[1;0m: Supported codec PCMU/8000 fmp= automatically added to codec list.

08:26:09.897 [1;36mINFO[1;0m: Supported codec PCMA/8000 fmp= automatically added to codec list.

08:26:09.898 [1;36mINFO[1;0m: Supported codec GSM/8000 fmp= automatically added to codec list.

08:26:09.898 [1;36mINFO[1;0m: Supported codec G722/8000 fmp= automatically added to codec list.

08:26:09.898 [1;36mINFO[1;0m: Supported codec speex/32000 fmp=vbr=on automatically added to codec list.

08:26:09.898 [1;36mINFO[1;0m: Supported codec L16/44100 fmp= automatically added to codec list.

08:26:09.898 [1;36mINFO[1;0m: Supported codec L16/44100 fmp= automatically added to codec list.

08:26:09.899 [1;36mINFO[1;0m: Supported codec VP8/90000 fmp= automatically added to codec list.

08:26:09.899 [1;36mINFO[1;0m: Supported codec t140/1000 fmp= automatically added to codec list.

08:26:09.899 [1;36mINFO[1;0m: Supported codec red/1000 fmp= automatically added to codec list.

08:26:09.899 [1;36mINFO[1;0m: Sal use rport [enabled]

08:26:09.900 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

08:26:09.900 [1;36mINFO[1;0m: sal_unlisten_ports done

08:26:09.900 [1;36mINFO[1;0m: Creating listening point [0x1837ea0] on [sip:0.0.0.0:5060;transport=UDP]

08:26:09.900 [1;36mINFO[1;0m: Creating listening point [0x1838800] on [sip:0.0.0.0:5060;transport=TCP]

08:26:09.901 [1;36mINFO[1;0m: Creating listening point [0x18389a0] on [sip:0.0.0.0:-1;transport=TLS]

08:26:09.901 [1;36mINFO[1;0m: Random TCP port is 60481

08:26:09.901 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

08:26:09.902 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

08:26:09.904 [1;36mINFO[1;0m: Linphone core [0x1838188] notifying [global_state_changed]

08:26:09.905 [1;36mINFO[1;0m: Listening point [0x1837ea0] on [sip:0.0.0.0:5060;transport=UDP] destroyed

08:26:09.905 [1;36mINFO[1;0m: Listening point [0x1838800] on [sip:0.0.0.0:5060;transport=TCP] destroyed

08:26:09.905 [1;36mINFO[1;0m: Listening point [0x18389a0] on [sip:0.0.0.0:60481;transport=TLS] destroyed

08:26:09.906 [1;36mINFO[1;0m: sal_unlisten_ports done

08:26:09.906 [1;36mINFO[1;0m: Creating listening point [0x1837d98] on [sip:0.0.0.0:5063;transport=UDP]

08:26:09.906 [1;36mINFO[1;0m: Creating listening point [0x1837f88] on [sip:0.0.0.0:5067;transport=TCP]

08:26:09.907 [1;41mERROR[1;0m: TCP bind() failed for 0.0.0.0 port 5067: Address already in use

08:26:09.907 [1;36mINFO[1;0m: Listening point [0x1837f88] on [sip:0.0.0.0:5067;transport=TCP] destroyed

08:26:09.907 [1;31mWARNING[1;0m: Could not start tcp transport on port 5067, maybe this port is already used.

08:26:09.907 [1;36mINFO[1;0m: Creating listening point [0x183d010] on [sip:0.0.0.0:32737;transport=TLS]

08:26:09.908 [1;41mERROR[1;0m: TCP bind() failed for 0.0.0.0 port 32737: Address already in use

08:26:09.908 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

08:26:09.908 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

08:26:09.909 [1;36mINFO[1;0m: Resolver is using DNS server(s):

08:26:09.909 [1;36mINFO[1;0m: 75.75.75.75

08:26:09.909 [1;36mINFO[1;0m: 75.75.76.76

08:26:09.910 [1;36mINFO[1;0m: 2001:558:feed::1

08:26:09.910 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress
08:26:09.910 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop
08:26:09.911 [1;36mINFO[1;0m: Sal nat helper [enabled]
08:26:09.911 [1;36mINFO[1;0m: Sal use rport [enabled]
08:26:09.912 [1;36mINFO[1;0m: no camera with id V4L2: /dev/video0
08:26:09.913 [1;31mWARNING[1;0m: Could not find video device V4L2: /dev/video0
08:26:09.916 [1;36mINFO[1;0m: Adding codec PCMU...
08:26:09.916 [1;36mINFO[1;0m: Adding codec PCMA...
08:26:09.918 [1;36mINFO[1;0m: Adding codec VP8...
08:26:09.919 [1;36mINFO[1;0m: [org.antlr.runtime.MismatchedTokenException] reason [()* loopback
of 1637:21: (domainlabel DOT)*]
08:26:09.920 [1;41mERROR[1;0m: header_address parser error for
[sip:zahersyed@sip.linphone.org@sip.linphone.org:5061]
08:26:09.920 [1;41mERROR[1;0m: Cannot create LinphoneAddress, bad uri
[sip:zahersyed@sip.linphone.org@sip.linphone.org:5061]
08:26:09.920 [1;31mWARNING[1;0m: Invalid sip identity: NULL
08:26:09.922 [1;31mWARNING[1;0m: Bad proxy address: it is not in the list !
08:26:09.922 [1;36mINFO[1;0m: auth_info.username = zahersyed@sip.linphone.org,
08:26:12.976 [1;36mINFO[1;0m: *Motion detected!*\br/>08:26:13.981 [1;36mINFO[1;0m: stun.linphone.org resolved to 37.59.51.72
08:26:13.981 [1;36mINFO[1;0m: Stun server resolution successful.
08:26:13.982 [1;36mINFO[1;0m: New local ip address is 10.1.10.45
08:26:13.983 [1;36mINFO[1;0m: Network state is now [UP]
08:26:13.984 [1;36mINFO[1;0m: Resolver is using DNS server(s):
08:26:13.984 [1;36mINFO[1;0m: 75.75.75.75
08:26:13.985 [1;36mINFO[1;0m: 75.75.76.76
08:26:13.985 [1;36mINFO[1;0m: 2001:558:feed::1
08:26:13.986 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress
08:26:13.987 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop
08:26:13.988 [1;36mINFO[1;0m: Linphone core [0x1838188] notifying [network_reachable]

08:26:14.096 [1;36mINFO[1;0m: stun.linphone.org resolved to 37.59.51.72

08:26:14.097 [1;36mINFO[1;0m: Stun server resolution successful.

08:26:16.959 [1;36mINFO[1;0m: *Motion detected!*

08:26:29.294 [1;36mINFO[1;0m: *Motion detected!*

08:26:30.298 [1;36mINFO[1;0m: Notifying contacts...

08:26:30.298 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

08:26:30.302 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

08:26:30.302 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76d46cb0>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

08:26:30.306 [1;36mINFO[1;0m: belle_sip_client_transaction_send_request(): waiting channel to be ready

08:26:30.306 [1;36mINFO[1;0m: channel [0x186d9e0]: starting resolution of sip.linphone.org

08:26:30.306 [1;36mINFO[1;0m: channel 0x186d9e0: state RES_IN_PROGRESS

08:26:30.307 [1;36mINFO[1;0m: transaction [0x1867bb0] channel state changed to [RES_IN_PROGRESS]

08:26:30.307 [1;36mINFO[1;0m: Resolver is using DNS server(s):

08:26:30.307 [1;36mINFO[1;0m: 75.75.75.75

08:26:30.308 [1;36mINFO[1;0m: 75.75.76.76

08:26:30.308 [1;36mINFO[1;0m: 2001:558:feed::1

08:26:30.308 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress

08:26:30.309 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop

08:26:30.309 [1;36mINFO[1;0m: Chat message 0x186ab78: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

08:26:30.310 [1;36mINFO[1;0m: Notifying sip:aSecondSIPAccount@sip.linphone.org

08:26:30.314 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

08:26:30.314 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76d46d00>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

08:26:30.318 [1;36mINFO[1;0m: Chat message 0x186c620: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

08:26:33.427 [1;41mERROR[1;0m: Traceback (most recent call last):

File "securitycamera.py", line 691, in main

```
cam.run()
```

```
File "securitycamera.py", line 594, in run
```

```
self.notify_email_contacts()
```

```
File "securitycamera.py", line 632, in notify_email_contacts
```

```
self.emailImage()
```

```
File "securitycamera.py", line 446, in emailImage
```

```
self.smtp.login(emailAccount, emailPassword)
```

```
File "/usr/lib/python2.7/smtplib.py", line 622, in login
```

```
raise SMTPAuthenticationError(code, resp)
```

```
SMTPAuthenticationError: (535, '5.7.8 Username and Password not accepted. Learn more at\n5.7.8  
https://support.google.com/mail/answer/14257\_h22sm2866765vka.26 - gsmtpt')
```

```
08:41:41.036 [1;41mERROR[1;0m: Traceback (most recent call last):
```

```
File "securitycamera1.py", line 686, in main
```

```
cam = SecurityCamera(username=xxxxxxx, password=XXXXXXXXX, \
```

```
NameError: global name 'zahersyed' is not defined
```

```
09:01:08.497 [1;36mINFO[1;0m: Notifying contacts...
```

```
09:01:08.497 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org
```

```
09:01:08.503 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063
```

```
09:01:08.503 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76c88cb0>, ip =  
None, ea = sip:linphone@10.1.10.45:5063, un = linphone
```

```
09:01:08.511 [1;36mINFO[1;0m: belle_sip_client_transaction_send_request(): waiting channel to be  
ready
```

```
09:01:08.511 [1;36mINFO[1;0m: channel [0x26c3960]: starting resolution of sip.linphone.org
```

```
09:01:08.512 [1;36mINFO[1;0m: channel 0x26c3960: state RES_IN_PROGRESS
```

```
09:01:08.512 [1;36mINFO[1;0m: transaction [0x2691720] channel state changed to [RES_IN_PROGRESS]
```

```
09:01:08.513 [1;36mINFO[1;0m: Resolver is using DNS server(s):
```

```
09:01:08.513 [1;36mINFO[1;0m:          75.75.75.75
```

```
09:01:08.513 [1;36mINFO[1;0m:          75.75.76.76
```

09:01:08.514 [1;36mINFO[1;0m: 2001:558:feed::1

09:01:08.514 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress

09:01:08.515 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop

09:01:08.522 [1;36mINFO[1;0m: Chat message 0x268e680: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:01:08.523 [1;36mINFO[1;0m: Notifying sip:aSecondSIPAccount@sip.linphone.org

09:01:08.530 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:01:08.531 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76c88d00>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:01:08.536 [1;36mINFO[1;0m: Chat message 0x2691928: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:01:08.538 [1;41mERROR[1;0m: header_address parser error for [zahersyed@sip.linphone.org]

09:01:08.539 [1;41mERROR[1;0m: Cannot create LinphoneAddress, bad uri [zahersyed@sip.linphone.org]

09:01:08.541 [1;36mINFO[1;0m: address = None, used_video_codec = None

23:13:46.311 [1;36mINFO[1;0m: Initializaing jamPi System version 0.2.0...

23:13:52.550 [1;36mINFO[1;0m: Mediastreamer2 factory 2.12.0 (git: 3.9.0) initialized.

23:13:52.551 [1;36mINFO[1;0m: CPU count set to 4

23:13:52.551 [1;36mINFO[1;0m: ms_factory_init() done: platform_tags=linux,arm,embedded

23:13:52.559 [1;36mINFO[1;0m: srtp init

23:13:52.586 [1;36mINFO[1;0m: Registering all soundcard handlers

23:13:52.647 [1;36mINFO[1;0m: Card 'ALSA: default device' added

23:13:52.656 [1;36mINFO[1;0m: also error in pcm_hw.c:1557 - open '/dev/snd/pcmC0D0c' failed (-2)

23:13:52.660 [1;36mINFO[1;0m: Card 'ALSA: bcm2835 ALSA' added

23:13:52.685 [1;36mINFO[1;0m: Card 'ALSA: USB PnP Sound Device' added

23:13:52.686 [1;36mINFO[1;0m: Registering all webcam handlers

23:13:52.687 [1;36mINFO[1;0m: Webcam StaticImage: Static picture added

23:13:52.688 [1;36mINFO[1;0m: ms_factory_init_voip() done

23:13:52.688 [1;36mINFO[1;0m: Loading ms plugins from [./lib/mediastreamer/plugins]

23:13:52.689 [1;36mINFO[1;0m: Cannot open directory ./lib/mediastreamer/plugins: No such file or directory

23:13:52.689 [1;36mINFO[1;0m: Initializing LinphoneCore 3.9.0

23:13:52.696 [1;36mINFO[1;0m: Vtable [0x20d5078] registered on core [0x20f7dd8]

23:13:52.697 [1;36mINFO[1;0m: Linphone core [0x20d5078] notifying [global_state_changed]

23:13:52.697 [1;36mINFO[1;0m: oRTP-0.25.0 initialized.

23:13:52.698 [1;36mINFO[1;0m: Skipping ms_base_init, because [2] ref

23:13:52.698 [1;36mINFO[1;0m: Skipping ms_voip_init, because [2] ref

23:13:52.699 [1;36mINFO[1;0m: Skipping ms_plugins_init, because [2] ref

23:13:52.699 [1;36mINFO[1;0m: Codec opus/48000 fmt=[useinbandfec=1] number=-1, enabled=1) added to default capabilities.

23:13:52.700 [1;36mINFO[1;0m: Could not find encoder for SILK

23:13:52.700 [1;36mINFO[1;0m: Could not find decoder for SILK

23:13:52.701 [1;36mINFO[1;0m: Codec speex/16000 fmt=[vbr=on] number=-1, enabled=1) added to default capabilities.

23:13:52.701 [1;36mINFO[1;0m: Codec speex/8000 fmt=[vbr=on] number=-1, enabled=1) added to default capabilities.

23:13:52.702 [1;36mINFO[1;0m: Codec PCMU/8000 fmt=[] number=0, enabled=1) added to default capabilities.

23:13:52.702 [1;36mINFO[1;0m: Codec PCMA/8000 fmt=[] number=8, enabled=1) added to default capabilities.

23:13:52.702 [1;36mINFO[1;0m: Codec t140/1000 fmt=[] number=96, enabled=1) added to default capabilities.

23:13:52.703 [1;36mINFO[1;0m: Codec red/1000 fmt=[] number=97, enabled=1) added to default capabilities.

23:13:52.703 [1;36mINFO[1;0m: Codec GSM/8000 fmt=[] number=3, enabled=0) added to default capabilities.

23:13:52.704 [1;36mINFO[1;0m: Codec G722/8000 fmt=[] number=9, enabled=0) added to default capabilities.

23:13:52.704 [1;36mINFO[1;0m: Could not find encoder for iLBC

23:13:52.705 [1;36mINFO[1;0m: Could not find decoder for iLBC

23:13:52.705 [1;36mINFO[1;0m: Could not find encoder for AMR

23:13:52.706 [1;36mINFO[1;0m: Could not find decoder for AMR

23:13:52.706 [1;36mINFO[1;0m: Could not find encoder for AMR-WB

23:13:52.707 [1;36mINFO[1;0m: Could not find decoder for AMR-WB

23:13:52.707 [1;36mINFO[1;0m: Could not find encoder for G729

23:13:52.707 [1;36mINFO[1;0m: Could not find decoder for G729

23:13:52.708 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

23:13:52.708 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

23:13:52.709 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

23:13:52.709 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

23:13:52.710 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

23:13:52.710 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

23:13:52.710 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

23:13:52.711 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

23:13:52.711 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

23:13:52.712 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

23:13:52.712 [1;36mINFO[1;0m: Could not find encoder for iSAC

23:13:52.713 [1;36mINFO[1;0m: Could not find decoder for iSAC

23:13:52.713 [1;36mINFO[1;0m: Codec speex/32000 fntp=[vbr=on] number=-1, enabled=0) added to default capabilities.

23:13:52.714 [1;36mINFO[1;0m: Could not find encoder for SILK

23:13:52.714 [1;36mINFO[1;0m: Could not find decoder for SILK

23:13:52.714 [1;36mINFO[1;0m: Could not find encoder for SILK

23:13:52.715 [1;36mINFO[1;0m: Could not find decoder for SILK

23:13:52.715 [1;36mINFO[1;0m: Could not find encoder for SILK

23:13:52.716 [1;36mINFO[1;0m: Could not find decoder for SILK

23:13:52.716 [1;36mINFO[1;0m: Could not find encoder for G726-16

23:13:52.717 [1;36mINFO[1;0m: Could not find decoder for G726-16

23:13:52.717 [1;36mINFO[1;0m: Could not find encoder for G726-24

23:13:52.718 [1;36mINFO[1;0m: Could not find decoder for G726-24

23:13:52.718 [1;36mINFO[1;0m: Could not find encoder for G726-32

23:13:52.718 [1;36mINFO[1;0m: Could not find decoder for G726-32

23:13:52.719 [1;36mINFO[1;0m: Could not find encoder for G726-40

23:13:52.719 [1;36mINFO[1;0m: Could not find decoder for G726-40

23:13:52.720 [1;36mINFO[1;0m: Could not find encoder for AAL2-G726-16

23:13:52.720 [1;36mINFO[1;0m: Could not find decoder for AAL2-G726-16

23:13:52.721 [1;36mINFO[1;0m: Could not find encoder for AAL2-G726-24

23:13:52.721 [1;36mINFO[1;0m: Could not find decoder for AAL2-G726-24

23:13:52.721 [1;36mINFO[1;0m: Could not find encoder for AAL2-G726-32

23:13:52.722 [1;36mINFO[1;0m: Could not find decoder for AAL2-G726-32

23:13:52.722 [1;36mINFO[1;0m: Could not find encoder for AAL2-G726-40

23:13:52.723 [1;36mINFO[1;0m: Could not find decoder for AAL2-G726-40

23:13:52.723 [1;36mINFO[1;0m: Could not find encoder for CODEC2

23:13:52.724 [1;36mINFO[1;0m: Could not find decoder for CODEC2

23:13:52.724 [1;36mINFO[1;0m: Codec VP8/90000 fmt=[] number=-1, enabled=1) added to default capabilities.

23:13:52.724 [1;36mINFO[1;0m: Could not find encoder for H264

23:13:52.725 [1;36mINFO[1;0m: Could not find decoder for H264

23:13:52.725 [1;36mINFO[1;0m: Could not find encoder for MP4V-ES

23:13:52.726 [1;36mINFO[1;0m: Could not find encoder for H263-1998

23:13:52.726 [1;36mINFO[1;0m: Could not find encoder for H263

23:13:52.727 [1;36mINFO[1;0m: Could not find encoder for 1016

23:13:52.727 [1;36mINFO[1;0m: Could not find decoder for 1016

23:13:52.728 [1;36mINFO[1;0m: Could not find encoder for G723

23:13:52.728 [1;36mINFO[1;0m: Could not find decoder for G723

23:13:52.729 [1;36mINFO[1;0m: Could not find encoder for LPC

23:13:52.729 [1;36mINFO[1;0m: Could not find decoder for LPC

23:13:52.729 [1;36mINFO[1;0m: Codec L16/44100 fmt=[] number=10, enabled=0) added to default capabilities.

23:13:52.730 [1;36mINFO[1;0m: Codec L16/44100 fntp=[] number=11, enabled=0) added to default capabilities.

23:13:52.730 [1;36mINFO[1;0m: Could not find encoder for CN

23:13:52.731 [1;36mINFO[1;0m: Could not find decoder for CN

23:13:52.731 [1;36mINFO[1;0m: Could not find encoder for G729

23:13:52.732 [1;36mINFO[1;0m: Could not find decoder for G729

23:13:52.732 [1;36mINFO[1;0m: Could not find encoder for H261

23:13:52.733 [1;36mINFO[1;0m: Could not find decoder for H261

23:13:52.733 [1;36mINFO[1;0m: Could not find encoder for MPV

23:13:52.733 [1;36mINFO[1;0m: Could not find decoder for MPV

23:13:52.734 [1;36mINFO[1;0m: Could not find encoder for H263

23:13:52.758 [1;36mINFO[1;0m: Sal nat helper [enabled]

23:13:52.759 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

23:13:52.759 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

23:13:52.759 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

23:13:52.760 [1;36mINFO[1;0m: Linphone core [0x20d5078] notifying [configuring_status]

23:13:52.761 [1;36mINFO[1;0m: Cannot open directory ./lib/liblinphone/plugins: No such file or directory

23:13:52.761 [1;31mWARNING[1;0m: ./share/sounds/linphone/rings/oldphone.wav does not exist

23:13:52.761 [1;36mINFO[1;0m: linphone_core_set_playback_gain_db(): no active call.

23:13:52.762 [1;36mINFO[1;0m: linphone_core_set_mic_gain_db(): no active call.

23:13:52.762 [1;36mINFO[1;0m: MTU is supposed to be 1300, rtp payload max size will be 1240

23:13:52.763 [1;36mINFO[1;0m: Sal nat helper [enabled]

23:13:52.763 [1;36mINFO[1;0m: Sal use rport [enabled]

23:13:52.764 [1;36mINFO[1;0m: Supported codec opus/48000 fntp=useinbandfec=1 automatically added to codec list.

23:13:52.764 [1;36mINFO[1;0m: Supported codec speex/16000 fntp=vbr=on automatically added to codec list.

23:13:52.765 [1;36mINFO[1;0m: Supported codec speex/8000 fntp=vbr=on automatically added to codec list.

23:13:52.765 [1;36mINFO[1;0m: Supported codec PCMU/8000 fmp= automatically added to codec list.

23:13:52.766 [1;36mINFO[1;0m: Supported codec PCMA/8000 fmp= automatically added to codec list.

23:13:52.766 [1;36mINFO[1;0m: Supported codec GSM/8000 fmp= automatically added to codec list.

23:13:52.766 [1;36mINFO[1;0m: Supported codec G722/8000 fmp= automatically added to codec list.

23:13:52.767 [1;36mINFO[1;0m: Supported codec speex/32000 fmp=vbr=on automatically added to codec list.

23:13:52.767 [1;36mINFO[1;0m: Supported codec L16/44100 fmp= automatically added to codec list.

23:13:52.767 [1;36mINFO[1;0m: Supported codec L16/44100 fmp= automatically added to codec list.

23:13:52.767 [1;36mINFO[1;0m: Supported codec VP8/90000 fmp= automatically added to codec list.

23:13:52.768 [1;36mINFO[1;0m: Supported codec t140/1000 fmp= automatically added to codec list.

23:13:52.768 [1;36mINFO[1;0m: Supported codec red/1000 fmp= automatically added to codec list.

23:13:52.768 [1;36mINFO[1;0m: Sal use rport [enabled]

23:13:52.768 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

23:13:52.768 [1;36mINFO[1;0m: sal_unlisten_ports done

23:13:52.769 [1;36mINFO[1;0m: Creating listening point [0x20d4d90] on [sip:0.0.0.0:5060;transport=UDP]

23:13:52.769 [1;36mINFO[1;0m: Creating listening point [0x20d56f0] on [sip:0.0.0.0:5060;transport=TCP]

23:13:52.778 [1;36mINFO[1;0m: Creating listening point [0x20d5890] on [sip:0.0.0.0:-1;transport=TLS]

23:13:52.779 [1;36mINFO[1;0m: Random TCP port is 54903

23:13:52.779 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

23:13:52.779 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

23:13:52.845 [1;36mINFO[1;0m: Linphone core [0x20d5078] notifying [global_state_changed]

23:13:52.846 [1;36mINFO[1;0m: Listening point [0x20d4d90] on [sip:0.0.0.0:5060;transport=UDP] destroyed

23:13:52.847 [1;36mINFO[1;0m: Listening point [0x20d56f0] on [sip:0.0.0.0:5060;transport=TCP] destroyed

23:13:52.847 [1;36mINFO[1;0m: Listening point [0x20d5890] on [sip:0.0.0.0:54903;transport=TLS] destroyed

23:13:52.847 [1;36mINFO[1;0m: sal_unlisten_ports done

23:13:52.847 [1;36mINFO[1;0m: Creating listening point [0x20d4c88] on [sip:0.0.0.0:5063;transport=UDP]

23:13:52.848 [1;36mINFO[1;0m: Creating listening point [0x20d4e78] on [sip:0.0.0.0:5067;transport=TCP]

23:13:52.848 [1;36mINFO[1;0m: Creating listening point [0x20d5608] on [sip:0.0.0.0:32737;transport=TLS]

23:13:52.848 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

23:13:52.849 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

23:13:52.853 [1;36mINFO[1;0m: Resolver is using DNS server(s):

23:13:52.853 [1;36mINFO[1;0m: 75.75.75.75

23:13:52.854 [1;36mINFO[1;0m: 75.75.76.76

23:13:52.854 [1;36mINFO[1;0m: 2001:558:feed::1

23:13:52.854 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress

23:13:52.855 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop

23:13:52.855 [1;36mINFO[1;0m: Sal nat helper [enabled]

23:13:52.855 [1;36mINFO[1;0m: Sal use rport [enabled]

23:13:52.857 [1;36mINFO[1;0m: no camera with id V4L2: /dev/video0

23:13:52.857 [1;31mWARNING[1;0m: Could not find video device V4L2: /dev/video0

23:13:52.860 [1;36mINFO[1;0m: Adding codec PCMU...

23:13:52.860 [1;36mINFO[1;0m: Adding codec PCMA...

23:13:52.862 [1;36mINFO[1;0m: Adding codec VP8...

23:13:52.866 [1;36mINFO[1;0m: auth_info.username = yourEmailAddressFrom(UsernameOnly),

23:13:55.918 [1;36mINFO[1;0m: stun.linphone.org resolved to 37.59.51.72

23:13:55.918 [1;36mINFO[1;0m: Stun server resolution successful.

23:13:55.919 [1;36mINFO[1;0m: New local ip address is 10.1.10.45

23:13:55.919 [1;36mINFO[1;0m: Network state is now [UP]

23:13:55.920 [1;36mINFO[1;0m: Resolver is using DNS server(s):

23:13:55.920 [1;36mINFO[1;0m: 75.75.75.75

23:13:55.920 [1;36mINFO[1;0m: 75.75.76.76

23:13:55.920 [1;36mINFO[1;0m: 2001:558:feed::1

23:13:55.921 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress

23:13:55.921 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop

23:13:55.922 [1;36mINFO[1;0m: LinphoneProxyConfig [0x2123f80] about to register (LinphoneCore version: 3.9.0)

23:13:55.933 [1;36mINFO[1;0m: belle_sip_client_transaction_send_request(): waiting channel to be ready

23:13:55.933 [1;36mINFO[1;0m: channel [0x2135a78]: starting resolution of sip.linphone.org

23:13:55.933 [1;36mINFO[1;0m: channel 0x2135a78: state RES_IN_PROGRESS

23:13:55.934 [1;36mINFO[1;0m: transaction [0x21239f8] channel state changed to [RES_IN_PROGRESS]

23:13:55.934 [1;36mINFO[1;0m: Resolver is using DNS server(s):

23:13:55.934 [1;36mINFO[1;0m: 75.75.75.75

23:13:55.935 [1;36mINFO[1;0m: 75.75.76.76

23:13:55.935 [1;36mINFO[1;0m: 2001:558:feed::1

23:13:55.935 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress

23:13:55.936 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop

23:13:55.936 [1;36mINFO[1;0m: Neither Expires header nor corresponding Contact header found, checking from original request

23:13:55.936 [1;36mINFO[1;0m: Refresher [0x2126480] takes ownership of transaction [0x21239f8]

23:13:55.936 [1;36mINFO[1;0m: Proxy config [0x2123f80] for identity [sip:yourEmailAddressFrom(UserNameOnly)@sip.linphone.org:5061] moving from state [LinphoneRegistrationNone] to [LinphoneRegistrationProgress]

23:13:55.937 [1;36mINFO[1;0m: Linphone core [0x20d5078] notifying [registration_state_changed]

23:13:55.937 [1;36mINFO[1;0m: Linphone core [0x20d5078] notifying [network_reachable]

23:13:55.939 [1;36mINFO[1;0m: stun.linphone.org resolved to 37.59.51.72

23:13:55.939 [1;36mINFO[1;0m: Stun server resolution successful.

23:13:55.955 [1;36mINFO[1;0m: SRV _sip._udp.sip.linphone.org resolved to [target:sip1.linphone.org. port:5060 prio:10 weight:100]

23:13:55.955 [1;36mINFO[1;0m: SRV _sip._udp.sip.linphone.org resolved to [target:sip3.linphone.org. port:5060 prio:0 weight:100]

23:13:55.955 [1;36mINFO[1;0m: Starting A/AAAA query for srv result [sip3.linphone.org.]

23:13:55.956 [1;36mINFO[1;0m: Resolver is using DNS server(s):

23:13:55.956 [1;36mINFO[1;0m: 75.75.75.75
23:13:55.956 [1;36mINFO[1;0m: 75.75.76.76
23:13:55.957 [1;36mINFO[1;0m: 2001:558:feed::1
23:13:55.957 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress
23:13:55.957 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop
23:13:55.958 [1;36mINFO[1;0m: Starting A/AAAA query for srv result [sip1.linphone.org.]
23:13:55.958 [1;36mINFO[1;0m: Resolver is using DNS server(s):
23:13:55.958 [1;36mINFO[1;0m: 75.75.75.75
23:13:55.959 [1;36mINFO[1;0m: 75.75.76.76
23:13:55.959 [1;36mINFO[1;0m: 2001:558:feed::1
23:13:55.959 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress
23:13:55.960 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop
23:13:56.001 [1;36mINFO[1;0m: sip3.linphone.org. resolved to 37.59.51.72
23:13:56.002 [1;36mINFO[1;0m: A query finished for srv result [sip3.linphone.org.]
23:13:56.003 [1;36mINFO[1;0m: sip1.linphone.org. resolved to 91.121.209.194
23:13:56.003 [1;36mINFO[1;0m: A query finished for srv result [sip1.linphone.org.]
23:13:56.003 [1;36mINFO[1;0m: All A/AAAA results for combined resolution have arrived.
23:13:56.004 [1;36mINFO[1;0m: channel 0x2135a78: state RES_DONE
23:13:56.004 [1;36mINFO[1;0m: transaction [0x21239f8] channel state changed to [RES_DONE]
23:13:56.004 [1;36mINFO[1;0m: channel 0x2135a78: state CONNECTING
23:13:56.004 [1;36mINFO[1;0m: transaction [0x21239f8] channel state changed to [CONNECTING]
23:13:56.005 [1;36mINFO[1;0m: Trying to connect to [UDP://37.59.51.72:5060]
23:13:56.005 [1;36mINFO[1;0m: belle_sip_get_src_addr_for(): af_inet6=0
23:13:56.005 [1;36mINFO[1;0m: Channel has local address 10.1.10.45:5063
23:13:56.005 [1;36mINFO[1;0m: channel 0x2135a78: state READY
23:13:56.006 [1;36mINFO[1;0m: transaction [0x21239f8] channel state changed to [READY]
23:13:56.006 [1;36mINFO[1;0m: Changing [client] [REGISTER] transaction [0x21239f8], from state [INIT]
to [TRYING]

23:13:56.006 [1;36mINFO[1;0m: channel [0x2135a78]: message sent to [UDP://sip.linphone.org:5060], size: [598] bytes

REGISTER sip:sip.linphone.org:5061 SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.KpWdz1ebU;rport

From: <sip:yourEmailAddressFrom(UsernameOnly)@sip.linphone.org>;tag=VhBlbSegk

To: sip:yourEmailAddressFrom(UsernameOnly)@sip.linphone.org

CSeq: 20 REGISTER

Call-ID: fzNmNQIWJ4

Max-Forwards: 70

Supported: outbound

Accept: application/sdp

Accept: text/plain

Accept: application/vnd.gsma.rcs-ft-http+xml

Contact:

<sip:yourEmailAddressFrom(UsernameOnly)@10.1.10.45:5063>;+sip.instance="<urn:uuid:6e55aad9-3eb3-42b2-90f7-f91b2423a6cd>"

Expires: 3600

User-Agent: (belle-sip/1.4.2)

23:13:56.144 [1;36mINFO[1;0m: channel [0x2135a78]: received [524] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 401 Unauthorized

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.KpWdz1ebU;rport=5063;received=173.12.114.238

From: <sip:yourEmailAddressFrom(UsernameOnly)@sip.linphone.org>;tag=VhBlbSegk

To: <sip:yourEmailAddressFrom(UsernameOnly)@sip.linphone.org>;tag=K16cZ1BZXNrKQ

Call-ID: fzNmNQIWJ4

CSeq: 20 REGISTER

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

WWW-Authenticate: Digest realm="sip.linphone.org",
nonce="dEO02gAAAAAfh0EDAADooUAg3hwAAAAA", opaque="+GNyWA==", algorithm=MD5,
qop="auth"

Content-Length: 0

23:13:56.182 [1;36mINFO[1;0m: channel [0x2135a78] [524] bytes parsed

23:13:56.183 [1;36mINFO[1;0m: channel [0x2135a78]: discovered public ip and port are
[173.12.114.238:5063]

23:13:56.183 [1;36mINFO[1;0m: Found transaction matching response.

23:13:56.183 [1;36mINFO[1;0m: Changing [client] [REGISTER] transaction [0x21239f8], from state
[TRYING] to [COMPLETED]

23:13:56.183 [1;36mINFO[1;0m: linphone_core_find_auth_info(): returning auth info
username=yourEmailAddressFrom(UsernameOnly), realm=

23:13:56.184 [1;36mINFO[1;0m: Auth info found for [yourEmailAddressFrom(UsernameOnly)] realm
[sip.linphone.org]

23:13:56.184 [1;36mINFO[1;0m: Changing [client] [REGISTER] transaction [0x2132d18], from state [INIT]
to [TRYING]

23:13:56.185 [1;36mINFO[1;0m: channel [0x2135a78]: message sent to [UDP://sip.linphone.org:5060],
size: [895] bytes

REGISTER sip:sip.linphone.org:5061 SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.OwYIaGH1Z;rport

From: <sip:yourEmailAddressFrom(UsernameOnly)@sip.linphone.org>;tag=VhBlbSegk

To: sip:yourEmailAddressFrom(UsernameOnly)@sip.linphone.org

CSeq: 21 REGISTER

Call-ID: fzNmNQIWJ4

Max-Forwards: 70

Supported: outbound

Accept: application/sdp

Accept: text/plain

Accept: application/vnd.gsma.rcs-ft-http+xml

Contact:

<sip:yourEmailAddressFrom(UserNameOnly)@173.12.114.238:5063>;+sip.instance="<urn:uuid:6e55aad9-3eb3-42b2-90f7-f91b2423a6cd>"

Expires: 3600

User-Agent: (belle-sip/1.4.2)

Authorization: Digest realm="sip.linphone.org", nonce="dEO02gAAAAAfh0EDAADooUAg3hwAAAAA", algorithm=MD5, opaque="+GNyWA==", username="yourEmailAddressFrom(UserNameOnly)", uri="sip:sip.linphone.org:5061", response="5fc4dab9808aa00b52327e7c147b010e", cnonce="764a4c40", nc=00000001, qop=auth

23:13:56.334 [1;36mINFO[1;0m: channel [0x2135a78]: received [382] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 403 Forbidden

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.OwYlaGH1Z;rport=5063;received=173.12.114.238

From: <sip:yourEmailAddressFrom(UserNameOnly)@sip.linphone.org>;tag=VhBlbSegk

To: <sip:yourEmailAddressFrom(UserNameOnly)@sip.linphone.org>;tag=pvjQ4jy9mgUBa

Call-ID: fzNmNQIWJ4

CSeq: 21 REGISTER

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

23:13:56.340 [1;36mINFO[1;0m: channel [0x2135a78] [382] bytes parsed

23:13:56.340 [1;36mINFO[1;0m: Found transaction matching response.

23:13:56.341 [1;36mINFO[1;0m: Changing [client] [REGISTER] transaction [0x2132d18], from state [TRYING] to [COMPLETED]

23:13:56.341 [1;36mINFO[1;0m: Refresher: scheduling next timer in 60000 ms

23:13:56.341 [1;36mINFO[1;0m: Register refresher [403] reason [Forbidden] for proxy [sip:sip.linphone.org]

23:13:56.341 [1;36mINFO[1;0m: Proxy config [0x2123f80] for identity
[sip:yourEmailAddressFrom(UsernameOnly)@sip.linphone.org:5061] moving from state
[LinphoneRegistrationProgress] to [LinphoneRegistrationFailed]

23:13:56.342 [1;36mINFO[1;0m: Linphone core [0x20d5078] notifying [registration_state_changed]

23:13:56.342 [1;36mINFO[1;0m: linphone_core_find_auth_info(): returning auth info
username=yourEmailAddressFrom(UsernameOnly), realm=sip.linphone.org

23:13:56.342 [1;36mINFO[1;0m:
sip.linphone.org/yourEmailAddressFrom(UsernameOnly)/sip.linphone.org authentication fails.

23:13:56.342 [1;36mINFO[1;0m: Linphone core [0x20d5078] notifying [auth_info_requested]

23:14:01.185 [1;36mINFO[1;0m: Changing [client] [REGISTER] transaction [0x21239f8], from state
[COMPLETED] to [TERMINATED]

23:14:01.185 [1;36mINFO[1;0m: Client internal REGISTER transaction [0x21239f8] terminated

23:14:01.342 [1;36mINFO[1;0m: Changing [client] [REGISTER] transaction [0x2132d18], from state
[COMPLETED] to [TERMINATED]

23:14:01.342 [1;36mINFO[1;0m: Client internal REGISTER transaction [0x2132d18] terminated

23:14:02.848 [1;36mINFO[1;0m: channel [0x2135a78]: keep alive sent to [UDP://sip.linphone.org:5060]

23:14:12.848 [1;36mINFO[1;0m: channel [0x2135a78]: keep alive sent to [UDP://sip.linphone.org:5060]

23:14:22.848 [1;36mINFO[1;0m: channel [0x2135a78]: keep alive sent to [UDP://sip.linphone.org:5060]

23:14:32.848 [1;36mINFO[1;0m: channel [0x2135a78]: keep alive sent to [UDP://sip.linphone.org:5060]

23:14:42.848 [1;36mINFO[1;0m: channel [0x2135a78]: keep alive sent to [UDP://sip.linphone.org:5060]

23:14:52.848 [1;36mINFO[1;0m: channel [0x2135a78]: keep alive sent to [UDP://sip.linphone.org:5060]

23:14:56.341 [1;36mINFO[1;0m: Changing [client] [REGISTER] transaction [0x20d8bc8], from state [INIT]
to [TRYING]

23:14:56.342 [1;36mINFO[1;0m: channel [0x2135a78]: message sent to [UDP://sip.linphone.org:5060],
size: [602] bytes

REGISTER sip:sip.linphone.org:5061 SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.Wlzt7DnxZ;rport

From: <sip:yourEmailAddressFrom(UsernameOnly)@sip.linphone.org>;tag=VhBlbSegk

To: sip:yourEmailAddressFrom(UsernameOnly)@sip.linphone.org

CSeq: 22 REGISTER

Call-ID: fzNmNQIWJ4

Max-Forwards: 70

Supported: outbound

Accept: application/sdp

Accept: text/plain

Accept: application/vnd.gsma.rcs-ft-http+xml

Contact:

<sip:yourEmailAddressFrom(UsernameOnly)@173.12.114.238:5063>;+sip.instance="<urn:uuid:6e55aad9-3eb3-42b2-90f7-f91b2423a6cd>"

Expires: 3600

User-Agent: (belle-sip/1.4.2)

23:14:56.482 [1;36mINFO[1;0m: channel [0x2135a78]: received [524] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 401 Unauthorized

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.Wlzt7DnxZ;rport=5063;received=173.12.114.238

From: <sip:yourEmailAddressFrom(UsernameOnly)@sip.linphone.org>;tag=VhBlbSegk

To: <sip:yourEmailAddressFrom(UsernameOnly)@sip.linphone.org>;tag=aZa9289UctNSQ

Call-ID: fzNmNQIWJ4

CSeq: 22 REGISTER

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

WWW-Authenticate: Digest realm="sip.linphone.org", nonce="sEO02gAAAADRjQ2cAABu6/+8BS8AAAAA", opaque="+GNyWA==", algorithm=MD5, qop="auth"

Content-Length: 0

23:14:56.489 [1;36mINFO[1;0m: channel [0x2135a78] [524] bytes parsed

23:14:56.490 [1;36mINFO[1;0m: Found transaction matching response.

23:14:56.490 [1;36mINFO[1;0m: Changing [client] [REGISTER] transaction [0x20d8bc8], from state [TRYING] to [COMPLETED]

23:14:56.490 [1;36mINFO[1;0m: linphone_core_find_auth_info(): returning auth info username=yourEmailAddressFrom(UsernameOnly), realm=sip.linphone.org

23:14:56.491 [1;36mINFO[1;0m: Auth info found for [yourEmailAddressFrom(UsernameOnly)] realm [sip.linphone.org]

23:14:56.491 [1;36mINFO[1;0m: Changing [client] [REGISTER] transaction [0x2125198], from state [INIT] to [TRYING]

23:14:56.492 [1;36mINFO[1;0m: channel [0x2135a78]: message sent to [UDP://sip.linphone.org:5060], size: [895] bytes

REGISTER sip:sip.linphone.org:5061 SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.SC6cr1VuG;rport

From: <sip:yourEmailAddressFrom(UsernameOnly)@sip.linphone.org>;tag=VhBlbSegk

To: sip:yourEmailAddressFrom(UsernameOnly)@sip.linphone.org

CSeq: 23 REGISTER

Call-ID: fzNmNQIWIJ4

Max-Forwards: 70

Supported: outbound

Accept: application/sdp

Accept: text/plain

Accept: application/vnd.gsma.rcs-ft-http+xml

Contact:

<sip:yourEmailAddressFrom(UsernameOnly)@173.12.114.238:5063>;+sip.instance="<urn:uuid:6e55aad9-3eb3-42b2-90f7-f91b2423a6cd>"

Expires: 3600

User-Agent: (belle-sip/1.4.2)

Authorization: Digest realm="sip.linphone.org", nonce="sEO02gAAAADRjQ2cAABu6/+8BS8AAAA", algorithm=MD5, opaque="+GNyWA==", username="yourEmailAddressFrom(UsernameOnly)", uri="sip:sip.linphone.org:5061", response="960a0eabb99f9e30a1a2b7fbaf36edf1", cnonce="9d6c261c", nc=00000001, qop=auth

23:14:56.652 [1;36mINFO[1;0m: channel [0x2135a78]: received [382] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 403 Forbidden

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.SC6cr1VuG;rport=5063;received=173.12.114.238

From: <sip:yourEmailAddressFrom(UserNameOnly)@sip.linphone.org>;tag=VhBlbSegk
To: <sip:yourEmailAddressFrom(UserNameOnly)@sip.linphone.org>;tag=Fc94BgyDy64pH
Call-ID: fzNmNQIWJ4
CSeq: 23 REGISTER
Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)
Content-Length: 0

23:14:56.658 [1;36mINFO[1;0m: channel [0x2135a78] [382] bytes parsed

23:14:56.659 [1;36mINFO[1;0m: Found transaction matching response.

23:14:56.659 [1;36mINFO[1;0m: Changing [client] [REGISTER] transaction [0x2125198], from state [TRYING] to [COMPLETED]

23:14:56.659 [1;36mINFO[1;0m: Refresher: scheduling next timer in 60000 ms

23:14:56.659 [1;36mINFO[1;0m: Register refresher [403] reason [Forbidden] for proxy [sip:sip.linphone.org]

23:14:56.660 [1;36mINFO[1;0m: linphone_core_find_auth_info(): returning auth info username=yourEmailAddressFrom(UserNameOnly), realm=sip.linphone.org

23:14:56.660 [1;36mINFO[1;0m: sip.linphone.org/yourEmailAddressFrom(UserNameOnly)/sip.linphone.org authentication fails.

23:14:56.660 [1;36mINFO[1;0m: Linphone core [0x20d5078] notifying [auth_info_requested]

23:15:01.492 [1;36mINFO[1;0m: Changing [client] [REGISTER] transaction [0x20d8bc8], from state [COMPLETED] to [TERMINATED]

23:15:01.492 [1;36mINFO[1;0m: Client internal REGISTER transaction [0x20d8bc8] terminated

23:15:01.660 [1;36mINFO[1;0m: Changing [client] [REGISTER] transaction [0x2125198], from state [COMPLETED] to [TERMINATED]

23:15:01.660 [1;36mINFO[1;0m: Client internal REGISTER transaction [0x2125198] terminated

23:15:02.848 [1;36mINFO[1;0m: channel [0x2135a78]: keep alive sent to [UDP://sip.linphone.org:5060]

23:15:12.848 [1;36mINFO[1;0m: channel [0x2135a78]: keep alive sent to [UDP://sip.linphone.org:5060]

23:15:22.848 [1;36mINFO[1;0m: channel [0x2135a78]: keep alive sent to [UDP://sip.linphone.org:5060]

23:19:12.862 [1;41mERROR[1;0m: Traceback (most recent call last):

File "securitycamera1.py", line 686, in main

```
cam = SecurityCamera(username=zahersyed, password=XXXXXXXX, \
NameError: global name 'zahersyed' is not defined
```

23:42:36.798 [1;41mERROR[1;0m: Traceback (most recent call last):

File "securitycamera1.py", line 686, in main

```
cam = SecurityCamera(username=zahersyed, password=xxxxxxx, \
NameError: global name 'zahersyed' is not defined
```

00:02:26.546 [1;36mINFO[1;0m: channel [0x2135a78]: keep alive sent to [UDP://sip.linphone.org:5060]

00:02:26.547 [1;36mINFO[1;0m: Changing [client] [REGISTER] transaction [0x20d88b8], from state [INIT] to [TRYING]

00:02:26.548 [1;36mINFO[1;0m: channel [0x2135a78]: message sent to [UDP://sip.linphone.org:5060], size: [602] bytes

REGISTER sip:sip.linphone.org:5061 SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.y1MuVqdsC;rport

From: <sip:yourEmailAddressFrom(UserNameOnly)@sip.linphone.org>;tag=VhBlbSegk

To: sip:yourEmailAddressFrom(UserNameOnly)@sip.linphone.org

CSeq: 24 REGISTER

Call-ID: fzNmNQIWJ4

Max-Forwards: 70

Supported: outbound

Accept: application/sdp

Accept: text/plain

Accept: application/vnd.gsma.rcs-ft-http+xml

Contact:

<sip:yourEmailAddressFrom(UserNameOnly)@173.12.114.238:5063>;+sip.instance="<urn:uuid:6e55aad9-3eb3-42b2-90f7-f91b2423a6cd>"

Expires: 3600

User-Agent: (belle-sip/1.4.2)

00:02:26.691 [1;36mINFO[1;0m: channel [0x2135a78]: received [524] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 401 Unauthorized

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.y1MuVqdsC;rport=5063;received=173.12.114.238

From: <sip:yourEmailAddressFrom(UserNameOnly)@sip.linphone.org>;tag=VhBlbSegk

To: <sip:yourEmailAddressFrom(UserNameOnly)@sip.linphone.org>;tag=UHeU6ggt4FNpD

Call-ID: fzNmNQIWJ4

CSeq: 24 REGISTER

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

WWW-Authenticate: Digest realm="sip.linphone.org",
nonce="0k602gAAAAA/2LXqAACwI+TVyvwAAAAA", opaque="+GNyWA==", algorithm=MD5, qop="auth"

Content-Length: 0

00:02:26.699 [1;36mINFO[1;0m: channel [0x2135a78] [524] bytes parsed

00:02:26.699 [1;36mINFO[1;0m: Found transaction matching response.

00:02:26.699 [1;36mINFO[1;0m: Changing [client] [REGISTER] transaction [0x20d88b8], from state [TRYING] to [COMPLETED]

00:02:26.700 [1;36mINFO[1;0m: linphone_core_find_auth_info(): returning auth info
username=yourEmailAddressFrom(UserNameOnly), realm=sip.linphone.org

00:02:26.700 [1;36mINFO[1;0m: Auth info found for [yourEmailAddressFrom(UserNameOnly)] realm [sip.linphone.org]

00:02:26.700 [1;36mINFO[1;0m: Changing [client] [REGISTER] transaction [0x2135768], from state [INIT] to [TRYING]

00:02:26.701 [1;36mINFO[1;0m: channel [0x2135a78]: message sent to [UDP://sip.linphone.org:5060], size: [895] bytes

REGISTER sip:sip.linphone.org:5061 SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.qi8OtehTr;rport

From: <sip:yourEmailAddressFrom(UserNameOnly)@sip.linphone.org>;tag=VhBlbSegk

To: sip:yourEmailAddressFrom(UserNameOnly)@sip.linphone.org

CSeq: 25 REGISTER

Call-ID: fzNmNQIWJ4

Max-Forwards: 70

Supported: outbound

Accept: application/sdp

Accept: text/plain

Accept: application/vnd.gsma.rcs-ft-http+xml

Contact:

<sip:yourEmailAddressFrom(UsernameOnly)@173.12.114.238:5063>;+sip.instance="<urn:uuid:6e55aad9-3eb3-42b2-90f7-f91b2423a6cd>"

Expires: 3600

User-Agent: (belle-sip/1.4.2)

Authorization: Digest realm="sip.linphone.org", nonce="0k602gAAAAA/2LXqAACwI+TVyvwAAAAA", algorithm=MD5, opaque="+GNyWA==", username="yourEmailAddressFrom(UsernameOnly)", uri="sip:sip.linphone.org:5061", response="707197b45ee04398221d84e827394262", cnonce="82d93757", nc=00000001, qop=auth

00:02:26.846 [1;36mINFO[1;0m: channel [0x2135a78]: received [382] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 403 Forbidden

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.qi8OtehTr;rport=5063;received=173.12.114.238

From: <sip:yourEmailAddressFrom(UsernameOnly)@sip.linphone.org>;tag=VhBlbSegk

To: <sip:yourEmailAddressFrom(UsernameOnly)@sip.linphone.org>;tag=yct5B224Uareg

Call-ID: fzNmNQIWJ4

CSeq: 25 REGISTER

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

00:02:26.852 [1;36mINFO[1;0m: channel [0x2135a78] [382] bytes parsed

00:02:26.852 [1;36mINFO[1;0m: Found transaction matching response.

00:02:26.852 [1;36mINFO[1;0m: Changing [client] [REGISTER] transaction [0x2135768], from state [TRYING] to [COMPLETED]

00:02:26.853 [1;36mINFO[1;0m: Refresher: scheduling next timer in 60000 ms

00:02:26.853 [1;36mINFO[1;0m: Register refresher [403] reason [Forbidden] for proxy [sip:sip.linphone.org]

00:02:26.853 [1;36mINFO[1;0m: linphone_core_find_auth_info(): returning auth info username=yourEmailAddressFrom(UsernameOnly), realm=sip.linphone.org

00:02:26.853 [1;36mINFO[1;0m: sip.linphone.org/yourEmailAddressFrom(UsernameOnly)/sip.linphone.org authentication fails.

00:02:26.854 [1;36mINFO[1;0m: Linphone core [0x20d5078] notifying [auth_info_requested]

00:02:31.701 [1;36mINFO[1;0m: Changing [client] [REGISTER] transaction [0x20d88b8], from state [COMPLETED] to [TERMINATED]

00:02:31.701 [1;36mINFO[1;0m: Client internal REGISTER transaction [0x20d88b8] terminated

00:02:31.854 [1;36mINFO[1;0m: Changing [client] [REGISTER] transaction [0x2135768], from state [COMPLETED] to [TERMINATED]

00:02:31.854 [1;36mINFO[1;0m: Client internal REGISTER transaction [0x2135768] terminated

00:02:36.545 [1;36mINFO[1;0m: channel [0x2135a78]: keep alive sent to [UDP://sip.linphone.org:5060]

00:02:46.545 [1;36mINFO[1;0m: channel [0x2135a78]: keep alive sent to [UDP://sip.linphone.org:5060]

00:02:56.545 [1;36mINFO[1;0m: channel [0x2135a78]: keep alive sent to [UDP://sip.linphone.org:5060]

08:25:25.023 [1;36mINFO[1;0m: Initializaing jamPi System version 0.2.0...

08:25:30.037 [1;36mINFO[1;0m: Sensor online... Turning on motion sensor...

08:25:35.043 [1;36mINFO[1;0m: PIR sensor is ready.

08:25:36.279 [1;36mINFO[1;0m: Mediastreamer2 factory 2.12.0 (git: 3.9.0) initialized.

08:25:36.279 [1;36mINFO[1;0m: CPU count set to 4

08:25:36.279 [1;36mINFO[1;0m: ms_factory_init() done: platform_tags=linux,arm,embedded

08:25:36.288 [1;36mINFO[1;0m: srtp init

08:25:36.316 [1;36mINFO[1;0m: Registering all soundcard handlers

08:25:36.370 [1;36mINFO[1;0m: Card 'ALSA: default device' added

08:25:36.379 [1;36mINFO[1;0m: also error in pcm_hw.c:1557 - open '/dev/snd/pcmC0D0c' failed (-2)

08:25:36.381 [1;36mINFO[1;0m: Card 'ALSA: bcm2835 ALSA' added

08:25:36.399 [1;36mINFO[1;0m: Card 'ALSA: USB PnP Sound Device' added

08:25:36.400 [1;36mINFO[1;0m: Registering all webcam handlers

08:25:36.400 [1;36mINFO[1;0m: Webcam StaticImage: Static picture added

08:25:36.400 [1;36mINFO[1;0m: ms_factory_init_voip() done

08:25:36.401 [1;36mINFO[1;0m: Loading ms plugins from [./lib/mediastreamer/plugins]

08:25:36.401 [1;36mINFO[1;0m: Cannot open directory ./lib/mediastreamer/plugins: No such file or directory

08:25:36.401 [1;36mINFO[1;0m: Initializing LinphoneCore 3.9.0

08:25:36.407 [1;36mINFO[1;0m: Vtable [0x2435cb8] registered on core [0x2435528]

08:25:36.407 [1;36mINFO[1;0m: Linphone core [0x2435cb8] notifying [global_state_changed]

08:25:36.408 [1;36mINFO[1;0m: oRTP-0.25.0 initialized.

08:25:36.408 [1;36mINFO[1;0m: Skipping ms_base_init, because [2] ref

08:25:36.408 [1;36mINFO[1;0m: Skipping ms_voip_init, because [2] ref

08:25:36.408 [1;36mINFO[1;0m: Skipping ms_plugins_init, because [2] ref

08:25:36.409 [1;36mINFO[1;0m: Codec opus/48000 ffmt=[useinbandfec=1] number=-1, enabled=1) added to default capabilities.

08:25:36.409 [1;36mINFO[1;0m: Could not find encoder for SILK

08:25:36.409 [1;36mINFO[1;0m: Could not find decoder for SILK

08:25:36.409 [1;36mINFO[1;0m: Codec speex/16000 ffmt=[vbr=on] number=-1, enabled=1) added to default capabilities.

08:25:36.410 [1;36mINFO[1;0m: Codec speex/8000 ffmt=[vbr=on] number=-1, enabled=1) added to default capabilities.

08:25:36.410 [1;36mINFO[1;0m: Codec PCMU/8000 ffmt=[] number=0, enabled=1) added to default capabilities.

08:25:36.410 [1;36mINFO[1;0m: Codec PCMA/8000 ffmt=[] number=8, enabled=1) added to default capabilities.

08:25:36.410 [1;36mINFO[1;0m: Codec t140/1000 ffmt=[] number=96, enabled=1) added to default capabilities.

08:25:36.410 [1;36mINFO[1;0m: Codec red/1000 ffmt=[] number=97, enabled=1) added to default capabilities.

08:25:36.411 [1;36mINFO[1;0m: Codec GSM/8000 ffmt=[] number=3, enabled=0) added to default capabilities.

08:25:36.411 [1;36mINFO[1;0m: Codec G722/8000 fmp=[] number=9, enabled=0) added to default capabilities.

08:25:36.411 [1;36mINFO[1;0m: Could not find encoder for iLBC

08:25:36.411 [1;36mINFO[1;0m: Could not find decoder for iLBC

08:25:36.412 [1;36mINFO[1;0m: Could not find encoder for AMR

08:25:36.412 [1;36mINFO[1;0m: Could not find decoder for AMR

08:25:36.412 [1;36mINFO[1;0m: Could not find encoder for AMR-WB

08:25:36.412 [1;36mINFO[1;0m: Could not find decoder for AMR-WB

08:25:36.413 [1;36mINFO[1;0m: Could not find encoder for G729

08:25:36.413 [1;36mINFO[1;0m: Could not find decoder for G729

08:25:36.413 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

08:25:36.413 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

08:25:36.413 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

08:25:36.414 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

08:25:36.414 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

08:25:36.414 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

08:25:36.414 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

08:25:36.415 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

08:25:36.415 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

08:25:36.415 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

08:25:36.415 [1;36mINFO[1;0m: Could not find encoder for iSAC

08:25:36.416 [1;36mINFO[1;0m: Could not find decoder for iSAC

08:25:36.416 [1;36mINFO[1;0m: Codec speex/32000 fmp=[vbr=on] number=-1, enabled=0) added to default capabilities.

08:25:36.416 [1;36mINFO[1;0m: Could not find encoder for SILK

08:25:36.416 [1;36mINFO[1;0m: Could not find decoder for SILK

08:25:36.417 [1;36mINFO[1;0m: Could not find encoder for SILK

08:25:36.417 [1;36mINFO[1;0m: Could not find decoder for SILK

08:25:36.417 [1;36mINFO[1;0m: Could not find encoder for SILK

08:25:36.417 [1;36mINFO[1;0m: Could not find decoder for SILK

08:25:36.418 [1;36mINFO[1;0m: Could not find encoder for G726-16

08:25:36.418 [1;36mINFO[1;0m: Could not find decoder for G726-16

08:25:36.418 [1;36mINFO[1;0m: Could not find encoder for G726-24

08:25:36.418 [1;36mINFO[1;0m: Could not find decoder for G726-24

08:25:36.419 [1;36mINFO[1;0m: Could not find encoder for G726-32

08:25:36.419 [1;36mINFO[1;0m: Could not find decoder for G726-32

08:25:36.419 [1;36mINFO[1;0m: Could not find encoder for G726-40

08:25:36.419 [1;36mINFO[1;0m: Could not find decoder for G726-40

08:25:36.420 [1;36mINFO[1;0m: Could not find encoder for AAL2-G726-16

08:25:36.420 [1;36mINFO[1;0m: Could not find decoder for AAL2-G726-16

08:25:36.420 [1;36mINFO[1;0m: Could not find encoder for AAL2-G726-24

08:25:36.420 [1;36mINFO[1;0m: Could not find decoder for AAL2-G726-24

08:25:36.420 [1;36mINFO[1;0m: Could not find encoder for AAL2-G726-32

08:25:36.421 [1;36mINFO[1;0m: Could not find decoder for AAL2-G726-32

08:25:36.421 [1;36mINFO[1;0m: Could not find encoder for AAL2-G726-40

08:25:36.421 [1;36mINFO[1;0m: Could not find decoder for AAL2-G726-40

08:25:36.421 [1;36mINFO[1;0m: Could not find encoder for CODEC2

08:25:36.422 [1;36mINFO[1;0m: Could not find decoder for CODEC2

08:25:36.422 [1;36mINFO[1;0m: Codec VP8/90000 fntp=[] number=-1, enabled=1) added to default capabilities.

08:25:36.422 [1;36mINFO[1;0m: Could not find encoder for H264

08:25:36.422 [1;36mINFO[1;0m: Could not find decoder for H264

08:25:36.423 [1;36mINFO[1;0m: Could not find encoder for MP4V-ES

08:25:36.423 [1;36mINFO[1;0m: Could not find encoder for H263-1998

08:25:36.423 [1;36mINFO[1;0m: Could not find encoder for H263

08:25:36.423 [1;36mINFO[1;0m: Could not find encoder for 1016

08:25:36.423 [1;36mINFO[1;0m: Could not find decoder for 1016

08:25:36.424 [1;36mINFO[1;0m: Could not find encoder for G723

08:25:36.424 [1;36mINFO[1;0m: Could not find decoder for G723

08:25:36.424 [1;36mINFO[1;0m: Could not find encoder for LPC

08:25:36.424 [1;36mINFO[1;0m: Could not find decoder for LPC

08:25:36.425 [1;36mINFO[1;0m: Codec L16/44100 fmt=[] number=10, enabled=0) added to default capabilities.

08:25:36.425 [1;36mINFO[1;0m: Codec L16/44100 fmt=[] number=11, enabled=0) added to default capabilities.

08:25:36.425 [1;36mINFO[1;0m: Could not find encoder for CN

08:25:36.425 [1;36mINFO[1;0m: Could not find decoder for CN

08:25:36.425 [1;36mINFO[1;0m: Could not find encoder for G729

08:25:36.426 [1;36mINFO[1;0m: Could not find decoder for G729

08:25:36.426 [1;36mINFO[1;0m: Could not find encoder for H261

08:25:36.426 [1;36mINFO[1;0m: Could not find decoder for H261

08:25:36.426 [1;36mINFO[1;0m: Could not find encoder for MPV

08:25:36.427 [1;36mINFO[1;0m: Could not find decoder for MPV

08:25:36.427 [1;36mINFO[1;0m: Could not find encoder for H263

08:25:36.446 [1;36mINFO[1;0m: Sal nat helper [enabled]

08:25:36.446 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

08:25:36.447 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

08:25:36.447 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

08:25:36.447 [1;36mINFO[1;0m: Linphone core [0x2435cb8] notifying [configuring_status]

08:25:36.448 [1;36mINFO[1;0m: Cannot open directory ./lib/liblinphone/plugins: No such file or directory

08:25:36.448 [1;31mWARNING[1;0m: ./share/sounds/linphone/rings/oldphone.wav does not exist

08:25:36.448 [1;36mINFO[1;0m: linphone_core_set_playback_gain_db(): no active call.

08:25:36.448 [1;36mINFO[1;0m: linphone_core_set_mic_gain_db(): no active call.

08:25:36.449 [1;36mINFO[1;0m: MTU is supposed to be 1300, rtp payload max size will be 1240

08:25:36.449 [1;36mINFO[1;0m: Sal nat helper [enabled]

08:25:36.449 [1;36mINFO[1;0m: Sal use rport [enabled]

08:25:36.449 [1;36mINFO[1;0m: Supported codec opus/48000 fmp=useinbandfec=1 automatically added to codec list.

08:25:36.449 [1;36mINFO[1;0m: Supported codec speex/16000 fmp=vbr=on automatically added to codec list.

08:25:36.450 [1;36mINFO[1;0m: Supported codec speex/8000 fmp=vbr=on automatically added to codec list.

08:25:36.450 [1;36mINFO[1;0m: Supported codec PCMU/8000 fmp= automatically added to codec list.

08:25:36.450 [1;36mINFO[1;0m: Supported codec PCMA/8000 fmp= automatically added to codec list.

08:25:36.450 [1;36mINFO[1;0m: Supported codec GSM/8000 fmp= automatically added to codec list.

08:25:36.451 [1;36mINFO[1;0m: Supported codec G722/8000 fmp= automatically added to codec list.

08:25:36.451 [1;36mINFO[1;0m: Supported codec speex/32000 fmp=vbr=on automatically added to codec list.

08:25:36.451 [1;36mINFO[1;0m: Supported codec L16/44100 fmp= automatically added to codec list.

08:25:36.451 [1;36mINFO[1;0m: Supported codec L16/44100 fmp= automatically added to codec list.

08:25:36.451 [1;36mINFO[1;0m: Supported codec VP8/90000 fmp= automatically added to codec list.

08:25:36.452 [1;36mINFO[1;0m: Supported codec t140/1000 fmp= automatically added to codec list.

08:25:36.452 [1;36mINFO[1;0m: Supported codec red/1000 fmp= automatically added to codec list.

08:25:36.452 [1;36mINFO[1;0m: Sal use rport [enabled]

08:25:36.452 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

08:25:36.453 [1;36mINFO[1;0m: sal_unlisten_ports done

08:25:36.453 [1;36mINFO[1;0m: Creating listening point [0x2458a58] on [sip:0.0.0.0:5060;transport=UDP]

08:25:36.453 [1;36mINFO[1;0m: Creating listening point [0x2436760] on [sip:0.0.0.0:5060;transport=TCP]

08:25:36.463 [1;36mINFO[1;0m: Creating listening point [0x24369e0] on [sip:0.0.0.0:-1;transport=TLS]

08:25:36.463 [1;36mINFO[1;0m: Random TCP port is 56623

08:25:36.463 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

08:25:36.464 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

08:25:36.529 [1;36mINFO[1;0m: Linphone core [0x2435cb8] notifying [global_state_changed]

08:25:36.531 [1;36mINFO[1;0m: Listening point [0x2458a58] on [sip:0.0.0.0:5060;transport=UDP] destroyed

08:25:36.531 [1;36mINFO[1;0m: Listening point [0x2436760] on [sip:0.0.0.0:5060;transport=TCP] destroyed

08:25:36.531 [1;36mINFO[1;0m: Listening point [0x24369e0] on [sip:0.0.0.0:56623;transport=TLS] destroyed

08:25:36.532 [1;36mINFO[1;0m: sal_unlisten_ports done

08:25:36.532 [1;36mINFO[1;0m: Creating listening point [0x243ac78] on [sip:0.0.0.0:5063;transport=UDP]

08:25:36.532 [1;36mINFO[1;0m: Creating listening point [0x243aff8] on [sip:0.0.0.0:5067;transport=TCP]

08:25:36.533 [1;36mINFO[1;0m: Creating listening point [0x2436830] on [sip:0.0.0.0:32737;transport=TLS]

08:25:36.533 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

08:25:36.533 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

08:25:36.538 [1;36mINFO[1;0m: Resolver is using DNS server(s):

08:25:36.538 [1;36mINFO[1;0m: 75.75.75.75

08:25:36.538 [1;36mINFO[1;0m: 75.75.76.76

08:25:36.539 [1;36mINFO[1;0m: 2001:558:feed::1

08:25:36.539 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress

08:25:36.539 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop

08:25:36.540 [1;36mINFO[1;0m: Sal nat helper [enabled]

08:25:36.540 [1;36mINFO[1;0m: Sal use rport [enabled]

08:25:36.542 [1;36mINFO[1;0m: no camera with id V4L2: /dev/video0

08:25:36.542 [1;31mWARNING[1;0m: Could not find video device V4L2: /dev/video0

08:25:36.545 [1;36mINFO[1;0m: Adding codec PCMU...

08:25:36.546 [1;36mINFO[1;0m: Adding codec PCMA...

08:25:36.547 [1;36mINFO[1;0m: Adding codec VP8...

08:25:36.549 [1;36mINFO[1;0m: [org.antlr.runtime.MismatchedTokenException] reason [()* loopback of 1637:21: (domainlabel DOT)*]

08:25:36.549 [1;41mERROR[1;0m: header_address parser error for [sip:zahersyed@sip.linphone.org@sip.linphone.org:5061]

08:25:36.549 [1;41mERROR[1;0m: Cannot create LinphoneAddress, bad uri [sip:zahersyed@sip.linphone.org@sip.linphone.org:5061]

08:25:36.550 [1;31mWARNING[1;0m: Invalid sip identity: NULL

08:25:36.551 [1;31mWARNING[1;0m: Bad proxy address: it is not in the list !

08:25:36.552 [1;41mERROR[1;0m: linphone_core_add_auth_info(): info supplied with empty password or ha1.

08:25:36.552 [1;36mINFO[1;0m: auth_info.username = zahersyed@sip.linphone.org,

08:25:39.604 [1;36mINFO[1;0m: stun.linphone.org resolved to 37.59.51.72

08:25:39.605 [1;36mINFO[1;0m: Stun server resolution successful.

08:25:39.605 [1;36mINFO[1;0m: New local ip address is 10.1.10.45

08:25:39.606 [1;36mINFO[1;0m: Network state is now [UP]

08:25:39.607 [1;36mINFO[1;0m: Resolver is using DNS server(s):

08:25:39.608 [1;36mINFO[1;0m: 75.75.75.75

08:25:39.608 [1;36mINFO[1;0m: 75.75.76.76

08:25:39.609 [1;36mINFO[1;0m: 2001:558:feed::1

08:25:39.610 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress

08:25:39.611 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop

08:25:39.612 [1;36mINFO[1;0m: Linphone core [0x2435cb8] notifying [network_reachable]

08:25:39.721 [1;36mINFO[1;0m: stun.linphone.org resolved to 37.59.51.72

08:25:39.722 [1;36mINFO[1;0m: Stun server resolution successful.

08:28:32.276 [1;36mINFO[1;0m: Initializaing jamPi System version 0.2.0...

08:28:37.284 [1;36mINFO[1;0m: Sensor online... Turning on motion sensor...

08:28:42.290 [1;36mINFO[1;0m: PIR sensor is ready.

08:28:43.529 [1;36mINFO[1;0m: Mediastreamer2 factory 2.12.0 (git: 3.9.0) initialized.

08:28:43.530 [1;36mINFO[1;0m: CPU count set to 4

08:28:43.530 [1;36mINFO[1;0m: ms_factory_init() done: platform_tags=linux,arm,embedded

08:28:43.530 [1;36mINFO[1;0m: srtp init

08:28:43.546 [1;36mINFO[1;0m: Registering all soundcard handlers

08:28:43.600 [1;36mINFO[1;0m: Card 'ALSA: default device' added

08:28:43.609 [1;36mINFO[1;0m: also error in pcm_hw.c:1557 - open '/dev/snd/pcmCOD0c' failed (-2)

08:28:43.610 [1;36mINFO[1;0m: Card 'ALSA: bcm2835 ALSA' added

08:28:43.621 [1;36mINFO[1;0m: Card 'ALSA: USB PnP Sound Device' added

08:28:43.622 [1;36mINFO[1;0m: Registering all webcam handlers

08:28:43.622 [1;36mINFO[1;0m: Webcam StaticImage: Static picture added

08:28:43.622 [1;36mINFO[1;0m: ms_factory_init_voip() done

08:28:43.623 [1;36mINFO[1;0m: Loading ms plugins from [./lib/mediastreamer/plugins]

08:28:43.623 [1;36mINFO[1;0m: Cannot open directory ./lib/mediastreamer/plugins: No such file or directory

08:28:43.623 [1;36mINFO[1;0m: Initializing LinphoneCore 3.9.0

08:28:43.623 [1;36mINFO[1;0m: Vtable [0x8f9170] registered on core [0x91bd70]

08:28:43.624 [1;36mINFO[1;0m: Linphone core [0x8f9170] notifying [global_state_changed]

08:28:43.624 [1;36mINFO[1;0m: oRTP-0.25.0 initialized.

08:28:43.624 [1;36mINFO[1;0m: Skipping ms_base_init, because [2] ref

08:28:43.624 [1;36mINFO[1;0m: Skipping ms_voip_init, because [2] ref

08:28:43.624 [1;36mINFO[1;0m: Skipping ms_plugins_init, because [2] ref

08:28:43.625 [1;36mINFO[1;0m: Codec opus/48000 fmt=[useinbandfec=1] number=-1, enabled=1) added to default capabilities.

08:28:43.625 [1;36mINFO[1;0m: Could not find encoder for SILK

08:28:43.625 [1;36mINFO[1;0m: Could not find decoder for SILK

08:28:43.625 [1;36mINFO[1;0m: Codec speex/16000 fmt=[vbr=on] number=-1, enabled=1) added to default capabilities.

08:28:43.626 [1;36mINFO[1;0m: Codec speex/8000 fmt=[vbr=on] number=-1, enabled=1) added to default capabilities.

08:28:43.626 [1;36mINFO[1;0m: Codec PCMU/8000 fmt=[] number=0, enabled=1) added to default capabilities.

08:28:43.627 [1;36mINFO[1;0m: Codec PCMA/8000 fmt=[] number=8, enabled=1) added to default capabilities.

08:28:43.627 [1;36mINFO[1;0m: Codec t140/1000 fmt=[] number=96, enabled=1) added to default capabilities.

08:28:43.627 [1;36mINFO[1;0m: Codec red/1000 fmt=[] number=97, enabled=1) added to default capabilities.

08:28:43.627 [1;36mINFO[1;0m: Codec GSM/8000 fmt=[] number=3, enabled=0) added to default capabilities.

08:28:43.628 [1;36mINFO[1;0m: Codec G722/8000 fmp=[] number=9, enabled=0) added to default capabilities.

08:28:43.628 [1;36mINFO[1;0m: Could not find encoder for iLBC

08:28:43.628 [1;36mINFO[1;0m: Could not find decoder for iLBC

08:28:43.628 [1;36mINFO[1;0m: Could not find encoder for AMR

08:28:43.629 [1;36mINFO[1;0m: Could not find decoder for AMR

08:28:43.629 [1;36mINFO[1;0m: Could not find encoder for AMR-WB

08:28:43.629 [1;36mINFO[1;0m: Could not find decoder for AMR-WB

08:28:43.630 [1;36mINFO[1;0m: Could not find encoder for G729

08:28:43.630 [1;36mINFO[1;0m: Could not find decoder for G729

08:28:43.630 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

08:28:43.630 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

08:28:43.631 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

08:28:43.631 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

08:28:43.631 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

08:28:43.631 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

08:28:43.632 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

08:28:43.632 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

08:28:43.632 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

08:28:43.632 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

08:28:43.633 [1;36mINFO[1;0m: Could not find encoder for iSAC

08:28:43.633 [1;36mINFO[1;0m: Could not find decoder for iSAC

08:28:43.634 [1;36mINFO[1;0m: Codec speex/32000 fmp=[vbr=on] number=-1, enabled=0) added to default capabilities.

08:28:43.634 [1;36mINFO[1;0m: Could not find encoder for SILK

08:28:43.635 [1;36mINFO[1;0m: Could not find decoder for SILK

08:28:43.635 [1;36mINFO[1;0m: Could not find encoder for SILK

08:28:43.635 [1;36mINFO[1;0m: Could not find decoder for SILK

08:28:43.636 [1;36mINFO[1;0m: Could not find encoder for SILK

08:28:43.636 [1;36mINFO[1;0m: Could not find decoder for SILK

08:28:43.636 [1;36mINFO[1;0m: Could not find encoder for G726-16

08:28:43.636 [1;36mINFO[1;0m: Could not find decoder for G726-16

08:28:43.637 [1;36mINFO[1;0m: Could not find encoder for G726-24

08:28:43.637 [1;36mINFO[1;0m: Could not find decoder for G726-24

08:28:43.637 [1;36mINFO[1;0m: Could not find encoder for G726-32

08:28:43.637 [1;36mINFO[1;0m: Could not find decoder for G726-32

08:28:43.638 [1;36mINFO[1;0m: Could not find encoder for G726-40

08:28:43.638 [1;36mINFO[1;0m: Could not find decoder for G726-40

08:28:43.638 [1;36mINFO[1;0m: Could not find encoder for AAL2-G726-16

08:28:43.638 [1;36mINFO[1;0m: Could not find decoder for AAL2-G726-16

08:28:43.638 [1;36mINFO[1;0m: Could not find encoder for AAL2-G726-24

08:28:43.639 [1;36mINFO[1;0m: Could not find decoder for AAL2-G726-24

08:28:43.639 [1;36mINFO[1;0m: Could not find encoder for AAL2-G726-32

08:28:43.639 [1;36mINFO[1;0m: Could not find decoder for AAL2-G726-32

08:28:43.639 [1;36mINFO[1;0m: Could not find encoder for AAL2-G726-40

08:28:43.640 [1;36mINFO[1;0m: Could not find decoder for AAL2-G726-40

08:28:43.640 [1;36mINFO[1;0m: Could not find encoder for CODEC2

08:28:43.640 [1;36mINFO[1;0m: Could not find decoder for CODEC2

08:28:43.640 [1;36mINFO[1;0m: Codec VP8/90000 fmt=[] number=-1, enabled=1) added to default capabilities.

08:28:43.641 [1;36mINFO[1;0m: Could not find encoder for H264

08:28:43.641 [1;36mINFO[1;0m: Could not find decoder for H264

08:28:43.641 [1;36mINFO[1;0m: Could not find encoder for MP4V-ES

08:28:43.641 [1;36mINFO[1;0m: Could not find encoder for H263-1998

08:28:43.641 [1;36mINFO[1;0m: Could not find encoder for H263

08:28:43.642 [1;36mINFO[1;0m: Could not find encoder for 1016

08:28:43.642 [1;36mINFO[1;0m: Could not find decoder for 1016

08:28:43.642 [1;36mINFO[1;0m: Could not find encoder for G723

08:28:43.642 [1;36mINFO[1;0m: Could not find decoder for G723

08:28:43.643 [1;36mINFO[1;0m: Could not find encoder for LPC

08:28:43.643 [1;36mINFO[1;0m: Could not find decoder for LPC

08:28:43.643 [1;36mINFO[1;0m: Codec L16/44100 fmt=[] number=10, enabled=0) added to default capabilities.

08:28:43.643 [1;36mINFO[1;0m: Codec L16/44100 fmt=[] number=11, enabled=0) added to default capabilities.

08:28:43.643 [1;36mINFO[1;0m: Could not find encoder for CN

08:28:43.644 [1;36mINFO[1;0m: Could not find decoder for CN

08:28:43.644 [1;36mINFO[1;0m: Could not find encoder for G729

08:28:43.644 [1;36mINFO[1;0m: Could not find decoder for G729

08:28:43.644 [1;36mINFO[1;0m: Could not find encoder for H261

08:28:43.645 [1;36mINFO[1;0m: Could not find decoder for H261

08:28:43.645 [1;36mINFO[1;0m: Could not find encoder for MPV

08:28:43.645 [1;36mINFO[1;0m: Could not find decoder for MPV

08:28:43.645 [1;36mINFO[1;0m: Could not find encoder for H263

08:28:43.646 [1;36mINFO[1;0m: Sal nat helper [enabled]

08:28:43.646 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

08:28:43.646 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

08:28:43.646 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

08:28:43.647 [1;36mINFO[1;0m: Linphone core [0x8f9170] notifying [configuring_status]

08:28:43.647 [1;36mINFO[1;0m: Cannot open directory ./lib/liblinphone/plugins: No such file or directory

08:28:43.647 [1;31mWARNING[1;0m: ./share/sounds/linphone/rings/oldphone.wav does not exist

08:28:43.647 [1;36mINFO[1;0m: linphone_core_set_playback_gain_db(): no active call.

08:28:43.648 [1;36mINFO[1;0m: linphone_core_set_mic_gain_db(): no active call.

08:28:43.648 [1;36mINFO[1;0m: MTU is supposed to be 1300, rtp payload max size will be 1240

08:28:43.648 [1;36mINFO[1;0m: Sal nat helper [enabled]

08:28:43.648 [1;36mINFO[1;0m: Sal use rport [enabled]

08:28:43.648 [1;36mINFO[1;0m: Supported codec opus/48000 fmp=useinbandfec=1 automatically added to codec list.

08:28:43.649 [1;36mINFO[1;0m: Supported codec speex/16000 fmp=vbr=on automatically added to codec list.

08:28:43.649 [1;36mINFO[1;0m: Supported codec speex/8000 fmp=vbr=on automatically added to codec list.

08:28:43.649 [1;36mINFO[1;0m: Supported codec PCMU/8000 fmp= automatically added to codec list.

08:28:43.649 [1;36mINFO[1;0m: Supported codec PCMA/8000 fmp= automatically added to codec list.

08:28:43.650 [1;36mINFO[1;0m: Supported codec GSM/8000 fmp= automatically added to codec list.

08:28:43.650 [1;36mINFO[1;0m: Supported codec G722/8000 fmp= automatically added to codec list.

08:28:43.650 [1;36mINFO[1;0m: Supported codec speex/32000 fmp=vbr=on automatically added to codec list.

08:28:43.650 [1;36mINFO[1;0m: Supported codec L16/44100 fmp= automatically added to codec list.

08:28:43.651 [1;36mINFO[1;0m: Supported codec L16/44100 fmp= automatically added to codec list.

08:28:43.651 [1;36mINFO[1;0m: Supported codec VP8/90000 fmp= automatically added to codec list.

08:28:43.651 [1;36mINFO[1;0m: Supported codec t140/1000 fmp= automatically added to codec list.

08:28:43.651 [1;36mINFO[1;0m: Supported codec red/1000 fmp= automatically added to codec list.

08:28:43.651 [1;36mINFO[1;0m: Sal use rport [enabled]

08:28:43.652 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

08:28:43.652 [1;36mINFO[1;0m: sal_unlisten_ports done

08:28:43.652 [1;36mINFO[1;0m: Creating listening point [0x8f8e88] on [sip:0.0.0.0:5060;transport=UDP]

08:28:43.653 [1;36mINFO[1;0m: Creating listening point [0x8f97e8] on [sip:0.0.0.0:5060;transport=TCP]

08:28:43.653 [1;36mINFO[1;0m: Creating listening point [0x8f9988] on [sip:0.0.0.0:-1;transport=TLS]

08:28:43.653 [1;36mINFO[1;0m: Random TCP port is 39957

08:28:43.653 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

08:28:43.654 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

08:28:43.656 [1;36mINFO[1;0m: Linphone core [0x8f9170] notifying [global_state_changed]

08:28:43.657 [1;36mINFO[1;0m: Listening point [0x8f8e88] on [sip:0.0.0.0:5060;transport=UDP] destroyed

08:28:43.657 [1;36mINFO[1;0m: Listening point [0x8f97e8] on [sip:0.0.0.0:5060;transport=TCP] destroyed

08:28:43.658 [1;36mINFO[1;0m: Listening point [0x8f9988] on [sip:0.0.0.0:39957;transport=TLS] destroyed

08:28:43.658 [1;36mINFO[1;0m: sal_unlisten_ports done

08:28:43.658 [1;36mINFO[1;0m: Creating listening point [0x8f8d80] on [sip:0.0.0.0:5063;transport=UDP]

08:28:43.658 [1;36mINFO[1;0m: Creating listening point [0x8f8f70] on [sip:0.0.0.0:5067;transport=TCP]

08:28:43.659 [1;41mERROR[1;0m: TCP bind() failed for 0.0.0.0 port 5067: Address already in use

08:28:43.659 [1;36mINFO[1;0m: Listening point [0x8f8f70] on [sip:0.0.0.0:5067;transport=TCP] destroyed

08:28:43.659 [1;31mWARNING[1;0m: Could not start tcp transport on port 5067, maybe this port is already used.

08:28:43.660 [1;36mINFO[1;0m: Creating listening point [0x8fdff8] on [sip:0.0.0.0:32737;transport=TLS]

08:28:43.660 [1;41mERROR[1;0m: TCP bind() failed for 0.0.0.0 port 32737: Address already in use

08:28:43.660 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

08:28:43.660 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

08:28:43.661 [1;36mINFO[1;0m: Resolver is using DNS server(s):

08:28:43.661 [1;36mINFO[1;0m: 75.75.75.75

08:28:43.662 [1;36mINFO[1;0m: 75.75.76.76

08:28:43.662 [1;36mINFO[1;0m: 2001:558:feed::1

08:28:43.662 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress

08:28:43.663 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop

08:28:43.663 [1;36mINFO[1;0m: Sal nat helper [enabled]

08:28:43.663 [1;36mINFO[1;0m: Sal use rport [enabled]

08:28:43.665 [1;36mINFO[1;0m: no camera with id V4L2: /dev/video0

08:28:43.665 [1;31mWARNING[1;0m: Could not find video device V4L2: /dev/video0

08:28:43.668 [1;36mINFO[1;0m: Adding codec PCMU...

08:28:43.668 [1;36mINFO[1;0m: Adding codec PCMA...

08:28:43.670 [1;36mINFO[1;0m: Adding codec VP8...

08:28:43.672 [1;36mINFO[1;0m: [org.antlr.runtime.MismatchedTokenException] reason [()* loopback of 1637:21: (domainlabel DOT)*]

08:28:43.672 [1;41mERROR[1;0m: header_address parser error for
[sip:zahersyed@sip.linphone.org@sip.linphone.org:5061]

08:28:43.672 [1;41mERROR[1;0m: Cannot create LinphoneAddress, bad uri
[sip:zahersyed@sip.linphone.org@sip.linphone.org:5061]

08:28:43.673 [1;31mWARNING[1;0m: Invalid sip identity: NULL

08:28:43.674 [1;31mWARNING[1;0m: Bad proxy address: it is not in the list !

08:28:43.675 [1;41mERROR[1;0m: linphone_core_add_auth_info(): info supplied with empty password
or ha1.

08:28:43.675 [1;36mINFO[1;0m: auth_info.username = zahersyed@sip.linphone.org,

08:28:46.729 [1;36mINFO[1;0m: stun.linphone.org resolved to 37.59.51.72

08:28:46.730 [1;36mINFO[1;0m: Stun server resolution successful.

08:28:46.731 [1;36mINFO[1;0m: New local ip address is 10.1.10.45

08:28:46.731 [1;36mINFO[1;0m: Network state is now [UP]

08:28:46.732 [1;36mINFO[1;0m: Resolver is using DNS server(s):

08:28:46.733 [1;36mINFO[1;0m: 75.75.75.75

08:28:46.733 [1;36mINFO[1;0m: 75.75.76.76

08:28:46.734 [1;36mINFO[1;0m: 2001:558:feed::1

08:28:46.735 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress

08:28:46.736 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop

08:28:46.737 [1;36mINFO[1;0m: Linphone core [0x8f9170] notifying [network_reachable]

08:28:46.757 [1;36mINFO[1;0m: stun.linphone.org resolved to 37.59.51.72

08:28:46.758 [1;36mINFO[1;0m: Stun server resolution successful.

08:29:00.067 [1;36mINFO[1;0m: *Motion detected!*

08:29:13.655 [1;36mINFO[1;0m: *Motion detected!*

08:29:14.659 [1;36mINFO[1;0m: Notifying contacts...

08:29:14.660 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

08:29:14.663 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

08:29:14.663 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76c9bcb0>, ip =
None, ea = sip:linphone@10.1.10.45:5063, un = linphone

```
08:29:14.667 [1;36mINFO[1;0m: belle_sip_client_transaction_send_request(): waiting channel to be ready
08:29:14.667 [1;36mINFO[1;0m: channel [0x92e9c8]: starting resolution of sip.linphone.org
08:29:14.668 [1;36mINFO[1;0m: channel 0x92e9c8: state RES_IN_PROGRESS
08:29:14.668 [1;36mINFO[1;0m: transaction [0x92e600] channel state changed to [RES_IN_PROGRESS]
08:29:14.668 [1;36mINFO[1;0m: Resolver is using DNS server(s):
08:29:14.669 [1;36mINFO[1;0m:         75.75.75.75
08:29:14.669 [1;36mINFO[1;0m:         75.75.76.76
08:29:14.669 [1;36mINFO[1;0m:         2001:558:feed::1
08:29:14.670 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress
08:29:14.670 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop
08:29:14.671 [1;36mINFO[1;0m: Chat message 0x92c9d0: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress
08:29:14.671 [1;36mINFO[1;0m: Notifying sip:aSecondSIPAccount@sip.linphone.org
08:29:14.675 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063
08:29:14.675 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76c9bd00>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone
08:29:14.679 [1;36mINFO[1;0m: Chat message 0x8fe288: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress
08:29:17.761 [1;41mERROR[1;0m: Traceback (most recent call last):
  File "securitycamera1.py", line 691, in main
    cam.run()
  File "securitycamera1.py", line 594, in run
    self.notify_email_contacts()
  File "securitycamera1.py", line 632, in notify_email_contacts
    self.emaiImage()
  File "securitycamera1.py", line 446, in emaiImage
    self.smtp.login(alertsvera, XXXXXXXX)
NameError: global name 'alertsvera' is not defined
```

08:35:36.521 [1;36mINFO[1;0m: Notifying contacts...

08:35:36.523 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

08:35:36.541 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

08:35:36.543 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76c86cb0>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

08:35:36.552 [1;36mINFO[1;0m: belle_sip_client_transaction_send_request(): waiting channel to be ready

08:35:36.553 [1;36mINFO[1;0m: channel [0x247bc68]: starting resolution of sip.linphone.org

08:35:36.554 [1;36mINFO[1;0m: channel 0x247bc68: state RES_IN_PROGRESS

08:35:36.554 [1;36mINFO[1;0m: transaction [0x246b288] channel state changed to [RES_IN_PROGRESS]

08:35:36.556 [1;36mINFO[1;0m: Resolver is using DNS server(s):

08:35:36.557 [1;36mINFO[1;0m: 75.75.75.75

08:35:36.557 [1;36mINFO[1;0m: 75.75.76.76

08:35:36.558 [1;36mINFO[1;0m: 2001:558:feed::1

08:35:36.559 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress

08:35:36.559 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop

08:35:36.561 [1;36mINFO[1;0m: Chat message 0x2469058: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

08:35:36.562 [1;36mINFO[1;0m: Notifying sip:aSecondSIPAccount@sip.linphone.org

08:35:36.570 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

08:35:36.571 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76c86d00>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

08:35:36.580 [1;36mINFO[1;0m: Chat message 0x2467550: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

08:35:36.583 [1;36mINFO[1;0m: address = <linphone.Address object at 0x76c86d80>, used_video_codec = None

08:35:36.585 [1;36mINFO[1;0m: New LinphoneCall [0x246fa20] initialized (LinphoneCore version: 3.9.0)

08:35:36.588 [1;36mINFO[1;0m: Call 0x246fa20: moving from state LinphoneCallIdle to LinphoneCallOutgoingInit

08:35:36.590 [1;36mINFO[1;0m:

Call remote: sip:10.1.10.34

08:35:36.591 [1;36mINFO[1;0m: State: OutgoingInit
From: sip:10.1.10.34

08:35:36.592 [1;36mINFO[1;0m: Linphone core [0x2435cb8] notifying [call_state_changed]

08:35:36.592 [1;36mINFO[1;0m: Cannot determine multicast role for stream type [audio] on call [0x246fa20]

08:35:36.593 [1;36mINFO[1;0m: RtpSession bound to [0.0.0.0] ports [7078] [7079]

08:35:36.594 [1;36mINFO[1;0m: Setting DSCP to 46 for MSAudio stream.

08:35:36.595 [1;36mINFO[1;0m: Equalizer location: hp

08:35:36.595 [1;36mINFO[1;0m: cannot set noise gate mode to [0] because no volume send

08:35:36.596 [1;36mINFO[1;0m: Cannot determine multicast role for stream type [video] on call [0x246fa20]

08:35:36.597 [1;36mINFO[1;0m: RtpSession bound to [0.0.0.0] ports [9078] [9079]

08:35:36.598 [1;36mINFO[1;0m: Setting DSCP to 0 for MSVideo stream.

08:35:36.598 [1;36mINFO[1;0m: Created new ICE check list for stream [0]

08:35:36.599 [1;36mINFO[1;0m: Created new ICE check list for stream [1]

08:35:36.599 [1;36mINFO[1;0m: ms_filter_link: MSRtpRecv:0x2468f98,0-->MSVoidSink:0x246f920,0

08:35:36.600 [1;36mINFO[1;0m: ms_filter_link: MSRtpRecv:0x246afd8,0-->MSVoidSink:0x246ae58,0

08:35:36.602 [1;36mINFO[1;0m: Priority used: 99

08:35:36.602 [1;36mINFO[1;0m: MSAudio MSTicker priority set to SCHED_RR and value (99)

08:35:36.603 [1;36mINFO[1;0m: MSVideo MSTicker priority left to normal.

08:35:36.604 [1;36mINFO[1;0m: Resolver is using DNS server(s):

08:35:36.604 [1;36mINFO[1;0m: 75.75.75.75

08:35:36.605 [1;36mINFO[1;0m: 75.75.76.76

08:35:36.606 [1;36mINFO[1;0m: 2001:558:feed::1

08:35:36.607 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress

08:35:36.607 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop

08:35:36.608 [1;36mINFO[1;0m: ICE: gathering candidate from [stun.linphone.org]

08:35:36.609 [1;36mINFO[1;0m: ice: Send STUN binding request from port 7078 [4c6b3740845723794d0d942f]

08:39:20.539 [1;36mINFO[1;0m: Initializaing jamPi System version 0.2.0...

08:39:25.546 [1;36mINFO[1;0m: Sensor online... Turning on motion sensor...

08:39:30.558 [1;36mINFO[1;0m: PIR sensor is ready.

08:39:31.762 [1;36mINFO[1;0m: Mediastreamer2 factory 2.12.0 (git: 3.9.0) initialized.

08:39:31.763 [1;36mINFO[1;0m: CPU count set to 4

08:39:31.763 [1;36mINFO[1;0m: ms_factory_init() done: platform_tags=linux,arm,embedded

08:39:31.763 [1;36mINFO[1;0m: srtp init

08:39:31.780 [1;36mINFO[1;0m: Registering all soundcard handlers

08:39:31.832 [1;36mINFO[1;0m: Card 'ALSA: default device' added

08:39:31.841 [1;36mINFO[1;0m: also error in pcm_hw.c:1557 - open '/dev/snd/pcmC0D0c' failed (-2)

08:39:31.842 [1;36mINFO[1;0m: Card 'ALSA: bcm2835 ALSA' added

08:39:31.853 [1;36mINFO[1;0m: Card 'ALSA: USB PnP Sound Device' added

08:39:31.853 [1;36mINFO[1;0m: Registering all webcam handlers

08:39:31.854 [1;36mINFO[1;0m: Webcam StaticImage: Static picture added

08:39:31.854 [1;36mINFO[1;0m: ms_factory_init_voip() done

08:39:31.854 [1;36mINFO[1;0m: Loading ms plugins from [./lib/mediastreamer/plugins]

08:39:31.855 [1;36mINFO[1;0m: Cannot open directory ./lib/mediastreamer/plugins: No such file or directory

08:39:31.855 [1;36mINFO[1;0m: Initializing LinphoneCore 3.9.0

08:39:31.855 [1;36mINFO[1;0m: Vtable [0x15b2170] registered on core [0x15d4d70]

08:39:31.855 [1;36mINFO[1;0m: Linphone core [0x15b2170] notifying [global_state_changed]

08:39:31.856 [1;36mINFO[1;0m: oRTP-0.25.0 initialized.

08:39:31.856 [1;36mINFO[1;0m: Skipping ms_base_init, because [2] ref

08:39:31.856 [1;36mINFO[1;0m: Skipping ms_voip_init, because [2] ref

08:39:31.856 [1;36mINFO[1;0m: Skipping ms_plugins_init, because [2] ref

08:39:31.857 [1;36mINFO[1;0m: Codec opus/48000 ffmt=[useinbandfec=1] number=-1, enabled=1) added to default capabilities.

08:39:31.857 [1;36mINFO[1;0m: Could not find encoder for SILK

08:39:31.857 [1;36mINFO[1;0m: Could not find decoder for SILK

08:39:31.857 [1;36mINFO[1;0m: Codec speex/16000 ffmt=[vbr=on] number=-1, enabled=1) added to default capabilities.

08:39:31.857 [1;36mINFO[1;0m: Codec speex/8000 fntp=[vbr=on] number=-1, enabled=1) added to default capabilities.

08:39:31.858 [1;36mINFO[1;0m: Codec PCMU/8000 fntp=[] number=0, enabled=1) added to default capabilities.

08:39:31.858 [1;36mINFO[1;0m: Codec PCMA/8000 fntp=[] number=8, enabled=1) added to default capabilities.

08:39:31.858 [1;36mINFO[1;0m: Codec t140/1000 fntp=[] number=96, enabled=1) added to default capabilities.

08:39:31.858 [1;36mINFO[1;0m: Codec red/1000 fntp=[] number=97, enabled=1) added to default capabilities.

08:39:31.859 [1;36mINFO[1;0m: Codec GSM/8000 fntp=[] number=3, enabled=0) added to default capabilities.

08:39:31.859 [1;36mINFO[1;0m: Codec G722/8000 fntp=[] number=9, enabled=0) added to default capabilities.

08:39:31.859 [1;36mINFO[1;0m: Could not find encoder for iLBC

08:39:31.859 [1;36mINFO[1;0m: Could not find decoder for iLBC

08:39:31.859 [1;36mINFO[1;0m: Could not find encoder for AMR

08:39:31.860 [1;36mINFO[1;0m: Could not find decoder for AMR

08:39:31.860 [1;36mINFO[1;0m: Could not find encoder for AMR-WB

08:39:31.860 [1;36mINFO[1;0m: Could not find decoder for AMR-WB

08:39:31.860 [1;36mINFO[1;0m: Could not find encoder for G729

08:39:31.861 [1;36mINFO[1;0m: Could not find decoder for G729

08:39:31.861 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

08:39:31.861 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

08:39:31.861 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

08:39:31.861 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

08:39:31.862 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

08:39:31.862 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

08:39:31.862 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

08:39:31.862 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

08:39:31.863 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

08:39:31.863 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

08:39:31.863 [1;36mINFO[1;0m: Could not find encoder for iSAC

08:39:31.863 [1;36mINFO[1;0m: Could not find decoder for iSAC

08:39:31.863 [1;36mINFO[1;0m: Codec speex/32000 fntp=[vbr=on] number=-1, enabled=0) added to default capabilities.

08:39:31.864 [1;36mINFO[1;0m: Could not find encoder for SILK

08:39:31.864 [1;36mINFO[1;0m: Could not find decoder for SILK

08:39:31.864 [1;36mINFO[1;0m: Could not find encoder for SILK

08:39:31.864 [1;36mINFO[1;0m: Could not find decoder for SILK

08:39:31.865 [1;36mINFO[1;0m: Could not find encoder for SILK

08:39:31.865 [1;36mINFO[1;0m: Could not find decoder for SILK

08:39:31.865 [1;36mINFO[1;0m: Could not find encoder for G726-16

08:39:31.865 [1;36mINFO[1;0m: Could not find decoder for G726-16

08:39:31.866 [1;36mINFO[1;0m: Could not find encoder for G726-24

08:39:31.866 [1;36mINFO[1;0m: Could not find decoder for G726-24

08:39:31.866 [1;36mINFO[1;0m: Could not find encoder for G726-32

08:39:31.866 [1;36mINFO[1;0m: Could not find decoder for G726-32

08:39:31.866 [1;36mINFO[1;0m: Could not find encoder for G726-40

08:39:31.867 [1;36mINFO[1;0m: Could not find decoder for G726-40

08:39:31.867 [1;36mINFO[1;0m: Could not find encoder for AAL2-G726-16

08:39:31.867 [1;36mINFO[1;0m: Could not find decoder for AAL2-G726-16

08:39:31.867 [1;36mINFO[1;0m: Could not find encoder for AAL2-G726-24

08:39:31.868 [1;36mINFO[1;0m: Could not find decoder for AAL2-G726-24

08:39:31.868 [1;36mINFO[1;0m: Could not find encoder for AAL2-G726-32

08:39:31.868 [1;36mINFO[1;0m: Could not find decoder for AAL2-G726-32

08:39:31.868 [1;36mINFO[1;0m: Could not find encoder for AAL2-G726-40

08:39:31.868 [1;36mINFO[1;0m: Could not find decoder for AAL2-G726-40

08:39:31.869 [1;36mINFO[1;0m: Could not find encoder for CODEC2

08:39:31.869 [1;36mINFO[1;0m: Could not find decoder for CODEC2

08:39:31.869 [1;36mINFO[1;0m: Codec VP8/90000 fmt=[] number=-1, enabled=1) added to default capabilities.

08:39:31.869 [1;36mINFO[1;0m: Could not find encoder for H264

08:39:31.870 [1;36mINFO[1;0m: Could not find decoder for H264

08:39:31.870 [1;36mINFO[1;0m: Could not find encoder for MP4V-ES

08:39:31.870 [1;36mINFO[1;0m: Could not find encoder for H263-1998

08:39:31.870 [1;36mINFO[1;0m: Could not find encoder for H263

08:39:31.870 [1;36mINFO[1;0m: Could not find encoder for 1016

08:39:31.871 [1;36mINFO[1;0m: Could not find decoder for 1016

08:39:31.871 [1;36mINFO[1;0m: Could not find encoder for G723

08:39:31.871 [1;36mINFO[1;0m: Could not find decoder for G723

08:39:31.871 [1;36mINFO[1;0m: Could not find encoder for LPC

08:39:31.872 [1;36mINFO[1;0m: Could not find decoder for LPC

08:39:31.872 [1;36mINFO[1;0m: Codec L16/44100 fmt=[] number=10, enabled=0) added to default capabilities.

08:39:31.872 [1;36mINFO[1;0m: Codec L16/44100 fmt=[] number=11, enabled=0) added to default capabilities.

08:39:31.872 [1;36mINFO[1;0m: Could not find encoder for CN

08:39:31.873 [1;36mINFO[1;0m: Could not find decoder for CN

08:39:31.873 [1;36mINFO[1;0m: Could not find encoder for G729

08:39:31.873 [1;36mINFO[1;0m: Could not find decoder for G729

08:39:31.873 [1;36mINFO[1;0m: Could not find encoder for H261

08:39:31.873 [1;36mINFO[1;0m: Could not find decoder for H261

08:39:31.874 [1;36mINFO[1;0m: Could not find encoder for MPV

08:39:31.874 [1;36mINFO[1;0m: Could not find decoder for MPV

08:39:31.874 [1;36mINFO[1;0m: Could not find encoder for H263

08:39:31.874 [1;36mINFO[1;0m: Sal nat helper [enabled]

08:39:31.875 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

08:39:31.875 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

08:39:31.875 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

08:39:31.875 [1;36mINFO[1;0m: Linphone core [0x15b2170] notifying [configuring_status]

08:39:31.876 [1;36mINFO[1;0m: Cannot open directory ./lib/liblinphone/plugins: No such file or directory

08:39:31.876 [1;31mWARNING[1;0m: ./share/sounds/linphone/rings/oldphone.wav does not exist

08:39:31.876 [1;36mINFO[1;0m: linphone_core_set_playback_gain_db(): no active call.

08:39:31.876 [1;36mINFO[1;0m: linphone_core_set_mic_gain_db(): no active call.

08:39:31.877 [1;36mINFO[1;0m: MTU is supposed to be 1300, rtp payload max size will be 1240

08:39:31.877 [1;36mINFO[1;0m: Sal nat helper [enabled]

08:39:31.877 [1;36mINFO[1;0m: Sal use rport [enabled]

08:39:31.877 [1;36mINFO[1;0m: Supported codec opus/48000 fmp=useinbandfec=1 automatically added to codec list.

08:39:31.878 [1;36mINFO[1;0m: Supported codec speex/16000 fmp=vbr=on automatically added to codec list.

08:39:31.878 [1;36mINFO[1;0m: Supported codec speex/8000 fmp=vbr=on automatically added to codec list.

08:39:31.878 [1;36mINFO[1;0m: Supported codec PCMU/8000 fmp= automatically added to codec list.

08:39:31.878 [1;36mINFO[1;0m: Supported codec PCMA/8000 fmp= automatically added to codec list.

08:39:31.878 [1;36mINFO[1;0m: Supported codec GSM/8000 fmp= automatically added to codec list.

08:39:31.879 [1;36mINFO[1;0m: Supported codec G722/8000 fmp= automatically added to codec list.

08:39:31.879 [1;36mINFO[1;0m: Supported codec speex/32000 fmp=vbr=on automatically added to codec list.

08:39:31.879 [1;36mINFO[1;0m: Supported codec L16/44100 fmp= automatically added to codec list.

08:39:31.879 [1;36mINFO[1;0m: Supported codec L16/44100 fmp= automatically added to codec list.

08:39:31.880 [1;36mINFO[1;0m: Supported codec VP8/90000 fmp= automatically added to codec list.

08:39:31.880 [1;36mINFO[1;0m: Supported codec t140/1000 fmp= automatically added to codec list.

08:39:31.880 [1;36mINFO[1;0m: Supported codec red/1000 fmp= automatically added to codec list.

08:39:31.880 [1;36mINFO[1;0m: Sal use rport [enabled]

08:39:31.880 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

08:39:31.881 [1;36mINFO[1;0m: sal_unlisten_ports done

08:39:31.881 [1;36mINFO[1;0m: Creating listening point [0x15b1e88] on [sip:0.0.0.0:5060;transport=UDP]

08:39:31.881 [1;36mINFO[1;0m: Creating listening point [0x15b27e8] on [sip:0.0.0.0:5060;transport=TCP]

08:39:31.882 [1;36mINFO[1;0m: Creating listening point [0x15b2988] on [sip:0.0.0.0:-1;transport=TLS]

08:39:31.882 [1;36mINFO[1;0m: Random TCP port is 55428

08:39:31.882 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

08:39:31.882 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

08:39:31.885 [1;36mINFO[1;0m: Linphone core [0x15b2170] notifying [global_state_changed]

08:39:31.886 [1;36mINFO[1;0m: Listening point [0x15b1e88] on [sip:0.0.0.0:5060;transport=UDP] destroyed

08:39:31.886 [1;36mINFO[1;0m: Listening point [0x15b27e8] on [sip:0.0.0.0:5060;transport=TCP] destroyed

08:39:31.886 [1;36mINFO[1;0m: Listening point [0x15b2988] on [sip:0.0.0.0:55428;transport=TLS] destroyed

08:39:31.887 [1;36mINFO[1;0m: sal_unlisten_ports done

08:39:31.887 [1;36mINFO[1;0m: Creating listening point [0x15b1d80] on [sip:0.0.0.0:5063;transport=UDP]

08:39:31.887 [1;36mINFO[1;0m: Creating listening point [0x15b1f70] on [sip:0.0.0.0:5067;transport=TCP]

08:39:31.888 [1;36mINFO[1;0m: Creating listening point [0x15b2700] on [sip:0.0.0.0:32737;transport=TLS]

08:39:31.888 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

08:39:31.888 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

08:39:31.889 [1;36mINFO[1;0m: Resolver is using DNS server(s):

08:39:31.889 [1;36mINFO[1;0m: 75.75.75.75

08:39:31.889 [1;36mINFO[1;0m: 75.75.76.76

08:39:31.890 [1;36mINFO[1;0m: 2001:558:feed::1

08:39:31.890 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress

08:39:31.891 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop

08:39:31.891 [1;36mINFO[1;0m: Sal nat helper [enabled]

08:39:31.891 [1;36mINFO[1;0m: Sal use rport [enabled]

08:39:31.893 [1;36mINFO[1;0m: no camera with id V4L2: /dev/video0

08:39:31.893 [1;31mWARNING[1;0m: Could not find video device V4L2: /dev/video0

08:39:31.896 [1;36mINFO[1;0m: Adding codec PCMU...

08:39:31.896 [1;36mINFO[1;0m: Adding codec PCMA...

08:39:31.898 [1;36mINFO[1;0m: Adding codec VP8...

08:39:31.899 [1;36mINFO[1;0m: [org.antlr.runtime.MismatchedTokenException] reason [()* loopback of 1637:21: (domainlabel DOT)*]

08:39:31.899 [1;41mERROR[1;0m: header_address parser error for [sip:zahersyed@sip.linphone.org@sip.linphone.org:5061]

08:39:31.900 [1;41mERROR[1;0m: Cannot create LinphoneAddress, bad uri [sip:zahersyed@sip.linphone.org@sip.linphone.org:5061]

08:39:31.900 [1;31mWARNING[1;0m: Invalid sip identity: NULL

08:39:31.902 [1;31mWARNING[1;0m: Bad proxy address: it is not in the list !

08:39:31.902 [1;41mERROR[1;0m: linphone_core_add_auth_info(): info supplied with empty password or ha1.

08:39:31.902 [1;36mINFO[1;0m: auth_info.username = zahersyed@sip.linphone.org,

08:39:34.957 [1;36mINFO[1;0m: stun.linphone.org resolved to 37.59.51.72

08:39:34.958 [1;36mINFO[1;0m: Stun server resolution successful.

08:39:34.959 [1;36mINFO[1;0m: New local ip address is 10.1.10.45

08:39:34.959 [1;36mINFO[1;0m: Network state is now [UP]

08:39:34.960 [1;36mINFO[1;0m: Resolver is using DNS server(s):

08:39:34.961 [1;36mINFO[1;0m: 75.75.75.75

08:39:34.961 [1;36mINFO[1;0m: 75.75.76.76

08:39:34.962 [1;36mINFO[1;0m: 2001:558:feed::1

08:39:34.963 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress

08:39:34.963 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop

08:39:34.964 [1;36mINFO[1;0m: Linphone core [0x15b2170] notifying [network_reachable]

08:39:35.077 [1;36mINFO[1;0m: stun.linphone.org resolved to 37.59.51.72

08:39:35.078 [1;36mINFO[1;0m: Stun server resolution successful.

08:39:48.744 [1;36mINFO[1;0m: *Motion detected!*

08:39:59.450 [1;36mINFO[1;0m: *Motion detected!*

08:40:00.453 [1;36mINFO[1;0m: Notifying contacts...

08:40:00.454 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

08:40:00.457 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

08:40:00.458 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76cb2cb0>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

08:40:00.461 [1;36mINFO[1;0m: belle_sip_client_transaction_send_request(): waiting channel to be ready

08:40:00.462 [1;36mINFO[1;0m: channel [0x15f7c68]: starting resolution of sip.linphone.org

08:40:00.462 [1;36mINFO[1;0m: channel 0x15f7c68: state RES_IN_PROGRESS

08:40:00.462 [1;36mINFO[1;0m: transaction [0x15e3048] channel state changed to [RES_IN_PROGRESS]

08:40:00.463 [1;36mINFO[1;0m: Resolver is using DNS server(s):

08:40:00.463 [1;36mINFO[1;0m: 75.75.75.75

08:40:00.463 [1;36mINFO[1;0m: 75.75.76.76

08:40:00.463 [1;36mINFO[1;0m: 2001:558:feed::1

08:40:00.464 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress

08:40:00.464 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop

08:40:00.465 [1;36mINFO[1;0m: Chat message 0x15b2938: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

08:40:00.465 [1;36mINFO[1;0m: Notifying sip:aSecondSIPAccount@sip.linphone.org

08:40:00.469 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

08:40:00.469 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76cb2d00>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

08:40:00.473 [1;36mINFO[1;0m: Chat message 0x15e7188: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

08:40:03.583 [1;41mERROR[1;0m: Traceback (most recent call last):

 File "securitycamera1.py", line 691, in main

 cam.run()

 File "securitycamera1.py", line 594, in run

 self.notify_email_contacts()

 File "securitycamera1.py", line 632, in notify_email_contacts

```
self.emaiImage()
```

```
File "securitycamera1.py", line 446, in emaiImage
```

```
self.smtp.login(emailAccount, emailPassword)
```

```
File "/usr/lib/python2.7/smtplib.py", line 622, in login
```

```
raise SMTPAuthenticationError(code, resp)
```

```
SMTPAuthenticationError: (534, '5.7.14
```

```
<https://accounts.google.com/signin/continue?sarp=1&sc=1&plt=AKgnsbsi\n5.7.14 hQRiuMr4CGtj-  
j0qeFRFCnuSrqNqxEvHQvKhv1XwDkHtp0DtGMhnqH-kLorbgeGCHopCif\n5.7.14 pxYS5-  
AKonfK2LBCNWFkWA0LXuX8pJSvea_89GrqGKwOV6lmdgYoHurFs9rj0H8-EegjVP\n5.7.14  
iuYl6VjPAxcTemYmE3cB5jmfYX7TX2hL4D8XAwWnyPrnqX7RDCdOn1WVhTXkcXd-jR5-QO\n5.7.14  
TfXkvjDJRPicntFKqfz5k_bpJMqA> Please log in via your web browser and\n5.7.14 then try  
again.\n5.7.14 Learn more at\n5.7.14 https://support.google.com/mail/answer/78754  
n78sm692620vkf.7 - gsmtplib')
```

```
08:46:58.626 [1;36mINFO[1;0m: Initializaing jamPi System version 0.2.0...
```

```
08:47:03.634 [1;36mINFO[1;0m: Sensor online... Turning on motion sensor...
```

```
08:47:08.642 [1;36mINFO[1;0m: PIR sensor is ready.
```

```
08:47:09.840 [1;36mINFO[1;0m: Mediastreamer2 factory 2.12.0 (git: 3.9.0) initialized.
```

```
08:47:09.841 [1;36mINFO[1;0m: CPU count set to 4
```

```
08:47:09.842 [1;36mINFO[1;0m: ms_factory_init() done: platform_tags=linux,arm,embedded
```

```
08:47:09.842 [1;36mINFO[1;0m: srtp init
```

```
08:47:09.876 [1;36mINFO[1;0m: Registering all soundcard handlers
```

```
08:47:09.944 [1;36mINFO[1;0m: Card 'ALSA: default device' added
```

```
08:47:09.952 [1;36mINFO[1;0m: also error in pcm_hw.c:1557 - open '/dev/snd/pcmC0D0c' failed (-2)
```

```
08:47:09.954 [1;36mINFO[1;0m: Card 'ALSA: bcm2835 ALSA' added
```

```
08:47:09.965 [1;36mINFO[1;0m: Card 'ALSA: USB PnP Sound Device' added
```

```
08:47:09.966 [1;36mINFO[1;0m: Registering all webcam handlers
```

```
08:47:09.966 [1;36mINFO[1;0m: Webcam StaticImage: Static picture added
```

```
08:47:09.967 [1;36mINFO[1;0m: ms_factory_init_voip() done
```

```
08:47:09.967 [1;36mINFO[1;0m: Loading ms plugins from [./lib/mediastreamer/plugins]
```

```
08:47:09.967 [1;36mINFO[1;0m: Cannot open directory ./lib/mediastreamer/plugins: No such file or  
directory
```

08:47:09.967 [1;36mINFO[1;0m: Initializing LinphoneCore 3.9.0

08:47:09.968 [1;36mINFO[1;0m: Vtable [0x14eb170] registered on core [0x150dd70]

08:47:09.968 [1;36mINFO[1;0m: Linphone core [0x14eb170] notifying [global_state_changed]

08:47:09.968 [1;36mINFO[1;0m: oRTP-0.25.0 initialized.

08:47:09.968 [1;36mINFO[1;0m: Skipping ms_base_init, because [2] ref

08:47:09.969 [1;36mINFO[1;0m: Skipping ms_voip_init, because [2] ref

08:47:09.969 [1;36mINFO[1;0m: Skipping ms_plugins_init, because [2] ref

08:47:09.969 [1;36mINFO[1;0m: Codec opus/48000 fmt=[useinbandfec=1] number=-1, enabled=1) added to default capabilities.

08:47:09.969 [1;36mINFO[1;0m: Could not find encoder for SILK

08:47:09.969 [1;36mINFO[1;0m: Could not find decoder for SILK

08:47:09.970 [1;36mINFO[1;0m: Codec speex/16000 fmt=[vbr=on] number=-1, enabled=1) added to default capabilities.

08:47:09.970 [1;36mINFO[1;0m: Codec speex/8000 fmt=[vbr=on] number=-1, enabled=1) added to default capabilities.

08:47:09.970 [1;36mINFO[1;0m: Codec PCMU/8000 fmt=[] number=0, enabled=1) added to default capabilities.

08:47:09.970 [1;36mINFO[1;0m: Codec PCMA/8000 fmt=[] number=8, enabled=1) added to default capabilities.

08:47:09.971 [1;36mINFO[1;0m: Codec t140/1000 fmt=[] number=96, enabled=1) added to default capabilities.

08:47:09.971 [1;36mINFO[1;0m: Codec red/1000 fmt=[] number=97, enabled=1) added to default capabilities.

08:47:09.971 [1;36mINFO[1;0m: Codec GSM/8000 fmt=[] number=3, enabled=0) added to default capabilities.

08:47:09.971 [1;36mINFO[1;0m: Codec G722/8000 fmt=[] number=9, enabled=0) added to default capabilities.

08:47:09.972 [1;36mINFO[1;0m: Could not find encoder for iLBC

08:47:09.972 [1;36mINFO[1;0m: Could not find decoder for iLBC

08:47:09.972 [1;36mINFO[1;0m: Could not find encoder for AMR

08:47:09.972 [1;36mINFO[1;0m: Could not find decoder for AMR

08:47:09.972 [1;36mINFO[1;0m: Could not find encoder for AMR-WB

08:47:09.973 [1;36mINFO[1;0m: Could not find decoder for AMR-WB

08:47:09.973 [1;36mINFO[1;0m: Could not find encoder for G729

08:47:09.973 [1;36mINFO[1;0m: Could not find decoder for G729

08:47:09.973 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

08:47:09.974 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

08:47:09.974 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

08:47:09.974 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

08:47:09.974 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

08:47:09.974 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

08:47:09.975 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

08:47:09.975 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

08:47:09.975 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

08:47:09.975 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

08:47:09.976 [1;36mINFO[1;0m: Could not find encoder for iSAC

08:47:09.976 [1;36mINFO[1;0m: Could not find decoder for iSAC

08:47:09.976 [1;36mINFO[1;0m: Codec speex/32000 fmtp=[vbr=on] number=-1, enabled=0) added to default capabilities.

08:47:09.976 [1;36mINFO[1;0m: Could not find encoder for SILK

08:47:09.977 [1;36mINFO[1;0m: Could not find decoder for SILK

08:47:09.977 [1;36mINFO[1;0m: Could not find encoder for SILK

08:47:09.977 [1;36mINFO[1;0m: Could not find decoder for SILK

08:47:09.977 [1;36mINFO[1;0m: Could not find encoder for SILK

08:47:09.978 [1;36mINFO[1;0m: Could not find decoder for SILK

08:47:09.978 [1;36mINFO[1;0m: Could not find encoder for G726-16

08:47:09.978 [1;36mINFO[1;0m: Could not find decoder for G726-16

08:47:09.978 [1;36mINFO[1;0m: Could not find encoder for G726-24

08:47:09.978 [1;36mINFO[1;0m: Could not find decoder for G726-24

08:47:09.979 [1;36mINFO[1;0m: Could not find encoder for G726-32

08:47:09.979 [1;36mINFO[1;0m: Could not find decoder for G726-32

08:47:09.979 [1;36mINFO[1;0m: Could not find encoder for G726-40

08:47:09.979 [1;36mINFO[1;0m: Could not find decoder for G726-40

08:47:09.980 [1;36mINFO[1;0m: Could not find encoder for AAL2-G726-16

08:47:09.980 [1;36mINFO[1;0m: Could not find decoder for AAL2-G726-16

08:47:09.980 [1;36mINFO[1;0m: Could not find encoder for AAL2-G726-24

08:47:09.980 [1;36mINFO[1;0m: Could not find decoder for AAL2-G726-24

08:47:09.980 [1;36mINFO[1;0m: Could not find encoder for AAL2-G726-32

08:47:09.981 [1;36mINFO[1;0m: Could not find decoder for AAL2-G726-32

08:47:09.981 [1;36mINFO[1;0m: Could not find encoder for AAL2-G726-40

08:47:09.981 [1;36mINFO[1;0m: Could not find decoder for AAL2-G726-40

08:47:09.981 [1;36mINFO[1;0m: Could not find encoder for CODEC2

08:47:09.981 [1;36mINFO[1;0m: Could not find decoder for CODEC2

08:47:09.982 [1;36mINFO[1;0m: Codec VP8/90000 fntp=[] number=-1, enabled=1) added to default capabilities.

08:47:09.982 [1;36mINFO[1;0m: Could not find encoder for H264

08:47:09.982 [1;36mINFO[1;0m: Could not find decoder for H264

08:47:09.982 [1;36mINFO[1;0m: Could not find encoder for MP4V-ES

08:47:09.983 [1;36mINFO[1;0m: Could not find encoder for H263-1998

08:47:09.983 [1;36mINFO[1;0m: Could not find encoder for H263

08:47:09.983 [1;36mINFO[1;0m: Could not find encoder for 1016

08:47:09.983 [1;36mINFO[1;0m: Could not find decoder for 1016

08:47:09.984 [1;36mINFO[1;0m: Could not find encoder for G723

08:47:09.984 [1;36mINFO[1;0m: Could not find decoder for G723

08:47:09.984 [1;36mINFO[1;0m: Could not find encoder for LPC

08:47:09.984 [1;36mINFO[1;0m: Could not find decoder for LPC

08:47:09.984 [1;36mINFO[1;0m: Codec L16/44100 fntp=[] number=10, enabled=0) added to default capabilities.

08:47:09.985 [1;36mINFO[1;0m: Codec L16/44100 fntp=[] number=11, enabled=0) added to default capabilities.

08:47:09.985 [1;36mINFO[1;0m: Could not find encoder for CN

08:47:09.985 [1;36mINFO[1;0m: Could not find decoder for CN

08:47:09.985 [1;36mINFO[1;0m: Could not find encoder for G729

08:47:09.986 [1;36mINFO[1;0m: Could not find decoder for G729

08:47:09.986 [1;36mINFO[1;0m: Could not find encoder for H261

08:47:09.986 [1;36mINFO[1;0m: Could not find decoder for H261

08:47:09.986 [1;36mINFO[1;0m: Could not find encoder for MPV

08:47:09.986 [1;36mINFO[1;0m: Could not find decoder for MPV

08:47:09.987 [1;36mINFO[1;0m: Could not find encoder for H263

08:47:09.987 [1;36mINFO[1;0m: Sal nat helper [enabled]

08:47:09.987 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

08:47:09.987 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

08:47:09.988 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

08:47:09.988 [1;36mINFO[1;0m: Linphone core [0x14eb170] notifying [configuring_status]

08:47:09.988 [1;36mINFO[1;0m: Cannot open directory ./lib/liblinphone/plugins: No such file or directory

08:47:09.988 [1;31mWARNING[1;0m: ./share/sounds/linphone/rings/oldphone.wav does not exist

08:47:09.989 [1;36mINFO[1;0m: linphone_core_set_playback_gain_db(): no active call.

08:47:09.989 [1;36mINFO[1;0m: linphone_core_set_mic_gain_db(): no active call.

08:47:09.989 [1;36mINFO[1;0m: MTU is supposed to be 1300, rtp payload max size will be 1240

08:47:09.989 [1;36mINFO[1;0m: Sal nat helper [enabled]

08:47:09.990 [1;36mINFO[1;0m: Sal use rport [enabled]

08:47:09.990 [1;36mINFO[1;0m: Supported codec opus/48000 fmp=useinbandfec=1 automatically added to codec list.

08:47:09.990 [1;36mINFO[1;0m: Supported codec speex/16000 fmp=vbr=on automatically added to codec list.

08:47:09.990 [1;36mINFO[1;0m: Supported codec speex/8000 fmp=vbr=on automatically added to codec list.

08:47:09.990 [1;36mINFO[1;0m: Supported codec PCMU/8000 fmp= automatically added to codec list.

08:47:09.991 [1;36mINFO[1;0m: Supported codec PCMA/8000 fmp= automatically added to codec list.

08:47:09.991 [1;36mINFO[1;0m: Supported codec GSM/8000 fmp= automatically added to codec list.

08:47:09.991 [1;36mINFO[1;0m: Supported codec G722/8000 fmp= automatically added to codec list.

08:47:09.991 [1;36mINFO[1;0m: Supported codec speex/32000 fmp=vbr=on automatically added to codec list.

08:47:09.992 [1;36mINFO[1;0m: Supported codec L16/44100 fmp= automatically added to codec list.

08:47:09.992 [1;36mINFO[1;0m: Supported codec L16/44100 fmp= automatically added to codec list.

08:47:09.992 [1;36mINFO[1;0m: Supported codec VP8/90000 fmp= automatically added to codec list.

08:47:09.992 [1;36mINFO[1;0m: Supported codec t140/1000 fmp= automatically added to codec list.

08:47:09.992 [1;36mINFO[1;0m: Supported codec red/1000 fmp= automatically added to codec list.

08:47:09.993 [1;36mINFO[1;0m: Sal use rport [enabled]

08:47:09.993 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

08:47:09.993 [1;36mINFO[1;0m: sal_unlisten_ports done

08:47:09.993 [1;36mINFO[1;0m: Creating listening point [0x14eae88] on [sip:0.0.0.0:5060;transport=UDP]

08:47:09.994 [1;36mINFO[1;0m: Creating listening point [0x14eb7e8] on [sip:0.0.0.0:5060;transport=TCP]

08:47:09.994 [1;36mINFO[1;0m: Creating listening point [0x14eb988] on [sip:0.0.0.0:-1;transport=TLS]

08:47:09.994 [1;36mINFO[1;0m: Random TCP port is 35377

08:47:09.995 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

08:47:09.995 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

08:47:09.997 [1;36mINFO[1;0m: Linphone core [0x14eb170] notifying [global_state_changed]

08:47:09.998 [1;36mINFO[1;0m: Listening point [0x14eae88] on [sip:0.0.0.0:5060;transport=UDP] destroyed

08:47:09.999 [1;36mINFO[1;0m: Listening point [0x14eb7e8] on [sip:0.0.0.0:5060;transport=TCP] destroyed

08:47:09.999 [1;36mINFO[1;0m: Listening point [0x14eb988] on [sip:0.0.0.0:35377;transport=TLS] destroyed

08:47:09.999 [1;36mINFO[1;0m: sal_unlisten_ports done

08:47:09.999 [1;36mINFO[1;0m: Creating listening point [0x14ead80] on [sip:0.0.0.0:5063;transport=UDP]

08:47:10.000 [1;36mINFO[1;0m: Creating listening point [0x14eaf70] on [sip:0.0.0.0:5067;transport=TCP]

08:47:10.000 [1;41mERROR[1;0m: TCP bind() failed for 0.0.0.0 port 5067: Address already in use

08:47:10.000 [1;36mINFO[1;0m: Listening point [0x14eaf70] on [sip:0.0.0.0:5067;transport=TCP] destroyed

08:47:10.000 [1;31mWARNING[1;0m: Could not start tcp transport on port 5067, maybe this port is already used.

08:47:10.001 [1;36mINFO[1;0m: Creating listening point [0x14efff8] on [sip:0.0.0.0:32737;transport=TLS]

08:47:10.001 [1;41mERROR[1;0m: TCP bind() failed for 0.0.0.0 port 32737: Address already in use

08:47:10.001 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

08:47:10.002 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

08:47:10.002 [1;36mINFO[1;0m: Resolver is using DNS server(s):

08:47:10.003 [1;36mINFO[1;0m: 75.75.75.75

08:47:10.003 [1;36mINFO[1;0m: 75.75.76.76

08:47:10.003 [1;36mINFO[1;0m: 2001:558:feed::1

08:47:10.004 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress

08:47:10.004 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop

08:47:10.005 [1;36mINFO[1;0m: Sal nat helper [enabled]

08:47:10.006 [1;36mINFO[1;0m: Sal use rport [enabled]

08:47:10.007 [1;36mINFO[1;0m: no camera with id V4L2: /dev/video0

08:47:10.008 [1;31mWARNING[1;0m: Could not find video device V4L2: /dev/video0

08:47:10.010 [1;36mINFO[1;0m: Adding codec PCMU...

08:47:10.011 [1;36mINFO[1;0m: Adding codec PCMA...

08:47:10.012 [1;36mINFO[1;0m: Adding codec VP8...

08:47:10.014 [1;36mINFO[1;0m: [org.antlr.runtime.MismatchedTokenException] reason [()* loopback of 1637:21: (domainlabel DOT)*]

08:47:10.014 [1;41mERROR[1;0m: header_address parser error for [sip:zahersyed@sip.linphone.org@sip.linphone.org:5061]

08:47:10.014 [1;41mERROR[1;0m: Cannot create LinphoneAddress, bad uri [sip:zahersyed@sip.linphone.org@sip.linphone.org:5061]

08:47:10.015 [1;31mWARNING[1;0m: Invalid sip identity: NULL

08:47:10.016 [1;31mWARNING[1;0m: Bad proxy address: it is not in the list !

08:47:10.017 [1;41mERROR[1;0m: linphone_core_add_auth_info(): info supplied with empty password or ha1.

08:47:10.017 [1;36mINFO[1;0m: auth_info.username = zahersyed@sip.linphone.org,

08:47:13.071 [1;36mINFO[1;0m: stun.linphone.org resolved to 37.59.51.72

08:47:13.072 [1;36mINFO[1;0m: Stun server resolution successful.

08:47:13.072 [1;36mINFO[1;0m: New local ip address is 10.1.10.45

08:47:13.072 [1;36mINFO[1;0m: Network state is now [UP]

08:47:13.073 [1;36mINFO[1;0m: Resolver is using DNS server(s):

08:47:13.073 [1;36mINFO[1;0m: 75.75.75.75

08:47:13.073 [1;36mINFO[1;0m: 75.75.76.76

08:47:13.074 [1;36mINFO[1;0m: 2001:558:feed::1

08:47:13.074 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress

08:47:13.074 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop

08:47:13.075 [1;36mINFO[1;0m: Linphone core [0x14eb170] notifying [network_reachable]

08:47:13.095 [1;36mINFO[1;0m: stun.linphone.org resolved to 37.59.51.72

08:47:13.096 [1;36mINFO[1;0m: Stun server resolution successful.

08:47:25.412 [1;36mINFO[1;0m: *Motion detected!*

08:47:48.701 [1;36mINFO[1;0m: *Motion detected!*

08:47:49.705 [1;36mINFO[1;0m: Notifying contacts...

08:47:49.706 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

08:47:49.709 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

08:47:49.709 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76cdac0>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

08:47:49.713 [1;36mINFO[1;0m: belle_sip_client_transaction_send_request(): waiting channel to be ready

08:47:49.713 [1;36mINFO[1;0m: channel [0x15209c8]: starting resolution of sip.linphone.org

08:47:49.713 [1;36mINFO[1;0m: channel 0x15209c8: state RES_IN_PROGRESS

08:47:49.714 [1;36mINFO[1;0m: transaction [0x1520600] channel state changed to [RES_IN_PROGRESS]

08:47:49.714 [1;36mINFO[1;0m: Resolver is using DNS server(s):

08:47:49.714 [1;36mINFO[1;0m: 75.75.75.75

```
08:47:49.715 [1;36mINFO[1;0m:      75.75.76.76
08:47:49.715 [1;36mINFO[1;0m:      2001:558:feed::1
08:47:49.715 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress
08:47:49.716 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop
08:47:49.716 [1;36mINFO[1;0m: Chat message 0x151e9d0: moving from state
LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress
08:47:49.717 [1;36mINFO[1;0m: Notifying sip:aSecondSIPAccount@sip.linphone.org
08:47:49.721 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063
08:47:49.721 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76cdad00>, ip =
None, ea = sip:linphone@10.1.10.45:5063, un = linphone
08:47:49.725 [1;36mINFO[1;0m: Chat message 0x14f0288: moving from state
LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress
08:47:52.814 [1;41mERROR[1;0m: Traceback (most recent call last):
File "securitycamera1.py", line 691, in main
    cam.run()
File "securitycamera1.py", line 594, in run
    self.notify_email_contacts()
File "securitycamera1.py", line 632, in notify_email_contacts
    self.emaiImage()
File "securitycamera1.py", line 446, in emaiImage
    self.smtp.login(emailAccount, emailPassword)
File "/usr/lib/python2.7/smtplib.py", line 622, in login
    raise SMTPAuthenticationError(code, resp)
SMTPAuthenticationError: (534, '5.7.14
<https://accounts.google.com/signin/continue?sarp=1&sc=1&plt=AKgnsbtN\n5.7.14
Tg4mFVSIMbDrMjpS8wp3lpX2gFBzcJhDXWxk4DvYzssqtKo1ipFxutIFMXIhX8YHEHr72N\n5.7.14
gd1DoaKz6GpFvXpCrNPgS5-m3QA1wpHqXHczhyOYvj5tB2rzyfDy8Z47ZNaHcbxH1tjDkG\n5.7.14
dlxI9wWrgRdfyld52NLJikmwWdzGZWLC75MvZWnWYndd6t1adT91w71rmzgTbQuU0iBXed\n5.7.14
KprmtXkXVto8P9IKscXNk1CLIRMo> Please log in via your web browser and\n5.7.14 then try
again.\n5.7.14 Learn more at\n5.7.14 https://support.google.com/mail/answer/78754
v13sm3537418vke.8 - smtp')
```

08:52:21.633 [1;36mINFO[1;0m: Initializaing jamPi System version 0.2.0...

08:52:26.640 [1;36mINFO[1;0m: Sensor online... Turning on motion sensor...

08:52:31.653 [1;36mINFO[1;0m: PIR sensor is ready.

08:52:32.830 [1;36mINFO[1;0m: Mediastreamer2 factory 2.12.0 (git: 3.9.0) initialized.

08:52:32.831 [1;36mINFO[1;0m: CPU count set to 4

08:52:32.831 [1;36mINFO[1;0m: ms_factory_init() done: platform_tags=linux,arm,embedded

08:52:32.831 [1;36mINFO[1;0m: srtp init

08:52:32.848 [1;36mINFO[1;0m: Registering all soundcard handlers

08:52:32.909 [1;36mINFO[1;0m: Card 'ALSA: default device' added

08:52:32.918 [1;36mINFO[1;0m: also error in pcm_hw.c:1557 - open '/dev/snd/pcmC0D0c' failed (-2)

08:52:32.920 [1;36mINFO[1;0m: Card 'ALSA: bcm2835 ALSA' added

08:52:32.931 [1;36mINFO[1;0m: Card 'ALSA: USB PnP Sound Device' added

08:52:32.931 [1;36mINFO[1;0m: Registering all webcam handlers

08:52:32.931 [1;36mINFO[1;0m: Webcam StaticImage: Static picture added

08:52:32.932 [1;36mINFO[1;0m: ms_factory_init_voip() done

08:52:32.932 [1;36mINFO[1;0m: Loading ms plugins from [./lib/mediastreamer/plugins]

08:52:32.932 [1;36mINFO[1;0m: Cannot open directory ./lib/mediastreamer/plugins: No such file or directory

08:52:32.932 [1;36mINFO[1;0m: Initializing LinphoneCore 3.9.0

08:52:32.933 [1;36mINFO[1;0m: Vtable [0x1ac5170] registered on core [0x1ae7d90]

08:52:32.933 [1;36mINFO[1;0m: Linphone core [0x1ac5170] notifying [global_state_changed]

08:52:32.933 [1;36mINFO[1;0m: oRTP-0.25.0 initialized.

08:52:32.933 [1;36mINFO[1;0m: Skipping ms_base_init, because [2] ref

08:52:32.934 [1;36mINFO[1;0m: Skipping ms_voip_init, because [2] ref

08:52:32.934 [1;36mINFO[1;0m: Skipping ms_plugins_init, because [2] ref

08:52:32.934 [1;36mINFO[1;0m: Codec opus/48000 fmp=[useinbandfec=1] number=-1, enabled=1) added to default capabilities.

08:52:32.934 [1;36mINFO[1;0m: Could not find encoder for SILK

08:52:32.934 [1;36mINFO[1;0m: Could not find decoder for SILK

08:52:32.935 [1;36mINFO[1;0m: Codec speex/16000 fntp=[vbr=on] number=-1, enabled=1) added to default capabilities.

08:52:32.935 [1;36mINFO[1;0m: Codec speex/8000 fntp=[vbr=on] number=-1, enabled=1) added to default capabilities.

08:52:32.935 [1;36mINFO[1;0m: Codec PCMU/8000 fntp=[] number=0, enabled=1) added to default capabilities.

08:52:32.935 [1;36mINFO[1;0m: Codec PCMA/8000 fntp=[] number=8, enabled=1) added to default capabilities.

08:52:32.936 [1;36mINFO[1;0m: Codec t140/1000 fntp=[] number=96, enabled=1) added to default capabilities.

08:52:32.936 [1;36mINFO[1;0m: Codec red/1000 fntp=[] number=97, enabled=1) added to default capabilities.

08:52:32.936 [1;36mINFO[1;0m: Codec GSM/8000 fntp=[] number=3, enabled=0) added to default capabilities.

08:52:32.936 [1;36mINFO[1;0m: Codec G722/8000 fntp=[] number=9, enabled=0) added to default capabilities.

08:52:32.937 [1;36mINFO[1;0m: Could not find encoder for iLBC

08:52:32.937 [1;36mINFO[1;0m: Could not find decoder for iLBC

08:52:32.937 [1;36mINFO[1;0m: Could not find encoder for AMR

08:52:32.937 [1;36mINFO[1;0m: Could not find decoder for AMR

08:52:32.937 [1;36mINFO[1;0m: Could not find encoder for AMR-WB

08:52:32.938 [1;36mINFO[1;0m: Could not find decoder for AMR-WB

08:52:32.938 [1;36mINFO[1;0m: Could not find encoder for G729

08:52:32.938 [1;36mINFO[1;0m: Could not find decoder for G729

08:52:32.938 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

08:52:32.939 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

08:52:32.939 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

08:52:32.939 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

08:52:32.939 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

08:52:32.939 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

08:52:32.940 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

08:52:32.940 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

08:52:32.940 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic
08:52:32.940 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic
08:52:32.941 [1;36mINFO[1;0m: Could not find encoder for iSAC
08:52:32.941 [1;36mINFO[1;0m: Could not find decoder for iSAC
08:52:32.941 [1;36mINFO[1;0m: Codec speex/32000 fntp=[vbr=on] number=-1, enabled=0) added to default capabilities.
08:52:32.941 [1;36mINFO[1;0m: Could not find encoder for SILK
08:52:32.941 [1;36mINFO[1;0m: Could not find decoder for SILK
08:52:32.942 [1;36mINFO[1;0m: Could not find encoder for SILK
08:52:32.942 [1;36mINFO[1;0m: Could not find decoder for SILK
08:52:32.942 [1;36mINFO[1;0m: Could not find encoder for SILK
08:52:32.942 [1;36mINFO[1;0m: Could not find decoder for SILK
08:52:32.942 [1;36mINFO[1;0m: Could not find encoder for SILK
08:52:32.942 [1;36mINFO[1;0m: Could not find decoder for SILK
08:52:32.943 [1;36mINFO[1;0m: Could not find encoder for G726-16
08:52:32.943 [1;36mINFO[1;0m: Could not find decoder for G726-16
08:52:32.943 [1;36mINFO[1;0m: Could not find encoder for G726-24
08:52:32.943 [1;36mINFO[1;0m: Could not find decoder for G726-24
08:52:32.943 [1;36mINFO[1;0m: Could not find encoder for G726-32
08:52:32.944 [1;36mINFO[1;0m: Could not find decoder for G726-32
08:52:32.944 [1;36mINFO[1;0m: Could not find encoder for G726-40
08:52:32.944 [1;36mINFO[1;0m: Could not find decoder for G726-40
08:52:32.944 [1;36mINFO[1;0m: Could not find encoder for AAL2-G726-16
08:52:32.945 [1;36mINFO[1;0m: Could not find decoder for AAL2-G726-16
08:52:32.945 [1;36mINFO[1;0m: Could not find encoder for AAL2-G726-24
08:52:32.945 [1;36mINFO[1;0m: Could not find decoder for AAL2-G726-24
08:52:32.945 [1;36mINFO[1;0m: Could not find encoder for AAL2-G726-32
08:52:32.945 [1;36mINFO[1;0m: Could not find decoder for AAL2-G726-32
08:52:32.946 [1;36mINFO[1;0m: Could not find encoder for AAL2-G726-40
08:52:32.946 [1;36mINFO[1;0m: Could not find decoder for AAL2-G726-40
08:52:32.946 [1;36mINFO[1;0m: Could not find encoder for CODEC2

08:52:32.946 [1;36mINFO[1;0m: Could not find decoder for CODEC2

08:52:32.947 [1;36mINFO[1;0m: Codec VP8/90000 fmt=[] number=-1, enabled=1) added to default capabilities.

08:52:32.947 [1;36mINFO[1;0m: Could not find encoder for H264

08:52:32.947 [1;36mINFO[1;0m: Could not find decoder for H264

08:52:32.947 [1;36mINFO[1;0m: Could not find encoder for MP4V-ES

08:52:32.947 [1;36mINFO[1;0m: Could not find encoder for H263-1998

08:52:32.948 [1;36mINFO[1;0m: Could not find encoder for H263

08:52:32.948 [1;36mINFO[1;0m: Could not find encoder for 1016

08:52:32.948 [1;36mINFO[1;0m: Could not find decoder for 1016

08:52:32.948 [1;36mINFO[1;0m: Could not find encoder for G723

08:52:32.949 [1;36mINFO[1;0m: Could not find decoder for G723

08:52:32.949 [1;36mINFO[1;0m: Could not find encoder for LPC

08:52:32.949 [1;36mINFO[1;0m: Could not find decoder for LPC

08:52:32.949 [1;36mINFO[1;0m: Codec L16/44100 fmt=[] number=10, enabled=0) added to default capabilities.

08:52:32.949 [1;36mINFO[1;0m: Codec L16/44100 fmt=[] number=11, enabled=0) added to default capabilities.

08:52:32.950 [1;36mINFO[1;0m: Could not find encoder for CN

08:52:32.950 [1;36mINFO[1;0m: Could not find decoder for CN

08:52:32.950 [1;36mINFO[1;0m: Could not find encoder for G729

08:52:32.950 [1;36mINFO[1;0m: Could not find decoder for G729

08:52:32.951 [1;36mINFO[1;0m: Could not find encoder for H261

08:52:32.951 [1;36mINFO[1;0m: Could not find decoder for H261

08:52:32.951 [1;36mINFO[1;0m: Could not find encoder for MPV

08:52:32.951 [1;36mINFO[1;0m: Could not find decoder for MPV

08:52:32.951 [1;36mINFO[1;0m: Could not find encoder for H263

08:52:32.952 [1;36mINFO[1;0m: Sal nat helper [enabled]

08:52:32.952 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

08:52:32.952 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

08:52:32.952 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

08:52:32.953 [1;36mINFO[1;0m: Linphone core [0x1ac5170] notifying [configuring_status]

08:52:32.953 [1;36mINFO[1;0m: Cannot open directory ./lib/liblinphone/plugins: No such file or directory

08:52:32.953 [1;31mWARNING[1;0m: ./share/sounds/linphone/rings/oldphone.wav does not exist

08:52:32.953 [1;36mINFO[1;0m: linphone_core_set_playback_gain_db(): no active call.

08:52:32.954 [1;36mINFO[1;0m: linphone_core_set_mic_gain_db(): no active call.

08:52:32.954 [1;36mINFO[1;0m: MTU is supposed to be 1300, rtp payload max size will be 1240

08:52:32.954 [1;36mINFO[1;0m: Sal nat helper [enabled]

08:52:32.954 [1;36mINFO[1;0m: Sal use rport [enabled]

08:52:32.955 [1;36mINFO[1;0m: Supported codec opus/48000 fmp=useinbandfec=1 automatically added to codec list.

08:52:32.955 [1;36mINFO[1;0m: Supported codec speex/16000 fmp=vbr=on automatically added to codec list.

08:52:32.955 [1;36mINFO[1;0m: Supported codec speex/8000 fmp=vbr=on automatically added to codec list.

08:52:32.955 [1;36mINFO[1;0m: Supported codec PCMU/8000 fmp= automatically added to codec list.

08:52:32.955 [1;36mINFO[1;0m: Supported codec PCMA/8000 fmp= automatically added to codec list.

08:52:32.956 [1;36mINFO[1;0m: Supported codec GSM/8000 fmp= automatically added to codec list.

08:52:32.956 [1;36mINFO[1;0m: Supported codec G722/8000 fmp= automatically added to codec list.

08:52:32.956 [1;36mINFO[1;0m: Supported codec speex/32000 fmp=vbr=on automatically added to codec list.

08:52:32.956 [1;36mINFO[1;0m: Supported codec L16/44100 fmp= automatically added to codec list.

08:52:32.957 [1;36mINFO[1;0m: Supported codec L16/44100 fmp= automatically added to codec list.

08:52:32.957 [1;36mINFO[1;0m: Supported codec VP8/90000 fmp= automatically added to codec list.

08:52:32.957 [1;36mINFO[1;0m: Supported codec t140/1000 fmp= automatically added to codec list.

08:52:32.957 [1;36mINFO[1;0m: Supported codec red/1000 fmp= automatically added to codec list.

08:52:32.958 [1;36mINFO[1;0m: Sal use rport [enabled]

08:52:32.958 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

08:52:32.958 [1;36mINFO[1;0m: sal_unlisten_ports done

08:52:32.958 [1;36mINFO[1;0m: Creating listening point [0x1ac4e88] on [sip:0.0.0.0:5060;transport=UDP]

08:52:32.959 [1;36mINFO[1;0m: Creating listening point [0x1ac57e8] on [sip:0.0.0.0:5060;transport=TCP]

08:52:32.959 [1;36mINFO[1;0m: Creating listening point [0x1ac5988] on [sip:0.0.0.0:-1;transport=TLS]

08:52:32.959 [1;36mINFO[1;0m: Random TCP port is 45316

08:52:32.959 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

08:52:32.960 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

08:52:32.962 [1;36mINFO[1;0m: Linphone core [0x1ac5170] notifying [global_state_changed]

08:52:32.963 [1;36mINFO[1;0m: Listening point [0x1ac4e88] on [sip:0.0.0.0:5060;transport=UDP] destroyed

08:52:32.963 [1;36mINFO[1;0m: Listening point [0x1ac57e8] on [sip:0.0.0.0:5060;transport=TCP] destroyed

08:52:32.964 [1;36mINFO[1;0m: Listening point [0x1ac5988] on [sip:0.0.0.0:45316;transport=TLS] destroyed

08:52:32.964 [1;36mINFO[1;0m: sal_unlisten_ports done

08:52:32.964 [1;36mINFO[1;0m: Creating listening point [0x1ac4d80] on [sip:0.0.0.0:5063;transport=UDP]

08:52:32.964 [1;36mINFO[1;0m: Creating listening point [0x1ac4f70] on [sip:0.0.0.0:5067;transport=TCP]

08:52:32.965 [1;41mERROR[1;0m: TCP bind() failed for 0.0.0.0 port 5067: Address already in use

08:52:32.965 [1;36mINFO[1;0m: Listening point [0x1ac4f70] on [sip:0.0.0.0:5067;transport=TCP] destroyed

08:52:32.965 [1;31mWARNING[1;0m: Could not start tcp transport on port 5067, maybe this port is already used.

08:52:32.965 [1;36mINFO[1;0m: Creating listening point [0x1ac9ff8] on [sip:0.0.0.0:32737;transport=TLS]

08:52:32.966 [1;41mERROR[1;0m: TCP bind() failed for 0.0.0.0 port 32737: Address already in use

08:52:32.966 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

08:52:32.966 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

08:52:32.967 [1;36mINFO[1;0m: Resolver is using DNS server(s):

08:52:32.967 [1;36mINFO[1;0m: 75.75.75.75

08:52:32.967 [1;36mINFO[1;0m: 75.75.76.76

08:52:32.968 [1;36mINFO[1;0m: 2001:558:feed::1

08:52:32.968 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress

08:52:32.969 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop

08:52:32.969 [1;36mINFO[1;0m: Sal nat helper [enabled]

08:52:32.969 [1;36mINFO[1;0m: Sal use rport [enabled]

08:52:32.971 [1;36mINFO[1;0m: no camera with id V4L2: /dev/video0

08:52:32.971 [1;31mWARNING[1;0m: Could not find video device V4L2: /dev/video0

08:52:32.974 [1;36mINFO[1;0m: Adding codec PCMU...

08:52:32.974 [1;36mINFO[1;0m: Adding codec PCMA...

08:52:32.976 [1;36mINFO[1;0m: Adding codec VP8...

08:52:32.977 [1;36mINFO[1;0m: [org.antlr.runtime.MismatchedTokenException] reason [()* loopback of 1637:21: (domainlabel DOT)*]

08:52:32.978 [1;41mERROR[1;0m: header_address parser error for [sip:zahersyed@sip.linphone.org@sip.linphone.org:5061]

08:52:32.978 [1;41mERROR[1;0m: Cannot create LinphoneAddress, bad uri [sip:zahersyed@sip.linphone.org@sip.linphone.org:5061]

08:52:32.978 [1;31mWARNING[1;0m: Invalid sip identity: NULL

08:52:32.980 [1;31mWARNING[1;0m: Bad proxy address: it is not in the list !

08:52:32.980 [1;41mERROR[1;0m: linphone_core_add_auth_info(): info supplied with empty password or ha1.

08:52:32.981 [1;36mINFO[1;0m: auth_info.username = zahersyed@sip.linphone.org,

08:52:36.033 [1;36mINFO[1;0m: stun.linphone.org resolved to 37.59.51.72

08:52:36.033 [1;36mINFO[1;0m: Stun server resolution successful.

08:52:36.034 [1;36mINFO[1;0m: New local ip address is 10.1.10.45

08:52:36.034 [1;36mINFO[1;0m: Network state is now [UP]

08:52:36.036 [1;36mINFO[1;0m: Resolver is using DNS server(s):

08:52:36.036 [1;36mINFO[1;0m: 75.75.75.75

08:52:36.037 [1;36mINFO[1;0m: 75.75.76.76

08:52:36.037 [1;36mINFO[1;0m: 2001:558:feed::1

08:52:36.038 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress

08:52:36.039 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop

08:52:36.040 [1;36mINFO[1;0m: Linphone core [0x1ac5170] notifying [network_reachable]

08:52:36.151 [1;36mINFO[1;0m: stun.linphone.org resolved to 37.59.51.72

08:52:36.151 [1;36mINFO[1;0m: Stun server resolution successful.

08:53:08.768 [1;36mINFO[1;0m: *Motion detected!*

08:53:09.772 [1;36mINFO[1;0m: Notifying contacts...

08:53:09.772 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

08:53:09.776 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

08:53:09.776 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76c7acb0>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

08:53:09.780 [1;36mINFO[1;0m: belle_sip_client_transaction_send_request(): waiting channel to be ready

08:53:09.780 [1;36mINFO[1;0m: channel [0x1afa9e8]: starting resolution of sip.linphone.org

08:53:09.780 [1;36mINFO[1;0m: channel 0x1afa9e8: state RES_IN_PROGRESS

08:53:09.781 [1;36mINFO[1;0m: transaction [0x1aca648] channel state changed to [RES_IN_PROGRESS]

08:53:09.781 [1;36mINFO[1;0m: Resolver is using DNS server(s):

08:53:09.781 [1;36mINFO[1;0m: 75.75.75.75

08:53:09.782 [1;36mINFO[1;0m: 75.75.76.76

08:53:09.782 [1;36mINFO[1;0m: 2001:558:feed::1

08:53:09.783 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress

08:53:09.783 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop

08:53:09.784 [1;36mINFO[1;0m: Chat message 0x1ac5700: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

08:53:09.784 [1;36mINFO[1;0m: Notifying sip:aSecondSIPAccount@sip.linphone.org

08:53:09.788 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

08:53:09.788 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76c7ad00>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

08:53:09.792 [1;36mINFO[1;0m: Chat message 0x1af93b0: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

08:53:14.523 [1;36mINFO[1;0m: Emailed and saved image to "/home/pi/emailedSecurityCameraImage-2016-04-10T08:53:14.516897.jpg"

08:53:34.064 [1;36mINFO[1;0m: SRV _sip._udp.sip.linphone.org resolved to [target:sip3.linphone.org. port:5060 prio:0 weight:100]

08:53:34.069 [1;36mINFO[1;0m: SRV _sip._udp.sip.linphone.org resolved to [target:sip1.linphone.org. port:5060 prio:10 weight:100]

08:53:34.070 [1;36mINFO[1;0m: Starting A/AAAA query for srv result [sip3.linphone.org.]

08:53:34.071 [1;36mINFO[1;0m: Resolver is using DNS server(s):

08:53:34.072 [1;36mINFO[1;0m: 75.75.75.75

08:53:34.073 [1;36mINFO[1;0m: 75.75.76.76

08:53:34.073 [1;36mINFO[1;0m: 2001:558:feed::1

08:53:34.075 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress

08:53:34.076 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop

08:53:34.076 [1;36mINFO[1;0m: Starting A/AAAA query for srv result [sip1.linphone.org.]

08:53:34.077 [1;36mINFO[1;0m: Resolver is using DNS server(s):

08:53:34.078 [1;36mINFO[1;0m: 75.75.75.75

08:53:34.079 [1;36mINFO[1;0m: 75.75.76.76

08:53:34.079 [1;36mINFO[1;0m: 2001:558:feed::1

08:53:34.081 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress

08:53:34.082 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop

08:53:34.083 [1;36mINFO[1;0m: *Motion detected!*

08:53:35.090 [1;36mINFO[1;0m: sip3.linphone.org. resolved to 37.59.51.72

08:53:35.090 [1;36mINFO[1;0m: A query finished for srv result [sip3.linphone.org.]

08:53:35.090 [1;36mINFO[1;0m: sip1.linphone.org. resolved to 91.121.209.194

08:53:35.091 [1;36mINFO[1;0m: A query finished for srv result [sip1.linphone.org.]

08:53:35.091 [1;36mINFO[1;0m: All A/AAAA results for combined resolution have arrived.

08:53:35.091 [1;36mINFO[1;0m: channel 0x1afa9e8: state RES_DONE

08:53:35.092 [1;36mINFO[1;0m: transaction [0x1aca648] channel state changed to [RES_DONE]

08:53:35.092 [1;36mINFO[1;0m: transaction [0x1aca198] channel state changed to [RES_DONE]

08:53:35.092 [1;36mINFO[1;0m: channel 0x1afa9e8: state CONNECTING

08:53:35.093 [1;36mINFO[1;0m: transaction [0x1aca648] channel state changed to [CONNECTING]
08:53:35.093 [1;36mINFO[1;0m: transaction [0x1aca198] channel state changed to [CONNECTING]
08:53:35.093 [1;36mINFO[1;0m: Trying to connect to [UDP://37.59.51.72:5060]
08:53:35.093 [1;36mINFO[1;0m: belle_sip_get_src_addr_for(): af_inet6=0
08:53:35.094 [1;36mINFO[1;0m: Channel has local address 10.1.10.45:5063
08:53:35.094 [1;36mINFO[1;0m: channel 0x1afa9e8: state READY
08:53:35.094 [1;36mINFO[1;0m: transaction [0x1aca648] channel state changed to [READY]
08:53:35.094 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1aca648], from state [INIT]
to [TRYING]
08:53:35.095 [1;36mINFO[1;0m: channel [0x1afa9e8]: message sent to [UDP://sip.linphone.org:5060],
size: [469] bytes
MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0
Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.Z9FuHlvSC;rport
From: <sip:linphone@10.1.10.45>;tag=88eAEz1cf
To: sip:zahersyed@sip.linphone.org
CSeq: 20 MESSAGE
Call-ID: XXrHoNaJ8v
Max-Forwards: 70
Supported: outbound
Content-Type: text/plain
Content-Length: 79
Date: Sun, 10 Apr 2016 12:53:09 GMT
User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 08:53:09.775220'

08:53:35.095 [1;36mINFO[1;0m: transaction [0x1aca198] channel state changed to [READY]
08:53:35.096 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1aca198], from state [INIT]
to [TRYING]
08:53:35.096 [1;36mINFO[1;0m: channel [0x1afa9e8]: message sent to [UDP://sip.linphone.org:5060],
size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.lekKmye2C;rport

From: <sip:linphone@10.1.10.45>;tag=Uadyb~ESq

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: xxBmCspuno

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 12:53:09 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 08:53:09.786973'

08:53:35.239 [1;36mINFO[1;0m: channel [0x1afa9e8]: received [303] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.Z9FuHlvSC;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=88eAEz1cf

To: <sip:zahersyed@sip.linphone.org>

Call-ID: XXrHoNaJ8v

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

08:53:35.273 [1;36mINFO[1;0m: channel [0x1afa9e8] [303] bytes parsed

08:53:35.274 [1;36mINFO[1;0m: channel [0x1afa9e8]: discovered public ip and port are [173.12.114.238:5063]

08:53:35.274 [1;36mINFO[1;0m: Found transaction matching response.

08:53:35.274 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1aca648], from state [TRYING] to [PROCEEDING]

08:53:35.275 [1;36mINFO[1;0m: channel [0x1afa9e8]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.Z9FuHlvSC;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=88eAEz1cf

To: <sip:zahersyed@sip.linphone.org>;tag=0a1pByXvZvmFH

Call-ID: XXrHoNaJ8v

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

08:53:35.279 [1;36mINFO[1;0m: channel [0x1afa9e8] [324] bytes parsed

08:53:35.280 [1;36mINFO[1;0m: Found transaction matching response.

08:53:35.280 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1aca648], from state [PROCEEDING] to [COMPLETED]

08:53:35.280 [1;36mINFO[1;0m: Chat message 0x1ac5700: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

08:53:35.281 [1;36mINFO[1;0m: channel [0x1afa9e8]: received [311] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.lekKmye2C;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=Uadyb~ESq

To: <sip:aSecondSIPAccount@sip.linphone.org>

Call-ID: xxBmCspuno

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

08:53:35.285 [1;36mINFO[1;0m: channel [0x1afa9e8] [311] bytes parsed

08:53:35.286 [1;36mINFO[1;0m: Found transaction matching response.

08:53:35.286 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1aca198], from state [TRYING] to [PROCEEDING]

08:53:35.287 [1;36mINFO[1;0m: channel [0x1afa9e8]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.lekKmye2C;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=Uadyb~ESq

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=1KtFDSe0v5a2c

Call-ID: xxBmCspuno

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

08:53:35.291 [1;36mINFO[1;0m: channel [0x1afa9e8] [332] bytes parsed

08:53:35.292 [1;36mINFO[1;0m: Found transaction matching response.

08:53:35.292 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1aca198], from state [PROCEEDING] to [COMPLETED]

08:53:35.292 [1;36mINFO[1;0m: Chat message 0x1af93b0: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

08:53:40.280 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1aca648], from state [COMPLETED] to [TERMINATED]

08:53:40.280 [1;36mINFO[1;0m: Client MESSAGE transaction [0x1aca648] terminated

08:53:40.280 [1;36mINFO[1;0m: Unhandled transaction terminated [0x1aca648]

08:53:40.293 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1aca198], from state [COMPLETED] to [TERMINATED]

08:53:40.293 [1;36mINFO[1;0m: Client MESSAGE transaction [0x1aca198] terminated

08:53:40.293 [1;36mINFO[1;0m: Unhandled transaction terminated [0x1aca198]

08:53:44.064 [1;36mINFO[1;0m: channel [0x1afa9e8]: keep alive sent to [UDP://sip.linphone.org:5060]

08:53:54.064 [1;36mINFO[1;0m: channel [0x1afa9e8]: keep alive sent to [UDP://sip.linphone.org:5060]

08:54:04.064 [1;36mINFO[1;0m: channel [0x1afa9e8]: keep alive sent to [UDP://sip.linphone.org:5060]

08:54:14.064 [1;36mINFO[1;0m: channel [0x1afa9e8]: keep alive sent to [UDP://sip.linphone.org:5060]

08:54:23.201 [1;36mINFO[1;0m: *Motion detected!*

08:54:24.205 [1;36mINFO[1;0m: Notifying contacts...

08:54:24.205 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

08:54:24.208 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

08:54:24.208 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76c7ae10>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

08:54:24.212 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1b262d8], from state [INIT] to [TRYING]

08:54:24.212 [1;36mINFO[1;0m: channel [0x1afa9e8]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.l7yF3U2C0;rport

From: <sip:linphone@10.1.10.45>;tag=nef~70G0p

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: SqYigUEF2J

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 12:54:24 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 08:54:24.207216'

08:54:24.213 [1;36mINFO[1;0m: Chat message 0x1b239e8: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

08:54:24.213 [1;36mINFO[1;0m: Notifying sip:aSecondSIPAccount@sip.linphone.org

08:54:24.216 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

08:54:24.217 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76c7adf0>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

08:54:24.220 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1b2b600], from state [INIT] to [TRYING]

08:54:24.221 [1;36mINFO[1;0m: channel [0x1afa9e8]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.377DcKg~c;rport

From: <sip:linphone@10.1.10.45>;tag=ped2AQeW1

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: BkV6lySWI7

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 12:54:24 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 08:54:24.215407'

08:54:24.222 [1;36mINFO[1;0m: Chat message 0x1b0e498: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

08:54:28.850 [1;36mINFO[1;0m: Emailed and saved image to "/home/pi/emailedSecurityCameraImage-2016-04-10T08:54:28.840418.jpg"

08:54:48.423 [1;36mINFO[1;0m: channel [0x1afa9e8]: received [303] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.l7yF3U2C0;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=nef~70G0p

To: <sip:zahersyed@sip.linphone.org>

Call-ID: SqYigUEF2J

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

08:54:48.427 [1;36mINFO[1;0m: channel [0x1afa9e8] [303] bytes parsed

08:54:48.428 [1;36mINFO[1;0m: Found transaction matching response.

08:54:48.428 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1b262d8], from state [TRYING] to [PROCEEDING]

08:54:48.428 [1;36mINFO[1;0m: channel [0x1afa9e8]: keep alive sent to [UDP://sip.linphone.org:5060]

08:54:48.429 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

08:54:48.429 [1;36mINFO[1;0m: channel [0x1afa9e8]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.l7yF3U2C0;rport

From: <sip:linphone@10.1.10.45>;tag=nef~70G0p

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: SqYigUEF2J

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 12:54:24 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 08:54:24.207216'

08:54:48.430 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

08:54:48.430 [1;36mINFO[1;0m: channel [0x1afa9e8]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.377DcKg~c;rport

From: <sip:linphone@10.1.10.45>;tag=ped2AQeW1

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: BkV6lySWI7

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 12:54:24 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 08:54:24.215407'

08:54:48.431 [1;36mINFO[1;0m: channel [0x1afa9e8]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.l7yF3U2C0;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=nf~70G0p

To: <sip:zahersyed@sip.linphone.org>;tag=7p7ctjKgSN4KN

Call-ID: SqYigUEF2J

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

08:54:48.436 [1;36mINFO[1;0m: channel [0x1afa9e8] [324] bytes parsed

08:54:48.436 [1;36mINFO[1;0m: Found transaction matching response.

08:54:48.437 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1b262d8], from state [PROCEEDING] to [COMPLETED]

08:54:48.437 [1;36mINFO[1;0m: Chat message 0x1b239e8: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

08:54:48.437 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

08:54:48.438 [1;36mINFO[1;0m: channel [0x1afa9e8]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.377DcKg~c;rport

From: <sip:linphone@10.1.10.45>;tag=ped2AQeW1

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: BkV6lySWI7

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 12:54:24 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 08:54:24.215407'

08:54:48.439 [1;36mINFO[1;0m: channel [0x1afa9e8]: received [311] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.377DcKg~c;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=ped2AQeW1

To: <sip:aSecondSIPAccount@sip.linphone.org>

Call-ID: BkV6lySWI7

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

08:54:48.443 [1;36mINFO[1;0m: channel [0x1afa9e8] [311] bytes parsed

08:54:48.444 [1;36mINFO[1;0m: Found transaction matching response.

08:54:48.444 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1b2b600], from state [TRYING] to [PROCEEDING]

08:54:48.445 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

08:54:48.445 [1;36mINFO[1;0m: channel [0x1afa9e8]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.377DcKg~c;rport

From: <sip:linphone@10.1.10.45>;tag=ped2AQeW1

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: BkV6lySWI7

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 12:54:24 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 08:54:24.215407'

08:54:48.446 [1;36mINFO[1;0m: channel [0x1afa9e8]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.377DcKg~c;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=ped2AQeW1

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=8Z05UD4Kpyt6g

Call-ID: BkV6lySWI7

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

08:54:48.451 [1;36mINFO[1;0m: channel [0x1afa9e8] [332] bytes parsed

08:54:48.452 [1;36mINFO[1;0m: Found transaction matching response.

08:54:48.452 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1b2b600], from state [PROCEEDING] to [COMPLETED]

08:54:48.452 [1;36mINFO[1;0m: Chat message 0x1b0e498: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

08:54:48.578 [1;36mINFO[1;0m: channel [0x1afa9e8]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.l7yF3U2C0;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=nef~70G0p

To: <sip:zahersyed@sip.linphone.org>;tag=7p7ctjKgSN4KN

Call-ID: SqYigUEF2J

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

08:54:48.585 [1;36mINFO[1;0m: channel [0x1afa9e8] [324] bytes parsed

08:54:48.586 [1;36mINFO[1;0m: Found transaction matching response.

08:54:48.587 [1;36mINFO[1;0m: channel [0x1afa9e8]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.377DcKg~c;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=ped2AQeW1

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=8Z05UD4Kpyt6g

Call-ID: BkV6lySWI7

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

08:54:48.592 [1;36mINFO[1;0m: channel [0x1afa9e8] [332] bytes parsed

08:54:48.593 [1;36mINFO[1;0m: Found transaction matching response.

08:54:48.594 [1;36mINFO[1;0m: channel [0x1afa9e8]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.377DcKg~c;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=ped2AQeW1

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=8Z05UD4Kpyt6g

Call-ID: BkV6lySWI7

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

08:54:48.600 [1;36mINFO[1;0m: channel [0x1afa9e8] [332] bytes parsed

08:54:48.600 [1;36mINFO[1;0m: Found transaction matching response.

08:54:48.602 [1;36mINFO[1;0m: channel [0x1afa9e8]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.377DcKg~c;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=ped2AQeW1

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=8Z05UD4Kpyt6g

Call-ID: BkV6lySWI7

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

08:54:48.608 [1;36mINFO[1;0m: channel [0x1afa9e8] [332] bytes parsed

08:54:48.609 [1;36mINFO[1;0m: Found transaction matching response.

08:54:49.514 [1;36mINFO[1;0m: *Motion detected!*

08:54:53.437 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1b262d8], from state [COMPLETED] to [TERMINATED]

08:54:53.437 [1;36mINFO[1;0m: Client MESSAGE transaction [0x1b262d8] terminated

08:54:53.437 [1;36mINFO[1;0m: Unhandled transaction terminated [0x1b262d8]

08:54:53.453 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1b2b600], from state [COMPLETED] to [TERMINATED]

08:54:53.453 [1;36mINFO[1;0m: Client MESSAGE transaction [0x1b2b600] terminated

08:54:53.453 [1;36mINFO[1;0m: Unhandled transaction terminated [0x1b2b600]

08:54:58.422 [1;36mINFO[1;0m: channel [0x1afa9e8]: keep alive sent to [UDP://sip.linphone.org:5060]

08:55:08.291 [1;36mINFO[1;0m: *Motion detected!*

08:55:09.295 [1;36mINFO[1;0m: Notifying contacts...

08:55:09.295 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

08:55:09.298 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

08:55:09.298 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76c7af10>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

08:55:09.302 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1af6cc8], from state [INIT] to [TRYING]

08:55:09.302 [1;36mINFO[1;0m: channel [0x1afa9e8]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.jY3FASSRC;rport

From: <sip:linphone@10.1.10.45>;tag=-4vLUq4HL

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: a6lonv0TIV

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 12:55:09 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 08:55:09.296981'

08:55:09.303 [1;36mINFO[1;0m: Chat message 0x1b48d08: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

08:55:09.303 [1;36mINFO[1;0m: Notifying sip:aSecondSIPAccount@sip.linphone.org

08:55:09.306 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

08:55:09.306 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76c7af70>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

08:55:09.310 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1b51af8], from state [INIT] to [TRYING]

08:55:09.311 [1;36mINFO[1;0m: channel [0x1afa9e8]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.xDmrAkhhs;rport

From: <sip:linphone@10.1.10.45>;tag=J92sArte4

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: jEEpO3vPQ5

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 12:55:09 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 08:55:09.305233'

08:55:09.312 [1;36mINFO[1;0m: Chat message 0x1b46f70: moving from state
LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

08:55:13.936 [1;36mINFO[1;0m: Emailed and saved image to "/home/pi/emailedSecurityCameraImage-
2016-04-10T08:55:13.932901.jpg"

08:55:33.522 [1;36mINFO[1;0m: channel [0x1afa9e8]: received [303] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.jY3FASSRC;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=-4vLUq4HL

To: <sip:zahersyed@sip.linphone.org>

Call-ID: a6lonv0TIV

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

08:55:33.530 [1;36mINFO[1;0m: channel [0x1afa9e8] [303] bytes parsed

08:55:33.531 [1;36mINFO[1;0m: Found transaction matching response.

08:55:33.531 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1af6cc8], from state
[TRYING] to [PROCEEDING]

08:55:33.532 [1;36mINFO[1;0m: channel [0x1afa9e8]: keep alive sent to [UDP://sip.linphone.org:5060]

08:55:33.532 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

08:55:33.533 [1;36mINFO[1;0m: channel [0x1afa9e8]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.jY3FASSRC;rport

From: <sip:linphone@10.1.10.45>;tag=-4vLUq4HL

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: a6lonv0TIV

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 12:55:09 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 08:55:09.296981'

08:55:33.534 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

08:55:33.535 [1;36mINFO[1;0m: channel [0x1afa9e8]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.xDmrAkhS;rport

From: <sip:linphone@10.1.10.45>;tag=J92sArte4

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: jEEpO3vPQ5

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 12:55:09 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 08:55:09.305233'

08:55:33.536 [1;36mINFO[1;0m: channel [0x1afa9e8]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.jY3FASSRC;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=-4vLUq4HL

To: <sip:zahersyed@sip.linphone.org>;tag=ymB9XSHD8S1SN

Call-ID: a6lonv0TIV

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

08:55:33.544 [1;36mINFO[1;0m: channel [0x1afa9e8] [324] bytes parsed

08:55:33.545 [1;36mINFO[1;0m: Found transaction matching response.

08:55:33.546 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1af6cc8], from state [PROCEEDING] to [COMPLETED]

08:55:33.546 [1;36mINFO[1;0m: Chat message 0x1b48d08: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

08:55:33.547 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

08:55:33.548 [1;36mINFO[1;0m: channel [0x1afa9e8]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.xDmrAkhS;rport

From: <sip:linphone@10.1.10.45>;tag=J92sArte4

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: jEEpO3vPQ5

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 12:55:09 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 08:55:09.305233'

08:55:33.549 [1;36mINFO[1;0m: channel [0x1afa9e8]: received [311] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.xDmrAkhS;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=J92sArte4

To: <sip:aSecondSIPAccount@sip.linphone.org>

Call-ID: jEEpO3vPQ5

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

08:55:33.558 [1;36mINFO[1;0m: channel [0x1afa9e8] [311] bytes parsed

08:55:33.558 [1;36mINFO[1;0m: Found transaction matching response.

08:55:33.559 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1b51af8], from state [TRYING] to [PROCEEDING]

08:55:33.559 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

08:55:33.560 [1;36mINFO[1;0m: channel [0x1afa9e8]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.xDmrAkhhs;rport

From: <sip:linphone@10.1.10.45>;tag=J92sArte4

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: jEEpO3vPQ5

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 12:55:09 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 08:55:09.305233'

08:55:33.562 [1;36mINFO[1;0m: channel [0x1afa9e8]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.xDmrAkhhs;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=J92sArte4

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=ZX41Zm2g52QcH

Call-ID: jEEpO3vPQ5

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

08:55:33.570 [1;36mINFO[1;0m: channel [0x1afa9e8] [332] bytes parsed

08:55:33.571 [1;36mINFO[1;0m: Found transaction matching response.

08:55:33.572 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1b51af8], from state [PROCEEDING] to [COMPLETED]

08:55:33.572 [1;36mINFO[1;0m: Chat message 0x1b46f70: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

08:55:33.676 [1;36mINFO[1;0m: channel [0x1afa9e8]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.jY3FASSRC;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=-4vLUq4HL

To: <sip:zahersyed@sip.linphone.org>;tag=ymB9XSHD8S1SN

Call-ID: a6lonv0TIV

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

08:55:33.680 [1;36mINFO[1;0m: channel [0x1afa9e8] [324] bytes parsed

08:55:33.681 [1;36mINFO[1;0m: Found transaction matching response.

08:55:33.681 [1;36mINFO[1;0m: channel [0x1afa9e8]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.xDmrAkhhs;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=J92sArte4

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=ZX41Zm2g52QcH

Call-ID: jEEpO3vPQ5

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

08:55:33.686 [1;36mINFO[1;0m: channel [0x1afa9e8] [332] bytes parsed

08:55:33.686 [1;36mINFO[1;0m: Found transaction matching response.

08:55:33.687 [1;36mINFO[1;0m: channel [0x1afa9e8]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.xDmrAkhhs;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=J92sArte4

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=ZX41Zm2g52QcH

Call-ID: jEEpO3vPQ5

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

08:55:33.691 [1;36mINFO[1;0m: channel [0x1afa9e8] [332] bytes parsed

08:55:33.692 [1;36mINFO[1;0m: Found transaction matching response.

08:55:33.697 [1;36mINFO[1;0m: channel [0x1afa9e8]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.xDmrAkhhs;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=J92sArte4

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=ZX41Zm2g52QcH

Call-ID: jEEpO3vPQ5

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

08:55:33.701 [1;36mINFO[1;0m: channel [0x1afa9e8] [332] bytes parsed

08:55:33.701 [1;36mINFO[1;0m: Found transaction matching response.

08:55:38.547 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1af6cc8], from state [COMPLETED] to [TERMINATED]

08:55:38.552 [1;36mINFO[1;0m: Client MESSAGE transaction [0x1af6cc8] terminated

08:55:38.553 [1;36mINFO[1;0m: Unhandled transaction terminated [0x1af6cc8]

08:55:38.573 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1b51af8], from state [COMPLETED] to [TERMINATED]

08:55:38.573 [1;36mINFO[1;0m: Client MESSAGE transaction [0x1b51af8] terminated

08:55:38.573 [1;36mINFO[1;0m: Unhandled transaction terminated [0x1b51af8]

08:55:43.522 [1;36mINFO[1;0m: channel [0x1afa9e8]: keep alive sent to [UDP://sip.linphone.org:5060]

08:55:53.522 [1;36mINFO[1;0m: channel [0x1afa9e8]: keep alive sent to [UDP://sip.linphone.org:5060]

08:56:03.522 [1;36mINFO[1;0m: channel [0x1afa9e8]: keep alive sent to [UDP://sip.linphone.org:5060]

08:56:13.522 [1;36mINFO[1;0m: channel [0x1afa9e8]: keep alive sent to [UDP://sip.linphone.org:5060]

08:56:16.407 [1;36mINFO[1;0m: *Motion detected!*

08:56:17.411 [1;36mINFO[1;0m: Notifying contacts...

08:56:17.411 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

08:56:17.414 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

08:56:17.414 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76c7afd0>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

08:56:17.418 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1b22748], from state [INIT] to [TRYING]

08:56:17.419 [1;36mINFO[1;0m: channel [0x1afa9e8]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.vO-wa7q2w;rport

From: <sip:linphone@10.1.10.45>;tag=MgCWCWh0p

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: PRvgoC~2jq

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 12:56:17 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 08:56:17.413394'

08:56:17.419 [1;36mINFO[1;0m: Chat message 0x1b29918: moving from state
LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

08:56:17.420 [1;36mINFO[1;0m: Notifying sip:aSecondSIPAccount@sip.linphone.org

08:56:17.422 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

08:56:17.423 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76c7af90>, ip =
None, ea = sip:linphone@10.1.10.45:5063, un = linphone

08:56:17.427 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1b31058], from state [INIT]
to [TRYING]

08:56:17.427 [1;36mINFO[1;0m: channel [0x1afa9e8]: message sent to [UDP://sip.linphone.org:5060],
size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.J7D9bJEi-;rport

From: <sip:linphone@10.1.10.45>;tag=XmAu967Kn

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: XpoekuG80J

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 12:56:17 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 08:56:17.421715'

08:56:17.428 [1;36mINFO[1;0m: Chat message 0x1b50a28: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

08:56:22.051 [1;36mINFO[1;0m: Emailed and saved image to "/home/pi/emailedSecurityCameraImage-2016-04-10T08:56:22.048098.jpg"

08:56:41.656 [1;36mINFO[1;0m: channel [0x1afa9e8]: received [303] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.vO-wa7q2w;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=MgCWCWh0p

To: <sip:zahersyed@sip.linphone.org>

Call-ID: PRvgoC~2jq

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

08:56:41.664 [1;36mINFO[1;0m: channel [0x1afa9e8] [303] bytes parsed

08:56:41.665 [1;36mINFO[1;0m: Found transaction matching response.

08:56:41.665 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1b22748], from state [TRYING] to [PROCEEDING]

08:56:41.666 [1;36mINFO[1;0m: channel [0x1afa9e8]: keep alive sent to [UDP://sip.linphone.org:5060]

08:56:41.666 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

08:56:41.667 [1;36mINFO[1;0m: channel [0x1afa9e8]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.vO-wa7q2w;rport

From: <sip:linphone@10.1.10.45>;tag=MgCWCWh0p

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: PRvgoC~2jq

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 12:56:17 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 08:56:17.413394'

08:56:41.668 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

08:56:41.669 [1;36mINFO[1;0m: channel [0x1afa9e8]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.J7D9bJEi-;rport

From: <sip:linphone@10.1.10.45>;tag=XmAu967Kn

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: XpoekuG80J

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 12:56:17 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 08:56:17.421715'

08:56:41.670 [1;36mINFO[1;0m: *Motion detected!*

08:56:42.676 [1;36mINFO[1;0m: channel [0x1afa9e8]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.vO-wa7q2w;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=MgCWCWh0p

To: <sip:zahersyed@sip.linphone.org>;tag=0r01ZFt31QegD

Call-ID: PRvgoC~2jq

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

08:56:42.685 [1;36mINFO[1;0m: channel [0x1afa9e8] [324] bytes parsed

08:56:42.686 [1;36mINFO[1;0m: Found transaction matching response.

08:56:42.686 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1b22748], from state [PROCEEDING] to [COMPLETED]

08:56:42.686 [1;36mINFO[1;0m: Chat message 0x1b29918: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

08:56:42.686 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

08:56:42.687 [1;36mINFO[1;0m: channel [0x1afa9e8]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.J7D9bJEi-;rport

From: <sip:linphone@10.1.10.45>;tag=XmAu967Kn

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: XpoekuG80J

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 12:56:17 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 08:56:17.421715'

08:56:42.688 [1;36mINFO[1;0m: channel [0x1afa9e8]: received [311] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.J7D9bJEi-;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=XmAu967Kn

To: <sip:aSecondSIPAccount@sip.linphone.org>

Call-ID: XpoekuG80J

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

08:56:42.692 [1;36mINFO[1;0m: channel [0x1afa9e8] [311] bytes parsed

08:56:42.692 [1;36mINFO[1;0m: Found transaction matching response.

08:56:42.692 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1b31058], from state [TRYING] to [PROCEEDING]

08:56:42.693 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

08:56:42.693 [1;36mINFO[1;0m: channel [0x1afa9e8]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.J7D9bJEi-;rport

From: <sip:linphone@10.1.10.45>;tag=XmAu967Kn

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: XpoekuG80J

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 12:56:17 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 08:56:17.421715'

08:56:42.694 [1;36mINFO[1;0m: channel [0x1afa9e8]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.J7D9bJEi-;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=XmAu967Kn

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=11St1aB7y042r

Call-ID: XpoekuG80J

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

08:56:42.698 [1;36mINFO[1;0m: channel [0x1afa9e8] [332] bytes parsed

08:56:42.698 [1;36mINFO[1;0m: Found transaction matching response.

08:56:42.699 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1b31058], from state [PROCEEDING] to [COMPLETED]

08:56:42.699 [1;36mINFO[1;0m: Chat message 0x1b50a28: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

08:56:42.699 [1;36mINFO[1;0m: channel [0x1afa9e8]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.vO-wa7q2w;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=MgCWCWh0p

To: <sip:zahersyed@sip.linphone.org>;tag=0r01ZFt31QegD

Call-ID: PRvgoC~2jq
CSeq: 20 MESSAGE
Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)
Content-Length: 0

08:56:42.703 [1;36mINFO[1;0m: channel [0x1afa9e8] [324] bytes parsed

08:56:42.704 [1;36mINFO[1;0m: Found transaction matching response.

08:56:42.705 [1;36mINFO[1;0m: channel [0x1afa9e8]: received [332] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.J7D9bJEi-;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=XmAu967Kn

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=11St1aB7y042r

Call-ID: XpoekuG80J

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

08:56:42.709 [1;36mINFO[1;0m: channel [0x1afa9e8] [332] bytes parsed

08:56:42.709 [1;36mINFO[1;0m: Found transaction matching response.

08:56:42.827 [1;36mINFO[1;0m: channel [0x1afa9e8]: received [332] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.J7D9bJEi-;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=XmAu967Kn

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=11St1aB7y042r

Call-ID: XpoekuG80J

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

08:56:42.831 [1;36mINFO[1;0m: channel [0x1afa9e8] [332] bytes parsed

08:56:42.832 [1;36mINFO[1;0m: Found transaction matching response.

08:56:42.832 [1;36mINFO[1;0m: channel [0x1afa9e8]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.J7D9bJEi-;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=XmAu967Kn

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=11St1aB7y042r

Call-ID: XpoekuG80J

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

08:56:42.837 [1;36mINFO[1;0m: channel [0x1afa9e8] [332] bytes parsed

08:56:42.837 [1;36mINFO[1;0m: Found transaction matching response.

08:56:46.637 [1;36mINFO[1;0m: *Motion detected!*

08:56:47.641 [1;36mINFO[1;0m: Notifying contacts...

08:56:47.641 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

08:56:47.644 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

08:56:47.644 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x769e2110>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

08:56:47.648 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1b4f368], from state [INIT] to [TRYING]

08:56:47.648 [1;36mINFO[1;0m: channel [0x1afa9e8]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.gzC-v9PgE;rport

From: <sip:linphone@10.1.10.45>;tag=xifKqBCU-

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: wO3T5f4mEx

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 12:56:47 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 08:56:47.642986'

08:56:47.649 [1;36mINFO[1;0m: Chat message 0x1b2af08: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

08:56:47.650 [1;36mINFO[1;0m: Notifying sip:aSecondSIPAccount@sip.linphone.org

08:56:47.652 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

08:56:47.653 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x769e2090>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

08:56:47.657 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1b46220], from state [INIT] to [TRYING]

08:56:47.658 [1;36mINFO[1;0m: channel [0x1afa9e8]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.dl509jPB6;rport

From: <sip:linphone@10.1.10.45>;tag=c4coRluwB

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: NIESGpJzEJ

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 12:56:47 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 08:56:47.651477'

08:56:47.658 [1;36mINFO[1;0m: Chat message 0x1b45b58: moving from state
LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

08:56:47.686 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1b22748], from state
[COMPLETED] to [TERMINATED]

08:56:47.686 [1;36mINFO[1;0m: Client MESSAGE transaction [0x1b22748] terminated

08:56:47.691 [1;36mINFO[1;0m: Unhandled transaction terminated [0x1b22748]

08:56:47.699 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1b31058], from state
[COMPLETED] to [TERMINATED]

08:56:47.699 [1;36mINFO[1;0m: Client MESSAGE transaction [0x1b31058] terminated

08:56:47.699 [1;36mINFO[1;0m: Unhandled transaction terminated [0x1b31058]

08:56:47.789 [1;36mINFO[1;0m: channel [0x1afa9e8]: received [303] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.gzC-v9PgE;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=xifKqBCU-

To: <sip:zahersyed@sip.linphone.org>

Call-ID: wO3T5f4mEx

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

08:56:47.793 [1;36mINFO[1;0m: channel [0x1afa9e8] [303] bytes parsed

08:56:47.794 [1;36mINFO[1;0m: Found transaction matching response.

08:56:47.794 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1b4f368], from state [TRYING] to [PROCEEDING]

08:56:47.795 [1;36mINFO[1;0m: channel [0x1afa9e8]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.gzC-v9PgE;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=xifKqBCU-

To: <sip:zahersyed@sip.linphone.org>;tag=vv38yHFv9vvQm

Call-ID: wO3T5f4mEx

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

08:56:47.799 [1;36mINFO[1;0m: channel [0x1afa9e8] [324] bytes parsed

08:56:47.800 [1;36mINFO[1;0m: Found transaction matching response.

08:56:47.800 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1b4f368], from state [PROCEEDING] to [COMPLETED]

08:56:47.800 [1;36mINFO[1;0m: Chat message 0x1b2af08: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

08:56:47.801 [1;36mINFO[1;0m: channel [0x1afa9e8]: received [311] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.dl509jPB6;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=c4coRluwB

To: <sip:aSecondSIPAccount@sip.linphone.org>

Call-ID: NIESGpJzEJ

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

08:56:47.805 [1;36mINFO[1;0m: channel [0x1afa9e8] [311] bytes parsed

08:56:47.806 [1;36mINFO[1;0m: Found transaction matching response.

08:56:47.806 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1b46220], from state [TRYING] to [PROCEEDING]

08:56:47.806 [1;36mINFO[1;0m: channel [0x1afa9e8]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.dl509jPB6;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=c4coRluwB

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=X5v10c0Z65jag

Call-ID: NIESGpJzEJ

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

08:56:47.811 [1;36mINFO[1;0m: channel [0x1afa9e8] [332] bytes parsed

08:56:47.811 [1;36mINFO[1;0m: Found transaction matching response.

08:56:47.811 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1b46220], from state [PROCEEDING] to [COMPLETED]

08:56:47.812 [1;36mINFO[1;0m: Chat message 0x1b45b58: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

08:56:51.656 [1;36mINFO[1;0m: channel [0x1afa9e8]: keep alive sent to [UDP://sip.linphone.org:5060]

08:56:54.856 [1;36mINFO[1;0m: Initializaing jamPi System version 0.2.0...

08:56:59.863 [1;36mINFO[1;0m: Sensor online... Turning on motion sensor...

08:57:04.870 [1;36mINFO[1;0m: PIR sensor is ready.

08:57:06.089 [1;36mINFO[1;0m: Mediastreamer2 factory 2.12.0 (git: 3.9.0) initialized.

08:57:06.089 [1;36mINFO[1;0m: CPU count set to 4

08:57:06.090 [1;36mINFO[1;0m: ms_factory_init() done: platform_tags=linux,arm,embedded

08:57:06.090 [1;36mINFO[1;0m: srtp init

08:57:06.106 [1;36mINFO[1;0m: Registering all soundcard handlers

08:57:06.159 [1;36mINFO[1;0m: Card 'ALSA: default device' added

08:57:06.168 [1;36mINFO[1;0m: also error in pcm_hw.c:1557 - open '/dev/snd/pcmC0D0c' failed (-2)

08:57:06.170 [1;36mINFO[1;0m: Card 'ALSA: bcm2835 ALSA' added

08:57:06.181 [1;36mINFO[1;0m: Card 'ALSA: USB PnP Sound Device' added

08:57:06.181 [1;36mINFO[1;0m: Registering all webcam handlers

08:57:06.181 [1;36mINFO[1;0m: Webcam StaticImage: Static picture added

08:57:06.182 [1;36mINFO[1;0m: ms_factory_init_voip() done

08:57:06.182 [1;36mINFO[1;0m: Loading ms plugins from [./lib/mediastreamer/plugins]

08:57:06.182 [1;36mINFO[1;0m: Cannot open directory ./lib/mediastreamer/plugins: No such file or directory

08:57:06.182 [1;36mINFO[1;0m: Initializing LinphoneCore 3.9.0

08:57:06.183 [1;36mINFO[1;0m: Vtable [0xdda170] registered on core [0xdfcd70]

08:57:06.183 [1;36mINFO[1;0m: Linphone core [0xdda170] notifying [global_state_changed]

08:57:06.183 [1;36mINFO[1;0m: oRTP-0.25.0 initialized.

08:57:06.183 [1;36mINFO[1;0m: Skipping ms_base_init, because [2] ref

08:57:06.184 [1;36mINFO[1;0m: Skipping ms_voip_init, because [2] ref

08:57:06.184 [1;36mINFO[1;0m: Skipping ms_plugins_init, because [2] ref

08:57:06.184 [1;36mINFO[1;0m: Codec opus/48000 fmp=[useinbandfec=1] number=-1, enabled=1) added to default capabilities.

08:57:06.184 [1;36mINFO[1;0m: Could not find encoder for SILK

08:57:06.184 [1;36mINFO[1;0m: Could not find decoder for SILK

08:57:06.185 [1;36mINFO[1;0m: Codec speex/16000 fmp=[vbr=on] number=-1, enabled=1) added to default capabilities.

08:57:06.185 [1;36mINFO[1;0m: Codec speex/8000 fntp=[vbr=on] number=-1, enabled=1) added to default capabilities.

08:57:06.185 [1;36mINFO[1;0m: Codec PCMU/8000 fntp=[] number=0, enabled=1) added to default capabilities.

08:57:06.185 [1;36mINFO[1;0m: Codec PCMA/8000 fntp=[] number=8, enabled=1) added to default capabilities.

08:57:06.186 [1;36mINFO[1;0m: Codec t140/1000 fntp=[] number=96, enabled=1) added to default capabilities.

08:57:06.186 [1;36mINFO[1;0m: Codec red/1000 fntp=[] number=97, enabled=1) added to default capabilities.

08:57:06.186 [1;36mINFO[1;0m: Codec GSM/8000 fntp=[] number=3, enabled=0) added to default capabilities.

08:57:06.186 [1;36mINFO[1;0m: Codec G722/8000 fntp=[] number=9, enabled=0) added to default capabilities.

08:57:06.187 [1;36mINFO[1;0m: Could not find encoder for iLBC

08:57:06.187 [1;36mINFO[1;0m: Could not find decoder for iLBC

08:57:06.187 [1;36mINFO[1;0m: Could not find encoder for AMR

08:57:06.187 [1;36mINFO[1;0m: Could not find decoder for AMR

08:57:06.187 [1;36mINFO[1;0m: Could not find encoder for AMR-WB

08:57:06.188 [1;36mINFO[1;0m: Could not find decoder for AMR-WB

08:57:06.188 [1;36mINFO[1;0m: Could not find encoder for G729

08:57:06.188 [1;36mINFO[1;0m: Could not find decoder for G729

08:57:06.188 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

08:57:06.188 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

08:57:06.189 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

08:57:06.189 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

08:57:06.189 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

08:57:06.189 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

08:57:06.190 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

08:57:06.190 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

08:57:06.190 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

08:57:06.190 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic
08:57:06.190 [1;36mINFO[1;0m: Could not find encoder for iSAC
08:57:06.191 [1;36mINFO[1;0m: Could not find decoder for iSAC
08:57:06.191 [1;36mINFO[1;0m: Codec speex/32000 fntp=[vbr=on] number=-1, enabled=0) added to default capabilities.
08:57:06.191 [1;36mINFO[1;0m: Could not find encoder for SILK
08:57:06.191 [1;36mINFO[1;0m: Could not find decoder for SILK
08:57:06.192 [1;36mINFO[1;0m: Could not find encoder for SILK
08:57:06.192 [1;36mINFO[1;0m: Could not find decoder for SILK
08:57:06.192 [1;36mINFO[1;0m: Could not find encoder for SILK
08:57:06.192 [1;36mINFO[1;0m: Could not find decoder for SILK
08:57:06.192 [1;36mINFO[1;0m: Could not find encoder for G726-16
08:57:06.193 [1;36mINFO[1;0m: Could not find decoder for G726-16
08:57:06.193 [1;36mINFO[1;0m: Could not find encoder for G726-24
08:57:06.193 [1;36mINFO[1;0m: Could not find decoder for G726-24
08:57:06.193 [1;36mINFO[1;0m: Could not find encoder for G726-32
08:57:06.194 [1;36mINFO[1;0m: Could not find decoder for G726-32
08:57:06.194 [1;36mINFO[1;0m: Could not find encoder for G726-40
08:57:06.194 [1;36mINFO[1;0m: Could not find decoder for G726-40
08:57:06.194 [1;36mINFO[1;0m: Could not find encoder for AAL2-G726-16
08:57:06.194 [1;36mINFO[1;0m: Could not find decoder for AAL2-G726-16
08:57:06.195 [1;36mINFO[1;0m: Could not find encoder for AAL2-G726-24
08:57:06.195 [1;36mINFO[1;0m: Could not find decoder for AAL2-G726-24
08:57:06.195 [1;36mINFO[1;0m: Could not find encoder for AAL2-G726-32
08:57:06.195 [1;36mINFO[1;0m: Could not find decoder for AAL2-G726-32
08:57:06.196 [1;36mINFO[1;0m: Could not find encoder for AAL2-G726-40
08:57:06.196 [1;36mINFO[1;0m: Could not find decoder for AAL2-G726-40
08:57:06.196 [1;36mINFO[1;0m: Could not find encoder for CODEC2
08:57:06.196 [1;36mINFO[1;0m: Could not find decoder for CODEC2

08:57:06.196 [1;36mINFO[1;0m: Codec VP8/90000 fmt=[] number=-1, enabled=1) added to default capabilities.

08:57:06.197 [1;36mINFO[1;0m: Could not find encoder for H264

08:57:06.197 [1;36mINFO[1;0m: Could not find decoder for H264

08:57:06.197 [1;36mINFO[1;0m: Could not find encoder for MP4V-ES

08:57:06.197 [1;36mINFO[1;0m: Could not find encoder for H263-1998

08:57:06.198 [1;36mINFO[1;0m: Could not find encoder for H263

08:57:06.198 [1;36mINFO[1;0m: Could not find encoder for 1016

08:57:06.198 [1;36mINFO[1;0m: Could not find decoder for 1016

08:57:06.198 [1;36mINFO[1;0m: Could not find encoder for G723

08:57:06.198 [1;36mINFO[1;0m: Could not find decoder for G723

08:57:06.199 [1;36mINFO[1;0m: Could not find encoder for LPC

08:57:06.199 [1;36mINFO[1;0m: Could not find decoder for LPC

08:57:06.199 [1;36mINFO[1;0m: Codec L16/44100 fmt=[] number=10, enabled=0) added to default capabilities.

08:57:06.199 [1;36mINFO[1;0m: Codec L16/44100 fmt=[] number=11, enabled=0) added to default capabilities.

08:57:06.199 [1;36mINFO[1;0m: Could not find encoder for CN

08:57:06.200 [1;36mINFO[1;0m: Could not find decoder for CN

08:57:06.200 [1;36mINFO[1;0m: Could not find encoder for G729

08:57:06.200 [1;36mINFO[1;0m: Could not find decoder for G729

08:57:06.200 [1;36mINFO[1;0m: Could not find encoder for H261

08:57:06.201 [1;36mINFO[1;0m: Could not find decoder for H261

08:57:06.201 [1;36mINFO[1;0m: Could not find encoder for MPV

08:57:06.201 [1;36mINFO[1;0m: Could not find decoder for MPV

08:57:06.201 [1;36mINFO[1;0m: Could not find encoder for H263

08:57:06.202 [1;36mINFO[1;0m: Sal nat helper [enabled]

08:57:06.202 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

08:57:06.202 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

08:57:06.202 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

08:57:06.203 [1;36mINFO[1;0m: Linphone core [0xdda170] notifying [configuring_status]

08:57:06.203 [1;36mINFO[1;0m: Cannot open directory ./lib/liblinphone/plugins: No such file or directory

08:57:06.203 [1;31mWARNING[1;0m: ./share/sounds/linphone/rings/oldphone.wav does not exist

08:57:06.203 [1;36mINFO[1;0m: linphone_core_set_playback_gain_db(): no active call.

08:57:06.203 [1;36mINFO[1;0m: linphone_core_set_mic_gain_db(): no active call.

08:57:06.204 [1;36mINFO[1;0m: MTU is supposed to be 1300, rtp payload max size will be 1240

08:57:06.204 [1;36mINFO[1;0m: Sal nat helper [enabled]

08:57:06.204 [1;36mINFO[1;0m: Sal use rport [enabled]

08:57:06.204 [1;36mINFO[1;0m: Supported codec opus/48000 fmp=useinbandfec=1 automatically added to codec list.

08:57:06.205 [1;36mINFO[1;0m: Supported codec speex/16000 fmp=vbr=on automatically added to codec list.

08:57:06.205 [1;36mINFO[1;0m: Supported codec speex/8000 fmp=vbr=on automatically added to codec list.

08:57:06.205 [1;36mINFO[1;0m: Supported codec PCMU/8000 fmp= automatically added to codec list.

08:57:06.205 [1;36mINFO[1;0m: Supported codec PCMA/8000 fmp= automatically added to codec list.

08:57:06.205 [1;36mINFO[1;0m: Supported codec GSM/8000 fmp= automatically added to codec list.

08:57:06.206 [1;36mINFO[1;0m: Supported codec G722/8000 fmp= automatically added to codec list.

08:57:06.206 [1;36mINFO[1;0m: Supported codec speex/32000 fmp=vbr=on automatically added to codec list.

08:57:06.206 [1;36mINFO[1;0m: Supported codec L16/44100 fmp= automatically added to codec list.

08:57:06.206 [1;36mINFO[1;0m: Supported codec L16/44100 fmp= automatically added to codec list.

08:57:06.207 [1;36mINFO[1;0m: Supported codec VP8/90000 fmp= automatically added to codec list.

08:57:06.207 [1;36mINFO[1;0m: Supported codec t140/1000 fmp= automatically added to codec list.

08:57:06.207 [1;36mINFO[1;0m: Supported codec red/1000 fmp= automatically added to codec list.

08:57:06.207 [1;36mINFO[1;0m: Sal use rport [enabled]

08:57:06.207 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

08:57:06.208 [1;36mINFO[1;0m: sal_unlisten_ports done

08:57:06.208 [1;36mINFO[1;0m: Creating listening point [0xdd9e88] on [sip:0.0.0.0:5060;transport=UDP]

08:57:06.208 [1;36mINFO[1;0m: Creating listening point [0xdda7e8] on [sip:0.0.0.0:5060;transport=TCP]

08:57:06.209 [1;36mINFO[1;0m: Creating listening point [0xdda988] on [sip:0.0.0.0:-1;transport=TLS]

08:57:06.209 [1;36mINFO[1;0m: Random TCP port is 39692

08:57:06.209 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

08:57:06.209 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

08:57:06.211 [1;36mINFO[1;0m: Linphone core [0xdda170] notifying [global_state_changed]

08:57:06.213 [1;36mINFO[1;0m: Listening point [0xdd9e88] on [sip:0.0.0.0:5060;transport=UDP] destroyed

08:57:06.213 [1;36mINFO[1;0m: Listening point [0xdda7e8] on [sip:0.0.0.0:5060;transport=TCP] destroyed

08:57:06.213 [1;36mINFO[1;0m: Listening point [0xdda988] on [sip:0.0.0.0:39692;transport=TLS] destroyed

08:57:06.213 [1;36mINFO[1;0m: sal_unlisten_ports done

08:57:06.214 [1;36mINFO[1;0m: Creating listening point [0xdd9d80] on [sip:0.0.0.0:5063;transport=UDP]

08:57:06.214 [1;36mINFO[1;0m: Creating listening point [0xdd9f70] on [sip:0.0.0.0:5067;transport=TCP]

08:57:06.214 [1;41mERROR[1;0m: TCP bind() failed for 0.0.0.0 port 5067: Address already in use

08:57:06.215 [1;36mINFO[1;0m: Listening point [0xdd9f70] on [sip:0.0.0.0:5067;transport=TCP] destroyed

08:57:06.215 [1;31mWARNING[1;0m: Could not start tcp transport on port 5067, maybe this port is already used.

08:57:06.215 [1;36mINFO[1;0m: Creating listening point [0xddeff8] on [sip:0.0.0.0:32737;transport=TLS]

08:57:06.215 [1;41mERROR[1;0m: TCP bind() failed for 0.0.0.0 port 32737: Address already in use

08:57:06.216 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

08:57:06.216 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

08:57:06.217 [1;36mINFO[1;0m: Resolver is using DNS server(s):

08:57:06.217 [1;36mINFO[1;0m: 75.75.75.75

08:57:06.217 [1;36mINFO[1;0m: 75.75.76.76

08:57:06.217 [1;36mINFO[1;0m: 2001:558:feed::1

08:57:06.218 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress

08:57:06.218 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop

08:57:06.218 [1;36mINFO[1;0m: Sal nat helper [enabled]

08:57:06.219 [1;36mINFO[1;0m: Sal use rport [enabled]

08:57:06.220 [1;36mINFO[1;0m: no camera with id V4L2: /dev/video0

08:57:06.220 [1;31mWARNING[1;0m: Could not find video device V4L2: /dev/video0

08:57:06.223 [1;36mINFO[1;0m: Adding codec PCMU...

08:57:06.224 [1;36mINFO[1;0m: Adding codec PCMA...

08:57:06.225 [1;36mINFO[1;0m: Adding codec VP8...

08:57:06.227 [1;36mINFO[1;0m: [org.antlr.runtime.MismatchedTokenException] reason [()* loopback of 1637:21: (domainlabel DOT)*]

08:57:06.227 [1;41mERROR[1;0m: header_address parser error for [sip:zahersyed@sip.linphone.org@sip.linphone.org:5061]

08:57:06.227 [1;41mERROR[1;0m: Cannot create LinphoneAddress, bad uri [sip:zahersyed@sip.linphone.org@sip.linphone.org:5061]

08:57:06.228 [1;31mWARNING[1;0m: Invalid sip identity: NULL

08:57:06.229 [1;31mWARNING[1;0m: Bad proxy address: it is not in the list !

08:57:06.230 [1;41mERROR[1;0m: linphone_core_add_auth_info(): info supplied with empty password or ha1.

08:57:06.230 [1;36mINFO[1;0m: auth_info.username = zahersyed@sip.linphone.org,

08:57:09.284 [1;36mINFO[1;0m: stun.linphone.org resolved to 37.59.51.72

08:57:09.285 [1;36mINFO[1;0m: Stun server resolution successful.

08:57:09.286 [1;36mINFO[1;0m: New local ip address is 10.1.10.45

08:57:09.286 [1;36mINFO[1;0m: Network state is now [UP]

08:57:09.287 [1;36mINFO[1;0m: Resolver is using DNS server(s):

08:57:09.288 [1;36mINFO[1;0m: 75.75.75.75

08:57:09.288 [1;36mINFO[1;0m: 75.75.76.76

08:57:09.289 [1;36mINFO[1;0m: 2001:558:feed::1

08:57:09.290 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress

08:57:09.290 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop

08:57:09.291 [1;36mINFO[1;0m: Linphone core [0xdda170] notifying [network_reachable]

08:57:09.310 [1;36mINFO[1;0m: stun.linphone.org resolved to 37.59.51.72

08:57:09.311 [1;36mINFO[1;0m: Stun server resolution successful.

08:57:45.756 [1;36mINFO[1;0m: *Motion detected!*

08:57:46.759 [1;36mINFO[1;0m: Notifying contacts...

08:57:46.759 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

08:57:46.763 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

08:57:46.763 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76d70cb0>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

08:57:46.767 [1;36mINFO[1;0m: belle_sip_client_transaction_send_request(): waiting channel to be ready

08:57:46.767 [1;36mINFO[1;0m: channel [0xe0f9c8]: starting resolution of sip.linphone.org

08:57:46.767 [1;36mINFO[1;0m: channel 0xe0f9c8: state RES_IN_PROGRESS

08:57:46.768 [1;36mINFO[1;0m: transaction [0xe0f600] channel state changed to [RES_IN_PROGRESS]

08:57:46.768 [1;36mINFO[1;0m: Resolver is using DNS server(s):

08:57:46.768 [1;36mINFO[1;0m: 75.75.75.75

08:57:46.769 [1;36mINFO[1;0m: 75.75.76.76

08:57:46.769 [1;36mINFO[1;0m: 2001:558:feed::1

08:57:46.769 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress

08:57:46.770 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop

08:57:46.770 [1;36mINFO[1;0m: Chat message 0xe0d9d0: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

08:57:46.771 [1;36mINFO[1;0m: Notifying sip:aSecondSIPAccount@sip.linphone.org

08:57:46.774 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

08:57:46.775 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76d70d00>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

08:57:46.779 [1;36mINFO[1;0m: Chat message 0xddf288: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

08:57:51.423 [1;36mINFO[1;0m: Emailed and saved image to "/home/pi/emailedSecurityCameraImage-2016-04-10T08:57:51.419383.jpg"

08:58:14.494 [1;36mINFO[1;0m: SRV _sip._udp.sip.linphone.org resolved to [target:sip1.linphone.org. port:5060 prio:10 weight:100]

08:58:14.494 [1;36mINFO[1;0m: SRV _sip._udp.sip.linphone.org resolved to [target:sip3.linphone.org. port:5060 prio:0 weight:100]

08:58:14.495 [1;36mINFO[1;0m: Starting A/AAAA query for srv result [sip3.linphone.org.]
08:58:14.495 [1;36mINFO[1;0m: Resolver is using DNS server(s):
08:58:14.496 [1;36mINFO[1;0m: 75.75.75.75
08:58:14.496 [1;36mINFO[1;0m: 75.75.76.76
08:58:14.496 [1;36mINFO[1;0m: 2001:558:feed::1
08:58:14.497 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress
08:58:14.497 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop
08:58:14.497 [1;36mINFO[1;0m: Starting A/AAAA query for srv result [sip1.linphone.org.]
08:58:14.498 [1;36mINFO[1;0m: Resolver is using DNS server(s):
08:58:14.498 [1;36mINFO[1;0m: 75.75.75.75
08:58:14.498 [1;36mINFO[1;0m: 75.75.76.76
08:58:14.498 [1;36mINFO[1;0m: 2001:558:feed::1
08:58:14.499 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress
08:58:14.499 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop
08:58:14.519 [1;36mINFO[1;0m: sip3.linphone.org. resolved to 37.59.51.72
08:58:14.520 [1;36mINFO[1;0m: A query finished for srv result [sip3.linphone.org.]
08:58:14.520 [1;36mINFO[1;0m: sip1.linphone.org. resolved to 91.121.209.194
08:58:14.520 [1;36mINFO[1;0m: A query finished for srv result [sip1.linphone.org.]
08:58:14.520 [1;36mINFO[1;0m: All A/AAAA results for combined resolution have arrived.
08:58:14.521 [1;36mINFO[1;0m: channel 0xe0f9c8: state RES_DONE
08:58:14.521 [1;36mINFO[1;0m: transaction [0xe0f600] channel state changed to [RES_DONE]
08:58:14.521 [1;36mINFO[1;0m: transaction [0xe0ef50] channel state changed to [RES_DONE]
08:58:14.521 [1;36mINFO[1;0m: channel 0xe0f9c8: state CONNECTING
08:58:14.522 [1;36mINFO[1;0m: transaction [0xe0f600] channel state changed to [CONNECTING]
08:58:14.522 [1;36mINFO[1;0m: transaction [0xe0ef50] channel state changed to [CONNECTING]
08:58:14.522 [1;36mINFO[1;0m: Trying to connect to [UDP://37.59.51.72:5060]
08:58:14.522 [1;36mINFO[1;0m: belle_sip_get_src_addr_for(): af_inet6=0
08:58:14.523 [1;36mINFO[1;0m: Channel has local address 10.1.10.45:5063
08:58:14.523 [1;36mINFO[1;0m: channel 0xe0f9c8: state READY

08:58:14.523 [1;36mINFO[1;0m: transaction [0xe0f600] channel state changed to [READY]

08:58:14.523 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xe0f600], from state [INIT] to [TRYING]

08:58:14.524 [1;36mINFO[1;0m: channel [0xe0f9c8]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.6z87TZzLw;rport

From: <sip:linphone@10.1.10.45>;tag=Fu~6-X0EI

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: lbFP5Ba-uF

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 12:57:46 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 08:57:46.762198'

08:58:14.524 [1;36mINFO[1;0m: transaction [0xe0ef50] channel state changed to [READY]

08:58:14.524 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xe0ef50], from state [INIT] to [TRYING]

08:58:14.525 [1;36mINFO[1;0m: channel [0xe0f9c8]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.0Bz49MVYm;rport

From: <sip:linphone@10.1.10.45>;tag=8JQJheQY5

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: 8ENFjbhze4

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 12:57:46 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 08:57:46.773733'

08:58:14.667 [1;36mINFO[1;0m: channel [0xe0f9c8]: received [303] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.6z87TZzLw;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=Fu~6-X0EI

To: <sip:zahersyed@sip.linphone.org>

Call-ID: lbFP5Ba-uF

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

08:58:14.672 [1;36mINFO[1;0m: channel [0xe0f9c8] [303] bytes parsed

08:58:14.672 [1;36mINFO[1;0m: channel [0xe0f9c8]: discovered public ip and port are [173.12.114.238:5063]

08:58:14.672 [1;36mINFO[1;0m: Found transaction matching response.

08:58:14.673 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xe0f600], from state [TRYING] to [PROCEEDING]

08:58:14.674 [1;36mINFO[1;0m: channel [0xe0f9c8]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.6z87TZzLw;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=Fu~6-X0EI
To: <sip:zahersyed@sip.linphone.org>;tag=9BQvtZ9ZZ55DH
Call-ID: lbFP5Ba-uF
CSeq: 20 MESSAGE
Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)
Content-Length: 0

08:58:14.678 [1;36mINFO[1;0m: channel [0xe0f9c8] [324] bytes parsed

08:58:14.679 [1;36mINFO[1;0m: Found transaction matching response.

08:58:14.679 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xe0f600], from state [PROCEEDING] to [COMPLETED]

08:58:14.679 [1;36mINFO[1;0m: Chat message 0xe0d9d0: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

08:58:14.680 [1;36mINFO[1;0m: channel [0xe0f9c8]: received [311] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.0Bz49MVYm;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=8JQJheQY5

To: <sip:aSecondSIPAccount@sip.linphone.org>

Call-ID: 8ENFjbhzE4

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

08:58:14.684 [1;36mINFO[1;0m: channel [0xe0f9c8] [311] bytes parsed

08:58:14.685 [1;36mINFO[1;0m: Found transaction matching response.

08:58:14.685 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xe0ef50], from state [TRYING] to [PROCEEDING]

08:58:14.685 [1;36mINFO[1;0m: channel [0xe0f9c8]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.0Bz49MVYm;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=8JQJheQY5

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=aNgNvtt3vev0c

Call-ID: 8ENFjbhZE4

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

08:58:14.690 [1;36mINFO[1;0m: channel [0xe0f9c8] [332] bytes parsed

08:58:14.690 [1;36mINFO[1;0m: Found transaction matching response.

08:58:14.690 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xe0ef50], from state [PROCEEDING] to [COMPLETED]

08:58:14.691 [1;36mINFO[1;0m: Chat message 0xddf288: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

08:58:19.680 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xe0f600], from state [COMPLETED] to [TERMINATED]

08:58:19.680 [1;36mINFO[1;0m: Client MESSAGE transaction [0xe0f600] terminated

08:58:19.680 [1;36mINFO[1;0m: Unhandled transaction terminated [0xe0f600]

08:58:19.691 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xe0ef50], from state [COMPLETED] to [TERMINATED]

08:58:19.691 [1;36mINFO[1;0m: Client MESSAGE transaction [0xe0ef50] terminated

08:58:19.691 [1;36mINFO[1;0m: Unhandled transaction terminated [0xe0ef50]

08:58:24.494 [1;36mINFO[1;0m: channel [0xe0f9c8]: keep alive sent to [UDP://sip.linphone.org:5060]

08:58:28.982 [1;36mINFO[1;0m: *Motion detected!*

08:58:29.986 [1;36mINFO[1;0m: Notifying contacts...

08:58:29.986 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

08:58:29.989 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

08:58:29.989 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76d70e00>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

08:58:29.993 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xe3a7b8], from state [INIT] to [TRYING]

08:58:29.993 [1;36mINFO[1;0m: channel [0xe0f9c8]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.6aX2p~RHt;rport

From: <sip:linphone@10.1.10.45>;tag=64e1l41T-

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: HHojXs0rml

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 12:58:29 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 08:58:29.987871'

08:58:29.994 [1;36mINFO[1;0m: Chat message 0xa0ad00: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

08:58:29.994 [1;36mINFO[1;0m: Notifying sip:aSecondSIPAccount@sip.linphone.org

08:58:29.997 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

08:58:29.997 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76d70d70>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

08:58:30.001 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xe67308], from state [INIT] to [TRYING]

08:58:30.002 [1;36mINFO[1;0m: channel [0xe0f9c8]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0
Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.p7Vdo8kkz;rport
From: <sip:linphone@10.1.10.45>;tag=zlWrEuFU7
To: sip:aSecondSIPAccount@sip.linphone.org
CSeq: 20 MESSAGE
Call-ID: bh3NPcmOoV
Max-Forwards: 70
Supported: outbound
Content-Type: text/plain
Content-Length: 79
Date: Sun, 10 Apr 2016 12:58:29 GMT
User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 08:58:29.996401'

08:58:30.003 [1;36mINFO[1;0m: Chat message 0xe33530: moving from state
LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

08:58:34.777 [1;36mINFO[1;0m: Emailed and saved image to "/home/pi/emailedSecurityCameraImage-
2016-04-10T08:58:34.760835.jpg"

08:58:54.189 [1;36mINFO[1;0m: channel [0xe0f9c8]: received [303] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.6aX2p~RHt;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=64e1I41T-

To: <sip:zahersyed@sip.linphone.org>

Call-ID: HHojXs0rml

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

08:58:54.193 [1;36mINFO[1;0m: channel [0xe0f9c8] [303] bytes parsed

08:58:54.193 [1;36mINFO[1;0m: Found transaction matching response.

08:58:54.194 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xe3a7b8], from state [TRYING] to [PROCEEDING]

08:58:54.194 [1;36mINFO[1;0m: channel [0xe0f9c8]: keep alive sent to [UDP://sip.linphone.org:5060]

08:58:54.194 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

08:58:54.195 [1;36mINFO[1;0m: channel [0xe0f9c8]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.6aX2p~RHt;rport

From: <sip:linphone@10.1.10.45>;tag=64e1I41T-

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: HHojXs0rml

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 12:58:29 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 08:58:29.987871'

08:58:54.195 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

08:58:54.196 [1;36mINFO[1;0m: channel [0xe0f9c8]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.p7Vdo8kkz;rport

From: <sip:linphone@10.1.10.45>;tag=zIWREuFU7

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: bh3NPcmOoV

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 12:58:29 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 08:58:29.996401'

08:58:54.197 [1;36mINFO[1;0m: *Motion detected!*

08:58:55.201 [1;36mINFO[1;0m: channel [0xe0f9c8]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.6aX2p~RHt;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=64e1141T-

To: <sip:zahersyed@sip.linphone.org>;tag=p533m6gH8DBtj

Call-ID: HHojXs0rml

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

08:58:55.206 [1;36mINFO[1;0m: channel [0xe0f9c8] [324] bytes parsed

08:58:55.206 [1;36mINFO[1;0m: Found transaction matching response.

08:58:55.207 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xe3a7b8], from state [PROCEEDING] to [COMPLETED]

08:58:55.207 [1;36mINFO[1;0m: Chat message 0xa0ad00: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

08:58:55.207 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

08:58:55.208 [1;36mINFO[1;0m: channel [0xe0f9c8]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.p7Vdo8kkz;rport

From: <sip:linphone@10.1.10.45>;tag=zlWrEuFU7

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: bh3NPcmOoV

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 12:58:29 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 08:58:29.996401'

08:58:55.209 [1;36mINFO[1;0m: channel [0xe0f9c8]: received [311] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.p7Vdo8kkz;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=zlWrEuFU7

To: <sip:aSecondSIPAccount@sip.linphone.org>

Call-ID: bh3NPcmOoV

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

08:58:55.213 [1;36mINFO[1;0m: channel [0xe0f9c8] [311] bytes parsed

08:58:55.214 [1;36mINFO[1;0m: Found transaction matching response.

08:58:55.214 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xe67308], from state [TRYING] to [PROCEEDING]

08:58:55.214 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

08:58:55.215 [1;36mINFO[1;0m: channel [0xe0f9c8]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.p7Vdo8kkz;rport

From: <sip:linphone@10.1.10.45>;tag=zlWrEuFU7

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: bh3NPcmOoV

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 12:58:29 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 08:58:29.996401'

08:58:55.216 [1;36mINFO[1;0m: channel [0xe0f9c8]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.p7Vdo8kkz;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=zlWrEuFU7

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=QeXvp11m5p1ce

Call-ID: bh3NPcmOoV

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

08:58:55.220 [1;36mINFO[1;0m: channel [0xe0f9c8] [332] bytes parsed

08:58:55.221 [1;36mINFO[1;0m: Found transaction matching response.

08:58:55.221 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xe67308], from state [PROCEEDING] to [COMPLETED]

08:58:55.222 [1;36mINFO[1;0m: Chat message 0xe33530: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

08:58:55.222 [1;36mINFO[1;0m: channel [0xe0f9c8]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.6aX2p~RHT;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=64e1141T-

To: <sip:zahersyed@sip.linphone.org>;tag=p533m6gH8DBtj

Call-ID: HHojXs0rml

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

08:58:55.227 [1;36mINFO[1;0m: channel [0xe0f9c8] [324] bytes parsed

08:58:55.228 [1;36mINFO[1;0m: Found transaction matching response.

08:58:55.228 [1;36mINFO[1;0m: channel [0xe0f9c8]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.p7Vdo8kkz;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=zlWrEuFU7

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=QeXvp11m5p1ce

Call-ID: bh3NPcmOoV

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

08:58:55.233 [1;36mINFO[1;0m: channel [0xe0f9c8] [332] bytes parsed

08:58:55.234 [1;36mINFO[1;0m: Found transaction matching response.

08:58:55.347 [1;36mINFO[1;0m: channel [0xe0f9c8]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.p7Vdo8kkz;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=zlWrEuFU7

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=QeXvp11m5p1ce

Call-ID: bh3NPcmOoV

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

08:58:55.352 [1;36mINFO[1;0m: channel [0xe0f9c8] [332] bytes parsed

08:58:55.353 [1;36mINFO[1;0m: Found transaction matching response.

08:58:55.353 [1;36mINFO[1;0m: channel [0xe0f9c8]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.p7Vdo8kkz;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=zlWrEuFU7

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=QeXvp11m5p1ce

Call-ID: bh3NPcmOoV

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

08:58:55.359 [1;36mINFO[1;0m: channel [0xe0f9c8] [332] bytes parsed

08:58:55.359 [1;36mINFO[1;0m: Found transaction matching response.

08:59:00.207 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xe3a7b8], from state [COMPLETED] to [TERMINATED]

08:59:04.139 [1;36mINFO[1;0m: Client MESSAGE transaction [0xe3a7b8] terminated

08:59:04.139 [1;36mINFO[1;0m: Unhandled transaction terminated [0xe3a7b8]

08:59:04.140 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xe67308], from state [COMPLETED] to [TERMINATED]

08:59:04.140 [1;36mINFO[1;0m: Client MESSAGE transaction [0xe67308] terminated

08:59:04.141 [1;36mINFO[1;0m: Unhandled transaction terminated [0xe67308]

08:59:04.188 [1;36mINFO[1;0m: channel [0xe0f9c8]: keep alive sent to [UDP://sip.linphone.org:5060]

08:59:14.188 [1;36mINFO[1;0m: channel [0xe0f9c8]: keep alive sent to [UDP://sip.linphone.org:5060]

08:59:24.188 [1;36mINFO[1;0m: channel [0xe0f9c8]: keep alive sent to [UDP://sip.linphone.org:5060]

08:59:34.188 [1;36mINFO[1;0m: channel [0xe0f9c8]: keep alive sent to [UDP://sip.linphone.org:5060]

08:59:44.188 [1;36mINFO[1;0m: channel [0xe0f9c8]: keep alive sent to [UDP://sip.linphone.org:5060]

08:59:54.188 [1;36mINFO[1;0m: channel [0xe0f9c8]: keep alive sent to [UDP://sip.linphone.org:5060]

09:00:04.188 [1;36mINFO[1;0m: channel [0xe0f9c8]: keep alive sent to [UDP://sip.linphone.org:5060]

09:00:14.188 [1;36mINFO[1;0m: channel [0xe0f9c8]: keep alive sent to [UDP://sip.linphone.org:5060]

09:00:30.619 [1;36mINFO[1;0m: channel [0xe0f9c8]: keep alive sent to [UDP://sip.linphone.org:5060]

09:00:30.621 [1;36mINFO[1;0m: channel [0x1afa9e8]: keep alive sent to [UDP://sip.linphone.org:5060]

09:00:30.622 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1b4f368], from state [COMPLETED] to [TERMINATED]

09:00:30.623 [1;36mINFO[1;0m: Client MESSAGE transaction [0x1b4f368] terminated

09:00:30.623 [1;36mINFO[1;0m: Unhandled transaction terminated [0x1b4f368]

09:00:30.624 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1b46220], from state [COMPLETED] to [TERMINATED]

09:00:30.624 [1;36mINFO[1;0m: Client MESSAGE transaction [0x1b46220] terminated

09:00:30.625 [1;36mINFO[1;0m: Unhandled transaction terminated [0x1b46220]

09:03:12.167 [1;36mINFO[1;0m: Initializaing jamPi System version 0.2.0...

09:03:17.180 [1;36mINFO[1;0m: Sensor online... Turning on motion sensor...

09:03:22.192 [1;36mINFO[1;0m: PIR sensor is ready.

09:03:23.476 [1;36mINFO[1;0m: Mediastreamer2 factory 2.12.0 (git: 3.9.0) initialized.

09:03:23.476 [1;36mINFO[1;0m: CPU count set to 4

09:03:23.476 [1;36mINFO[1;0m: ms_factory_init() done: platform_tags=linux,arm,embedded

09:03:23.485 [1;36mINFO[1;0m: srtp init

09:03:23.512 [1;36mINFO[1;0m: Registering all soundcard handlers

09:03:23.565 [1;36mINFO[1;0m: Card 'ALSA: default device' added

09:03:23.574 [1;36mINFO[1;0m: also error in pcm_hw.c:1557 - open '/dev/snd/pcmCOD0c' failed (-2)

09:03:23.576 [1;36mINFO[1;0m: Card 'ALSA: bcm2835 ALSA' added

09:03:23.592 [1;36mINFO[1;0m: Card 'ALSA: USB PnP Sound Device' added

09:03:23.593 [1;36mINFO[1;0m: Registering all webcam handlers

09:03:23.593 [1;36mINFO[1;0m: Webcam StaticImage: Static picture added

09:03:23.594 [1;36mINFO[1;0m: ms_factory_init_voip() done

09:03:23.594 [1;36mINFO[1;0m: Loading ms plugins from [./lib/mediastreamer/plugins]

09:03:23.594 [1;36mINFO[1;0m: Cannot open directory ./lib/mediastreamer/plugins: No such file or directory

09:03:23.594 [1;36mINFO[1;0m: Initializing LinphoneCore 3.9.0

09:03:23.600 [1;36mINFO[1;0m: Vtable [0x24e4cb8] registered on core [0x24e4528]

09:03:23.600 [1;36mINFO[1;0m: Linphone core [0x24e4cb8] notifying [global_state_changed]

09:03:23.600 [1;36mINFO[1;0m: oRTP-0.25.0 initialized.

09:03:23.601 [1;36mINFO[1;0m: Skipping ms_base_init, because [2] ref

09:03:23.601 [1;36mINFO[1;0m: Skipping ms_voip_init, because [2] ref

09:03:23.601 [1;36mINFO[1;0m: Skipping ms_plugins_init, because [2] ref

09:03:23.601 [1;36mINFO[1;0m: Codec opus/48000 fmp=[useinbandfec=1] number=-1, enabled=1) added to default capabilities.

09:03:23.602 [1;36mINFO[1;0m: Could not find encoder for SILK

09:03:23.602 [1;36mINFO[1;0m: Could not find decoder for SILK

09:03:23.602 [1;36mINFO[1;0m: Codec speex/16000 fmp=[vbr=on] number=-1, enabled=1) added to default capabilities.

09:03:23.602 [1;36mINFO[1;0m: Codec speex/8000 fmp=[vbr=on] number=-1, enabled=1) added to default capabilities.

09:03:23.603 [1;36mINFO[1;0m: Codec PCMU/8000 fmp=[] number=0, enabled=1) added to default capabilities.

09:03:23.603 [1;36mINFO[1;0m: Codec PCMA/8000 fmp=[] number=8, enabled=1) added to default capabilities.

09:03:23.603 [1;36mINFO[1;0m: Codec t140/1000 fmp=[] number=96, enabled=1) added to default capabilities.

09:03:23.603 [1;36mINFO[1;0m: Codec red/1000 fmp=[] number=97, enabled=1) added to default capabilities.

09:03:23.603 [1;36mINFO[1;0m: Codec GSM/8000 fmp=[] number=3, enabled=0) added to default capabilities.

09:03:23.604 [1;36mINFO[1;0m: Codec G722/8000 fmp=[] number=9, enabled=0) added to default capabilities.

09:03:23.604 [1;36mINFO[1;0m: Could not find encoder for iLBC

09:03:23.604 [1;36mINFO[1;0m: Could not find decoder for iLBC

09:03:23.604 [1;36mINFO[1;0m: Could not find encoder for AMR

09:03:23.605 [1;36mINFO[1;0m: Could not find decoder for AMR

09:03:23.605 [1;36mINFO[1;0m: Could not find encoder for AMR-WB

09:03:23.605 [1;36mINFO[1;0m: Could not find decoder for AMR-WB

09:03:23.605 [1;36mINFO[1;0m: Could not find encoder for G729

09:03:23.605 [1;36mINFO[1;0m: Could not find decoder for G729

09:03:23.606 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

09:03:23.606 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

09:03:23.606 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

09:03:23.606 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

09:03:23.607 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

09:03:23.607 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

09:03:23.607 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

09:03:23.607 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic
09:03:23.607 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic
09:03:23.608 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic
09:03:23.608 [1;36mINFO[1;0m: Could not find encoder for iSAC
09:03:23.608 [1;36mINFO[1;0m: Could not find decoder for iSAC
09:03:23.608 [1;36mINFO[1;0m: Codec speex/32000 fmt=[vbr=on] number=-1, enabled=0) added to default capabilities.
09:03:23.609 [1;36mINFO[1;0m: Could not find encoder for SILK
09:03:23.609 [1;36mINFO[1;0m: Could not find decoder for SILK
09:03:23.609 [1;36mINFO[1;0m: Could not find encoder for SILK
09:03:23.609 [1;36mINFO[1;0m: Could not find decoder for SILK
09:03:23.609 [1;36mINFO[1;0m: Could not find encoder for SILK
09:03:23.610 [1;36mINFO[1;0m: Could not find decoder for SILK
09:03:23.610 [1;36mINFO[1;0m: Could not find encoder for G726-16
09:03:23.610 [1;36mINFO[1;0m: Could not find decoder for G726-16
09:03:23.610 [1;36mINFO[1;0m: Could not find encoder for G726-24
09:03:23.610 [1;36mINFO[1;0m: Could not find decoder for G726-24
09:03:23.611 [1;36mINFO[1;0m: Could not find encoder for G726-32
09:03:23.611 [1;36mINFO[1;0m: Could not find decoder for G726-32
09:03:23.611 [1;36mINFO[1;0m: Could not find encoder for G726-40
09:03:23.612 [1;36mINFO[1;0m: Could not find decoder for G726-40
09:03:23.612 [1;36mINFO[1;0m: Could not find encoder for AAL2-G726-16
09:03:23.612 [1;36mINFO[1;0m: Could not find decoder for AAL2-G726-16
09:03:23.612 [1;36mINFO[1;0m: Could not find encoder for AAL2-G726-24
09:03:23.613 [1;36mINFO[1;0m: Could not find decoder for AAL2-G726-24
09:03:23.613 [1;36mINFO[1;0m: Could not find encoder for AAL2-G726-32
09:03:23.613 [1;36mINFO[1;0m: Could not find decoder for AAL2-G726-32
09:03:23.613 [1;36mINFO[1;0m: Could not find encoder for AAL2-G726-40
09:03:23.614 [1;36mINFO[1;0m: Could not find decoder for AAL2-G726-40

09:03:23.614 [1;36mINFO[1;0m: Could not find encoder for CODEC2

09:03:23.614 [1;36mINFO[1;0m: Could not find decoder for CODEC2

09:03:23.614 [1;36mINFO[1;0m: Codec VP8/90000 fntp=[] number=-1, enabled=1) added to default capabilities.

09:03:23.614 [1;36mINFO[1;0m: Could not find encoder for H264

09:03:23.615 [1;36mINFO[1;0m: Could not find decoder for H264

09:03:23.615 [1;36mINFO[1;0m: Could not find encoder for MP4V-ES

09:03:23.615 [1;36mINFO[1;0m: Could not find encoder for H263-1998

09:03:23.615 [1;36mINFO[1;0m: Could not find encoder for H263

09:03:23.616 [1;36mINFO[1;0m: Could not find encoder for 1016

09:03:23.616 [1;36mINFO[1;0m: Could not find decoder for 1016

09:03:23.616 [1;36mINFO[1;0m: Could not find encoder for G723

09:03:23.616 [1;36mINFO[1;0m: Could not find decoder for G723

09:03:23.616 [1;36mINFO[1;0m: Could not find encoder for LPC

09:03:23.617 [1;36mINFO[1;0m: Could not find decoder for LPC

09:03:23.617 [1;36mINFO[1;0m: Codec L16/44100 fntp=[] number=10, enabled=0) added to default capabilities.

09:03:23.617 [1;36mINFO[1;0m: Codec L16/44100 fntp=[] number=11, enabled=0) added to default capabilities.

09:03:23.617 [1;36mINFO[1;0m: Could not find encoder for CN

09:03:23.618 [1;36mINFO[1;0m: Could not find decoder for CN

09:03:23.618 [1;36mINFO[1;0m: Could not find encoder for G729

09:03:23.618 [1;36mINFO[1;0m: Could not find decoder for G729

09:03:23.618 [1;36mINFO[1;0m: Could not find encoder for H261

09:03:23.618 [1;36mINFO[1;0m: Could not find decoder for H261

09:03:23.619 [1;36mINFO[1;0m: Could not find encoder for MPV

09:03:23.619 [1;36mINFO[1;0m: Could not find decoder for MPV

09:03:23.619 [1;36mINFO[1;0m: Could not find encoder for H263

09:03:23.638 [1;36mINFO[1;0m: Sal nat helper [enabled]

09:03:23.638 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

09:03:23.639 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

09:03:23.639 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

09:03:23.639 [1;36mINFO[1;0m: Linphone core [0x24e4cb8] notifying [configuring_status]

09:03:23.640 [1;36mINFO[1;0m: Cannot open directory ./lib/liblinphone/plugins: No such file or directory

09:03:23.640 [1;31mWARNING[1;0m: ./share/sounds/linphone/rings/oldphone.wav does not exist

09:03:23.640 [1;36mINFO[1;0m: linphone_core_set_playback_gain_db(): no active call.

09:03:23.640 [1;36mINFO[1;0m: linphone_core_set_mic_gain_db(): no active call.

09:03:23.640 [1;36mINFO[1;0m: MTU is supposed to be 1300, rtp payload max size will be 1240

09:03:23.641 [1;36mINFO[1;0m: Sal nat helper [enabled]

09:03:23.641 [1;36mINFO[1;0m: Sal use rport [enabled]

09:03:23.641 [1;36mINFO[1;0m: Supported codec opus/48000 fmp=useinbandfec=1 automatically added to codec list.

09:03:23.641 [1;36mINFO[1;0m: Supported codec speex/16000 fmp=vbr=on automatically added to codec list.

09:03:23.642 [1;36mINFO[1;0m: Supported codec speex/8000 fmp=vbr=on automatically added to codec list.

09:03:23.642 [1;36mINFO[1;0m: Supported codec PCMU/8000 fmp= automatically added to codec list.

09:03:23.642 [1;36mINFO[1;0m: Supported codec PCMA/8000 fmp= automatically added to codec list.

09:03:23.642 [1;36mINFO[1;0m: Supported codec GSM/8000 fmp= automatically added to codec list.

09:03:23.643 [1;36mINFO[1;0m: Supported codec G722/8000 fmp= automatically added to codec list.

09:03:23.643 [1;36mINFO[1;0m: Supported codec speex/32000 fmp=vbr=on automatically added to codec list.

09:03:23.643 [1;36mINFO[1;0m: Supported codec L16/44100 fmp= automatically added to codec list.

09:03:23.643 [1;36mINFO[1;0m: Supported codec L16/44100 fmp= automatically added to codec list.

09:03:23.643 [1;36mINFO[1;0m: Supported codec VP8/90000 fmp= automatically added to codec list.

09:03:23.644 [1;36mINFO[1;0m: Supported codec t140/1000 fmp= automatically added to codec list.

09:03:23.644 [1;36mINFO[1;0m: Supported codec red/1000 fmp= automatically added to codec list.

09:03:23.644 [1;36mINFO[1;0m: Sal use rport [enabled]

09:03:23.644 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

09:03:23.645 [1;36mINFO[1;0m: sal_unlisten_ports done

09:03:23.645 [1;36mINFO[1;0m: Creating listening point [0x2507a58] on [sip:0.0.0.0:5060;transport=UDP]

09:03:23.645 [1;36mINFO[1;0m: Creating listening point [0x24e5760] on [sip:0.0.0.0:5060;transport=TCP]

09:03:23.654 [1;36mINFO[1;0m: Creating listening point [0x24e59e0] on [sip:0.0.0.0:-1;transport=TLS]

09:03:23.655 [1;36mINFO[1;0m: Random TCP port is 54419

09:03:23.655 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

09:03:23.655 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

09:03:23.721 [1;36mINFO[1;0m: Linphone core [0x24e4cb8] notifying [global_state_changed]

09:03:23.722 [1;36mINFO[1;0m: Listening point [0x2507a58] on [sip:0.0.0.0:5060;transport=UDP] destroyed

09:03:23.722 [1;36mINFO[1;0m: Listening point [0x24e5760] on [sip:0.0.0.0:5060;transport=TCP] destroyed

09:03:23.723 [1;36mINFO[1;0m: Listening point [0x24e59e0] on [sip:0.0.0.0:54419;transport=TLS] destroyed

09:03:23.723 [1;36mINFO[1;0m: sal_unlisten_ports done

09:03:23.723 [1;36mINFO[1;0m: Creating listening point [0x24e9c78] on [sip:0.0.0.0:5063;transport=UDP]

09:03:23.724 [1;36mINFO[1;0m: Creating listening point [0x24e9ff8] on [sip:0.0.0.0:5067;transport=TCP]

09:03:23.724 [1;36mINFO[1;0m: Creating listening point [0x24e5830] on [sip:0.0.0.0:32737;transport=TLS]

09:03:23.724 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

09:03:23.724 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

09:03:23.729 [1;36mINFO[1;0m: Resolver is using DNS server(s):

09:03:23.729 [1;36mINFO[1;0m: 75.75.75.75

09:03:23.729 [1;36mINFO[1;0m: 75.75.76.76

09:03:23.730 [1;36mINFO[1;0m: 2001:558:feed::1

09:03:23.730 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress

09:03:23.730 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop

09:03:23.731 [1;36mINFO[1;0m: Sal nat helper [enabled]

09:03:23.731 [1;36mINFO[1;0m: Sal use rport [enabled]

09:03:23.732 [1;36mINFO[1;0m: no camera with id V4L2: /dev/video0

09:03:23.733 [1;31mWARNING[1;0m: Could not find video device V4L2: /dev/video0

09:03:23.735 [1;36mINFO[1;0m: Adding codec PCMU...

09:03:23.736 [1;36mINFO[1;0m: Adding codec PCMA...

09:03:23.737 [1;36mINFO[1;0m: Adding codec VP8...

09:03:23.739 [1;36mINFO[1;0m: [org.antlr.runtime.MismatchedTokenException] reason [()* loopback of 1637:21: (domainlabel DOT)*]

09:03:23.739 [1;41mERROR[1;0m: header_address parser error for [sip:zahersyed@sip.linphone.org@sip.linphone.org:5061]

09:03:23.739 [1;41mERROR[1;0m: Cannot create LinphoneAddress, bad uri [sip:zahersyed@sip.linphone.org@sip.linphone.org:5061]

09:03:23.740 [1;31mWARNING[1;0m: Invalid sip identity: NULL

09:03:23.741 [1;31mWARNING[1;0m: Bad proxy address: it is not in the list !

09:03:23.742 [1;41mERROR[1;0m: linphone_core_add_auth_info(): info supplied with empty password or ha1.

09:03:23.742 [1;36mINFO[1;0m: auth_info.username = zahersyed@sip.linphone.org,

09:03:26.797 [1;36mINFO[1;0m: stun.linphone.org resolved to 37.59.51.72

09:03:26.797 [1;36mINFO[1;0m: Stun server resolution successful.

09:03:26.798 [1;36mINFO[1;0m: New local ip address is 10.1.10.45

09:03:26.798 [1;36mINFO[1;0m: Network state is now [UP]

09:03:26.800 [1;36mINFO[1;0m: Resolver is using DNS server(s):

09:03:26.800 [1;36mINFO[1;0m: 75.75.75.75

09:03:26.801 [1;36mINFO[1;0m: 75.75.76.76

09:03:26.801 [1;36mINFO[1;0m: 2001:558:feed::1

09:03:26.802 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress

09:03:26.803 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop

09:03:26.804 [1;36mINFO[1;0m: Linphone core [0x24e4cb8] notifying [network_reachable]

09:03:26.853 [1;36mINFO[1;0m: stun.linphone.org resolved to 37.59.51.72

09:03:26.854 [1;36mINFO[1;0m: Stun server resolution successful.

09:03:50.586 [1;36mINFO[1;0m: *Motion detected!*

09:03:51.589 [1;36mINFO[1;0m: Notifying contacts...

09:03:51.590 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

09:03:51.593 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:03:51.594 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76cf6cb0>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:03:51.597 [1;36mINFO[1;0m: belle_sip_client_transaction_send_request(): waiting channel to be ready

09:03:51.597 [1;36mINFO[1;0m: channel [0x252ac68]: starting resolution of sip.linphone.org

09:03:51.598 [1;36mINFO[1;0m: channel 0x252ac68: state RES_IN_PROGRESS

09:03:51.598 [1;36mINFO[1;0m: transaction [0x251a2f8] channel state changed to [RES_IN_PROGRESS]

09:03:51.598 [1;36mINFO[1;0m: Resolver is using DNS server(s):

09:03:51.599 [1;36mINFO[1;0m: 75.75.75.75

09:03:51.599 [1;36mINFO[1;0m: 75.75.76.76

09:03:51.599 [1;36mINFO[1;0m: 2001:558:feed::1

09:03:51.600 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress

09:03:51.600 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop

09:03:51.601 [1;36mINFO[1;0m: Chat message 0x2518058: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:03:51.601 [1;36mINFO[1;0m: Notifying sip:aSecondSIPAccount@sip.linphone.org

09:03:51.605 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:03:51.605 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76cf6d00>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:03:51.609 [1;36mINFO[1;0m: Chat message 0x2516810: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:03:56.743 [1;36mINFO[1;0m: Emailed and saved image to "/home/pi/emailedSecurityCameraImage-2016-04-10T09:03:56.739057.jpg"

09:04:16.222 [1;36mINFO[1;0m: SRV _sip._udp.sip.linphone.org resolved to [target:sip1.linphone.org. port:5060 prio:10 weight:100]

09:04:16.222 [1;36mINFO[1;0m: SRV _sip._udp.sip.linphone.org resolved to [target:sip3.linphone.org. port:5060 prio:0 weight:100]

09:04:16.222 [1;36mINFO[1;0m: Starting A/AAAA query for srv result [sip3.linphone.org.]

09:04:16.223 [1;36mINFO[1;0m: Resolver is using DNS server(s):
09:04:16.223 [1;36mINFO[1;0m: 75.75.75.75
09:04:16.223 [1;36mINFO[1;0m: 75.75.76.76
09:04:16.224 [1;36mINFO[1;0m: 2001:558:feed::1
09:04:16.224 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress
09:04:16.224 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop
09:04:16.225 [1;36mINFO[1;0m: Starting A/AAAA query for srv result [sip1.linphone.org.]
09:04:16.225 [1;36mINFO[1;0m: Resolver is using DNS server(s):
09:04:16.225 [1;36mINFO[1;0m: 75.75.75.75
09:04:16.226 [1;36mINFO[1;0m: 75.75.76.76
09:04:16.226 [1;36mINFO[1;0m: 2001:558:feed::1
09:04:16.226 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress
09:04:16.227 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop
09:04:16.227 [1;36mINFO[1;0m: *Motion detected!*

09:04:17.231 [1;36mINFO[1;0m: sip3.linphone.org. resolved to 37.59.51.72
09:04:17.231 [1;36mINFO[1;0m: A query finished for srv result [sip3.linphone.org.]
09:04:17.232 [1;36mINFO[1;0m: sip1.linphone.org. resolved to 91.121.209.194
09:04:17.232 [1;36mINFO[1;0m: A query finished for srv result [sip1.linphone.org.]
09:04:17.232 [1;36mINFO[1;0m: All A/AAAA results for combined resolution have arrived.
09:04:17.233 [1;36mINFO[1;0m: channel 0x252ac68: state RES_DONE
09:04:17.233 [1;36mINFO[1;0m: transaction [0x251a2f8] channel state changed to [RES_DONE]
09:04:17.233 [1;36mINFO[1;0m: transaction [0x25169a0] channel state changed to [RES_DONE]
09:04:17.233 [1;36mINFO[1;0m: channel 0x252ac68: state CONNECTING
09:04:17.233 [1;36mINFO[1;0m: transaction [0x251a2f8] channel state changed to [CONNECTING]
09:04:17.234 [1;36mINFO[1;0m: transaction [0x25169a0] channel state changed to [CONNECTING]
09:04:17.234 [1;36mINFO[1;0m: Trying to connect to [UDP://37.59.51.72:5060]
09:04:17.234 [1;36mINFO[1;0m: belle_sip_get_src_addr_for(): af_inet6=0
09:04:17.234 [1;36mINFO[1;0m: Channel has local address 10.1.10.45:5063
09:04:17.235 [1;36mINFO[1;0m: channel 0x252ac68: state READY

09:04:17.235 [1;36mINFO[1;0m: transaction [0x251a2f8] channel state changed to [READY]

09:04:17.235 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x251a2f8], from state [INIT] to [TRYING]

09:04:17.236 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.Xqs2kCoy7;rport

From: <sip:linphone@10.1.10.45>;tag=M-5GdPBrW

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: fhYwSgwfGX

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:03:51 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:03:51.592439'

09:04:17.236 [1;36mINFO[1;0m: transaction [0x25169a0] channel state changed to [READY]

09:04:17.236 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25169a0], from state [INIT] to [TRYING]

09:04:17.237 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.uA5j5CQcG;rport

From: <sip:linphone@10.1.10.45>;tag=JPINBzsJP

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: 2~yKiAmWe-

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:03:51 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:03:51.603989'

09:04:17.376 [1;36mINFO[1;0m: channel [0x252ac68]: received [303] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.Xqs2kCoy7;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=M-5GdPBrW

To: <sip:zahersyed@sip.linphone.org>

Call-ID: fhYwSgwfGX

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:04:18.779 [1;36mINFO[1;0m: channel [0x252ac68] [303] bytes parsed

09:04:18.779 [1;36mINFO[1;0m: channel [0x252ac68]: discovered public ip and port are [173.12.114.238:5063]

09:04:18.780 [1;36mINFO[1;0m: Found transaction matching response.

09:04:18.780 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x251a2f8], from state [TRYING] to [PROCEEDING]

09:04:18.780 [1;36mINFO[1;0m: channel [0x252ac68]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.Xqs2kCoy7;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=M-5GdPBrW
To: <sip:zahersyed@sip.linphone.org>;tag=QgjamFX7yUamp
Call-ID: fhYwSgwFGX
CSeq: 20 MESSAGE
Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)
Content-Length: 0

09:04:18.784 [1;36mINFO[1;0m: channel [0x252ac68] [324] bytes parsed

09:04:18.785 [1;36mINFO[1;0m: Found transaction matching response.

09:04:18.785 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x251a2f8], from state [PROCEEDING] to [COMPLETED]

09:04:18.786 [1;36mINFO[1;0m: Chat message 0x2518058: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:04:18.786 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:04:18.786 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.uA5j5CQcG;rport

From: <sip:linphone@10.1.10.45>;tag=JPINBzsjP

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: 2~yKiAmWe-

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:03:51 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:03:51.603989'

09:04:18.787 [1;36mINFO[1;0m: channel [0x252ac68]: received [311] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.uA5j5CQcG;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=JPINBzsjP

To: <sip:aSecondSIPAccount@sip.linphone.org>

Call-ID: 2~yKiAmWe-

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:04:18.791 [1;36mINFO[1;0m: channel [0x252ac68] [311] bytes parsed

09:04:18.792 [1;36mINFO[1;0m: Found transaction matching response.

09:04:18.792 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25169a0], from state [TRYING] to [PROCEEDING]

09:04:18.792 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:04:18.793 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.uA5j5CQcG;rport

From: <sip:linphone@10.1.10.45>;tag=JPINBzsjP

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: 2~yKiAmWe-

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:03:51 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:03:51.603989'

09:04:18.793 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.uA5j5CQcG;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=JPINBzsjP

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=rSB3NaeBv406H

Call-ID: 2~yKiAmWe-

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:04:18.797 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:04:18.798 [1;36mINFO[1;0m: Found transaction matching response.

09:04:18.798 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25169a0], from state [PROCEEDING] to [COMPLETED]

09:04:18.798 [1;36mINFO[1;0m: Chat message 0x2516810: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:04:18.923 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.uA5j5CQcG;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=JPINBzsjP

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=rSB3NaeBv406H

Call-ID: 2~yKiAmWe-

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:04:18.927 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:04:18.928 [1;36mINFO[1;0m: Found transaction matching response.

09:04:18.928 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.uA5j5CQcG;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=JPINBzsjP

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=rSB3NaeBv406H

Call-ID: 2~yKiAmWe-

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:04:18.933 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:04:18.933 [1;36mINFO[1;0m: Found transaction matching response.

09:04:23.786 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x251a2f8], from state [COMPLETED] to [TERMINATED]

09:04:23.786 [1;36mINFO[1;0m: Client MESSAGE transaction [0x251a2f8] terminated

09:04:23.786 [1;36mINFO[1;0m: Unhandled transaction terminated [0x251a2f8]

09:04:23.799 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25169a0], from state [COMPLETED] to [TERMINATED]

09:04:23.799 [1;36mINFO[1;0m: Client MESSAGE transaction [0x25169a0] terminated

09:04:23.799 [1;36mINFO[1;0m: Unhandled transaction terminated [0x25169a0]

09:04:26.221 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:04:36.221 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:04:46.221 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:04:56.221 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:05:06.221 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:05:15.787 [1;36mINFO[1;0m: *Motion detected!*

09:05:16.790 [1;36mINFO[1;0m: Notifying contacts...

09:05:16.791 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

09:05:16.793 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:05:16.794 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76cf6d70>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:05:16.797 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x251cfa8], from state [INIT] to [TRYING]

09:05:16.798 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.SA2tLRL72;rport

From: <sip:linphone@10.1.10.45>;tag=aTgUTAbT3

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: yNH33rcQEx

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:05:16 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:05:16.792719'

09:05:16.799 [1;36mINFO[1;0m: Chat message 0x25423d8: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:05:16.799 [1;36mINFO[1;0m: Notifying sip:aSecondSIPAccount@sip.linphone.org

09:05:16.802 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:05:16.802 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76cf6e20>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:05:16.806 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x2547228], from state [INIT] to [TRYING]

09:05:16.807 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.ZfrT6RI02;rport

From: <sip:linphone@10.1.10.45>;tag=wu09RWE3U

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: U7MZ-B41FD

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:05:16 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:05:16.800896'

09:05:16.807 [1;36mINFO[1;0m: Chat message 0x2564ed0: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:05:21.767 [1;36mINFO[1;0m: Emailed and saved image to "/home/pi/emailedSecurityCameraImage-2016-04-10T09:05:21.763751.jpg"

09:05:41.205 [1;36mINFO[1;0m: channel [0x252ac68]: received [303] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.SA2tLRL72;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=aTgUTAbT3

To: <sip:zahersyed@sip.linphone.org>

Call-ID: yNH33rcQEx

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:05:41.213 [1;36mINFO[1;0m: channel [0x252ac68] [303] bytes parsed

09:05:41.214 [1;36mINFO[1;0m: Found transaction matching response.

09:05:41.215 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x251cfa8], from state [TRYING] to [PROCEEDING]

09:05:41.215 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:05:41.216 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:05:41.217 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.SA2tLRL72;rport

From: <sip:linphone@10.1.10.45>;tag=aTgUTAbT3

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: yNH33rcQEx

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:05:16 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:05:16.792719'

09:05:41.217 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:05:41.218 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.ZfrT6RI02;rport

From: <sip:linphone@10.1.10.45>;tag=wu09RWE3U

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: U7MZ-B41FD

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:05:16 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:05:16.800896'

09:05:41.219 [1;36mINFO[1;0m: *Motion detected!*

09:05:42.225 [1;36mINFO[1;0m: channel [0x252ac68]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.SA2tLRL72;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=aTgUTAbT3

To: <sip:zahersyed@sip.linphone.org>;tag=rBeamaNtUg1Qj

Call-ID: yNH33rcQEx

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:05:42.234 [1;36mINFO[1;0m: channel [0x252ac68] [324] bytes parsed

09:05:42.235 [1;36mINFO[1;0m: Found transaction matching response.

09:05:42.235 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x251cfa8], from state [PROCEEDING] to [COMPLETED]

09:05:42.236 [1;36mINFO[1;0m: Chat message 0x25423d8: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:05:42.236 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:05:42.237 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.ZfrT6RI02;rport

From: <sip:linphone@10.1.10.45>;tag=wu09RWE3U

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: U7MZ-B41FD

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:05:16 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:05:16.800896'

09:05:42.238 [1;36mINFO[1;0m: channel [0x252ac68]: received [311] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.ZfrT6RI02;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=wu09RWE3U

To: <sip:aSecondSIPAccount@sip.linphone.org>

Call-ID: U7MZ-B41FD

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:05:42.246 [1;36mINFO[1;0m: channel [0x252ac68] [311] bytes parsed

09:05:42.247 [1;36mINFO[1;0m: Found transaction matching response.

09:05:42.248 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x2547228], from state [TRYING] to [PROCEEDING]

09:05:42.248 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:05:42.249 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.ZfrT6RI02;rport

From: <sip:linphone@10.1.10.45>;tag=wu09RWE3U

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: U7MZ-B41FD

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:05:16 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:05:16.800896'

09:05:42.250 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.ZfrT6RI02;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=wu09RWE3U
To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=Sm72N55XrSQae
Call-ID: U7MZ-B41FD
CSeq: 20 MESSAGE
Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)
Content-Length: 0

09:05:42.259 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:05:42.259 [1;36mINFO[1;0m: Found transaction matching response.

09:05:42.260 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x2547228], from state [PROCEEDING] to [COMPLETED]

09:05:42.260 [1;36mINFO[1;0m: Chat message 0x2564ed0: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:05:42.262 [1;36mINFO[1;0m: channel [0x252ac68]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.SA2tLRL72;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=aTgUTAbT3
To: <sip:zahersyed@sip.linphone.org>;tag=rBeamaNtUg1Qj
Call-ID: yNH33rcQEx
CSeq: 20 MESSAGE
Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)
Content-Length: 0

09:05:42.270 [1;36mINFO[1;0m: channel [0x252ac68] [324] bytes parsed

09:05:42.271 [1;36mINFO[1;0m: Found transaction matching response.

09:05:42.272 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.ZfrT6RI02;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=wu09RWE3U

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=Sm72N55XrSQae

Call-ID: U7MZ-B41FD

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:05:42.280 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:05:42.281 [1;36mINFO[1;0m: Found transaction matching response.

09:05:42.391 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.ZfrT6RI02;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=wu09RWE3U

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=Sm72N55XrSQae

Call-ID: U7MZ-B41FD

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:05:42.395 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:05:42.396 [1;36mINFO[1;0m: Found transaction matching response.

09:05:42.396 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.ZfrT6RI02;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=wu09RWE3U

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=Sm72N55XrSQae

Call-ID: U7MZ-B41FD

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:05:42.401 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:05:42.401 [1;36mINFO[1;0m: Found transaction matching response.

09:05:42.918 [1;36mINFO[1;0m: *Motion detected!*

09:05:47.236 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x251cfa8], from state [COMPLETED] to [TERMINATED]

09:05:47.241 [1;36mINFO[1;0m: Client MESSAGE transaction [0x251cfa8] terminated

09:05:47.241 [1;36mINFO[1;0m: Unhandled transaction terminated [0x251cfa8]

09:05:47.261 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x2547228], from state [COMPLETED] to [TERMINATED]

09:05:47.261 [1;36mINFO[1;0m: Client MESSAGE transaction [0x2547228] terminated

09:05:47.261 [1;36mINFO[1;0m: Unhandled transaction terminated [0x2547228]

09:05:51.205 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:06:01.205 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:06:05.354 [1;36mINFO[1;0m: *Motion detected!*

09:06:06.357 [1;36mINFO[1;0m: Notifying contacts...

09:06:06.361 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

09:06:06.364 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:06:06.365 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76cf6f40>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:06:06.368 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x2517d80], from state [INIT] to [TRYING]

09:06:06.369 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.ITf8OZ43-;rport

From: <sip:linphone@10.1.10.45>;tag=-QHakj1bp

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: t5aR5HRJp9

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:06:06 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:06:06.363411'

09:06:06.370 [1;36mINFO[1;0m: Chat message 0x251b1e8: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:06:06.370 [1;36mINFO[1;0m: Notifying sip:aSecondSIPAccount@sip.linphone.org

09:06:06.373 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:06:06.373 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76cf6ed0>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:06:06.377 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x251d088], from state [INIT] to [TRYING]

09:06:06.378 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.a1B6z53s5;rport

From: <sip:linphone@10.1.10.45>;tag=eGf1xjZlg

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: 1muLXL5auF

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:06:06 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:06:06.371889'

09:06:06.378 [1;36mINFO[1;0m: Chat message 0x25715c8: moving from state
LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:06:11.129 [1;36mINFO[1;0m: Emailed and saved image to "/home/pi/emailedSecurityCameraImage-
2016-04-10T09:06:11.125360.jpg"

09:06:30.642 [1;36mINFO[1;0m: channel [0x252ac68]: received [303] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.ITf8OZ43-;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=-QHakj1bp

To: <sip:zahersyed@sip.linphone.org>

Call-ID: t5aR5HRJp9

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:06:30.650 [1;36mINFO[1;0m: channel [0x252ac68] [303] bytes parsed

09:06:30.651 [1;36mINFO[1;0m: Found transaction matching response.

09:06:30.652 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x2517d80], from state
[TRYING] to [PROCEEDING]

09:06:30.652 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:06:30.653 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:06:30.654 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.ITf8OZ43-;rport

From: <sip:linphone@10.1.10.45>;tag=-QHAKj1bp

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: t5aR5HRJp9

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:06:06 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:06:06.363411'

09:06:30.654 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:06:30.655 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.a1B6z53s5;rport

From: <sip:linphone@10.1.10.45>;tag=eGf1xjZlg

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: 1muLXL5auF

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:06:06 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:06:06.371889'

09:06:30.656 [1;36mINFO[1;0m: *Motion detected!*

09:06:31.663 [1;36mINFO[1;0m: channel [0x252ac68]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.ITf8OZ43-;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=-QHAKj1bp

To: <sip:zahersyed@sip.linphone.org>;tag=B5c3g5F9NH5jm

Call-ID: t5aR5HRJp9

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:06:31.671 [1;36mINFO[1;0m: channel [0x252ac68] [324] bytes parsed

09:06:31.672 [1;36mINFO[1;0m: Found transaction matching response.

09:06:31.672 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x2517d80], from state [PROCEEDING] to [COMPLETED]

09:06:31.673 [1;36mINFO[1;0m: Chat message 0x251b1e8: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:06:31.673 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:06:31.674 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.a1B6z53s5;rport

From: <sip:linphone@10.1.10.45>;tag=eGf1xjZlg

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: 1muLXL5auF

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:06:06 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:06:06.371889'

09:06:31.675 [1;36mINFO[1;0m: channel [0x252ac68]: received [311] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.a1B6z53s5;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=eGf1xjZlg

To: <sip:aSecondSIPAccount@sip.linphone.org>

Call-ID: 1muLXL5auF

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:06:31.684 [1;36mINFO[1;0m: channel [0x252ac68] [311] bytes parsed

09:06:31.685 [1;36mINFO[1;0m: Found transaction matching response.

09:06:31.685 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x251d088], from state [TRYING] to [PROCEEDING]

09:06:31.686 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:06:31.687 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.a1B6z53s5;rport

From: <sip:linphone@10.1.10.45>;tag=eGf1xjZlg

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: 1muLXL5auF

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:06:06 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:06:06.371889'

09:06:31.689 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.a1B6z53s5;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=eGf1xjZlg

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=ce6Uj00cKtU5F

Call-ID: 1muLXL5auF

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:06:31.697 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:06:31.698 [1;36mINFO[1;0m: Found transaction matching response.

09:06:31.698 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x251d088], from state [PROCEEDING] to [COMPLETED]

09:06:31.699 [1;36mINFO[1;0m: Chat message 0x25715c8: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:06:31.700 [1;36mINFO[1;0m: channel [0x252ac68]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.ITf8OZ43-;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=-QHakj1bp

To: <sip:zahersyed@sip.linphone.org>;tag=B5c3g5F9NH5jm

Call-ID: t5aR5HRJp9

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:06:31.708 [1;36mINFO[1;0m: channel [0x252ac68] [324] bytes parsed

09:06:31.709 [1;36mINFO[1;0m: Found transaction matching response.

09:06:31.710 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.a1B6z53s5;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=eGf1xjZlg

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=ce6Uj00cKtU5F

Call-ID: 1muLXL5auF

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:06:31.718 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:06:31.719 [1;36mINFO[1;0m: Found transaction matching response.

09:06:31.839 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.a1B6z53s5;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=eGf1xjZlg

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=ce6Uj00cKtU5F

Call-ID: 1muLXL5auF

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:06:31.843 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:06:31.844 [1;36mINFO[1;0m: Found transaction matching response.

09:06:31.844 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.a1B6z53s5;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=eGf1xjZlg

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=ce6Uj00cKtU5F

Call-ID: 1muLXL5auF

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:06:31.849 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:06:31.849 [1;36mINFO[1;0m: Found transaction matching response.

09:06:36.673 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x2517d80], from state [COMPLETED] to [TERMINATED]

09:06:36.673 [1;36mINFO[1;0m: Client MESSAGE transaction [0x2517d80] terminated

09:06:36.674 [1;36mINFO[1;0m: Unhandled transaction terminated [0x2517d80]

09:06:36.699 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x251d088], from state [COMPLETED] to [TERMINATED]

09:06:36.699 [1;36mINFO[1;0m: Client MESSAGE transaction [0x251d088] terminated

09:06:36.699 [1;36mINFO[1;0m: Unhandled transaction terminated [0x251d088]

09:06:39.243 [1;36mINFO[1;0m: *Motion detected!*

09:06:40.247 [1;36mINFO[1;0m: Notifying contacts...

09:06:40.247 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

09:06:40.250 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:06:40.250 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76cf6fd0>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:06:40.254 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x256c248], from state [INIT] to [TRYING]

09:06:40.254 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.0~Yuw8XKy;rport

From: <sip:linphone@10.1.10.45>;tag=ynFjd3rbT

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: 78KuSuGR41

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:06:40 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:06:40.248997'

09:06:40.255 [1;36mINFO[1;0m: Chat message 0x2570e80: moving from state
LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:06:40.255 [1;36mINFO[1;0m: Notifying sip:aSecondSIPAccount@sip.linphone.org

09:06:40.258 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:06:40.259 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76cf6fe0>, ip =
None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:06:40.263 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x2517e80], from state [INIT]
to [TRYING]

09:06:40.263 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060],
size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.xOOb9AIX;rport

From: <sip:linphone@10.1.10.45>;tag=USOEVUXyX

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: 21LSQIRZOY

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:06:40 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:06:40.257417'

09:06:40.264 [1;36mINFO[1;0m: Chat message 0x25be470: moving from state
LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:06:40.396 [1;36mINFO[1;0m: channel [0x252ac68]: received [303] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.0~Yuw8XKy;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=ynFJd3rbT

To: <sip:zahersyed@sip.linphone.org>

Call-ID: 78KuSuGR41

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:06:40.400 [1;36mINFO[1;0m: channel [0x252ac68] [303] bytes parsed

09:06:40.400 [1;36mINFO[1;0m: Found transaction matching response.

09:06:40.401 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x256c248], from state [TRYING] to [PROCEEDING]

09:06:40.401 [1;36mINFO[1;0m: channel [0x252ac68]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.0~Yuw8XKy;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=ynFJd3rbT

To: <sip:zahersyed@sip.linphone.org>;tag=4FpjuvS8rDp2ee

Call-ID: 78KuSuGR41

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:06:40.405 [1;36mINFO[1;0m: channel [0x252ac68] [324] bytes parsed

09:06:40.406 [1;36mINFO[1;0m: Found transaction matching response.

09:06:40.406 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x256c248], from state [PROCEEDING] to [COMPLETED]

09:06:40.407 [1;36mINFO[1;0m: Chat message 0x2570e80: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:06:40.407 [1;36mINFO[1;0m: channel [0x252ac68]: received [311] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.xOOb9AIX;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=USOEVUXyX

To: <sip:aSecondSIPAccount@sip.linphone.org>

Call-ID: 21LSQIRZOY

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:06:40.411 [1;36mINFO[1;0m: channel [0x252ac68] [311] bytes parsed

09:06:40.412 [1;36mINFO[1;0m: Found transaction matching response.

09:06:40.412 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x2517e80], from state [TRYING] to [PROCEEDING]

09:06:40.413 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.xOOb9AIX;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=USOEVUXyX

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=5rFBymSvaZr1S

Call-ID: 21LSQIRZOY

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:06:40.417 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:06:40.417 [1;36mINFO[1;0m: Found transaction matching response.

09:06:40.418 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x2517e80], from state [PROCEEDING] to [COMPLETED]

09:06:40.418 [1;36mINFO[1;0m: Chat message 0x25be470: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:06:40.642 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:06:45.407 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x256c248], from state [COMPLETED] to [TERMINATED]

09:06:45.407 [1;36mINFO[1;0m: Client MESSAGE transaction [0x256c248] terminated

09:06:45.407 [1;36mINFO[1;0m: Unhandled transaction terminated [0x256c248]

09:06:45.418 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x2517e80], from state [COMPLETED] to [TERMINATED]

09:06:45.418 [1;36mINFO[1;0m: Client MESSAGE transaction [0x2517e80] terminated

09:06:45.418 [1;36mINFO[1;0m: Unhandled transaction terminated [0x2517e80]

09:06:49.349 [1;36mINFO[1;0m: *Motion detected!*

09:06:55.082 [1;36mINFO[1;0m: Emailed and saved image to "/home/pi/emailedSecurityCameraImage-2016-04-10T09:06:55.079142.jpg"

09:07:14.530 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:07:14.532 [1;36mINFO[1;0m: *Motion detected!*

09:07:15.537 [1;36mINFO[1;0m: Notifying contacts...

09:07:15.538 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

09:07:15.544 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:07:15.545 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76a5e0d0>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:07:15.552 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x251c3a0], from state [INIT] to [TRYING]

09:07:15.553 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.TjgXJnJ~K;rport

From: <sip:linphone@10.1.10.45>;tag=2~71OfBeb

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: ZWFNi57-op

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:07:15 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:07:15.541547'

09:07:15.554 [1;36mINFO[1;0m: Chat message 0x2516528: moving from state
LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:07:15.555 [1;36mINFO[1;0m: Notifying sip:aSecondSIPAccount@sip.linphone.org

09:07:15.560 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:07:15.561 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76a5e120>, ip
= None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:07:15.569 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x256d358], from state [INIT]
to [TRYING]

09:07:15.570 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060],
size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.2yfyXFRMv;rport

From: <sip:linphone@10.1.10.45>;tag=fj8AS0Qzt

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: DSLUExEHTu

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:07:15 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:07:15.558461'

09:07:15.572 [1;36mINFO[1;0m: Chat message 0x256c990: moving from state
LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:07:15.810 [1;36mINFO[1;0m: channel [0x252ac68]: received [303] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.TjgXJnJ~K;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=2~71OfBeb

To: <sip:zahersyed@sip.linphone.org>

Call-ID: ZWFNi57-op

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:07:15.814 [1;36mINFO[1;0m: channel [0x252ac68] [303] bytes parsed

09:07:15.814 [1;36mINFO[1;0m: Found transaction matching response.

09:07:15.815 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x251c3a0], from state
[TRYING] to [PROCEEDING]

09:07:15.815 [1;36mINFO[1;0m: channel [0x252ac68]: received [324] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.TjgXJnJ~K;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=2~71OfBeb

To: <sip:zahersyed@sip.linphone.org>;tag=rgvH9By9X5agp

Call-ID: ZWFNi57-op

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:07:15.819 [1;36mINFO[1;0m: channel [0x252ac68] [324] bytes parsed

09:07:15.820 [1;36mINFO[1;0m: Found transaction matching response.

09:07:15.820 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x251c3a0], from state [PROCEEDING] to [COMPLETED]

09:07:15.820 [1;36mINFO[1;0m: Chat message 0x2516528: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:07:15.821 [1;36mINFO[1;0m: channel [0x252ac68]: received [311] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.2yfyXFRMv;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=fj8AS0Qzt

To: <sip:aSecondSIPAccount@sip.linphone.org>

Call-ID: DSLUExEHTu

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:07:15.825 [1;36mINFO[1;0m: channel [0x252ac68] [311] bytes parsed

09:07:15.826 [1;36mINFO[1;0m: Found transaction matching response.

09:07:15.826 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x256d358], from state [TRYING] to [PROCEEDING]

09:07:15.827 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.2yfyXFRMv;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=fj8AS0Qzt

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=SSNaB7eDUe12H

Call-ID: DSLUExEHTu

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:07:15.831 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:07:15.831 [1;36mINFO[1;0m: Found transaction matching response.

09:07:15.832 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x256d358], from state [PROCEEDING] to [COMPLETED]

09:07:15.832 [1;36mINFO[1;0m: Chat message 0x256c990: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:07:17.537 [1;36mINFO[1;0m: *Motion detected!*

09:07:20.821 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x251c3a0], from state [COMPLETED] to [TERMINATED]

09:07:20.821 [1;36mINFO[1;0m: Client MESSAGE transaction [0x251c3a0] terminated

09:07:20.821 [1;36mINFO[1;0m: Unhandled transaction terminated [0x251c3a0]

09:07:20.832 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x256d358], from state [COMPLETED] to [TERMINATED]

09:07:20.832 [1;36mINFO[1;0m: Client MESSAGE transaction [0x256d358] terminated

09:07:20.832 [1;36mINFO[1;0m: Unhandled transaction terminated [0x256d358]

09:07:24.530 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:07:26.959 [1;36mINFO[1;0m: *Motion detected!*

09:07:32.689 [1;36mINFO[1;0m: Emailed and saved image to "/home/pi/emailedSecurityCameraImage-2016-04-10T09:07:32.682861.jpg"

09:07:52.079 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:07:53.364 [1;36mINFO[1;0m: *Motion detected!*

09:07:54.372 [1;36mINFO[1;0m: Notifying contacts...

09:07:54.373 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

09:07:54.375 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:07:54.376 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76a5e0b0>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:07:54.379 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x254abf0], from state [INIT] to [TRYING]

09:07:54.380 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.Ak5U5FFS8;rport

From: <sip:linphone@10.1.10.45>;tag=Ub7N1TtQK

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: UyBLWBuOTW

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:07:54 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:07:54.374534'

09:07:54.381 [1;36mINFO[1;0m: Chat message 0x25989d0: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:07:54.381 [1;36mINFO[1;0m: Notifying sip:aSecondSIPAccount@sip.linphone.org

09:07:54.384 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:07:54.384 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76a5e160>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:07:54.389 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x2598208], from state [INIT] to [TRYING]

09:07:54.389 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.CI0tsb869;rport

From: <sip:linphone@10.1.10.45>;tag=5QoZVswwn

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: 1DbwXgvAYB

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:07:54 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:07:54.382968'

09:07:54.390 [1;36mINFO[1;0m: Chat message 0x2570180: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:07:54.519 [1;36mINFO[1;0m: channel [0x252ac68]: received [303] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.Ak5U5FFS8;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=Ub7N1TtQK

To: <sip:zahersyed@sip.linphone.org>

Call-ID: UyBLWBUOTW

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:07:54.523 [1;36mINFO[1;0m: channel [0x252ac68] [303] bytes parsed

09:07:54.524 [1;36mINFO[1;0m: Found transaction matching response.

09:07:54.524 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x254abf0], from state [TRYING] to [PROCEEDING]

09:07:54.525 [1;36mINFO[1;0m: channel [0x252ac68]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.Ak5U5FFS8;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=Ub7N1TtQK

To: <sip:zahersyed@sip.linphone.org>;tag=9mDDrB6yKX72r

Call-ID: UyBLWBuOTW

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:07:54.529 [1;36mINFO[1;0m: channel [0x252ac68] [324] bytes parsed

09:07:54.529 [1;36mINFO[1;0m: Found transaction matching response.

09:07:54.530 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x254abf0], from state [PROCEEDING] to [COMPLETED]

09:07:54.530 [1;36mINFO[1;0m: Chat message 0x25989d0: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:07:54.530 [1;36mINFO[1;0m: channel [0x252ac68]: received [311] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.CI0tsb869;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=5QoZVswwn

To: <sip:aSecondSIPAccount@sip.linphone.org>

Call-ID: 1DbwXgvAYB

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:07:54.535 [1;36mINFO[1;0m: channel [0x252ac68] [311] bytes parsed

09:07:54.535 [1;36mINFO[1;0m: Found transaction matching response.

09:07:54.535 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x2598208], from state [TRYING] to [PROCEEDING]

09:07:54.536 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.CI0tsb869;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=5QoZVswwn

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=ay65S6p2g6XNm

Call-ID: 1DbwXgvAYB

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:07:54.540 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:07:54.541 [1;36mINFO[1;0m: Found transaction matching response.

09:07:54.541 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x2598208], from state [PROCEEDING] to [COMPLETED]

09:07:54.541 [1;36mINFO[1;0m: Chat message 0x2570180: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:07:59.530 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x254abf0], from state [COMPLETED] to [TERMINATED]

09:07:59.530 [1;36mINFO[1;0m: Client MESSAGE transaction [0x254abf0] terminated

09:07:59.530 [1;36mINFO[1;0m: Unhandled transaction terminated [0x254abf0]

09:07:59.542 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x2598208], from state [COMPLETED] to [TERMINATED]

09:07:59.542 [1;36mINFO[1;0m: Client MESSAGE transaction [0x2598208] terminated

09:07:59.542 [1;36mINFO[1;0m: Unhandled transaction terminated [0x2598208]

09:08:02.079 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:08:12.079 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:08:22.079 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:08:32.079 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:08:42.079 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:08:52.079 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:09:02.079 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:09:12.079 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:09:22.079 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:09:32.079 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:09:42.079 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:09:52.079 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:09:53.976 [1;36mINFO[1;0m: *Motion detected!*

09:09:54.980 [1;36mINFO[1;0m: Notifying contacts...

09:09:54.980 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

09:09:54.983 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:09:54.984 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76a5e1b0>, ip = None, ea = sip.linphone@10.1.10.45:5063, un = linphone

09:09:54.987 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x259dac0], from state [INIT] to [TRYING]

09:09:54.988 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0
Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.8anMaqeNG;rport
From: <sip:linphone@10.1.10.45>;tag=Mv312-6RI
To: sip:zahersyed@sip.linphone.org
CSeq: 20 MESSAGE
Call-ID: zsHL70ZDmm
Max-Forwards: 70
Supported: outbound
Content-Type: text/plain
Content-Length: 79
Date: Sun, 10 Apr 2016 13:09:54 GMT
User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:09:54.982412'

09:09:54.989 [1;36mINFO[1;0m: Chat message 0x25a4018: moving from state
LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:09:54.989 [1;36mINFO[1;0m: Notifying sip:aSecondSIPAccount@sip.linphone.org

09:09:54.992 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:09:54.992 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76a5e1d0>, ip
= None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:09:54.996 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x256eef8], from state [INIT]
to [TRYING]

09:09:54.997 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060],
size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0
Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.5~LSNn4Wz;rport
From: <sip:linphone@10.1.10.45>;tag=TgiF2ZR9H
To: sip:aSecondSIPAccount@sip.linphone.org
CSeq: 20 MESSAGE
Call-ID: qbyJ~27pEh

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:09:54 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:09:54.990817'

09:09:54.998 [1;36mINFO[1;0m: Chat message 0x256ea90: moving from state
LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:10:00.085 [1;36mINFO[1;0m: Emailed and saved image to "/home/pi/emailedSecurityCameraImage-
2016-04-10T09:10:00.081554.jpg"

09:10:19.534 [1;36mINFO[1;0m: channel [0x252ac68]: received [303] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.8anMaqeNG;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=Mv312-6RI

To: <sip:zahersyed@sip.linphone.org>

Call-ID: zsHL70ZDmm

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:10:19.548 [1;36mINFO[1;0m: channel [0x252ac68] [303] bytes parsed

09:10:19.549 [1;36mINFO[1;0m: Found transaction matching response.

09:10:19.550 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x259dac0], from state
[TRYING] to [PROCEEDING]

09:10:19.550 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:10:19.551 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:10:19.552 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.8anMaqeNG;rport

From: <sip:linphone@10.1.10.45>;tag=Mv312-6RI

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: zsHL70ZDmm

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:09:54 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:09:54.982412'

09:10:19.552 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:10:19.553 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.5~LSNn4Wz;rport

From: <sip:linphone@10.1.10.45>;tag=TgiF2ZR9H

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: qbyJ~27pEh

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:09:54 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:09:54.990817'

09:10:19.555 [1;36mINFO[1;0m: channel [0x252ac68]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.8anMaqeNG;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=Mv312-6RI

To: <sip:zahersyed@sip.linphone.org>;tag=B9jt6XZ25c3XB

Call-ID: zsHL70ZDmm

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:10:19.563 [1;36mINFO[1;0m: channel [0x252ac68] [324] bytes parsed

09:10:19.564 [1;36mINFO[1;0m: Found transaction matching response.

09:10:19.564 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x259dac0], from state [PROCEEDING] to [COMPLETED]

09:10:19.565 [1;36mINFO[1;0m: Chat message 0x25a4018: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:10:19.565 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:10:19.566 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.5~LSNn4Wz;rport

From: <sip:linphone@10.1.10.45>;tag=TgiF2ZR9H

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: qbyJ~27pEh

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:09:54 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:09:54.990817'

09:10:19.567 [1;36mINFO[1;0m: channel [0x252ac68]: received [311] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.5~LSNn4Wz;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=TgiF2ZR9H

To: <sip:aSecondSIPAccount@sip.linphone.org>

Call-ID: qbyJ~27pEh

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:10:19.575 [1;36mINFO[1;0m: channel [0x252ac68] [311] bytes parsed

09:10:19.576 [1;36mINFO[1;0m: Found transaction matching response.

09:10:19.577 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x256eef8], from state [TRYING] to [PROCEEDING]

09:10:19.577 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:10:19.578 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.5~LSNn4Wz;rport

From: <sip:linphone@10.1.10.45>;tag=TgiF2ZR9H

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: qbyJ~27pEh

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:09:54 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:09:54.990817'

09:10:19.580 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.5~LSNn4Wz;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=TgiF2ZR9H

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=cjck8rg62NSgQ

Call-ID: qbyJ~27pEh

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:10:19.585 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:10:19.586 [1;36mINFO[1;0m: Found transaction matching response.

09:10:19.586 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x256eef8], from state [PROCEEDING] to [COMPLETED]

09:10:19.586 [1;36mINFO[1;0m: Chat message 0x256ea90: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:10:19.720 [1;36mINFO[1;0m: channel [0x252ac68]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.8anMaqeNG;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=Mv312-6RI

To: <sip:zahersyed@sip.linphone.org>;tag=B9jt6XZ25c3XB

Call-ID: zsHL70ZDmm

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:10:19.724 [1;36mINFO[1;0m: channel [0x252ac68] [324] bytes parsed

09:10:19.724 [1;36mINFO[1;0m: Found transaction matching response.

09:10:19.739 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.5~LSNn4Wz;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=TgiF2ZR9H

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=cjck8rg62NSgQ

Call-ID: qbyJ~27pEh

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:10:19.743 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:10:19.744 [1;36mINFO[1;0m: Found transaction matching response.

09:10:19.745 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.5~LSNn4Wz;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=TgiF2ZR9H

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=cjck8rg62NSgQ

Call-ID: qbyJ~27pEh

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:10:19.749 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:10:19.749 [1;36mINFO[1;0m: Found transaction matching response.

09:10:19.751 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.5~LSNn4Wz;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=TgiF2ZR9H

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=cjck8rg62NSgQ

Call-ID: qbyJ~27pEh

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:10:19.755 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:10:19.756 [1;36mINFO[1;0m: Found transaction matching response.

09:10:24.565 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x259dac0], from state
[COMPLETED] to [TERMINATED]

09:10:24.570 [1;36mINFO[1;0m: Client MESSAGE transaction [0x259dac0] terminated

09:10:24.570 [1;36mINFO[1;0m: Unhandled transaction terminated [0x259dac0]

09:10:24.586 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x256eef8], from state [COMPLETED] to [TERMINATED]

09:10:24.586 [1;36mINFO[1;0m: Client MESSAGE transaction [0x256eef8] terminated

09:10:24.586 [1;36mINFO[1;0m: Unhandled transaction terminated [0x256eef8]

09:10:29.534 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:10:39.534 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:10:49.534 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:10:59.534 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:11:08.233 [1;36mINFO[1;0m: *Motion detected!*

09:11:09.236 [1;36mINFO[1;0m: Notifying contacts...

09:11:09.237 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

09:11:09.239 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:11:09.240 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76a5e2e0>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:11:09.244 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25a29b0], from state [INIT] to [TRYING]

09:11:09.244 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.Fq~jPSnMK;rport

From: <sip:linphone@10.1.10.45>;tag=Fule4S8rX

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: 98uN~~xVPE

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:11:09 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:11:09.238711'

09:11:09.245 [1;36mINFO[1;0m: Chat message 0x259cf80: moving from state
LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:11:09.245 [1;36mINFO[1;0m: Notifying sip:aSecondSIPAccount@sip.linphone.org

09:11:09.248 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:11:09.248 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76a5e2b0>, ip
= None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:11:09.252 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x2571de8], from state [INIT]
to [TRYING]

09:11:09.253 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060],
size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.bNMQcF8jJ;rport

From: <sip:linphone@10.1.10.45>;tag=6i9zOI~BS

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: unVv-8p29i

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:11:09 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:11:09.247279'

09:11:09.254 [1;36mINFO[1;0m: Chat message 0x25a2818: moving from state
LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:11:14.041 [1;36mINFO[1;0m: Emailed and saved image to "/home/pi/emailedSecurityCameraImage-
2016-04-10T09:11:14.037754.jpg"

09:11:33.557 [1;36mINFO[1;0m: channel [0x252ac68]: received [303] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.Fq~jPSnMK;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=Fule4S8rX

To: <sip:zahersyed@sip.linphone.org>

Call-ID: 98uN~~xVPE

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:11:35.051 [1;36mINFO[1;0m: channel [0x252ac68] [303] bytes parsed

09:11:35.052 [1;36mINFO[1;0m: Found transaction matching response.

09:11:35.052 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25a29b0], from state [TRYING] to [PROCEEDING]

09:11:35.052 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:11:35.053 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:11:35.053 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.Fq~jPSnMK;rport

From: <sip:linphone@10.1.10.45>;tag=Fule4S8rX

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: 98uN~~xVPE

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:11:09 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:11:09.238711'

09:11:35.053 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:11:35.054 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.bNMQcF8j;rport

From: <sip:linphone@10.1.10.45>;tag=6i9zOI~BS

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: unVv-8p29i

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:11:09 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:11:09.247279'

09:11:35.055 [1;36mINFO[1;0m: channel [0x252ac68]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.Fq~jPSnMK;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=Fule4S8rX

To: <sip:zahersyed@sip.linphone.org>;tag=DHcrBUmvDZKDe

Call-ID: 98uN~~xVPE

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:11:35.059 [1;36mINFO[1;0m: channel [0x252ac68] [324] bytes parsed

09:11:35.060 [1;36mINFO[1;0m: Found transaction matching response.

09:11:35.060 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25a29b0], from state [PROCEEDING] to [COMPLETED]

09:11:35.060 [1;36mINFO[1;0m: Chat message 0x259cf80: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:11:35.061 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:11:35.061 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.bNMQcF8jJ;rport

From: <sip:linphone@10.1.10.45>;tag=6i9zOI~BS

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: unVv-8p29i

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:11:09 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:11:09.247279'

09:11:35.062 [1;36mINFO[1;0m: channel [0x252ac68]: received [311] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.bNMQcF8jJ;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=6i9zOI~BS

To: <sip:aSecondSIPAccount@sip.linphone.org>

Call-ID: unVv-8p29i

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:11:35.066 [1;36mINFO[1;0m: channel [0x252ac68] [311] bytes parsed

09:11:35.067 [1;36mINFO[1;0m: Found transaction matching response.

09:11:35.067 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x2571de8], from state [TRYING] to [PROCEEDING]

09:11:35.067 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:11:35.068 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.bNMQcF8jJ;rport

From: <sip:linphone@10.1.10.45>;tag=6i9zOI~BS

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: unVv-8p29i

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:11:09 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:11:09.247279'

09:11:35.068 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.bNMQcF8j;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=6i9zOI~BS

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=et5gDp5Za89ZS

Call-ID: unVv-8p29i

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:11:35.073 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:11:35.073 [1;36mINFO[1;0m: Found transaction matching response.

09:11:35.074 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x2571de8], from state [PROCEEDING] to [COMPLETED]

09:11:35.074 [1;36mINFO[1;0m: Chat message 0x25a2818: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:11:35.206 [1;36mINFO[1;0m: channel [0x252ac68]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.Fq~jPSnMK;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=Fule4S8rX

To: <sip:zahersyed@sip.linphone.org>;tag=DHcrBUmvDZKDe

Call-ID: 98uN~~xVPE

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:11:35.210 [1;36mINFO[1;0m: channel [0x252ac68] [324] bytes parsed

09:11:35.210 [1;36mINFO[1;0m: Found transaction matching response.

09:11:35.211 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.bNMQcF8jJ;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=6i9zOI~BS

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=et5gDp5Za89ZS

Call-ID: unVv-8p29i

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:11:35.215 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:11:35.216 [1;36mINFO[1;0m: Found transaction matching response.

09:11:35.217 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.bNMQcF8jJ;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=6i9zOI~BS

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=et5gDp5Za89ZS

Call-ID: unVv-8p29i

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:11:35.221 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:11:35.221 [1;36mINFO[1;0m: Found transaction matching response.

09:11:35.222 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.bNMQcF8jJ;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=6i9zOI~BS

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=et5gDp5Za89ZS

Call-ID: unVv-8p29i

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:11:35.226 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:11:35.227 [1;36mINFO[1;0m: Found transaction matching response.

09:11:40.061 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25a29b0], from state [COMPLETED] to [TERMINATED]

09:11:40.063 [1;36mINFO[1;0m: Client MESSAGE transaction [0x25a29b0] terminated

09:11:40.064 [1;36mINFO[1;0m: Unhandled transaction terminated [0x25a29b0]

09:11:40.074 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x2571de8], from state [COMPLETED] to [TERMINATED]

09:11:40.074 [1;36mINFO[1;0m: Client MESSAGE transaction [0x2571de8] terminated

09:11:40.074 [1;36mINFO[1;0m: Unhandled transaction terminated [0x2571de8]

09:11:43.557 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:11:52.173 [1;36mINFO[1;0m: *Motion detected!*

09:11:53.176 [1;36mINFO[1;0m: Notifying contacts...

09:11:53.177 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

09:11:53.179 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:11:53.180 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76a5e370>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:11:53.183 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x2599bb0], from state [INIT] to [TRYING]

09:11:53.184 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.4RCYOaKHI;rport

From: <sip:linphone@10.1.10.45>;tag=DOF2910H6

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: jF2DupZg2z

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:11:53 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:11:53.178464'

09:11:53.185 [1;36mINFO[1;0m: Chat message 0x25a3cb0: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:11:53.185 [1;36mINFO[1;0m: Notifying sip:aSecondSIPAccount@sip.linphone.org

09:11:53.188 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:11:53.188 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76a5e390>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:11:53.192 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x259e528], from state [INIT] to [TRYING]

09:11:53.193 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.KuB0e6S9h;rport

From: <sip:linphone@10.1.10.45>;tag=j2zLlOJiv

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: qT~IkJrLQt

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:11:53 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:11:53.186998'

09:11:53.194 [1;36mINFO[1;0m: Chat message 0x25a0d78: moving from state
LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:11:58.166 [1;36mINFO[1;0m: Emailed and saved image to "/home/pi/emailedSecurityCameraImage-
2016-04-10T09:11:58.159781.jpg"

09:12:17.682 [1;36mINFO[1;0m: channel [0x252ac68]: received [303] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.4RCYOaKHI;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=DOF2910H6

To: <sip:zahersyed@sip.linphone.org>

Call-ID: jF2DupZg2z

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:12:17.690 [1;36mINFO[1;0m: channel [0x252ac68] [303] bytes parsed

09:12:17.691 [1;36mINFO[1;0m: Found transaction matching response.

09:12:17.692 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x2599bb0], from state [TRYING] to [PROCEEDING]

09:12:17.692 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:12:17.693 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:12:17.694 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.4RCYOaKHI;rport

From: <sip:linphone@10.1.10.45>;tag=DOF2910H6

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: jF2DupZg2z

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:11:53 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:11:53.178464'

09:12:17.694 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:12:17.695 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.KuB0e6S9h;rport

From: <sip:linphone@10.1.10.45>;tag=j2zLlOJiv

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: qT~IkJrLQt

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:11:53 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:11:53.186998'

09:12:17.697 [1;36mINFO[1;0m: channel [0x252ac68]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.4RCYOaKHL;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=DOF2910H6

To: <sip:zahersyed@sip.linphone.org>;tag=760jaemH96r8r

Call-ID: jF2DupZg2z

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:12:17.705 [1;36mINFO[1;0m: channel [0x252ac68] [324] bytes parsed

09:12:17.706 [1;36mINFO[1;0m: Found transaction matching response.

09:12:17.706 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x2599bb0], from state [PROCEEDING] to [COMPLETED]

09:12:17.707 [1;36mINFO[1;0m: Chat message 0x25a3cb0: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:12:17.707 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:12:17.708 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.KuB0e6S9h;rport

From: <sip:linphone@10.1.10.45>;tag=j2zLlOJiv

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: qT~IkJrLQt

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:11:53 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:11:53.186998'

09:12:17.710 [1;36mINFO[1;0m: channel [0x252ac68]: received [311] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.KuB0e6S9h;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=j2zLlOJiv

To: <sip:aSecondSIPAccount@sip.linphone.org>

Call-ID: qT~IkJrLQt

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:12:17.718 [1;36mINFO[1;0m: channel [0x252ac68] [311] bytes parsed

09:12:17.719 [1;36mINFO[1;0m: Found transaction matching response.

09:12:17.719 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x259e528], from state [TRYING] to [PROCEEDING]

09:12:17.720 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:12:17.721 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.KuB0e6S9h;rport

From: <sip:linphone@10.1.10.45>;tag=j2zLlOJiv

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: qT~IkJrLQt

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:11:53 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:11:53.186998'

09:12:17.722 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.KuB0e6S9h;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=j2zLlOJiv

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=8FtBc94m6FFUm

Call-ID: qT~IkJrLQt

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:12:17.730 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:12:17.731 [1;36mINFO[1;0m: Found transaction matching response.

09:12:17.732 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x259e528], from state [PROCEEDING] to [COMPLETED]

09:12:17.732 [1;36mINFO[1;0m: Chat message 0x25a0d78: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:12:17.838 [1;36mINFO[1;0m: channel [0x252ac68]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.4RCYOaKHL;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=DOF2910H6

To: <sip:zahersyed@sip.linphone.org>;tag=760jaemH96r8r

Call-ID: jF2DupZg2z

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:12:17.842 [1;36mINFO[1;0m: channel [0x252ac68] [324] bytes parsed

09:12:17.843 [1;36mINFO[1;0m: Found transaction matching response.

09:12:17.844 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.KuB0e6S9h;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=j2zLIOJiv

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=8FtBc94m6FFUm

Call-ID: qT~IkJrLQt

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:12:17.848 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:12:17.848 [1;36mINFO[1;0m: Found transaction matching response.

09:12:17.849 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.KuB0e6S9h;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=j2zLlOJiv

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=8FtBc94m6FFUm

Call-ID: qT~IkJrLQt

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:12:17.854 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:12:17.854 [1;36mINFO[1;0m: Found transaction matching response.

09:12:17.856 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.KuB0e6S9h;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=j2zLlOJiv

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=8FtBc94m6FFUm

Call-ID: qT~IkJrLQt

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:12:17.861 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:12:17.861 [1;36mINFO[1;0m: Found transaction matching response.

09:12:18.903 [1;36mINFO[1;0m: *Motion detected!*

09:12:22.707 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x2599bb0], from state [COMPLETED] to [TERMINATED]

09:12:22.707 [1;36mINFO[1;0m: Client MESSAGE transaction [0x2599bb0] terminated

09:12:22.707 [1;36mINFO[1;0m: Unhandled transaction terminated [0x2599bb0]

09:12:22.733 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x259e528], from state [COMPLETED] to [TERMINATED]

09:12:22.733 [1;36mINFO[1;0m: Client MESSAGE transaction [0x259e528] terminated

09:12:22.733 [1;36mINFO[1;0m: Unhandled transaction terminated [0x259e528]

09:12:27.682 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:12:37.682 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:12:47.682 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:12:57.682 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:13:07.682 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:13:11.476 [1;36mINFO[1;0m: *Motion detected!*

09:13:12.480 [1;36mINFO[1;0m: Notifying contacts...

09:13:12.480 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

09:13:12.483 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:13:12.484 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76cf6fb0>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:13:12.487 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x254c1e8], from state [INIT] to [TRYING]

09:13:12.488 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.buKKMU2ML;rport

From: <sip:linphone@10.1.10.45>;tag=i5M3pqdqD

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: TAabXcihsD

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:13:12 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:13:12.482421'

09:13:12.489 [1;36mINFO[1;0m: Chat message 0x25a35f8: moving from state
LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:13:12.489 [1;36mINFO[1;0m: Notifying sip:aSecondSIPAccount@sip.linphone.org

09:13:12.492 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:13:12.492 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76cf6ec0>, ip =
None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:13:12.496 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25aa7e8], from state [INIT]
to [TRYING]

09:13:12.497 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060],
size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.Ad0ygUZNT;rport

From: <sip:linphone@10.1.10.45>;tag=f9QtvIGvh

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: vybXs2YHPm

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:13:12 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:13:12.490960'

09:13:12.498 [1;36mINFO[1;0m: Chat message 0x25a5488: moving from state
LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:13:17.604 [1;36mINFO[1;0m: Emailed and saved image to "/home/pi/emailedSecurityCameraImage-
2016-04-10T09:13:17.596930.jpg"

09:13:37.086 [1;36mINFO[1;0m: channel [0x252ac68]: received [303] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.buKKMU2ML;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=i5M3pqdqD

To: <sip:zahersyed@sip.linphone.org>

Call-ID: TAabXcihsD

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:13:37.094 [1;36mINFO[1;0m: channel [0x252ac68] [303] bytes parsed

09:13:37.094 [1;36mINFO[1;0m: Found transaction matching response.

09:13:37.095 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x254c1e8], from state
[TRYING] to [PROCEEDING]

09:13:37.095 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:13:37.096 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:13:37.097 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060],
size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.buKKMU2ML;rport

From: <sip:linphone@10.1.10.45>;tag=i5M3pqdqD

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: TAabXcihsD

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:13:12 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:13:12.482421'

09:13:37.097 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:13:37.098 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.Ad0ygUZNt;rport

From: <sip:linphone@10.1.10.45>;tag=f9QtvIGvh

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: vybXs2YHPm

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:13:12 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:13:12.490960'

09:13:37.099 [1;36mINFO[1;0m: *Motion detected!*

09:13:38.105 [1;36mINFO[1;0m: channel [0x252ac68]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.buKKMU2ML;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=i5M3pqdqD

To: <sip:zahersyed@sip.linphone.org>;tag=3r2U483N2337N

Call-ID: TAabXcihsD

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:13:38.113 [1;36mINFO[1;0m: channel [0x252ac68] [324] bytes parsed

09:13:38.114 [1;36mINFO[1;0m: Found transaction matching response.

09:13:38.114 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x254c1e8], from state [PROCEEDING] to [COMPLETED]

09:13:38.115 [1;36mINFO[1;0m: Chat message 0x25a35f8: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:13:38.116 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:13:38.116 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.Ad0ygUZNt;rport

From: <sip:linphone@10.1.10.45>;tag=f9QtlvGvh

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: vybXs2YHPm

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:13:12 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:13:12.490960'

09:13:38.118 [1;36mINFO[1;0m: channel [0x252ac68]: received [311] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.Ad0ygUZNt;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=f9QtvIGvh

To: <sip:aSecondSIPAccount@sip.linphone.org>

Call-ID: vybXs2YHPm

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:13:38.126 [1;36mINFO[1;0m: channel [0x252ac68] [311] bytes parsed

09:13:38.126 [1;36mINFO[1;0m: Found transaction matching response.

09:13:38.127 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25aa7e8], from state [TRYING] to [PROCEEDING]

09:13:38.127 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:13:38.128 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.Ad0ygUZNt;rport

From: <sip:linphone@10.1.10.45>;tag=f9QtvIGvh

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: vybXs2YHPm

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:13:12 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:13:12.490960'

09:13:38.129 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.Ad0ygUZNt;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=f9QtvIGvh

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=41Um63mSZcttH

Call-ID: vybXs2YHPm

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:13:38.138 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:13:38.138 [1;36mINFO[1;0m: Found transaction matching response.

09:13:38.139 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25aa7e8], from state [PROCEEDING] to [COMPLETED]

09:13:38.139 [1;36mINFO[1;0m: Chat message 0x25a5488: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:13:38.141 [1;36mINFO[1;0m: channel [0x252ac68]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.buKKMU2ML;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=i5M3pqdqD

To: <sip:zahersyed@sip.linphone.org>;tag=3r2U483N2337N

Call-ID: TAabXcihsD

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:13:38.148 [1;36mINFO[1;0m: channel [0x252ac68] [324] bytes parsed

09:13:38.149 [1;36mINFO[1;0m: Found transaction matching response.

09:13:38.150 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.Ad0ygUZNT;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=f9QtlGvh

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=41Um63mSZcttH

Call-ID: vybXs2YHPm

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:13:38.158 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:13:38.159 [1;36mINFO[1;0m: Found transaction matching response.

09:13:38.259 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.Ad0ygUZNT;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=f9QtlGvh

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=41Um63mSZcttH

Call-ID: vybXs2YHPm

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:13:38.263 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:13:38.264 [1;36mINFO[1;0m: Found transaction matching response.

09:13:38.265 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.Ad0ygUZNT;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=f9QtlGvh

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=41Um63mSZcttH

Call-ID: vybXs2YHPm

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:13:38.269 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:13:38.269 [1;36mINFO[1;0m: Found transaction matching response.

09:13:43.115 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x254c1e8], from state [COMPLETED] to [TERMINATED]

09:13:43.115 [1;36mINFO[1;0m: Client MESSAGE transaction [0x254c1e8] terminated

09:13:43.115 [1;36mINFO[1;0m: Unhandled transaction terminated [0x254c1e8]

09:13:43.140 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25aa7e8], from state [COMPLETED] to [TERMINATED]

09:13:43.140 [1;36mINFO[1;0m: Client MESSAGE transaction [0x25aa7e8] terminated

09:13:43.140 [1;36mINFO[1;0m: Unhandled transaction terminated [0x25aa7e8]

09:13:47.085 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:13:47.768 [1;36mINFO[1;0m: *Motion detected!*

09:13:48.771 [1;36mINFO[1;0m: Notifying contacts...

09:13:48.771 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

09:13:48.774 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:13:48.774 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76cf6e80>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:13:48.778 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25a1fb0], from state [INIT] to [TRYING]

09:13:48.779 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.chzch5zN7;rport

From: <sip:linphone@10.1.10.45>;tag=z-rfirjMJ

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: FtbSbVxos9

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:13:48 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:13:48.773419'

09:13:48.779 [1;36mINFO[1;0m: Chat message 0x2544b18: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:13:48.780 [1;36mINFO[1;0m: Notifying sip:aSecondSIPAccount@sip.linphone.org

09:13:48.783 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:13:48.783 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76cf6e70>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:13:48.787 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x259cde0], from state [INIT] to [TRYING]

09:13:48.788 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.06l~pL9Mb;rport

From: <sip:linphone@10.1.10.45>;tag=uxf5fPLVU

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: tGMmQmKvyQ

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:13:48 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:13:48.781850'

09:13:48.788 [1;36mINFO[1;0m: Chat message 0x25aa140: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:13:53.765 [1;36mINFO[1;0m: Emailed and saved image to "/home/pi/emailedSecurityCameraImage-2016-04-10T09:13:53.758450.jpg"

09:14:13.246 [1;36mINFO[1;0m: channel [0x252ac68]: received [303] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.chzch5zN7;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=z-rfirjMJ

To: <sip:zahersyed@sip.linphone.org>

Call-ID: FtbSbVxos9

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:14:13.254 [1;36mINFO[1;0m: channel [0x252ac68] [303] bytes parsed

09:14:13.255 [1;36mINFO[1;0m: Found transaction matching response.

09:14:13.255 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25a1fb0], from state [TRYING] to [PROCEEDING]

09:14:13.256 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:14:13.257 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:14:13.258 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.chzch5zN7;rport

From: <sip:linphone@10.1.10.45>;tag=z-rfirjMJ

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: FtbSbVxos9

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:13:48 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:13:48.773419'

09:14:13.258 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:14:13.259 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.06l~pL9Mb;rport

From: <sip:linphone@10.1.10.45>;tag=uxf5fPLVU

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: tGMmQmKvyQ

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:13:48 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:13:48.781850'

09:14:13.260 [1;36mINFO[1;0m: channel [0x252ac68]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.chzch5zN7;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=z-rfirjMJ

To: <sip:zahersyed@sip.linphone.org>;tag=j9eKyem2pF28B

Call-ID: FtbSbVxos9

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:14:13.268 [1;36mINFO[1;0m: channel [0x252ac68] [324] bytes parsed

09:14:13.269 [1;36mINFO[1;0m: Found transaction matching response.

09:14:13.270 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25a1fb0], from state [PROCEEDING] to [COMPLETED]

09:14:13.270 [1;36mINFO[1;0m: Chat message 0x2544b18: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:14:13.271 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:14:13.272 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.06l~pL9Mb;rport

From: <sip:linphone@10.1.10.45>;tag=uxf5fPLVU

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: tGMmQmKvyQ

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:13:48 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:13:48.781850'

09:14:13.273 [1;36mINFO[1;0m: channel [0x252ac68]: received [311] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.06l~pL9Mb;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=uxf5fPLVU

To: <sip:aSecondSIPAccount@sip.linphone.org>

Call-ID: tGMmQmKvyQ

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:14:13.281 [1;36mINFO[1;0m: channel [0x252ac68] [311] bytes parsed

09:14:13.282 [1;36mINFO[1;0m: Found transaction matching response.

09:14:13.282 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x259cde0], from state [TRYING] to [PROCEEDING]

09:14:13.283 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:14:13.283 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.06l~pL9Mb;rport

From: <sip:linphone@10.1.10.45>;tag=uxf5fPLVU

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: tGMmQmKvyQ

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:13:48 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:13:48.781850'

09:14:13.284 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.06l~pL9Mb;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=uxf5fPLVU

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=Kj8B0945KrrUQ

Call-ID: tGMmQmKvyQ

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:14:13.288 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:14:13.289 [1;36mINFO[1;0m: Found transaction matching response.

09:14:13.289 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x259cde0], from state [PROCEEDING] to [COMPLETED]

09:14:13.289 [1;36mINFO[1;0m: Chat message 0x25aa140: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:14:13.400 [1;36mINFO[1;0m: channel [0x252ac68]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.chzch5zN7;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=z-rfirjMJ

To: <sip:zahersyed@sip.linphone.org>;tag=j9eKyem2pF28B

Call-ID: FtbSbVxos9

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:14:13.405 [1;36mINFO[1;0m: channel [0x252ac68] [324] bytes parsed

09:14:13.405 [1;36mINFO[1;0m: Found transaction matching response.

09:14:13.406 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.06l~pL9Mb;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=uxf5fPLVU

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=Kj8B0945KrrUQ

Call-ID: tGMmQmKvyQ

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:14:13.410 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:14:13.410 [1;36mINFO[1;0m: Found transaction matching response.

09:14:13.411 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.06l~pL9Mb;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=uxf5fPLVU

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=Kj8B0945KrrUQ

Call-ID: tGMmQmKvyQ

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:14:13.416 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:14:13.416 [1;36mINFO[1;0m: Found transaction matching response.

09:14:13.418 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.06l~pL9Mb;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=uxf5fPLVU

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=Kj8B0945KrrUQ

Call-ID: tGMmQmKvyQ

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:14:13.422 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:14:13.423 [1;36mINFO[1;0m: Found transaction matching response.

09:14:18.271 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25a1fb0], from state [COMPLETED] to [TERMINATED]

09:14:18.271 [1;36mINFO[1;0m: Client MESSAGE transaction [0x25a1fb0] terminated

09:14:18.271 [1;36mINFO[1;0m: Unhandled transaction terminated [0x25a1fb0]

09:14:18.289 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x259cde0], from state [COMPLETED] to [TERMINATED]

09:14:18.289 [1;36mINFO[1;0m: Client MESSAGE transaction [0x259cde0] terminated

09:14:18.289 [1;36mINFO[1;0m: Unhandled transaction terminated [0x259cde0]

09:14:23.246 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:14:33.246 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:14:43.246 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:14:53.246 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:15:03.246 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:15:13.246 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:15:22.376 [1;36mINFO[1;0m: *Motion detected!*

09:15:23.380 [1;36mINFO[1;0m: Notifying contacts...

09:15:23.380 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

09:15:23.383 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:15:23.383 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76a5e2d0>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:15:23.387 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x259aa80], from state [INIT] to [TRYING]

09:15:23.387 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.y0RNQTPRD;rport

From: <sip:linphone@10.1.10.45>;tag=-E6I9V6QU

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: Gf6WiLXmqA

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:15:23 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:15:23.381967'

09:15:23.388 [1;36mINFO[1;0m: Chat message 0x254ca20: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:15:23.388 [1;36mINFO[1;0m: Notifying sip:aSecondSIPAccount@sip.linphone.org

09:15:23.391 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:15:23.392 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76a5e210>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:15:23.396 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25b09f0], from state [INIT] to [TRYING]

09:15:23.396 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.lymFkmT1n;rport

From: <sip:linphone@10.1.10.45>;tag=k5JWz~SPY

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: TehGSFVpex

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:15:23 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:15:23.390311'

09:15:23.397 [1;36mINFO[1;0m: Chat message 0x25a76c8: moving from state
LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:15:28.178 [1;36mINFO[1;0m: Emailed and saved image to "/home/pi/emailedSecurityCameraImage-
2016-04-10T09:15:28.172234.jpg"

09:15:47.628 [1;36mINFO[1;0m: channel [0x252ac68]: received [303] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.y0RNQTPRD;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=-E6l9V6QU

To: <sip:zahersyed@sip.linphone.org>

Call-ID: Gf6WiLXmqA

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:15:47.632 [1;36mINFO[1;0m: channel [0x252ac68] [303] bytes parsed

09:15:47.633 [1;36mINFO[1;0m: Found transaction matching response.

09:15:47.633 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x259aa80], from state [TRYING] to [PROCEEDING]

09:15:47.633 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:15:47.634 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:15:47.634 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.y0RNQTpRD;rport

From: <sip:linphone@10.1.10.45>;tag=-E6l9V6QU

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: Gf6WiLXmqA

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:15:23 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:15:23.381967'

09:15:47.634 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:15:47.635 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.lymFkmT1n;rport

From: <sip:linphone@10.1.10.45>;tag=k5JWz~SPY

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: TehGSFVpex

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:15:23 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:15:23.390311'

09:15:47.635 [1;36mINFO[1;0m: channel [0x252ac68]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.y0RNQTPRD;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=-E6I9V6QU

To: <sip:zahersyed@sip.linphone.org>;tag=6paUDr9DNSyBQ

Call-ID: Gf6WiLXmqA

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:15:47.640 [1;36mINFO[1;0m: channel [0x252ac68] [324] bytes parsed

09:15:47.640 [1;36mINFO[1;0m: Found transaction matching response.

09:15:47.640 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x259aa80], from state [PROCEEDING] to [COMPLETED]

09:15:47.641 [1;36mINFO[1;0m: Chat message 0x254ca20: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:15:47.641 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:15:47.642 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.lymFkmT1n;rport

From: <sip:linphone@10.1.10.45>;tag=k5JWz~SPY

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: TehGSFVpex

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:15:23 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:15:23.390311'

09:15:47.642 [1;36mINFO[1;0m: channel [0x252ac68]: received [311] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.lymFkmT1n;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=k5JWz~SPY

To: <sip:aSecondSIPAccount@sip.linphone.org>

Call-ID: TehGSFVpex

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:15:47.647 [1;36mINFO[1;0m: channel [0x252ac68] [311] bytes parsed

09:15:47.647 [1;36mINFO[1;0m: Found transaction matching response.

09:15:47.647 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25b09f0], from state [TRYING] to [PROCEEDING]

09:15:47.648 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:15:47.648 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.lymFkmT1n;rport

From: <sip:linphone@10.1.10.45>;tag=k5JWz~SPY

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: TehGSFVpex

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:15:23 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:15:23.390311'

09:15:47.649 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.lymFkmT1n;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=k5JWz~SPY

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=7Z3KFKtHj2myj

Call-ID: TehGSFVpex

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:15:47.653 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:15:47.654 [1;36mINFO[1;0m: Found transaction matching response.

09:15:47.654 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25b09f0], from state [PROCEEDING] to [COMPLETED]

09:15:47.654 [1;36mINFO[1;0m: Chat message 0x25a76c8: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:15:47.776 [1;36mINFO[1;0m: channel [0x252ac68]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.y0RNQTPRD;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=-E6I9V6QU

To: <sip:zahersyed@sip.linphone.org>;tag=6paUDr9DNSyBQ

Call-ID: Gf6WiLXmqA

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:15:47.780 [1;36mINFO[1;0m: channel [0x252ac68] [324] bytes parsed

09:15:47.781 [1;36mINFO[1;0m: Found transaction matching response.

09:15:47.782 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.lymFkmT1n;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=k5JWz~SPY

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=7Z3KFKtHj2myj

Call-ID: TehGSFVpex

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:15:47.786 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:15:47.787 [1;36mINFO[1;0m: Found transaction matching response.

09:15:47.787 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.lymFkmT1n;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=k5JWz~SPY

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=7Z3KFKtHj2myj

Call-ID: TehGSFVpex

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:15:47.792 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:15:47.792 [1;36mINFO[1;0m: Found transaction matching response.

09:15:47.793 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.lymFkmT1n;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=k5JWz~SPY

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=7Z3KFKtHj2myj

Call-ID: TehGSFVpex

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:15:47.797 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:15:47.798 [1;36mINFO[1;0m: Found transaction matching response.

09:15:52.641 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x259aa80], from state [COMPLETED] to [TERMINATED]

09:15:52.641 [1;36mINFO[1;0m: Client MESSAGE transaction [0x259aa80] terminated

09:15:52.641 [1;36mINFO[1;0m: Unhandled transaction terminated [0x259aa80]

09:15:52.655 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25b09f0], from state [COMPLETED] to [TERMINATED]

09:15:52.655 [1;36mINFO[1;0m: Client MESSAGE transaction [0x25b09f0] terminated

09:15:52.655 [1;36mINFO[1;0m: Unhandled transaction terminated [0x25b09f0]

09:15:57.628 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:16:07.628 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:16:17.628 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:16:27.628 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:16:37.628 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:16:47.628 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:16:57.628 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:17:07.628 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:17:17.628 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:17:27.628 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:17:37.628 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:17:46.404 [1;36mINFO[1;0m: *Motion detected!*

09:17:47.407 [1;36mINFO[1;0m: Notifying contacts...

09:17:47.408 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

09:17:47.410 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:17:47.411 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76a5e290>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:17:47.414 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25b1ef0], from state [INIT] to [TRYING]

09:17:47.415 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.E6m2GIKrr;rport

From: <sip:linphone@10.1.10.45>;tag=gfaQrRGWR

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: xocCGRBwBh

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:17:47 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:17:47.409435'

09:17:47.416 [1;36mINFO[1;0m: Chat message 0x259a0b8: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:17:47.416 [1;36mINFO[1;0m: Notifying sip:aSecondSIPAccount@sip.linphone.org

09:17:47.419 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:17:47.419 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76a5e150>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:17:47.423 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25b1668], from state [INIT] to [TRYING]

09:17:47.424 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.zeNQ28TSg;rport

From: <sip:linphone@10.1.10.45>;tag=5wqMc61Nk

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: JqGbjbdkpm

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:17:47 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:17:47.417775'

09:17:47.424 [1;36mINFO[1;0m: Chat message 0x25a1818: moving from state
LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:17:52.127 [1;36mINFO[1;0m: Emailed and saved image to "/home/pi/emailedSecurityCameraImage-
2016-04-10T09:17:52.123494.jpg"

09:18:11.514 [1;36mINFO[1;0m: channel [0x252ac68]: received [303] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.E6m2GIKrr;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=gfaQrRGWR

To: <sip:zahersyed@sip.linphone.org>

Call-ID: xocCGRBwBh

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:18:11.853 [1;36mINFO[1;0m: channel [0x252ac68] [303] bytes parsed

09:18:11.854 [1;36mINFO[1;0m: Found transaction matching response.

09:18:11.854 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25b1ef0], from state [TRYING] to [PROCEEDING]

09:18:11.855 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:18:11.855 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:18:11.855 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.E6m2GIKrr;rport

From: <sip:linphone@10.1.10.45>;tag=gfaQrRGWR

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: xocCGRBwBh

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:17:47 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:17:47.409435'

09:18:11.856 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:18:11.856 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.zeNQ28TSg;rport

From: <sip:linphone@10.1.10.45>;tag=5wqMc61Nk

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: JqGbjbdkpm

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:17:47 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:17:47.417775'

09:18:11.857 [1;36mINFO[1;0m: *Motion detected!*

09:18:12.861 [1;36mINFO[1;0m: channel [0x252ac68]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.E6m2GIKrr;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=gfaQrRGWR

To: <sip:zahersyed@sip.linphone.org>;tag=1jyBXSaFmpvZB

Call-ID: xocCGRBwBh

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:18:12.869 [1;36mINFO[1;0m: channel [0x252ac68] [324] bytes parsed

09:18:12.870 [1;36mINFO[1;0m: Found transaction matching response.

09:18:12.870 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25b1ef0], from state [PROCEEDING] to [COMPLETED]

09:18:12.871 [1;36mINFO[1;0m: Chat message 0x259a0b8: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:18:12.871 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:18:12.872 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.zeNQ28TSg;rport

From: <sip:linphone@10.1.10.45>;tag=5wqMc61Nk

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: JqGbjbdkpm

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:17:47 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:17:47.417775'

09:18:12.874 [1;36mINFO[1;0m: channel [0x252ac68]: received [311] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.zeNQ28TSg;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=5wqMc61Nk

To: <sip:aSecondSIPAccount@sip.linphone.org>

Call-ID: JqGbjbdkpm

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:18:12.882 [1;36mINFO[1;0m: channel [0x252ac68] [311] bytes parsed

09:18:12.883 [1;36mINFO[1;0m: Found transaction matching response.

09:18:12.883 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25b1668], from state [TRYING] to [PROCEEDING]

09:18:12.884 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:18:12.885 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.zeNQ28TSg;rport

From: <sip:linphone@10.1.10.45>;tag=5wqMc61Nk

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: JqGbjbdkpm

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:17:47 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:17:47.417775'

09:18:12.886 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.zeNQ28TSg;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=5wqMc61Nk

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=2UQ4ymUjHZjjQ

Call-ID: JqGbjbdkpm

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:18:12.894 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:18:12.895 [1;36mINFO[1;0m: Found transaction matching response.

09:18:12.896 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25b1668], from state [PROCEEDING] to [COMPLETED]

09:18:12.896 [1;36mINFO[1;0m: Chat message 0x25a1818: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:18:12.897 [1;36mINFO[1;0m: channel [0x252ac68]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.E6m2GIKrr;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=gfaQrRGWR

To: <sip:zahersyed@sip.linphone.org>;tag=1jyBXSaFmpvZB

Call-ID: xocCGRBwBh

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:18:12.905 [1;36mINFO[1;0m: channel [0x252ac68] [324] bytes parsed

09:18:12.906 [1;36mINFO[1;0m: Found transaction matching response.

09:18:12.907 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.zeNQ28TSg;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=5wqMc61Nk

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=2UQ4ymUjHZjjQ

Call-ID: JqGbjbdkpm

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:18:12.915 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:18:12.916 [1;36mINFO[1;0m: Found transaction matching response.

09:18:13.011 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.zeNQ28TSg;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=5wqMc61Nk

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=2UQ4ymUjHZjjQ

Call-ID: JqGbjbdkpm

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:18:13.015 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:18:13.016 [1;36mINFO[1;0m: Found transaction matching response.

09:18:13.021 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.zeNQ28TSg;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=5wqMc61Nk

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=2UQ4ymUjHZjjQ

Call-ID: JqGbjbdkpm

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:18:13.025 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:18:13.025 [1;36mINFO[1;0m: Found transaction matching response.

09:18:17.871 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25b1ef0], from state [COMPLETED] to [TERMINATED]

09:18:17.871 [1;36mINFO[1;0m: Client MESSAGE transaction [0x25b1ef0] terminated

09:18:17.877 [1;36mINFO[1;0m: Unhandled transaction terminated [0x25b1ef0]

09:18:17.896 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25b1668], from state [COMPLETED] to [TERMINATED]

09:18:17.896 [1;36mINFO[1;0m: Client MESSAGE transaction [0x25b1668] terminated

09:18:17.896 [1;36mINFO[1;0m: Unhandled transaction terminated [0x25b1668]

09:18:21.514 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:18:31.514 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:18:40.609 [1;36mINFO[1;0m: *Motion detected!*

09:18:41.613 [1;36mINFO[1;0m: Notifying contacts...

09:18:41.613 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

09:18:41.616 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:18:41.616 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76a5e270>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:18:41.620 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25bbb40], from state [INIT] to [TRYING]

09:18:41.620 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.zp37xlGei;rport

From: <sip:linphone@10.1.10.45>;tag=9pSEjwkG3

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: H8dMVlrEQ1

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:18:41 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:18:41.615103'

09:18:41.621 [1;36mINFO[1;0m: Chat message 0x25b8560: moving from state
LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:18:41.622 [1;36mINFO[1;0m: Notifying sip:aSecondSIPAccount@sip.linphone.org

09:18:41.625 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:18:41.625 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76a5e080>, ip
= None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:18:41.629 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25b0450], from state [INIT]
to [TRYING]

09:18:41.630 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060],
size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.n~TDopBP~;rport

From: <sip:linphone@10.1.10.45>;tag=BJBbJNRHZ

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: ztVS9dmA4f

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:18:41 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:18:41.623612'

09:18:41.630 [1;36mINFO[1;0m: Chat message 0x2568cd0: moving from state
LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:18:46.381 [1;36mINFO[1;0m: Emailed and saved image to "/home/pi/emailedSecurityCameraImage-
2016-04-10T09:18:46.377295.jpg"

09:19:05.830 [1;36mINFO[1;0m: channel [0x252ac68]: received [303] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.zp37xlGei;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=9pSEjwkG3

To: <sip:zahersyed@sip.linphone.org>

Call-ID: H8dMVlrEQ1

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:19:05.834 [1;36mINFO[1;0m: channel [0x252ac68] [303] bytes parsed

09:19:05.835 [1;36mINFO[1;0m: Found transaction matching response.

09:19:05.835 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25bbb40], from state
[TRYING] to [PROCEEDING]

09:19:05.835 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:19:05.836 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:19:05.836 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060],
size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.zp37xlGei;rport

From: <sip:linphone@10.1.10.45>;tag=9pSEjwkG3

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: H8dMVlrEQ1

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:18:41 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:18:41.615103'

09:19:05.836 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:19:05.837 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.n~TDopBP~;rport

From: <sip:linphone@10.1.10.45>;tag=BJBbJNRHZ

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: ztVS9dmA4f

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:18:41 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:18:41.623612'

09:19:05.837 [1;36mINFO[1;0m: channel [0x252ac68]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.zp37xIGei;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=9pSEjwkG3

To: <sip:zahersyed@sip.linphone.org>;tag=29N6SDpy2pFaD

Call-ID: H8dMVlrEQ1

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:19:05.842 [1;36mINFO[1;0m: channel [0x252ac68] [324] bytes parsed

09:19:05.842 [1;36mINFO[1;0m: Found transaction matching response.

09:19:05.843 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25bbb40], from state [PROCEEDING] to [COMPLETED]

09:19:05.843 [1;36mINFO[1;0m: Chat message 0x25b8560: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:19:05.843 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:19:05.844 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.n~TDopBP~;rport

From: <sip:linphone@10.1.10.45>;tag=BJBbJNRHZ

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: ztVS9dmA4f

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:18:41 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:18:41.623612'

09:19:05.844 [1;36mINFO[1;0m: channel [0x252ac68]: received [311] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.n~TDopBP~;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=BJBbJNRHZ

To: <sip:aSecondSIPAccount@sip.linphone.org>

Call-ID: ztVS9dmA4f

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:19:05.849 [1;36mINFO[1;0m: channel [0x252ac68] [311] bytes parsed

09:19:05.849 [1;36mINFO[1;0m: Found transaction matching response.

09:19:05.850 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25b0450], from state [TRYING] to [PROCEEDING]

09:19:05.850 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:19:05.850 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.n~TDopBP~;rport

From: <sip:linphone@10.1.10.45>;tag=BJBbJNRHZ

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: ztVS9dmA4f

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:18:41 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:18:41.623612'

09:19:05.851 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.n~TDopBP~;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=BJBbJNRHZ

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=3jFZU861ZZ5vr

Call-ID: ztVS9dmA4f

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:19:05.855 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:19:05.856 [1;36mINFO[1;0m: Found transaction matching response.

09:19:05.856 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25b0450], from state [PROCEEDING] to [COMPLETED]

09:19:05.856 [1;36mINFO[1;0m: Chat message 0x2568cd0: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:19:05.981 [1;36mINFO[1;0m: channel [0x252ac68]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.zp37xlGei;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=9pSEjwkG3

To: <sip:zahersyed@sip.linphone.org>;tag=29N6SDpy2pFaD

Call-ID: H8dMVlrEQ1

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:19:05.985 [1;36mINFO[1;0m: channel [0x252ac68] [324] bytes parsed

09:19:05.986 [1;36mINFO[1;0m: Found transaction matching response.

09:19:05.987 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.n~TDopBP~;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=BJBbJNRHZ

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=3jFZU861ZZ5vr

Call-ID: ztVS9dmA4f

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:19:05.991 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:19:05.991 [1;36mINFO[1;0m: Found transaction matching response.

09:19:05.992 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.n~TDopBP~;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=BJBbJNRHZ

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=3jFZU861ZZ5vr

Call-ID: ztVS9dmA4f

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:19:05.996 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:19:05.997 [1;36mINFO[1;0m: Found transaction matching response.

09:19:05.997 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.n~TDopBP~;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=BJBbJNRHZ

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=3jFZU861ZZ5vr

Call-ID: ztVS9dmA4f

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:19:06.002 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:19:06.002 [1;36mINFO[1;0m: Found transaction matching response.

09:19:10.843 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25bbb40], from state [COMPLETED] to [TERMINATED]

09:19:10.843 [1;36mINFO[1;0m: Client MESSAGE transaction [0x25bbb40] terminated

09:19:10.850 [1;36mINFO[1;0m: Unhandled transaction terminated [0x25bbb40]

09:19:10.857 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25b0450], from state [COMPLETED] to [TERMINATED]

09:19:10.857 [1;36mINFO[1;0m: Client MESSAGE transaction [0x25b0450] terminated

09:19:10.857 [1;36mINFO[1;0m: Unhandled transaction terminated [0x25b0450]

09:19:15.830 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:19:25.830 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:19:33.779 [1;36mINFO[1;0m: *Motion detected!*

09:19:34.783 [1;36mINFO[1;0m: Notifying contacts...

09:19:34.783 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

09:19:34.786 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:19:34.786 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76a5e480>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:19:34.790 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25e5ce0], from state [INIT] to [TRYING]

09:19:34.790 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.2~iegZ8Oq;rport

From: <sip:linphone@10.1.10.45>;tag=ZHv7s8By

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: elrXCJhJy~

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:19:34 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:19:34.785041'

09:19:34.791 [1;36mINFO[1;0m: Chat message 0x25992a0: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:19:34.792 [1;36mINFO[1;0m: Notifying sip:aSecondSIPAccount@sip.linphone.org

09:19:34.794 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:19:34.795 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76a5e440>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:19:34.799 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x256ce18], from state [INIT] to [TRYING]

09:19:34.799 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.iW9oHho6e;rport

From: <sip:linphone@10.1.10.45>;tag=y3SU32wjl

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: sv-Lwr9dWP

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:19:34 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:19:34.793462'

09:19:34.800 [1;36mINFO[1;0m: Chat message 0x25a4668: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:19:39.811 [1;36mINFO[1;0m: Emailed and saved image to "/home/pi/emailedSecurityCameraImage-2016-04-10T09:19:39.807566.jpg"

09:19:59.358 [1;36mINFO[1;0m: channel [0x252ac68]: received [303] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.2~iegZ8Oq;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=ZHv7s8By

To: <sip:zahersyed@sip.linphone.org>

Call-ID: elrXCJhJy~

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:19:59.366 [1;36mINFO[1;0m: channel [0x252ac68] [303] bytes parsed

09:19:59.367 [1;36mINFO[1;0m: Found transaction matching response.

09:19:59.368 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25e5ce0], from state [TRYING] to [PROCEEDING]

09:19:59.368 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:19:59.369 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:19:59.370 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.2~iegZ8Oq;rport

From: <sip:linphone@10.1.10.45>;tag=ZHzv7s8By

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: elrXCJhJy~

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:19:34 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:19:34.785041'

09:19:59.370 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:19:59.371 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.iW9oHho6e;rport

From: <sip:linphone@10.1.10.45>;tag=y3SU32wjl

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: sv-Lwr9dWP

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:19:34 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:19:34.793462'

09:19:59.373 [1;36mINFO[1;0m: channel [0x252ac68]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.2~iegZ8Oq;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=ZHzv7s8By

To: <sip:zahersyed@sip.linphone.org>;tag=DvKj1H51QDa6m

Call-ID: elrXCJhJy~

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:19:59.381 [1;36mINFO[1;0m: channel [0x252ac68] [324] bytes parsed

09:19:59.382 [1;36mINFO[1;0m: Found transaction matching response.

09:19:59.382 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25e5ce0], from state [PROCEEDING] to [COMPLETED]

09:19:59.383 [1;36mINFO[1;0m: Chat message 0x25992a0: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:19:59.383 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:19:59.385 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.iW9oHho6e;rport

From: <sip:linphone@10.1.10.45>;tag=y3SU32wjl

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: sv-Lwr9dWP

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:19:34 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:19:34.793462'

09:19:59.386 [1;36mINFO[1;0m: channel [0x252ac68]: received [311] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.iW9oHho6e;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=y3SU32wjl

To: <sip:aSecondSIPAccount@sip.linphone.org>

Call-ID: sv-Lwr9dWP

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:19:59.394 [1;36mINFO[1;0m: channel [0x252ac68] [311] bytes parsed

09:19:59.395 [1;36mINFO[1;0m: Found transaction matching response.

09:19:59.395 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x256ce18], from state [TRYING] to [PROCEEDING]

09:19:59.396 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:19:59.397 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.iW9oHho6e;rport

From: <sip:linphone@10.1.10.45>;tag=y3SU32wjl

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: sv-Lwr9dWP

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:19:34 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:19:34.793462'

09:19:59.398 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.iW9oHho6e;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=y3SU32wjl

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=e5cB3cp5mp0rg

Call-ID: sv-Lwr9dWP

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:19:59.407 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:19:59.407 [1;36mINFO[1;0m: Found transaction matching response.

09:19:59.408 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x256ce18], from state [PROCEEDING] to [COMPLETED]

09:19:59.408 [1;36mINFO[1;0m: Chat message 0x25a4668: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:19:59.515 [1;36mINFO[1;0m: channel [0x252ac68]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.2~iegZ8Oq;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=ZHv7s8By

To: <sip:zahersyed@sip.linphone.org>;tag=DvKj1H51QDa6m

Call-ID: elrXCJhJy~

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:19:59.519 [1;36mINFO[1;0m: channel [0x252ac68] [324] bytes parsed

09:19:59.520 [1;36mINFO[1;0m: Found transaction matching response.

09:19:59.521 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.iW9oHho6e;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=y3SU32wjl

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=e5cB3cp5mp0rg

Call-ID: sv-Lwr9dWP

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:19:59.525 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:19:59.525 [1;36mINFO[1;0m: Found transaction matching response.

09:19:59.526 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.iW9oHho6e;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=y3SU32wjl

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=e5cB3cp5mp0rg

Call-ID: sv-Lwr9dWP

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:19:59.531 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:19:59.531 [1;36mINFO[1;0m: Found transaction matching response.

09:19:59.532 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.iW9oHho6e;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=y3SU32wjl

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=e5cB3cp5mp0rg

Call-ID: sv-Lwr9dWP

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:19:59.536 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:19:59.537 [1;36mINFO[1;0m: Found transaction matching response.

09:20:04.383 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25e5ce0], from state [COMPLETED] to [TERMINATED]

09:20:04.383 [1;36mINFO[1;0m: Client MESSAGE transaction [0x25e5ce0] terminated

09:20:04.383 [1;36mINFO[1;0m: Unhandled transaction terminated [0x25e5ce0]

09:20:04.409 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x256ce18], from state [COMPLETED] to [TERMINATED]

09:20:04.409 [1;36mINFO[1;0m: Client MESSAGE transaction [0x256ce18] terminated

09:20:04.409 [1;36mINFO[1;0m: Unhandled transaction terminated [0x256ce18]

09:20:09.358 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:20:19.358 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:20:29.358 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:20:39.358 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:20:49.358 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:20:55.358 [1;36mINFO[1;0m: *Motion detected!*

09:20:56.362 [1;36mINFO[1;0m: Notifying contacts...

09:20:56.362 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

09:20:56.365 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:20:56.365 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76a5e570>, ip = None, ea = sip.linphone@10.1.10.45:5063, un = linphone

09:20:56.369 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25a9540], from state [INIT] to [TRYING]

09:20:56.369 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0
Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.oeZbID7Wg;rport
From: <sip:linphone@10.1.10.45>;tag=mmtvV9dgG
To: sip:zahersyed@sip.linphone.org
CSeq: 20 MESSAGE
Call-ID: xdlpfFSKpT
Max-Forwards: 70
Supported: outbound
Content-Type: text/plain
Content-Length: 79
Date: Sun, 10 Apr 2016 13:20:56 GMT
User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:20:56.364073'

09:20:56.370 [1;36mINFO[1;0m: Chat message 0x25b7aa8: moving from state
LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:20:56.370 [1;36mINFO[1;0m: Notifying sip:aSecondSIPAccount@sip.linphone.org

09:20:56.373 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:20:56.374 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76a5e5b0>, ip
= None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:20:56.378 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25b6bc8], from state [INIT]
to [TRYING]

09:20:56.378 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060],
size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0
Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.-FsjY2tB;rport
From: <sip:linphone@10.1.10.45>;tag=pBDkr1J9v
To: sip:aSecondSIPAccount@sip.linphone.org
CSeq: 20 MESSAGE
Call-ID: L~XzEHTBbL

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:20:56 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:20:56.372499'

09:20:56.379 [1;36mINFO[1;0m: Chat message 0x25464f0: moving from state
LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:21:01.199 [1;36mINFO[1;0m: Emailed and saved image to "/home/pi/emailedSecurityCameraImage-
2016-04-10T09:21:01.195020.jpg"

09:21:20.711 [1;36mINFO[1;0m: channel [0x252ac68]: received [303] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.oeZbID7Wg;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=mmtvV9dgG

To: <sip:zahersyed@sip.linphone.org>

Call-ID: xdlpfFSKpT

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:21:20.719 [1;36mINFO[1;0m: channel [0x252ac68] [303] bytes parsed

09:21:20.720 [1;36mINFO[1;0m: Found transaction matching response.

09:21:20.720 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25a9540], from state
[TRYING] to [PROCEEDING]

09:21:20.721 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:21:20.721 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:21:20.722 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.oeZbID7Wg;rport

From: <sip:linphone@10.1.10.45>;tag=mmtvV9dgG

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: xdlpfFSKpT

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:20:56 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:20:56.364073'

09:21:20.723 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:21:20.724 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.-FsjY2tB;rport

From: <sip:linphone@10.1.10.45>;tag=pBDkr1J9v

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: L~XzEHTBbL

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:20:56 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:20:56.372499'

09:21:20.725 [1;36mINFO[1;0m: channel [0x252ac68]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.oeZbID7Wg;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=mmtvV9dgG

To: <sip:zahersyed@sip.linphone.org>;tag=7U29QpKZpr8Za

Call-ID: xdlpfFSKpT

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:21:20.733 [1;36mINFO[1;0m: channel [0x252ac68] [324] bytes parsed

09:21:20.734 [1;36mINFO[1;0m: Found transaction matching response.

09:21:20.734 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25a9540], from state [PROCEEDING] to [COMPLETED]

09:21:20.735 [1;36mINFO[1;0m: Chat message 0x25b7aa8: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:21:20.736 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:21:20.737 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.-FsjJY2tB;rport

From: <sip:linphone@10.1.10.45>;tag=pBDkr1J9v

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: L~XzEHTBbL

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:20:56 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:20:56.372499'

09:21:20.738 [1;36mINFO[1;0m: channel [0x252ac68]: received [311] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.-FsjY2tB;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=pBDkr1J9v

To: <sip:aSecondSIPAccount@sip.linphone.org>

Call-ID: L~XzEHTBbL

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:21:20.746 [1;36mINFO[1;0m: channel [0x252ac68] [311] bytes parsed

09:21:20.747 [1;36mINFO[1;0m: Found transaction matching response.

09:21:20.747 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25b6bc8], from state [TRYING] to [PROCEEDING]

09:21:20.748 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:21:20.749 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.-FsjY2tB;rport

From: <sip:linphone@10.1.10.45>;tag=pBDkr1J9v

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: L~XzEHTBbL

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:20:56 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:20:56.372499'

09:21:20.750 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.-FsjJY2tB;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=pBDkr1J9v

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=84U2SH42K1yjp

Call-ID: L~XzEHTBbL

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:21:20.759 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:21:20.759 [1;36mINFO[1;0m: Found transaction matching response.

09:21:20.760 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25b6bc8], from state [PROCEEDING] to [COMPLETED]

09:21:20.761 [1;36mINFO[1;0m: Chat message 0x25464f0: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:21:20.873 [1;36mINFO[1;0m: channel [0x252ac68]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.oeZbID7Wg;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=mmtvV9dgG

To: <sip:zahersyed@sip.linphone.org>;tag=7U29QpKZpr8Za

Call-ID: xdlpfFSKpT

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:21:20.878 [1;36mINFO[1;0m: channel [0x252ac68] [324] bytes parsed

09:21:20.878 [1;36mINFO[1;0m: Found transaction matching response.

09:21:20.879 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.-FsjJY2tB;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=pBDkr1J9v

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=84U2SH42K1yjp

Call-ID: L~XzEHTBbL

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:21:20.883 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:21:20.884 [1;36mINFO[1;0m: Found transaction matching response.

09:21:20.884 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.-FsjY2tB;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=pBDkr1J9v

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=84U2SH42K1yjp

Call-ID: L~XzEHTBbL

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:21:20.889 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:21:20.889 [1;36mINFO[1;0m: Found transaction matching response.

09:21:20.890 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.-FsjY2tB;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=pBDkr1J9v

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=84U2SH42K1yjp

Call-ID: L~XzEHTBbL

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:21:20.894 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:21:20.895 [1;36mINFO[1;0m: Found transaction matching response.

09:21:25.097 [1;36mINFO[1;0m: *Motion detected!*

09:21:26.101 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25a9540], from state [COMPLETED] to [TERMINATED]

09:21:26.102 [1;36mINFO[1;0m: Client MESSAGE transaction [0x25a9540] terminated

09:21:26.102 [1;36mINFO[1;0m: Unhandled transaction terminated [0x25a9540]

09:21:26.102 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25b6bc8], from state [COMPLETED] to [TERMINATED]

09:21:26.102 [1;36mINFO[1;0m: Client MESSAGE transaction [0x25b6bc8] terminated

09:21:26.103 [1;36mINFO[1;0m: Unhandled transaction terminated [0x25b6bc8]

09:21:30.710 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:21:40.710 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:21:50.710 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:22:00.710 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:22:07.153 [1;36mINFO[1;0m: *Motion detected!*

09:22:08.157 [1;36mINFO[1;0m: Notifying contacts...

09:22:08.157 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

09:22:08.160 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:22:08.160 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76a5e690>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:22:08.164 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25b1260], from state [INIT] to [TRYING]

09:22:08.165 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.pFeV8My~O;rport

From: <sip:linphone@10.1.10.45>;tag=k7mO-f~MX

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: 7ZedemQxzR

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:22:08 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:22:08.159142'

09:22:08.165 [1;36mINFO[1;0m: Chat message 0x25a0f90: moving from state
LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:22:08.166 [1;36mINFO[1;0m: Notifying sip:aSecondSIPAccount@sip.linphone.org

09:22:08.169 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:22:08.169 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76a5e620>, ip
= None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:22:08.173 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25c91e8], from state [INIT]
to [TRYING]

09:22:08.174 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060],
size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.IBNNvriTJ;rport

From: <sip:linphone@10.1.10.45>;tag=y9~~xjtei

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: AGZm3IaXXQ

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:22:08 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:22:08.167731'

09:22:08.174 [1;36mINFO[1;0m: Chat message 0x25a94b8: moving from state
LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:22:13.349 [1;36mINFO[1;0m: Emailed and saved image to "/home/pi/emailedSecurityCameraImage-2016-04-10T09:22:13.343162.jpg"

09:22:32.745 [1;36mINFO[1;0m: channel [0x252ac68]: received [303] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.pFeV8My~O;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=k7mO-f~MX

To: <sip:zahersyed@sip.linphone.org>

Call-ID: 7ZedemQxzR

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:22:32.753 [1;36mINFO[1;0m: channel [0x252ac68] [303] bytes parsed

09:22:32.754 [1;36mINFO[1;0m: Found transaction matching response.

09:22:32.754 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25b1260], from state [TRYING] to [PROCEEDING]

09:22:32.755 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:22:32.756 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:22:32.756 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.pFeV8My~O;rport

From: <sip:linphone@10.1.10.45>;tag=k7mO-f~MX

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: 7ZedemQxzR

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:22:08 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:22:08.159142'

09:22:32.757 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:22:32.758 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.IBNNvrlTJ;rport

From: <sip:linphone@10.1.10.45>;tag=y9~~xjtei

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: AGZm3laXXQ

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:22:08 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:22:08.167731'

09:22:32.759 [1;36mINFO[1;0m: channel [0x252ac68]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.pFeV8My~O;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=k7mO-f~MX

To: <sip:zahersyed@sip.linphone.org>;tag=NDg57j1gHy9cg

Call-ID: 7ZedemQxzR

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:22:32.767 [1;36mINFO[1;0m: channel [0x252ac68] [324] bytes parsed

09:22:32.768 [1;36mINFO[1;0m: Found transaction matching response.

09:22:32.769 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25b1260], from state [PROCEEDING] to [COMPLETED]

09:22:32.769 [1;36mINFO[1;0m: Chat message 0x25a0f90: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:22:32.770 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:22:32.771 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.IBNNvrlTJ;rport

From: <sip:linphone@10.1.10.45>;tag=y9~~xjtei

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: AGZm3IaXXQ

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:22:08 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:22:08.167731'

09:22:32.772 [1;36mINFO[1;0m: channel [0x252ac68]: received [311] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.IBNNvrlTJ;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=y9~~xjtei

To: <sip:aSecondSIPAccount@sip.linphone.org>

Call-ID: AGZm3laXXQ

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:22:32.780 [1;36mINFO[1;0m: channel [0x252ac68] [311] bytes parsed

09:22:32.781 [1;36mINFO[1;0m: Found transaction matching response.

09:22:32.782 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25c91e8], from state [TRYING] to [PROCEEDING]

09:22:32.782 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:22:32.783 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.IBNNvrlTJ;rport

From: <sip:linphone@10.1.10.45>;tag=y9~~xjtei

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: AGZm3laXXQ

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:22:08 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:22:08.167731'

09:22:32.785 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.IBNNvrITJ;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=y9~~xjteI

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=pp9X9Djme7ZZB

Call-ID: AGZm3laXXQ

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:22:32.793 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:22:32.794 [1;36mINFO[1;0m: Found transaction matching response.

09:22:32.794 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25c91e8], from state [PROCEEDING] to [COMPLETED]

09:22:32.795 [1;36mINFO[1;0m: Chat message 0x25a94b8: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:22:32.901 [1;36mINFO[1;0m: channel [0x252ac68]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.pFeV8My~O;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=k7mO-f~MX

To: <sip:zahersyed@sip.linphone.org>;tag=NDg57j1gHy9cg

Call-ID: 7ZedemQxzR

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:22:32.906 [1;36mINFO[1;0m: channel [0x252ac68] [324] bytes parsed

09:22:32.906 [1;36mINFO[1;0m: Found transaction matching response.

09:22:32.907 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.IBNNvrlTJ;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=y9~~xjtei

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=pp9X9Djme7ZZB

Call-ID: AGZm3IaXXQ

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:22:32.911 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:22:32.912 [1;36mINFO[1;0m: Found transaction matching response.

09:22:32.913 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.IBNNvrlTJ;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=y9~~xjtei

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=pp9X9Djme7ZZB

Call-ID: AGZm3IaXXQ

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:22:32.917 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:22:32.918 [1;36mINFO[1;0m: Found transaction matching response.

09:22:32.918 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.IBNNvrlTJ;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=y9~~xjtei

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=pp9X9Djme7ZZB

Call-ID: AGZm3laXXQ

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:22:32.923 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:22:32.923 [1;36mINFO[1;0m: Found transaction matching response.

09:22:37.770 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25b1260], from state [COMPLETED] to [TERMINATED]

09:22:37.770 [1;36mINFO[1;0m: Client MESSAGE transaction [0x25b1260] terminated

09:22:37.770 [1;36mINFO[1;0m: Unhandled transaction terminated [0x25b1260]

09:22:37.795 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25c91e8], from state [COMPLETED] to [TERMINATED]

09:22:37.795 [1;36mINFO[1;0m: Client MESSAGE transaction [0x25c91e8] terminated

09:22:37.795 [1;36mINFO[1;0m: Unhandled transaction terminated [0x25c91e8]

09:22:42.745 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:22:52.745 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:23:02.745 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:23:12.745 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:23:22.745 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:23:32.745 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:23:42.745 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:23:48.462 [1;36mINFO[1;0m: *Motion detected!*

09:23:49.466 [1;36mINFO[1;0m: Notifying contacts...

09:23:49.466 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

09:23:49.469 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:23:49.469 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76a5e720>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:23:49.473 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25b1db0], from state [INIT] to [TRYING]

09:23:49.473 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.540oAPD5e;rport

From: <sip:linphone@10.1.10.45>;tag=pPP-Qaqww

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: 9pgYBD1dEs

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:23:49 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:23:49.467949'

09:23:49.474 [1;36mINFO[1;0m: Chat message 0x25c2458: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:23:49.474 [1;36mINFO[1;0m: Notifying sip:aSecondSIPAccount@sip.linphone.org

09:23:49.477 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:23:49.477 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76a5e5f0>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:23:49.481 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25a34e8], from state [INIT] to [TRYING]

09:23:49.482 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.f-Hp0-YR4;rport

From: <sip:linphone@10.1.10.45>;tag=Yu7ouXgTy

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: -lOPi0Zque

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:23:49 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:23:49.476352'

09:23:49.483 [1;36mINFO[1;0m: Chat message 0x25e8790: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:23:54.490 [1;36mINFO[1;0m: Emailed and saved image to "/home/pi/emailedSecurityCameraImage-2016-04-10T09:23:54.480670.jpg"

09:24:13.941 [1;36mINFO[1;0m: channel [0x252ac68]: received [303] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.540oAPD5e;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=pPP-Qaqww

To: <sip:zahersyed@sip.linphone.org>

Call-ID: 9pgYBD1dEs

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:24:13.949 [1;36mINFO[1;0m: channel [0x252ac68] [303] bytes parsed

09:24:13.949 [1;36mINFO[1;0m: Found transaction matching response.

09:24:13.950 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25b1db0], from state [TRYING] to [PROCEEDING]

09:24:13.951 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:24:13.951 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:24:13.952 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.540oAPD5e;rport

From: <sip:linphone@10.1.10.45>;tag=pPP-Qaqww

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: 9pgYBD1dEs

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:23:49 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:23:49.467949'

09:24:13.953 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:24:13.954 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.f-Hp0-YR4;rport

From: <sip:linphone@10.1.10.45>;tag=Yu7ouXgTy

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: -lOPiOZque

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:23:49 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:23:49.476352'

09:24:13.955 [1;36mINFO[1;0m: *Motion detected!*

09:24:14.961 [1;36mINFO[1;0m: channel [0x252ac68]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.540oAPD5e;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=pPP-Qaqww

To: <sip:zahersyed@sip.linphone.org>;tag=a7ZH3vrjQ8p5e

Call-ID: 9pgYBD1dEs

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:24:14.969 [1;36mINFO[1;0m: channel [0x252ac68] [324] bytes parsed

09:24:14.970 [1;36mINFO[1;0m: Found transaction matching response.

09:24:14.971 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25b1db0], from state [PROCEEDING] to [COMPLETED]

09:24:14.971 [1;36mINFO[1;0m: Chat message 0x25c2458: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:24:14.972 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:24:14.973 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.f-Hp0-YR4;rport

From: <sip:linphone@10.1.10.45>;tag=Yu7ouXgTy

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: -lOPiOZque

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:23:49 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:23:49.476352'

09:24:14.974 [1;36mINFO[1;0m: channel [0x252ac68]: received [311] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.f-Hp0-YR4;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=Yu7ouXgTy

To: <sip:aSecondSIPAccount@sip.linphone.org>

Call-ID: -lOPiOZque

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:24:14.982 [1;36mINFO[1;0m: channel [0x252ac68] [311] bytes parsed

09:24:14.983 [1;36mINFO[1;0m: Found transaction matching response.

09:24:14.984 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25a34e8], from state [TRYING] to [PROCEEDING]

09:24:14.984 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:24:14.985 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.f-Hp0-YR4;rport

From: <sip:linphone@10.1.10.45>;tag=Yu7ouXgTy

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: -I0Pi0Zque

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:23:49 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:23:49.476352'

09:24:14.986 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.f-Hp0-YR4;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=Yu7ouXgTy
To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=BgSa5Q9NmHDra
Call-ID: -lOPi0Zque
CSeq: 20 MESSAGE
Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)
Content-Length: 0

09:24:14.995 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:24:14.995 [1;36mINFO[1;0m: Found transaction matching response.

09:24:14.996 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25a34e8], from state [PROCEEDING] to [COMPLETED]

09:24:14.996 [1;36mINFO[1;0m: Chat message 0x25e8790: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:24:14.998 [1;36mINFO[1;0m: channel [0x252ac68]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.540oAPD5e;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=pPP-Qaqww
To: <sip:zahersyed@sip.linphone.org>;tag=a7ZH3vrjQ8p5e
Call-ID: 9pgYBD1dEs
CSeq: 20 MESSAGE
Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)
Content-Length: 0

09:24:15.006 [1;36mINFO[1;0m: channel [0x252ac68] [324] bytes parsed

09:24:15.006 [1;36mINFO[1;0m: Found transaction matching response.

09:24:15.008 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.f-Hp0-YR4;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=Yu7ouXgTy

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=BgSa5Q9NmHDra

Call-ID: -l0Pi0Zque

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:24:15.016 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:24:15.017 [1;36mINFO[1;0m: Found transaction matching response.

09:24:15.114 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.f-Hp0-YR4;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=Yu7ouXgTy

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=BgSa5Q9NmHDra

Call-ID: -l0Pi0Zque

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:24:15.118 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:24:15.119 [1;36mINFO[1;0m: Found transaction matching response.

09:24:15.120 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.f-Hp0-YR4;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=Yu7ouXgTy

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=BgSa5Q9NmHDra

Call-ID: -l0Pi0Zque

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:24:15.124 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:24:15.124 [1;36mINFO[1;0m: Found transaction matching response.

09:24:19.972 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25b1db0], from state [COMPLETED] to [TERMINATED]

09:24:19.977 [1;36mINFO[1;0m: Client MESSAGE transaction [0x25b1db0] terminated

09:24:19.978 [1;36mINFO[1;0m: Unhandled transaction terminated [0x25b1db0]

09:24:19.997 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25a34e8], from state [COMPLETED] to [TERMINATED]

09:24:19.997 [1;36mINFO[1;0m: Client MESSAGE transaction [0x25a34e8] terminated

09:24:19.997 [1;36mINFO[1;0m: Unhandled transaction terminated [0x25a34e8]

09:24:23.940 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:24:32.126 [1;36mINFO[1;0m: *Motion detected!*

09:24:33.129 [1;36mINFO[1;0m: Notifying contacts...

09:24:33.130 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

09:24:33.133 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:24:33.133 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76a5e7e0>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:24:33.137 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25c3520], from state [INIT] to [TRYING]

09:24:33.137 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0
Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.33D5pW5Cg;rport
From: <sip:linphone@10.1.10.45>;tag=~DEUgWXIV
To: sip:zahersyed@sip.linphone.org
CSeq: 20 MESSAGE
Call-ID: 4~bi2dc3o0
Max-Forwards: 70
Supported: outbound
Content-Type: text/plain
Content-Length: 79
Date: Sun, 10 Apr 2016 13:24:33 GMT
User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:24:33.131789'

09:24:33.138 [1;36mINFO[1;0m: Chat message 0x25badb8: moving from state
LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:24:33.138 [1;36mINFO[1;0m: Notifying sip:aSecondSIPAccount@sip.linphone.org

09:24:33.141 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:24:33.142 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76a5e7c0>, ip =
None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:24:33.146 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25c7b38], from state [INIT]
to [TRYING]

09:24:33.146 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060],
size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0
Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.xQ6vuWXHI;rport
From: <sip:linphone@10.1.10.45>;tag=9ZBJr3W7h
To: sip:aSecondSIPAccount@sip.linphone.org
CSeq: 20 MESSAGE
Call-ID: Z2PjY6ZXgq

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:24:33 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:24:33.140344'

09:24:33.147 [1;36mINFO[1;0m: Chat message 0x25ad1e8: moving from state
LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:24:37.931 [1;36mINFO[1;0m: Emailed and saved image to "/home/pi/emailedSecurityCameraImage-
2016-04-10T09:24:37.924815.jpg"

09:24:57.318 [1;36mINFO[1;0m: channel [0x252ac68]: received [303] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.33D5pW5Cg;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=~DEUgWXIV

To: <sip:zahersyed@sip.linphone.org>

Call-ID: 4~bi2dc3o0

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:24:57.322 [1;36mINFO[1;0m: channel [0x252ac68] [303] bytes parsed

09:24:57.323 [1;36mINFO[1;0m: Found transaction matching response.

09:24:57.323 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25c3520], from state
[TRYING] to [PROCEEDING]

09:24:57.323 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:24:57.324 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:24:57.324 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.33D5pW5Cg;rport

From: <sip:linphone@10.1.10.45>;tag=~DEUgWXIV

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: 4~bi2dc3o0

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:24:33 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:24:33.131789'

09:24:57.324 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:24:57.325 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.xQ6vuWXHI;rport

From: <sip:linphone@10.1.10.45>;tag=9ZBJr3W7h

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: Z2PjY6ZXgq

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:24:33 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:24:33.140344'

09:24:57.326 [1;36mINFO[1;0m: channel [0x252ac68]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.33D5pW5Cg;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=~DEUgWXIV

To: <sip:zahersyed@sip.linphone.org>;tag=XycremXZaF9KB

Call-ID: 4~bi2dc3o0

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:24:57.330 [1;36mINFO[1;0m: channel [0x252ac68] [324] bytes parsed

09:24:57.330 [1;36mINFO[1;0m: Found transaction matching response.

09:24:57.331 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25c3520], from state [PROCEEDING] to [COMPLETED]

09:24:57.331 [1;36mINFO[1;0m: Chat message 0x25badb8: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:24:57.331 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:24:57.332 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.xQ6vuWXHI;rport

From: <sip:linphone@10.1.10.45>;tag=9ZBJr3W7h

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: Z2PjY6ZXgq

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:24:33 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:24:33.140344'

09:24:57.333 [1;36mINFO[1;0m: channel [0x252ac68]: received [311] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.xQ6vuWXHI;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=9ZBJr3W7h

To: <sip:aSecondSIPAccount@sip.linphone.org>

Call-ID: Z2PjY6ZXgq

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:24:57.337 [1;36mINFO[1;0m: channel [0x252ac68] [311] bytes parsed

09:24:57.338 [1;36mINFO[1;0m: Found transaction matching response.

09:24:57.338 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25c7b38], from state [TRYING] to [PROCEEDING]

09:24:57.338 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:24:57.339 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.xQ6vuWXHI;rport

From: <sip:linphone@10.1.10.45>;tag=9ZBJr3W7h

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: Z2PjY6ZXgq

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:24:33 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:24:33.140344'

09:24:57.339 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.xQ6vuWXHI;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=9ZBJr3W7h

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=y75ggFe37QZ6p

Call-ID: Z2PjY6ZXgq

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:24:57.344 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:24:57.344 [1;36mINFO[1;0m: Found transaction matching response.

09:24:57.345 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25c7b38], from state [PROCEEDING] to [COMPLETED]

09:24:57.345 [1;36mINFO[1;0m: Chat message 0x25ad1e8: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:24:57.469 [1;36mINFO[1;0m: channel [0x252ac68]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.33D5pW5Cg;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=~DEUgWXIV

To: <sip:zahersyed@sip.linphone.org>;tag=XycremXZaF9KB

Call-ID: 4~bi2dc3o0

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:24:57.474 [1;36mINFO[1;0m: channel [0x252ac68] [324] bytes parsed

09:24:57.474 [1;36mINFO[1;0m: Found transaction matching response.

09:24:57.475 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.xQ6vuWXHI;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=9ZBJr3W7h

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=y75ggFe37QZ6p

Call-ID: Z2PjY6ZXgq

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:24:57.479 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:24:57.480 [1;36mINFO[1;0m: Found transaction matching response.

09:24:57.480 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.xQ6vuWXHI;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=9ZBJr3W7h

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=y75ggFe37QZ6p

Call-ID: Z2PjY6ZXgq

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:24:57.485 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:24:57.485 [1;36mINFO[1;0m: Found transaction matching response.

09:24:57.486 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.xQ6vuWXHI;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=9ZBJr3W7h

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=y75ggFe37QZ6p

Call-ID: Z2PjY6ZXgq

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:24:57.490 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:24:57.491 [1;36mINFO[1;0m: Found transaction matching response.

09:25:02.331 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25c3520], from state [COMPLETED] to [TERMINATED]

09:25:02.331 [1;36mINFO[1;0m: Client MESSAGE transaction [0x25c3520] terminated

09:25:02.332 [1;36mINFO[1;0m: Unhandled transaction terminated [0x25c3520]

09:25:02.345 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25c7b38], from state [COMPLETED] to [TERMINATED]

09:25:02.345 [1;36mINFO[1;0m: Client MESSAGE transaction [0x25c7b38] terminated

09:25:02.345 [1;36mINFO[1;0m: Unhandled transaction terminated [0x25c7b38]

09:25:07.317 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:25:10.253 [1;36mINFO[1;0m: *Motion detected!*

09:25:11.256 [1;36mINFO[1;0m: Notifying contacts...

09:25:11.257 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

09:25:11.260 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:25:11.260 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76cf6f20>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:25:11.264 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x256c120], from state [INIT] to [TRYING]

09:25:11.265 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.97~pMyzs3;rport

From: <sip:linphone@10.1.10.45>;tag=f0~zoEKFF

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: Ysfu8vTqVV

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:25:11 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:25:11.258685'

09:25:11.265 [1;36mINFO[1;0m: Chat message 0x25bc340: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:25:11.266 [1;36mINFO[1;0m: Notifying sip:aSecondSIPAccount@sip.linphone.org

09:25:11.269 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:25:11.269 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76cf6fa0>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:25:11.273 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25c3210], from state [INIT] to [TRYING]

09:25:11.274 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.-JBnuQ4p5;rport

From: <sip:linphone@10.1.10.45>;tag=NUIAJ2JZD

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: 6idbmpSu-5

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:25:11 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:25:11.267739'

09:25:11.275 [1;36mINFO[1;0m: Chat message 0x25cc440: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:25:16.242 [1;36mINFO[1;0m: Emailed and saved image to "/home/pi/emailedSecurityCameraImage-2016-04-10T09:25:16.238542.jpg"

09:25:35.724 [1;36mINFO[1;0m: channel [0x252ac68]: received [303] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.97~pMyzs3;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=f0~zoEKFF

To: <sip:zahersyed@sip.linphone.org>

Call-ID: Ysfu8vTqVV

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:25:35.732 [1;36mINFO[1;0m: channel [0x252ac68] [303] bytes parsed

09:25:35.733 [1;36mINFO[1;0m: Found transaction matching response.

09:25:35.734 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x256c120], from state [TRYING] to [PROCEEDING]

09:25:35.734 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:25:35.735 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:25:35.736 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.97~pMyzs3;rport

From: <sip:linphone@10.1.10.45>;tag=f0~zoEKFF

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: Ysfu8vTqVV

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:25:11 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:25:11.258685'

09:25:35.736 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:25:35.737 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.-JBnuQ4p5;rport

From: <sip:linphone@10.1.10.45>;tag=NUIAJ2JZD

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: 6idbmpSu-5

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:25:11 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:25:11.267739'

09:25:35.739 [1;36mINFO[1;0m: channel [0x252ac68]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.97~pMyzs3;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=f0~zoEKFF

To: <sip:zahersyed@sip.linphone.org>;tag=yj9602Qver1Um

Call-ID: Ysfu8vTqVV

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:25:35.747 [1;36mINFO[1;0m: channel [0x252ac68] [324] bytes parsed

09:25:35.748 [1;36mINFO[1;0m: Found transaction matching response.

09:25:35.748 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x256c120], from state [PROCEEDING] to [COMPLETED]

09:25:35.749 [1;36mINFO[1;0m: Chat message 0x25bc340: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:25:35.749 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:25:35.750 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.-JBnuQ4p5;rport

From: <sip:linphone@10.1.10.45>;tag=NUIAJ2JZD

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: 6idbmpSu-5

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:25:11 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:25:11.267739'

09:25:35.752 [1;36mINFO[1;0m: channel [0x252ac68]: received [311] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.-JBnuQ4p5;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=NUIAJ2JZD

To: <sip:aSecondSIPAccount@sip.linphone.org>

Call-ID: 6idbmpSu-5

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:25:35.760 [1;36mINFO[1;0m: channel [0x252ac68] [311] bytes parsed

09:25:35.761 [1;36mINFO[1;0m: Found transaction matching response.

09:25:35.761 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25c3210], from state [TRYING] to [PROCEEDING]

09:25:35.762 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:25:35.763 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.-JBnuQ4p5;rport

From: <sip:linphone@10.1.10.45>;tag=NUIAJ2JZD

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: 6idbmpSu-5

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:25:11 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:25:11.267739'

09:25:35.764 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.-JBnuQ4p5;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=NUIAJ2JZD

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=ZU2Z2X8ZB1Qeg

Call-ID: 6idbmpSu-5

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:25:35.772 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:25:35.773 [1;36mINFO[1;0m: Found transaction matching response.

09:25:35.774 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25c3210], from state [PROCEEDING] to [COMPLETED]

09:25:35.774 [1;36mINFO[1;0m: Chat message 0x25cc440: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:25:35.882 [1;36mINFO[1;0m: channel [0x252ac68]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.97~pMyzs3;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=f0~zoEKFF

To: <sip:zahersyed@sip.linphone.org>;tag=yj9602Qver1Um

Call-ID: Ysfu8vTqVV

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:25:35.886 [1;36mINFO[1;0m: channel [0x252ac68] [324] bytes parsed

09:25:35.887 [1;36mINFO[1;0m: Found transaction matching response.

09:25:35.887 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.-JBnuQ4p5;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=NUIAJ2JZD

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=ZU2Z2X8ZB1Qeg

Call-ID: 6idbmpSu-5

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:25:35.892 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:25:35.892 [1;36mINFO[1;0m: Found transaction matching response.

09:25:35.893 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.-JBnuQ4p5;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=NUIAJ2JZD

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=ZU2Z2X8ZB1Qeg

Call-ID: 6idbmpSu-5

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:25:35.897 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:25:35.898 [1;36mINFO[1;0m: Found transaction matching response.

09:25:35.898 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.-JBnuQ4p5;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=NUIAJ2JZD

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=ZU2Z2X8ZB1Qeg

Call-ID: 6idbmpSu-5

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:25:35.903 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:25:35.903 [1;36mINFO[1;0m: Found transaction matching response.

09:25:37.558 [1;36mINFO[1;0m: *Motion detected!*

09:25:40.749 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x256c120], from state [COMPLETED] to [TERMINATED]

09:25:40.749 [1;36mINFO[1;0m: Client MESSAGE transaction [0x256c120] terminated

09:25:40.749 [1;36mINFO[1;0m: Unhandled transaction terminated [0x256c120]

09:25:40.775 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25c3210], from state [COMPLETED] to [TERMINATED]

09:25:40.775 [1;36mINFO[1;0m: Client MESSAGE transaction [0x25c3210] terminated

09:25:40.775 [1;36mINFO[1;0m: Unhandled transaction terminated [0x25c3210]

09:25:45.724 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:25:47.627 [1;36mINFO[1;0m: *Motion detected!*

09:25:48.631 [1;36mINFO[1;0m: Notifying contacts...

09:25:48.631 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

09:25:48.634 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:25:48.634 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76a5e730>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:25:48.638 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25c4758], from state [INIT] to [TRYING]

09:25:48.639 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.-lQ3cBoTD;rport

From: <sip:linphone@10.1.10.45>;tag=MY81yWX5f

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: HF7VnAE54R

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:25:48 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:25:48.633067'

09:25:48.639 [1;36mINFO[1;0m: Chat message 0x25c3940: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:25:48.640 [1;36mINFO[1;0m: Notifying sip:aSecondSIPAccount@sip.linphone.org

09:25:48.643 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:25:48.643 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76a5e5d0>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:25:48.647 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25d6198], from state [INIT] to [TRYING]

09:25:48.648 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.JristUoC5;rport

From: <sip:linphone@10.1.10.45>;tag=bCdleV-BJ

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: 3UI90d4bI0

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:25:48 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:25:48.641842'

09:25:48.649 [1;36mINFO[1;0m: Chat message 0x25d6108: moving from state
LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:25:53.582 [1;36mINFO[1;0m: Emailed and saved image to "/home/pi/emailedSecurityCameraImage-
2016-04-10T09:25:53.575640.jpg"

09:26:13.097 [1;36mINFO[1;0m: channel [0x252ac68]: received [303] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.-lQ3cBoTD;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=MY81yWX5f

To: <sip:zahersyed@sip.linphone.org>

Call-ID: HF7VnAE54R

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:26:13.105 [1;36mINFO[1;0m: channel [0x252ac68] [303] bytes parsed

09:26:13.106 [1;36mINFO[1;0m: Found transaction matching response.

09:26:13.106 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25c4758], from state
[TRYING] to [PROCEEDING]

09:26:13.107 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:26:13.107 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:26:13.108 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.-lQ3cBoTD;rport

From: <sip:linphone@10.1.10.45>;tag=MY81yWX5f

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: HF7VnAE54R

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:25:48 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:25:48.633067'

09:26:13.109 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:26:13.110 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.JristUoC5;rport

From: <sip:linphone@10.1.10.45>;tag=bCdleV-BJ

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: 3UI90d4bI0

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:25:48 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:25:48.641842'

09:26:13.111 [1;36mINFO[1;0m: channel [0x252ac68]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.-lQ3cBoTD;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=MY81yWX5f

To: <sip:zahersyed@sip.linphone.org>;tag=8Q9m349rrH2Bp

Call-ID: HF7VnAE54R

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:26:13.119 [1;36mINFO[1;0m: channel [0x252ac68] [324] bytes parsed

09:26:13.120 [1;36mINFO[1;0m: Found transaction matching response.

09:26:13.121 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25c4758], from state [PROCEEDING] to [COMPLETED]

09:26:13.121 [1;36mINFO[1;0m: Chat message 0x25c3940: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:26:13.122 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:26:13.123 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.JristUoC5;rport

From: <sip:linphone@10.1.10.45>;tag=bCdleV-BJ

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: 3UI90d4bIO

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:25:48 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:25:48.641842'

09:26:13.124 [1;36mINFO[1;0m: channel [0x252ac68]: received [311] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.JristUoC5;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=bCdleV-BJ

To: <sip:aSecondSIPAccount@sip.linphone.org>

Call-ID: 3UI90d4bIO

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:26:13.132 [1;36mINFO[1;0m: channel [0x252ac68] [311] bytes parsed

09:26:13.133 [1;36mINFO[1;0m: Found transaction matching response.

09:26:13.134 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25d6198], from state [TRYING] to [PROCEEDING]

09:26:13.134 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:26:13.135 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0
Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.JristUoC5;rport
From: <sip:linphone@10.1.10.45>;tag=bCdleV-BJ
To: sip:aSecondSIPAccount@sip.linphone.org
CSeq: 20 MESSAGE
Call-ID: 3UI90d4bI0
Max-Forwards: 70
Supported: outbound
Content-Type: text/plain
Content-Length: 79
Date: Sun, 10 Apr 2016 13:25:48 GMT
User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:25:48.641842'

09:26:13.137 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.JristUoC5;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=bCdleV-BJ

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=902D5ZtvNtryH

Call-ID: 3UI90d4bI0

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:26:13.145 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:26:13.146 [1;36mINFO[1;0m: Found transaction matching response.

09:26:13.146 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25d6198], from state [PROCEEDING] to [COMPLETED]

09:26:13.147 [1;36mINFO[1;0m: Chat message 0x25d6108: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:26:13.252 [1;36mINFO[1;0m: channel [0x252ac68]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.-lQ3cBoTD;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=MY81yWX5f

To: <sip:zahersyed@sip.linphone.org>;tag=8Q9m349rrH2Bp

Call-ID: HF7VnAE54R

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:26:13.256 [1;36mINFO[1;0m: channel [0x252ac68] [324] bytes parsed

09:26:13.257 [1;36mINFO[1;0m: Found transaction matching response.

09:26:13.257 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.JristUoC5;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=bCdleV-BJ

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=902D5ZtvNtryH

Call-ID: 3UI90d4bIO

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:26:13.262 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:26:13.262 [1;36mINFO[1;0m: Found transaction matching response.

09:26:13.263 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.JristUoC5;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=bCdleV-BJ

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=902D5ZtvNtryH

Call-ID: 3UI90d4bIO

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:26:13.267 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:26:13.268 [1;36mINFO[1;0m: Found transaction matching response.

09:26:13.275 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.JristUoC5;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=bCdleV-BJ

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=902D5ZtvNtryH

Call-ID: 3UI90d4bIO

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:26:13.279 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:26:13.280 [1;36mINFO[1;0m: Found transaction matching response.

09:26:18.122 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25c4758], from state [COMPLETED] to [TERMINATED]

09:26:18.122 [1;36mINFO[1;0m: Client MESSAGE transaction [0x25c4758] terminated

09:26:18.128 [1;36mINFO[1;0m: Unhandled transaction terminated [0x25c4758]

09:26:18.147 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25d6198], from state [COMPLETED] to [TERMINATED]

09:26:18.147 [1;36mINFO[1;0m: Client MESSAGE transaction [0x25d6198] terminated

09:26:18.147 [1;36mINFO[1;0m: Unhandled transaction terminated [0x25d6198]

09:26:23.096 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:26:33.096 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:26:43.096 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:26:53.096 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:27:03.096 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:27:10.948 [1;36mINFO[1;0m: *Motion detected!*

09:27:11.951 [1;36mINFO[1;0m: Notifying contacts...

09:27:11.952 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

09:27:11.954 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:27:11.955 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76a5e5a0>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:27:11.958 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25b66f8], from state [INIT] to [TRYING]

09:27:11.959 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.vLG~6OaUs;rport

From: <sip:linphone@10.1.10.45>;tag=aOIo-x9iJ

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: 5aKIDY3PaQ

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:27:11 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:27:11.953636'

09:27:11.960 [1;36mINFO[1;0m: Chat message 0x25c72e8: moving from state
LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:27:11.960 [1;36mINFO[1;0m: Notifying sip:aSecondSIPAccount@sip.linphone.org

09:27:11.963 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:27:11.963 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76a5e500>, ip
= None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:27:11.967 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25c5d78], from state [INIT]
to [TRYING]

09:27:11.968 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060],
size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.vuv5Hm~-m;rport

From: <sip:linphone@10.1.10.45>;tag=q-wNhxJHU

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: 4sPmmKF2fu

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:27:11 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:27:11.962163'

09:27:11.969 [1;36mINFO[1;0m: Chat message 0x25b6368: moving from state
LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:27:17.286 [1;36mINFO[1;0m: Emailed and saved image to "/home/pi/emailedSecurityCameraImage-
2016-04-10T09:27:17.283121.jpg"

09:27:36.708 [1;36mINFO[1;0m: channel [0x252ac68]: received [303] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.vLG~6OaUs;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=aOlo-x9iJ

To: <sip:zahersyed@sip.linphone.org>

Call-ID: 5aKIDY3PaQ

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:27:36.716 [1;36mINFO[1;0m: channel [0x252ac68] [303] bytes parsed

09:27:36.717 [1;36mINFO[1;0m: Found transaction matching response.

09:27:36.717 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25b66f8], from state
[TRYING] to [PROCEEDING]

09:27:36.718 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:27:36.718 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:27:36.719 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060],
size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.vLG~6OaUs;rport

From: <sip:linphone@10.1.10.45>;tag=aOlo-x9iJ

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: 5aKIDY3PaQ

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:27:11 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:27:11.953636'

09:27:36.720 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:27:36.721 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.vuv5Hm~-m;rport

From: <sip:linphone@10.1.10.45>;tag=q-wNhxJHU

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: 4sPmmKF2fu

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:27:11 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:27:11.962163'

09:27:36.722 [1;36mINFO[1;0m: channel [0x252ac68]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.vLG~6OaUs;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=aOIo-x9iJ

To: <sip:zahersyed@sip.linphone.org>;tag=KKr49rcmDeDgp

Call-ID: 5aKIDY3PaQ

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:27:36.730 [1;36mINFO[1;0m: channel [0x252ac68] [324] bytes parsed

09:27:36.731 [1;36mINFO[1;0m: Found transaction matching response.

09:27:36.732 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25b66f8], from state [PROCEEDING] to [COMPLETED]

09:27:36.732 [1;36mINFO[1;0m: Chat message 0x25c72e8: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:27:36.733 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:27:36.734 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.vuv5Hm~-m;rport

From: <sip:linphone@10.1.10.45>;tag=q-wNhxJHU

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: 4sPmmKF2fu

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:27:11 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:27:11.962163'

09:27:36.735 [1;36mINFO[1;0m: channel [0x252ac68]: received [311] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.vuv5Hm~-m;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=q-wNhxJHU

To: <sip:aSecondSIPAccount@sip.linphone.org>

Call-ID: 4sPmmKF2fu

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:27:36.743 [1;36mINFO[1;0m: channel [0x252ac68] [311] bytes parsed

09:27:36.744 [1;36mINFO[1;0m: Found transaction matching response.

09:27:36.745 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25c5d78], from state [TRYING] to [PROCEEDING]

09:27:36.745 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:27:36.746 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.vuv5Hm~-m;rport

From: <sip:linphone@10.1.10.45>;tag=q-wNhxJHU

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: 4sPmmKF2fu

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:27:11 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:27:11.962163'

09:27:36.747 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.vuv5Hm~-m;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=q-wNhxJHU

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=mvHXBmXQaQ32H

Call-ID: 4sPmmKF2fu

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:27:36.756 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:27:36.757 [1;36mINFO[1;0m: Found transaction matching response.

09:27:36.757 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25c5d78], from state [PROCEEDING] to [COMPLETED]

09:27:36.758 [1;36mINFO[1;0m: Chat message 0x25b6368: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:27:36.862 [1;36mINFO[1;0m: channel [0x252ac68]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.vLG~6OaUs;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=aOIo-x9iJ

To: <sip:zahersyed@sip.linphone.org>;tag=KKr49rcmDeDgp

Call-ID: 5aKIDY3PaQ

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:27:36.867 [1;36mINFO[1;0m: channel [0x252ac68] [324] bytes parsed

09:27:36.867 [1;36mINFO[1;0m: Found transaction matching response.

09:27:36.868 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.vuv5Hm~-m;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=q-wNhxJHU

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=mvHXBmXQaQ32H

Call-ID: 4sPmmKF2fu

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:27:36.873 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:27:36.873 [1;36mINFO[1;0m: Found transaction matching response.

09:27:36.874 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.vuv5Hm~-m;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=q-wNhxJHU

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=mvHXBmXQaQ32H

Call-ID: 4sPmmKF2fu

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:27:36.878 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:27:36.879 [1;36mINFO[1;0m: Found transaction matching response.

09:27:36.886 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.vuv5Hm~-m;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=q-wNhxJHU

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=mvHXBmXQaQ32H

Call-ID: 4sPmmKF2fu

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:27:36.890 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:27:36.891 [1;36mINFO[1;0m: Found transaction matching response.

09:27:41.733 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25b66f8], from state [COMPLETED] to [TERMINATED]

09:27:41.733 [1;36mINFO[1;0m: Client MESSAGE transaction [0x25b66f8] terminated

09:27:41.738 [1;36mINFO[1;0m: Unhandled transaction terminated [0x25b66f8]

09:27:41.758 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25c5d78], from state [COMPLETED] to [TERMINATED]

09:27:41.758 [1;36mINFO[1;0m: Client MESSAGE transaction [0x25c5d78] terminated

09:27:41.758 [1;36mINFO[1;0m: Unhandled transaction terminated [0x25c5d78]

09:27:46.707 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:27:56.707 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]
09:28:06.707 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]
09:28:16.707 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]
09:28:26.707 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]
09:28:36.707 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]
09:28:46.707 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]
09:28:56.707 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]
09:29:06.707 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]
09:29:16.707 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]
09:29:26.707 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]
09:29:36.707 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]
09:29:42.472 [1;36mINFO[1;0m: *Motion detected!*

09:29:43.476 [1;36mINFO[1;0m: Notifying contacts...

09:29:43.476 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

09:29:43.479 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:29:43.479 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76a5e0f0>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:29:43.483 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25ce360], from state [INIT] to [TRYING]

09:29:43.484 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.a~2fLVsDw;rport

From: <sip:linphone@10.1.10.45>;tag=5qLljRCiQ

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: mIT4IDK-XA

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:29:43 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:29:43.478256'

09:29:43.484 [1;36mINFO[1;0m: Chat message 0x25c8160: moving from state
LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:29:43.485 [1;36mINFO[1;0m: Notifying sip:aSecondSIPAccount@sip.linphone.org

09:29:43.487 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:29:43.488 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76a5e420>, ip
= None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:29:43.492 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25c1e10], from state [INIT]
to [TRYING]

09:29:43.492 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060],
size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.k5fQ3En3k;rport

From: <sip:linphone@10.1.10.45>;tag=gvm58FkYh

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: KLcHdin1jB

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:29:43 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:29:43.486695'

09:29:43.493 [1;36mINFO[1;0m: Chat message 0x25d4730: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:29:48.754 [1;36mINFO[1;0m: Emailed and saved image to "/home/pi/emailedSecurityCameraImage-2016-04-10T09:29:48.747836.jpg"

09:30:08.202 [1;36mINFO[1;0m: channel [0x252ac68]: received [303] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.a~2fLVsDw;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=5qLjRCiQ

To: <sip:zahersyed@sip.linphone.org>

Call-ID: mIT4IDK-XA

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:30:08.206 [1;36mINFO[1;0m: channel [0x252ac68] [303] bytes parsed

09:30:08.207 [1;36mINFO[1;0m: Found transaction matching response.

09:30:08.207 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25ce360], from state [TRYING] to [PROCEEDING]

09:30:08.208 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:30:08.208 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:30:08.208 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.a~2fLVsDw;rport

From: <sip:linphone@10.1.10.45>;tag=5qLjRCiQ

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: mIT4IDK-XA

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:29:43 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:29:43.478256'

09:30:08.209 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:30:08.209 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.k5fQ3En3k;rport

From: <sip:linphone@10.1.10.45>;tag=gvm58FkYh

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: KLcHdin1jB

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:29:43 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:29:43.486695'

09:30:08.210 [1;36mINFO[1;0m: channel [0x252ac68]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.a~2fLVsDw;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=5qLljRCiQ
To: <sip:zahersyed@sip.linphone.org>;tag=5Zt8tacQDNm8Q
Call-ID: mIT4IDK-XA
CSeq: 20 MESSAGE
Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)
Content-Length: 0

09:30:08.214 [1;36mINFO[1;0m: channel [0x252ac68] [324] bytes parsed

09:30:08.215 [1;36mINFO[1;0m: Found transaction matching response.

09:30:08.215 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25ce360], from state [PROCEEDING] to [COMPLETED]

09:30:08.215 [1;36mINFO[1;0m: Chat message 0x25c8160: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:30:08.215 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:30:08.216 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.k5fQ3En3k;rport

From: <sip:linphone@10.1.10.45>;tag=gvm58FkYh

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: KLcHdin1jB

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:29:43 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:29:43.486695'

09:30:08.217 [1;36mINFO[1;0m: channel [0x252ac68]: received [311] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.k5fQ3En3k;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=gvm58FkYh

To: <sip:aSecondSIPAccount@sip.linphone.org>

Call-ID: KLcHdin1jB

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:30:08.221 [1;36mINFO[1;0m: channel [0x252ac68] [311] bytes parsed

09:30:08.222 [1;36mINFO[1;0m: Found transaction matching response.

09:30:08.222 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25c1e10], from state [TRYING] to [PROCEEDING]

09:30:08.222 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:30:08.223 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.k5fQ3En3k;rport

From: <sip:linphone@10.1.10.45>;tag=gvm58FkYh

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: KLcHdin1jB

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:29:43 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:29:43.486695'

09:30:08.223 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.k5fQ3En3k;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=gvm58FkYh

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=68K1v5vtayaUK

Call-ID: KLcHdin1jB

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:30:08.228 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:30:08.228 [1;36mINFO[1;0m: Found transaction matching response.

09:30:08.229 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25c1e10], from state [PROCEEDING] to [COMPLETED]

09:30:08.229 [1;36mINFO[1;0m: Chat message 0x25d4730: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:30:08.353 [1;36mINFO[1;0m: channel [0x252ac68]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.a~2fLVsDw;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=5qLljRCiQ

To: <sip:zahersyed@sip.linphone.org>;tag=5Zt8tacQDNm8Q

Call-ID: mIT4IDK-XA

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:30:08.357 [1;36mINFO[1;0m: channel [0x252ac68] [324] bytes parsed

09:30:08.357 [1;36mINFO[1;0m: Found transaction matching response.

09:30:08.358 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.k5fQ3En3k;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=gvm58FkYh

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=68K1v5vtayaUK

Call-ID: KLcHdin1jB

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:30:08.362 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:30:08.363 [1;36mINFO[1;0m: Found transaction matching response.

09:30:08.364 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.k5fQ3En3k;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=gvm58FkYh

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=68K1v5vtayaUK

Call-ID: KLcHdin1jB

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:30:08.368 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:30:08.369 [1;36mINFO[1;0m: Found transaction matching response.

09:30:08.369 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.k5fQ3En3k;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=gvm58FkYh

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=68K1v5vtayaUK

Call-ID: KLcHdin1jB

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:30:08.374 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:30:08.374 [1;36mINFO[1;0m: Found transaction matching response.

09:30:13.215 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25ce360], from state [COMPLETED] to [TERMINATED]

09:30:13.215 [1;36mINFO[1;0m: Client MESSAGE transaction [0x25ce360] terminated

09:30:13.215 [1;36mINFO[1;0m: Unhandled transaction terminated [0x25ce360]

09:30:13.229 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25c1e10], from state [COMPLETED] to [TERMINATED]

09:30:13.229 [1;36mINFO[1;0m: Client MESSAGE transaction [0x25c1e10] terminated

09:30:13.229 [1;36mINFO[1;0m: Unhandled transaction terminated [0x25c1e10]

09:30:18.202 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:30:28.202 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:30:38.202 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:30:42.515 [1;36mINFO[1;0m: *Motion detected!*

09:30:43.519 [1;36mINFO[1;0m: Notifying contacts...

09:30:43.519 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

09:30:43.522 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:30:43.522 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76a5e070>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:30:43.526 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25beaa8], from state [INIT] to [TRYING]

09:30:43.526 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.TZr4nyCR~;rport

From: <sip:linphone@10.1.10.45>;tag=mh2Q-JGLM

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: ofjMx615ZJ

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:30:43 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:30:43.521121'

09:30:43.527 [1;36mINFO[1;0m: Chat message 0x25c2908: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:30:43.527 [1;36mINFO[1;0m: Notifying sip:aSecondSIPAccount@sip.linphone.org

09:30:43.530 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:30:43.531 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76a5e100>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:30:43.535 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25d3250], from state [INIT] to [TRYING]

09:30:43.535 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.TJoyhozPu;rport

From: <sip:linphone@10.1.10.45>;tag=EsaRONRRW

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: uAulYP8xEp

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:30:43 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:30:43.529442'

09:30:43.536 [1;36mINFO[1;0m: Chat message 0x25d7b10: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:30:48.243 [1;36mINFO[1;0m: Emailed and saved image to "/home/pi/emailedSecurityCameraImage-2016-04-10T09:30:48.237105.jpg"

09:31:07.632 [1;36mINFO[1;0m: channel [0x252ac68]: received [303] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.TZr4nyCR~;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=mh2Q-JGLM

To: <sip:zahersyed@sip.linphone.org>

Call-ID: ofjMx615ZJ

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:31:07.640 [1;36mINFO[1;0m: channel [0x252ac68] [303] bytes parsed

09:31:07.641 [1;36mINFO[1;0m: Found transaction matching response.

09:31:07.641 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25beaa8], from state [TRYING] to [PROCEEDING]

09:31:07.642 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:31:07.642 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:31:07.643 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.TZr4nyCR~;rport

From: <sip:linphone@10.1.10.45>;tag=mh2Q-JGLM

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: ofjMx615ZJ

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:30:43 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:30:43.521121'

09:31:07.644 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:31:07.645 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.TJoyhozPu;rport

From: <sip:linphone@10.1.10.45>;tag=EsaRONRRW

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: uAulYP8xEp

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:30:43 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:30:43.529442'

09:31:07.646 [1;36mINFO[1;0m: *Motion detected!*

09:31:08.652 [1;36mINFO[1;0m: channel [0x252ac68]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.TZr4nyCR~;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=mh2Q-JGLM

To: <sip:zahersyed@sip.linphone.org>;tag=tFgry2mggv81B

Call-ID: ofjMx615ZJ

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:31:08.660 [1;36mINFO[1;0m: channel [0x252ac68] [324] bytes parsed

09:31:08.661 [1;36mINFO[1;0m: Found transaction matching response.

09:31:08.662 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25beaa8], from state [PROCEEDING] to [COMPLETED]

09:31:08.662 [1;36mINFO[1;0m: Chat message 0x25c2908: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:31:08.663 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:31:08.664 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.TJoyhozPu;rport

From: <sip:linphone@10.1.10.45>;tag=EsaRONRRW

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: uAulYP8xEp

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:30:43 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:30:43.529442'

09:31:08.665 [1;36mINFO[1;0m: channel [0x252ac68]: received [311] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.TJoyhozPu;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=EsaRONRRW

To: <sip:aSecondSIPAccount@sip.linphone.org>

Call-ID: uAulYP8xEp

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:31:08.673 [1;36mINFO[1;0m: channel [0x252ac68] [311] bytes parsed

09:31:08.674 [1;36mINFO[1;0m: Found transaction matching response.

09:31:08.675 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25d3250], from state [TRYING] to [PROCEEDING]

09:31:08.675 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:31:08.676 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.TJoyhozPu;rport

From: <sip:linphone@10.1.10.45>;tag=EsaRONRRW

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: uAulYP8xEp

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:30:43 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:30:43.529442'

09:31:08.677 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.TJoyhozPu;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=EsaRONRRW

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=Ur9g0X5KD5ymQ

Call-ID: uAulYP8xEp

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:31:08.686 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:31:08.687 [1;36mINFO[1;0m: Found transaction matching response.

09:31:08.687 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25d3250], from state [PROCEEDING] to [COMPLETED]

09:31:08.688 [1;36mINFO[1;0m: Chat message 0x25d7b10: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:31:08.689 [1;36mINFO[1;0m: channel [0x252ac68]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.TZr4nyCR~;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=mh2Q-JGLM

To: <sip:zahersyed@sip.linphone.org>;tag=tFgry2mggv81B

Call-ID: ofjMx615ZJ

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:31:08.697 [1;36mINFO[1;0m: channel [0x252ac68] [324] bytes parsed

09:31:08.698 [1;36mINFO[1;0m: Found transaction matching response.

09:31:08.699 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.TJoyhozPu;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=EsaRONRRW
To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=Ur9g0X5KD5ymQ
Call-ID: uAulYP8xEp
CSeq: 20 MESSAGE
Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)
Content-Length: 0

09:31:08.708 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:31:08.709 [1;36mINFO[1;0m: Found transaction matching response.

09:31:08.805 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.TJoyhozPu;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=EsaRONRRW
To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=Ur9g0X5KD5ymQ
Call-ID: uAulYP8xEp
CSeq: 20 MESSAGE
Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)
Content-Length: 0

09:31:08.809 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:31:08.810 [1;36mINFO[1;0m: Found transaction matching response.

09:31:08.815 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.TJoyhozPu;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=EsaRONRRW

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=Ur9g0X5KD5ymQ

Call-ID: uAulYP8xEp

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:31:08.820 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:31:08.820 [1;36mINFO[1;0m: Found transaction matching response.

09:31:13.158 [1;36mINFO[1;0m: *Motion detected!*

09:31:14.161 [1;36mINFO[1;0m: Notifying contacts...

09:31:14.172 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

09:31:14.175 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:31:14.175 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76a5e240>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:31:14.179 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25de450], from state [INIT] to [TRYING]

09:31:14.179 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.PnZ97SyNU;rport

From: <sip:linphone@10.1.10.45>;tag=jK300jE37

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: p1tpE8Y1Gz

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:31:14 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:31:14.173854'

09:31:14.180 [1;36mINFO[1;0m: Chat message 0x25d3348: moving from state
LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:31:14.180 [1;36mINFO[1;0m: Notifying sip:aSecondSIPAccount@sip.linphone.org

09:31:14.183 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:31:14.184 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76a5e340>, ip
= None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:31:14.188 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25b6000], from state [INIT]
to [TRYING]

09:31:14.188 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060],
size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.yHtb8FbLn;rport

From: <sip:linphone@10.1.10.45>;tag=BHd9AEpTz

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: --HShrlunk

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:31:14 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:31:14.182543'

09:31:14.189 [1;36mINFO[1;0m: Chat message 0x25e28a0: moving from state
LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:31:14.189 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25beaa8], from state
[COMPLETED] to [TERMINATED]

09:31:14.190 [1;36mINFO[1;0m: Client MESSAGE transaction [0x25beaa8] terminated

09:31:14.190 [1;36mINFO[1;0m: Unhandled transaction terminated [0x25beaa8]

09:31:14.190 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25d3250], from state [COMPLETED] to [TERMINATED]

09:31:14.190 [1;36mINFO[1;0m: Client MESSAGE transaction [0x25d3250] terminated

09:31:14.191 [1;36mINFO[1;0m: Unhandled transaction terminated [0x25d3250]

09:31:14.318 [1;36mINFO[1;0m: channel [0x252ac68]: received [303] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.PnZ97SyNU;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=jK300jE37

To: <sip:zahersyed@sip.linphone.org>

Call-ID: p1tpE8Y1Gz

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:31:14.322 [1;36mINFO[1;0m: channel [0x252ac68] [303] bytes parsed

09:31:14.322 [1;36mINFO[1;0m: Found transaction matching response.

09:31:14.323 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25de450], from state [TRYING] to [PROCEEDING]

09:31:14.323 [1;36mINFO[1;0m: channel [0x252ac68]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.PnZ97SyNU;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=jK300jE37

To: <sip:zahersyed@sip.linphone.org>;tag=1Qj99Fy0U0mDN

Call-ID: p1tpE8Y1Gz

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:31:14.327 [1;36mINFO[1;0m: channel [0x252ac68] [324] bytes parsed

09:31:14.328 [1;36mINFO[1;0m: Found transaction matching response.

09:31:14.328 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25de450], from state [PROCEEDING] to [COMPLETED]

09:31:14.328 [1;36mINFO[1;0m: Chat message 0x25d3348: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:31:14.335 [1;36mINFO[1;0m: channel [0x252ac68]: received [311] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.yHtb8FbLn;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=BHd9AEpTz

To: <sip:aSecondSIPAccount@sip.linphone.org>

Call-ID: --HShrlunk

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:31:14.339 [1;36mINFO[1;0m: channel [0x252ac68] [311] bytes parsed

09:31:14.340 [1;36mINFO[1;0m: Found transaction matching response.

09:31:14.340 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25b6000], from state [TRYING] to [PROCEEDING]

09:31:14.340 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.yHtb8FbLn;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=BHd9AEpTz
To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=20B2BBF4r9a0g
Call-ID: --HShrlunk
CSeq: 20 MESSAGE
Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)
Content-Length: 0

09:31:14.345 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:31:14.345 [1;36mINFO[1;0m: Found transaction matching response.

09:31:14.346 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25b6000], from state [PROCEEDING] to [COMPLETED]

09:31:14.346 [1;36mINFO[1;0m: Chat message 0x25e28a0: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:31:17.632 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:31:19.329 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25de450], from state [COMPLETED] to [TERMINATED]

09:31:19.334 [1;36mINFO[1;0m: Client MESSAGE transaction [0x25de450] terminated

09:31:19.335 [1;36mINFO[1;0m: Unhandled transaction terminated [0x25de450]

09:31:19.346 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25b6000], from state [COMPLETED] to [TERMINATED]

09:31:19.346 [1;36mINFO[1;0m: Client MESSAGE transaction [0x25b6000] terminated

09:31:19.346 [1;36mINFO[1;0m: Unhandled transaction terminated [0x25b6000]

09:31:23.955 [1;36mINFO[1;0m: *Motion detected!*

09:31:29.873 [1;36mINFO[1;0m: Emailed and saved image to "/home/pi/emailedSecurityCameraImage-2016-04-10T09:31:29.869431.jpg"

09:31:49.356 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:31:59.356 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:32:09.356 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:32:19.356 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:32:29.356 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:32:39.356 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:32:44.005 [1;36mINFO[1;0m: *Motion detected!*

09:32:45.009 [1;36mINFO[1;0m: Notifying contacts...

09:32:45.009 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

09:32:45.012 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:32:45.012 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76a5e860>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:32:45.016 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25e7028], from state [INIT] to [TRYING]

09:32:45.016 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.YQKFN8MXY;rport

From: <sip:linphone@10.1.10.45>;tag=4L2I78w18

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: HgS1uy9391

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:32:45 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:32:45.010906'

09:32:45.017 [1;36mINFO[1;0m: Chat message 0x25e1660: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:32:45.017 [1;36mINFO[1;0m: Notifying sip:aSecondSIPAccount@sip.linphone.org

09:32:45.020 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:32:45.021 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76a5e8a0>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:32:45.025 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25da708], from state [INIT] to [TRYING]

09:32:45.025 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.T7PG1hkfZ;rport

From: <sip:linphone@10.1.10.45>;tag=DyS6HcyjH

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: nmwaNkfJdd

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:32:45 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:32:45.019370'

09:32:45.026 [1;36mINFO[1;0m: Chat message 0x25e0d28: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:32:50.074 [1;36mINFO[1;0m: Emailed and saved image to "/home/pi/emailedSecurityCameraImage-2016-04-10T09:32:50.063439.jpg"

09:33:09.556 [1;36mINFO[1;0m: channel [0x252ac68]: received [303] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.YQKFN8MXY;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=4L2I78w18

To: <sip:zahersyed@sip.linphone.org>

Call-ID: HgS1uy9391

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:33:09.564 [1;36mINFO[1;0m: channel [0x252ac68] [303] bytes parsed

09:33:09.565 [1;36mINFO[1;0m: Found transaction matching response.

09:33:09.565 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25e7028], from state [TRYING] to [PROCEEDING]

09:33:09.566 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:33:09.566 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:33:09.567 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.YQKFN8MXY;rport

From: <sip:linphone@10.1.10.45>;tag=4L2I78w18

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: HgS1uy9391

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:32:45 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:32:45.010906'

09:33:09.568 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:33:09.569 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0
Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.T7PG1hkfZ;rport
From: <sip:linphone@10.1.10.45>;tag=DyS6HcyjH
To: sip:aSecondSIPAccount@sip.linphone.org
CSeq: 20 MESSAGE
Call-ID: nmwaNkfJdd
Max-Forwards: 70
Supported: outbound
Content-Type: text/plain
Content-Length: 79
Date: Sun, 10 Apr 2016 13:32:45 GMT
User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:32:45.019370'

09:33:09.570 [1;36mINFO[1;0m: channel [0x252ac68]: received [324] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.YQKFN8MXY;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=4L2I78w18

To: <sip:zahersyed@sip.linphone.org>;tag=2UZc9t9arUUSS

Call-ID: HgS1uy9391

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:33:09.578 [1;36mINFO[1;0m: channel [0x252ac68] [324] bytes parsed

09:33:09.579 [1;36mINFO[1;0m: Found transaction matching response.

09:33:09.580 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25e7028], from state [PROCEEDING] to [COMPLETED]

09:33:09.580 [1;36mINFO[1;0m: Chat message 0x25e1660: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:33:09.581 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:33:09.582 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.T7PG1hkfZ;rport

From: <sip:linphone@10.1.10.45>;tag=DyS6HcyjH

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: nmwaNkfJdd

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:32:45 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:32:45.019370'

09:33:09.584 [1;36mINFO[1;0m: channel [0x252ac68]: received [311] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.T7PG1hkfZ;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=DyS6HcyjH

To: <sip:aSecondSIPAccount@sip.linphone.org>

Call-ID: nmwaNkfJdd

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:33:09.592 [1;36mINFO[1;0m: channel [0x252ac68] [311] bytes parsed

09:33:09.593 [1;36mINFO[1;0m: Found transaction matching response.

09:33:09.593 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25da708], from state [TRYING] to [PROCEEDING]

09:33:09.594 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:33:09.595 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.T7PG1hkfZ;rport

From: <sip:linphone@10.1.10.45>;tag=DyS6HcyjH

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: nmwaNkfJdd

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:32:45 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:32:45.019370'

09:33:09.596 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.T7PG1hkfZ;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=DyS6HcyjH

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=34r5apteN4HcN

Call-ID: nmwaNkfJdd

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:33:09.604 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:33:09.605 [1;36mINFO[1;0m: Found transaction matching response.

09:33:09.606 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25da708], from state [PROCEEDING] to [COMPLETED]

09:33:09.606 [1;36mINFO[1;0m: Chat message 0x25e0d28: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:33:09.802 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.T7PG1hkfZ;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=DyS6HcyjH

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=34r5apteN4HcN

Call-ID: nmwaNkfJdd

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:33:09.806 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:33:09.807 [1;36mINFO[1;0m: Found transaction matching response.

09:33:09.807 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.T7PG1hkfZ;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=DyS6HcyjH

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=34r5apteN4HcN

Call-ID: nmwaNkfJdd

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:33:09.812 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:33:09.813 [1;36mINFO[1;0m: Found transaction matching response.

09:33:09.813 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.T7PG1hkfZ;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=DyS6HcyjH

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=34r5apteN4HcN

Call-ID: nmwaNkfJdd

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:33:09.818 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:33:09.818 [1;36mINFO[1;0m: Found transaction matching response.

09:33:14.581 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25e7028], from state [COMPLETED] to [TERMINATED]

09:33:14.581 [1;36mINFO[1;0m: Client MESSAGE transaction [0x25e7028] terminated

09:33:14.581 [1;36mINFO[1;0m: Unhandled transaction terminated [0x25e7028]

09:33:14.607 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25da708], from state [COMPLETED] to [TERMINATED]

09:33:14.607 [1;36mINFO[1;0m: Client MESSAGE transaction [0x25da708] terminated

09:33:14.607 [1;36mINFO[1;0m: Unhandled transaction terminated [0x25da708]

09:33:19.556 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:33:29.556 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:33:39.556 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:33:49.556 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:33:59.556 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:34:09.556 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:34:19.556 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:34:29.556 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:34:39.556 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:34:49.556 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:34:56.451 [1;36mINFO[1;0m: *Motion detected!*

09:34:57.454 [1;36mINFO[1;0m: Notifying contacts...

09:34:57.455 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

09:34:57.457 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:34:57.458 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76a5e920>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:34:57.461 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25d3c28], from state [INIT] to [TRYING]

09:34:57.462 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.7bh5--aVd;rport

From: <sip:linphone@10.1.10.45>;tag=AaXoRAAAm

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: FKxy9kbCoW

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:34:57 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:34:57.456724'

09:34:57.463 [1;36mINFO[1;0m: Chat message 0x260d288: moving from state
LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:34:57.463 [1;36mINFO[1;0m: Notifying sip:aSecondSIPAccount@sip.linphone.org

09:34:57.466 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:34:57.466 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76a5e8f0>, ip =
None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:34:57.471 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x260e698], from state [INIT]
to [TRYING]

09:34:57.471 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060],
size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.BahygdIAG;rport

From: <sip:linphone@10.1.10.45>;tag=b3sia0lTe

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: dpTNG8vAUL

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:34:57 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:34:57.465297'

09:34:57.472 [1;36mINFO[1;0m: Chat message 0x25a5a90: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:35:02.816 [1;36mINFO[1;0m: Emailed and saved image to "/home/pi/emailedSecurityCameraImage-2016-04-10T09:35:02.809910.jpg"

09:35:22.272 [1;36mINFO[1;0m: channel [0x252ac68]: received [303] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.7bh5--aVd;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=AaXoRAAAm

To: <sip:zahersyed@sip.linphone.org>

Call-ID: FKxy9kbCoW

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:35:22.279 [1;36mINFO[1;0m: channel [0x252ac68] [303] bytes parsed

09:35:22.280 [1;36mINFO[1;0m: Found transaction matching response.

09:35:22.281 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25d3c28], from state [TRYING] to [PROCEEDING]

09:35:22.281 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:35:22.282 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:35:22.283 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.7bh5--aVd;rport

From: <sip:linphone@10.1.10.45>;tag=AaXoRAAAm

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: FKxy9kbCoW

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:34:57 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:34:57.456724'

09:35:22.284 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:35:22.284 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.BahygdIAG;rport

From: <sip:linphone@10.1.10.45>;tag=b3sia0lTe

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: dpTNG8vAUL

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:34:57 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:34:57.465297'

09:35:22.286 [1;36mINFO[1;0m: channel [0x252ac68]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.7bh5--aVd;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=AaXoRAAAm
To: <sip:zahersyed@sip.linphone.org>;tag=3ag6rSyeUp4tB
Call-ID: FKxy9kbCoW
CSeq: 20 MESSAGE
Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)
Content-Length: 0

09:35:22.294 [1;36mINFO[1;0m: channel [0x252ac68] [324] bytes parsed

09:35:22.295 [1;36mINFO[1;0m: Found transaction matching response.

09:35:22.295 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25d3c28], from state [PROCEEDING] to [COMPLETED]

09:35:22.296 [1;36mINFO[1;0m: Chat message 0x260d288: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:35:22.296 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:35:22.297 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.BahygdIAG;rport

From: <sip:linphone@10.1.10.45>;tag=b3sia0lTe

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: dpTNG8vAUL

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:34:57 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:34:57.465297'

09:35:22.298 [1;36mINFO[1;0m: channel [0x252ac68]: received [311] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.BahygdIAG;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=b3sia0lTe

To: <sip:aSecondSIPAccount@sip.linphone.org>

Call-ID: dpTNG8vAUL

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:35:22.307 [1;36mINFO[1;0m: channel [0x252ac68] [311] bytes parsed

09:35:22.308 [1;36mINFO[1;0m: Found transaction matching response.

09:35:22.308 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x260e698], from state [TRYING] to [PROCEEDING]

09:35:22.309 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:35:22.310 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.BahygdIAG;rport

From: <sip:linphone@10.1.10.45>;tag=b3sia0lTe

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: dpTNG8vAUL

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:34:57 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:34:57.465297'

09:35:22.311 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.BahygdIAG;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=b3sia0ITe

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=4K9ytmFjrZtDQ

Call-ID: dpTNG8vAUL

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:35:22.319 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:35:22.320 [1;36mINFO[1;0m: Found transaction matching response.

09:35:22.320 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x260e698], from state [PROCEEDING] to [COMPLETED]

09:35:22.321 [1;36mINFO[1;0m: Chat message 0x25a5a90: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:35:22.427 [1;36mINFO[1;0m: channel [0x252ac68]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.7bh5--aVd;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=AaXoRAAAm

To: <sip:zahersyed@sip.linphone.org>;tag=3ag6rSyeUp4tB

Call-ID: FKxy9kbCoW

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:35:22.431 [1;36mINFO[1;0m: channel [0x252ac68] [324] bytes parsed

09:35:22.432 [1;36mINFO[1;0m: Found transaction matching response.

09:35:22.433 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.BahygdIAG;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=b3sia0ITe

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=4K9ytmFjrZtDQ

Call-ID: dpTNG8vAUL

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:35:22.437 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:35:22.437 [1;36mINFO[1;0m: Found transaction matching response.

09:35:22.438 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.BahygdIAG;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=b3sia0ITe

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=4K9ytmFjrZtDQ

Call-ID: dpTNG8vAUL

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:35:22.442 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:35:22.443 [1;36mINFO[1;0m: Found transaction matching response.

09:35:22.447 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.BahygdIAG;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=b3sia0ITe

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=4K9ytmFjrZtDQ

Call-ID: dpTNG8vAUL

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:35:22.451 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:35:22.452 [1;36mINFO[1;0m: Found transaction matching response.

09:35:27.296 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25d3c28], from state [COMPLETED] to [TERMINATED]

09:35:27.296 [1;36mINFO[1;0m: Client MESSAGE transaction [0x25d3c28] terminated

09:35:27.296 [1;36mINFO[1;0m: Unhandled transaction terminated [0x25d3c28]

09:35:27.321 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x260e698], from state [COMPLETED] to [TERMINATED]

09:35:27.321 [1;36mINFO[1;0m: Client MESSAGE transaction [0x260e698] terminated

09:35:27.321 [1;36mINFO[1;0m: Unhandled transaction terminated [0x260e698]

09:35:32.271 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:35:42.271 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:35:52.271 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:36:00.747 [1;36mINFO[1;0m: *Motion detected!*

09:36:01.750 [1;36mINFO[1;0m: Notifying contacts...

09:36:01.751 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

09:36:01.753 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:36:01.754 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76a5ea20>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:36:01.757 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25e2320], from state [INIT] to [TRYING]

09:36:01.758 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.J8SFPAyFu;rport

From: <sip:linphone@10.1.10.45>;tag=EE-BXBe8F

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: ObksKQyHv-

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:36:01 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:36:01.752642'

09:36:01.759 [1;36mINFO[1;0m: Chat message 0x25db1f0: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:36:01.759 [1;36mINFO[1;0m: Notifying sip:aSecondSIPAccount@sip.linphone.org

09:36:01.762 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:36:01.762 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76a5ea40>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:36:01.766 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25e1e00], from state [INIT] to [TRYING]

09:36:01.767 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.7sdaQXMZk;rport

From: <sip:linphone@10.1.10.45>;tag=k6N9Y-vkX

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: prefnodKtD

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:36:01 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:36:01.761065'

09:36:01.768 [1;36mINFO[1;0m: Chat message 0x25e3a40: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:36:06.701 [1;36mINFO[1;0m: Emailed and saved image to "/home/pi/emailedSecurityCameraImage-2016-04-10T09:36:06.697212.jpg"

09:36:26.216 [1;36mINFO[1;0m: channel [0x252ac68]: received [303] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.J8SFPAYFu;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=EE-BXBe8F

To: <sip:zahersyed@sip.linphone.org>

Call-ID: ObksKQyHv-

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:36:26.223 [1;36mINFO[1;0m: channel [0x252ac68] [303] bytes parsed

09:36:26.224 [1;36mINFO[1;0m: Found transaction matching response.

09:36:26.225 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25e2320], from state [TRYING] to [PROCEEDING]

09:36:26.226 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:36:26.226 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:36:26.227 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.J8SFPAyFu;rport

From: <sip:linphone@10.1.10.45>;tag=EE-BXBe8F

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: ObksKQyHv-

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:36:01 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:36:01.752642'

09:36:26.228 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:36:26.229 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.7sdaQXMZk;rport

From: <sip:linphone@10.1.10.45>;tag=k6N9Y-vkX

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: prefnodKtD

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:36:01 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:36:01.761065'

09:36:26.230 [1;36mINFO[1;0m: *Motion detected!*

09:36:27.236 [1;36mINFO[1;0m: channel [0x252ac68]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.J8SFPAYFu;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=EE-BXBe8F

To: <sip:zahersyed@sip.linphone.org>;tag=mNQSv3885vpKe

Call-ID: ObksKQyHv-

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:36:27.244 [1;36mINFO[1;0m: channel [0x252ac68] [324] bytes parsed

09:36:27.245 [1;36mINFO[1;0m: Found transaction matching response.

09:36:27.245 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25e2320], from state [PROCEEDING] to [COMPLETED]

09:36:27.246 [1;36mINFO[1;0m: Chat message 0x25db1f0: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:36:27.246 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:36:27.247 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.7sdaQXMZk;rport

From: <sip:linphone@10.1.10.45>;tag=k6N9Y-vkX

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: prefnodKtD

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:36:01 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:36:01.761065'

09:36:27.249 [1;36mINFO[1;0m: channel [0x252ac68]: received [311] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.7sdaQXMZk;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=k6N9Y-vkX

To: <sip:aSecondSIPAccount@sip.linphone.org>

Call-ID: prefnodKtD

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:36:27.257 [1;36mINFO[1;0m: channel [0x252ac68] [311] bytes parsed

09:36:27.258 [1;36mINFO[1;0m: Found transaction matching response.

09:36:27.258 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25e1e00], from state [TRYING] to [PROCEEDING]

09:36:27.259 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:36:27.260 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.7sdaQXMZk;rport

From: <sip:linphone@10.1.10.45>;tag=k6N9Y-vkX

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: prefnodKtD

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:36:01 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:36:01.761065'

09:36:27.261 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.7sdaQXMZk;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=k6N9Y-vkX

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=NygjyySc35c6S

Call-ID: prefnodKtD

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:36:27.269 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:36:27.270 [1;36mINFO[1;0m: Found transaction matching response.

09:36:27.271 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25e1e00], from state [PROCEEDING] to [COMPLETED]

09:36:27.271 [1;36mINFO[1;0m: Chat message 0x25e3a40: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:36:27.273 [1;36mINFO[1;0m: channel [0x252ac68]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.J8SFPAYFu;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=EE-BXBe8F

To: <sip:zahersyed@sip.linphone.org>;tag=mNQSV3885vpKe

Call-ID: ObksKQyHv-

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:36:27.280 [1;36mINFO[1;0m: channel [0x252ac68] [324] bytes parsed

09:36:27.281 [1;36mINFO[1;0m: Found transaction matching response.

09:36:27.283 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.7sdaQXMZk;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=k6N9Y-vkX
To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=NygjyySc35c6S
Call-ID: prefnodKtD
CSeq: 20 MESSAGE
Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)
Content-Length: 0

09:36:27.291 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:36:27.292 [1;36mINFO[1;0m: Found transaction matching response.

09:36:27.388 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.7sdaQXMZk;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=k6N9Y-vkX

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=NygjyySc35c6S

Call-ID: prefnodKtD

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:36:27.392 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:36:27.393 [1;36mINFO[1;0m: Found transaction matching response.

09:36:27.395 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.7sdaQXMZk;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=k6N9Y-vkX

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=NygjyySc35c6S

Call-ID: prefnodKtD

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:36:27.399 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:36:27.399 [1;36mINFO[1;0m: Found transaction matching response.

09:36:32.246 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25e2320], from state [COMPLETED] to [TERMINATED]

09:36:32.246 [1;36mINFO[1;0m: Client MESSAGE transaction [0x25e2320] terminated

09:36:32.251 [1;36mINFO[1;0m: Unhandled transaction terminated [0x25e2320]

09:36:32.272 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25e1e00], from state [COMPLETED] to [TERMINATED]

09:36:32.272 [1;36mINFO[1;0m: Client MESSAGE transaction [0x25e1e00] terminated

09:36:32.272 [1;36mINFO[1;0m: Unhandled transaction terminated [0x25e1e00]

09:36:34.584 [1;36mINFO[1;0m: *Motion detected!*

09:36:35.588 [1;36mINFO[1;0m: Notifying contacts...

09:36:35.588 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

09:36:35.591 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:36:35.591 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76a5eac0>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:36:35.595 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x260d910], from state [INIT] to [TRYING]

09:36:35.595 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.4ISXPiL4u;rport

From: <sip:linphone@10.1.10.45>;tag=OJCLwZ2To

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: 0sVSqR73cY

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:36:35 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:36:35.589953'

09:36:35.596 [1;36mINFO[1;0m: Chat message 0x25dd078: moving from state
LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:36:35.596 [1;36mINFO[1;0m: Notifying sip:aSecondSIPAccount@sip.linphone.org

09:36:35.599 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:36:35.600 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76a5eb20>, ip
= None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:36:35.604 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25dd308], from state [INIT]
to [TRYING]

09:36:35.604 [1;36mINFO[1;0m: channel [0x252ac68]: message sent to [UDP://sip.linphone.org:5060],
size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.UXX2kjr8O;rport

From: <sip:linphone@10.1.10.45>;tag=~VyaTcyRI

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: hoRMjIwX8D

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:36:35 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:36:35.598383'

09:36:35.605 [1;36mINFO[1;0m: Chat message 0x25f7728: moving from state
LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:36:35.764 [1;36mINFO[1;0m: channel [0x252ac68]: received [303] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.4ISXPiL4u;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=OJCLwZ2To

To: <sip:zahersyed@sip.linphone.org>

Call-ID: 0sVSqR73cY

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:36:35.768 [1;36mINFO[1;0m: channel [0x252ac68] [303] bytes parsed

09:36:35.768 [1;36mINFO[1;0m: Found transaction matching response.

09:36:35.769 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x260d910], from state
[TRYING] to [PROCEEDING]

09:36:35.770 [1;36mINFO[1;0m: channel [0x252ac68]: received [324] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.4ISXPiL4u;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=OJCLwZ2To

To: <sip:zahersyed@sip.linphone.org>;tag=pgUeZ9X7ZmK1D

Call-ID: 0sVSqR73cY

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:36:35.774 [1;36mINFO[1;0m: channel [0x252ac68] [324] bytes parsed

09:36:35.775 [1;36mINFO[1;0m: Found transaction matching response.

09:36:35.775 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x260d910], from state [PROCEEDING] to [COMPLETED]

09:36:35.775 [1;36mINFO[1;0m: Chat message 0x25dd078: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:36:35.779 [1;36mINFO[1;0m: channel [0x252ac68]: received [311] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.UXX2kjr8O;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=~VyaTcyRI

To: <sip:aSecondSIPAccount@sip.linphone.org>

Call-ID: hoRMjIwX8D

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:36:35.783 [1;36mINFO[1;0m: channel [0x252ac68] [311] bytes parsed

09:36:35.784 [1;36mINFO[1;0m: Found transaction matching response.

09:36:35.784 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25dd308], from state [TRYING] to [PROCEEDING]

09:36:35.790 [1;36mINFO[1;0m: channel [0x252ac68]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.UXX2kjr8O;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=~VyaTcyRI

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=QSm704eBXX9KS

Call-ID: hoRMjIwX8D

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:36:35.794 [1;36mINFO[1;0m: channel [0x252ac68] [332] bytes parsed

09:36:35.795 [1;36mINFO[1;0m: Found transaction matching response.

09:36:35.795 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25dd308], from state [PROCEEDING] to [COMPLETED]

09:36:35.795 [1;36mINFO[1;0m: Chat message 0x25f7728: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:36:36.215 [1;36mINFO[1;0m: channel [0x252ac68]: keep alive sent to [UDP://sip.linphone.org:5060]

09:36:40.775 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x260d910], from state [COMPLETED] to [TERMINATED]

09:36:40.775 [1;36mINFO[1;0m: Client MESSAGE transaction [0x260d910] terminated

09:36:40.775 [1;36mINFO[1;0m: Unhandled transaction terminated [0x260d910]

09:36:40.796 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x25dd308], from state [COMPLETED] to [TERMINATED]

09:36:40.796 [1;36mINFO[1;0m: Client MESSAGE transaction [0x25dd308] terminated

09:36:40.796 [1;36mINFO[1;0m: Unhandled transaction terminated [0x25dd308]

09:36:51.945 [1;36mINFO[1;0m: Initializaing jamPi System version 0.2.0...

09:36:56.952 [1;36mINFO[1;0m: Sensor online... Turning on motion sensor...

09:37:01.959 [1;36mINFO[1;0m: PIR sensor is ready.

09:37:03.185 [1;36mINFO[1;0m: Mediastreamer2 factory 2.12.0 (git: 3.9.0) initialized.

09:37:03.186 [1;36mINFO[1;0m: CPU count set to 4

09:37:03.187 [1;36mINFO[1;0m: ms_factory_init() done: platform_tags=linux,arm,embedded

09:37:03.187 [1;36mINFO[1;0m: srtp init

09:37:03.221 [1;36mINFO[1;0m: Registering all soundcard handlers

09:37:03.306 [1;36mINFO[1;0m: Card 'ALSA: default device' added

09:37:03.315 [1;36mINFO[1;0m: also error in pcm_hw.c:1557 - open '/dev/snd/pcmC0D0c' failed (-2)

09:37:03.317 [1;36mINFO[1;0m: Card 'ALSA: bcm2835 ALSA' added

09:37:03.327 [1;36mINFO[1;0m: Card 'ALSA: USB PnP Sound Device' added

09:37:03.328 [1;36mINFO[1;0m: Registering all webcam handlers

09:37:03.328 [1;36mINFO[1;0m: Webcam StaticImage: Static picture added

09:37:03.328 [1;36mINFO[1;0m: ms_factory_init_voip() done

09:37:03.329 [1;36mINFO[1;0m: Loading ms plugins from [./lib/mediastreamer/plugins]

09:37:03.329 [1;36mINFO[1;0m: Cannot open directory ./lib/mediastreamer/plugins: No such file or directory

09:37:03.329 [1;36mINFO[1;0m: Initializing LinphoneCore 3.9.0

09:37:03.329 [1;36mINFO[1;0m: Vtable [0x16d6cb8] registered on core [0x16d6528]

09:37:03.330 [1;36mINFO[1;0m: Linphone core [0x16d6cb8] notifying [global_state_changed]

09:37:03.330 [1;36mINFO[1;0m: oRTP-0.25.0 initialized.

09:37:03.330 [1;36mINFO[1;0m: Skipping ms_base_init, because [2] ref

09:37:03.330 [1;36mINFO[1;0m: Skipping ms_voip_init, because [2] ref

09:37:03.331 [1;36mINFO[1;0m: Skipping ms_plugins_init, because [2] ref

09:37:03.331 [1;36mINFO[1;0m: Codec opus/48000 fmt=[useinbandfec=1] number=-1, enabled=1) added to default capabilities.

09:37:03.331 [1;36mINFO[1;0m: Could not find encoder for SILK

09:37:03.332 [1;36mINFO[1;0m: Could not find decoder for SILK

09:37:03.332 [1;36mINFO[1;0m: Codec speex/16000 fmt=[vbr=on] number=-1, enabled=1) added to default capabilities.

09:37:03.332 [1;36mINFO[1;0m: Codec speex/8000 fmt=[vbr=on] number=-1, enabled=1) added to default capabilities.

09:37:03.332 [1;36mINFO[1;0m: Codec PCMU/8000 fmt=[] number=0, enabled=1) added to default capabilities.

09:37:03.333 [1;36mINFO[1;0m: Codec PCMA/8000 fmt=[] number=8, enabled=1) added to default capabilities.

09:37:03.333 [1;36mINFO[1;0m: Codec t140/1000 fntp=[] number=96, enabled=1) added to default capabilities.

09:37:03.333 [1;36mINFO[1;0m: Codec red/1000 fntp=[] number=97, enabled=1) added to default capabilities.

09:37:03.333 [1;36mINFO[1;0m: Codec GSM/8000 fntp=[] number=3, enabled=0) added to default capabilities.

09:37:03.334 [1;36mINFO[1;0m: Codec G722/8000 fntp=[] number=9, enabled=0) added to default capabilities.

09:37:03.334 [1;36mINFO[1;0m: Could not find encoder for iLBC

09:37:03.334 [1;36mINFO[1;0m: Could not find decoder for iLBC

09:37:03.334 [1;36mINFO[1;0m: Could not find encoder for AMR

09:37:03.335 [1;36mINFO[1;0m: Could not find decoder for AMR

09:37:03.335 [1;36mINFO[1;0m: Could not find encoder for AMR-WB

09:37:03.335 [1;36mINFO[1;0m: Could not find decoder for AMR-WB

09:37:03.335 [1;36mINFO[1;0m: Could not find encoder for G729

09:37:03.335 [1;36mINFO[1;0m: Could not find decoder for G729

09:37:03.336 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

09:37:03.336 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

09:37:03.336 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

09:37:03.336 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

09:37:03.337 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

09:37:03.337 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

09:37:03.337 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

09:37:03.337 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

09:37:03.337 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

09:37:03.338 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

09:37:03.338 [1;36mINFO[1;0m: Could not find encoder for iSAC

09:37:03.338 [1;36mINFO[1;0m: Could not find decoder for iSAC

09:37:03.338 [1;36mINFO[1;0m: Codec speex/32000 fntp=[vbr=on] number=-1, enabled=0) added to default capabilities.

09:37:03.339 [1;36mINFO[1;0m: Could not find encoder for SILK

09:37:03.339 [1;36mINFO[1;0m: Could not find decoder for SILK

09:37:03.339 [1;36mINFO[1;0m: Could not find encoder for SILK

09:37:03.339 [1;36mINFO[1;0m: Could not find decoder for SILK

09:37:03.339 [1;36mINFO[1;0m: Could not find encoder for SILK

09:37:03.340 [1;36mINFO[1;0m: Could not find decoder for SILK

09:37:03.340 [1;36mINFO[1;0m: Could not find encoder for G726-16

09:37:03.340 [1;36mINFO[1;0m: Could not find decoder for G726-16

09:37:03.340 [1;36mINFO[1;0m: Could not find encoder for G726-24

09:37:03.341 [1;36mINFO[1;0m: Could not find decoder for G726-24

09:37:03.341 [1;36mINFO[1;0m: Could not find encoder for G726-32

09:37:03.341 [1;36mINFO[1;0m: Could not find decoder for G726-32

09:37:03.341 [1;36mINFO[1;0m: Could not find encoder for G726-40

09:37:03.342 [1;36mINFO[1;0m: Could not find decoder for G726-40

09:37:03.342 [1;36mINFO[1;0m: Could not find encoder for AAL2-G726-16

09:37:03.342 [1;36mINFO[1;0m: Could not find decoder for AAL2-G726-16

09:37:03.342 [1;36mINFO[1;0m: Could not find encoder for AAL2-G726-24

09:37:03.342 [1;36mINFO[1;0m: Could not find decoder for AAL2-G726-24

09:37:03.343 [1;36mINFO[1;0m: Could not find encoder for AAL2-G726-32

09:37:03.343 [1;36mINFO[1;0m: Could not find decoder for AAL2-G726-32

09:37:03.343 [1;36mINFO[1;0m: Could not find encoder for AAL2-G726-40

09:37:03.343 [1;36mINFO[1;0m: Could not find decoder for AAL2-G726-40

09:37:03.344 [1;36mINFO[1;0m: Could not find encoder for CODEC2

09:37:03.344 [1;36mINFO[1;0m: Could not find decoder for CODEC2

09:37:03.344 [1;36mINFO[1;0m: Codec VP8/90000 fmt=[] number=-1, enabled=1) added to default capabilities.

09:37:03.344 [1;36mINFO[1;0m: Could not find encoder for H264

09:37:03.344 [1;36mINFO[1;0m: Could not find decoder for H264

09:37:03.345 [1;36mINFO[1;0m: Could not find encoder for MP4V-ES

09:37:03.345 [1;36mINFO[1;0m: Could not find encoder for H263-1998

09:37:03.345 [1;36mINFO[1;0m: Could not find encoder for H263

09:37:03.345 [1;36mINFO[1;0m: Could not find encoder for 1016

09:37:03.346 [1;36mINFO[1;0m: Could not find decoder for 1016

09:37:03.346 [1;36mINFO[1;0m: Could not find encoder for G723

09:37:03.346 [1;36mINFO[1;0m: Could not find decoder for G723

09:37:03.346 [1;36mINFO[1;0m: Could not find encoder for LPC

09:37:03.346 [1;36mINFO[1;0m: Could not find decoder for LPC

09:37:03.347 [1;36mINFO[1;0m: Codec L16/44100 fmtp=[] number=10, enabled=0) added to default capabilities.

09:37:03.347 [1;36mINFO[1;0m: Codec L16/44100 fmtp=[] number=11, enabled=0) added to default capabilities.

09:37:03.347 [1;36mINFO[1;0m: Could not find encoder for CN

09:37:03.347 [1;36mINFO[1;0m: Could not find decoder for CN

09:37:03.348 [1;36mINFO[1;0m: Could not find encoder for G729

09:37:03.348 [1;36mINFO[1;0m: Could not find decoder for G729

09:37:03.348 [1;36mINFO[1;0m: Could not find encoder for H261

09:37:03.348 [1;36mINFO[1;0m: Could not find decoder for H261

09:37:03.348 [1;36mINFO[1;0m: Could not find encoder for MPV

09:37:03.349 [1;36mINFO[1;0m: Could not find decoder for MPV

09:37:03.349 [1;36mINFO[1;0m: Could not find encoder for H263

09:37:03.349 [1;36mINFO[1;0m: Sal nat helper [enabled]

09:37:03.349 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

09:37:03.350 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

09:37:03.350 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

09:37:03.350 [1;36mINFO[1;0m: Linphone core [0x16d6cb8] notifying [configuring_status]

09:37:03.350 [1;36mINFO[1;0m: Cannot open directory ./lib/liblinphone/plugins: No such file or directory

09:37:03.351 [1;31mWARNING[1;0m: ./share/sounds/linphone/rings/oldphone.wav does not exist

09:37:03.351 [1;36mINFO[1;0m: linphone_core_set_playback_gain_db(): no active call.

09:37:03.351 [1;36mINFO[1;0m: linphone_core_set_mic_gain_db(): no active call.

09:37:03.351 [1;36mINFO[1;0m: MTU is supposed to be 1300, rtp payload max size will be 1240

09:37:03.352 [1;36mINFO[1;0m: Sal nat helper [enabled]

09:37:03.352 [1;36mINFO[1;0m: Sal use rport [enabled]

09:37:03.352 [1;36mINFO[1;0m: Supported codec opus/48000 fmp=useinbandfec=1 automatically added to codec list.

09:37:03.352 [1;36mINFO[1;0m: Supported codec speex/16000 fmp=vbr=on automatically added to codec list.

09:37:03.353 [1;36mINFO[1;0m: Supported codec speex/8000 fmp=vbr=on automatically added to codec list.

09:37:03.353 [1;36mINFO[1;0m: Supported codec PCMU/8000 fmp= automatically added to codec list.

09:37:03.353 [1;36mINFO[1;0m: Supported codec PCMA/8000 fmp= automatically added to codec list.

09:37:03.353 [1;36mINFO[1;0m: Supported codec GSM/8000 fmp= automatically added to codec list.

09:37:03.353 [1;36mINFO[1;0m: Supported codec G722/8000 fmp= automatically added to codec list.

09:37:03.354 [1;36mINFO[1;0m: Supported codec speex/32000 fmp=vbr=on automatically added to codec list.

09:37:03.354 [1;36mINFO[1;0m: Supported codec L16/44100 fmp= automatically added to codec list.

09:37:03.354 [1;36mINFO[1;0m: Supported codec L16/44100 fmp= automatically added to codec list.

09:37:03.354 [1;36mINFO[1;0m: Supported codec VP8/90000 fmp= automatically added to codec list.

09:37:03.355 [1;36mINFO[1;0m: Supported codec t140/1000 fmp= automatically added to codec list.

09:37:03.355 [1;36mINFO[1;0m: Supported codec red/1000 fmp= automatically added to codec list.

09:37:03.355 [1;36mINFO[1;0m: Sal use rport [enabled]

09:37:03.355 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

09:37:03.356 [1;36mINFO[1;0m: sal_unlisten_ports done

09:37:03.356 [1;36mINFO[1;0m: Creating listening point [0x16f9a58] on [sip:0.0.0.0:5060;transport=UDP]

09:37:03.356 [1;36mINFO[1;0m: Creating listening point [0x16d7760] on [sip:0.0.0.0:5060;transport=TCP]

09:37:03.357 [1;36mINFO[1;0m: Creating listening point [0x16d79e0] on [sip:0.0.0.0:-1;transport=TLS]

09:37:03.357 [1;36mINFO[1;0m: Random TCP port is 47733

09:37:03.357 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

09:37:03.357 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

09:37:03.359 [1;36mINFO[1;0m: Linphone core [0x16d6cb8] notifying [global_state_changed]

09:37:03.361 [1;36mINFO[1;0m: Listening point [0x16f9a58] on [sip:0.0.0.0:5060;transport=UDP] destroyed

09:37:03.361 [1;36mINFO[1;0m: Listening point [0x16d7760] on [sip:0.0.0.0:5060;transport=TCP] destroyed

09:37:03.361 [1;36mINFO[1;0m: Listening point [0x16d79e0] on [sip:0.0.0.0:47733;transport=TLS] destroyed

09:37:03.362 [1;36mINFO[1;0m: sal_unlisten_ports done

09:37:03.362 [1;36mINFO[1;0m: Creating listening point [0x16dbc78] on [sip:0.0.0.0:5063;transport=UDP]

09:37:03.362 [1;36mINFO[1;0m: Creating listening point [0x16dbff8] on [sip:0.0.0.0:5067;transport=TCP]

09:37:03.362 [1;41mERROR[1;0m: TCP bind() failed for 0.0.0.0 port 5067: Address already in use

09:37:03.363 [1;36mINFO[1;0m: Listening point [0x16dbff8] on [sip:0.0.0.0:5067;transport=TCP] destroyed

09:37:03.363 [1;31mWARNING[1;0m: Could not start tcp transport on port 5067, maybe this port is already used.

09:37:03.363 [1;36mINFO[1;0m: Creating listening point [0x16f9af0] on [sip:0.0.0.0:32737;transport=TLS]

09:37:03.363 [1;41mERROR[1;0m: TCP bind() failed for 0.0.0.0 port 32737: Address already in use

09:37:03.364 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

09:37:03.364 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

09:37:03.365 [1;36mINFO[1;0m: Resolver is using DNS server(s):

09:37:03.365 [1;36mINFO[1;0m: 75.75.75.75

09:37:03.365 [1;36mINFO[1;0m: 75.75.76.76

09:37:03.365 [1;36mINFO[1;0m: 2001:558:feed::1

09:37:03.366 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress

09:37:03.366 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop

09:37:03.367 [1;36mINFO[1;0m: Sal nat helper [enabled]

09:37:03.367 [1;36mINFO[1;0m: Sal use rport [enabled]

09:37:03.368 [1;36mINFO[1;0m: no camera with id V4L2: /dev/video0

09:37:03.369 [1;31mWARNING[1;0m: Could not find video device V4L2: /dev/video0

09:37:03.372 [1;36mINFO[1;0m: Adding codec PCMU...

09:37:03.372 [1;36mINFO[1;0m: Adding codec PCMA...

09:37:03.374 [1;36mINFO[1;0m: Adding codec VP8...

09:37:03.375 [1;36mINFO[1;0m: [org.antlr.runtime.MismatchedTokenException] reason [()* loopback of 1637:21: (domainlabel DOT)*]

09:37:03.376 [1;41mERROR[1;0m: header_address parser error for [sip:zahersyed@sip.linphone.org@sip.linphone.org:5061]

09:37:03.376 [1;41mERROR[1;0m: Cannot create LinphoneAddress, bad uri [sip:zahersyed@sip.linphone.org@sip.linphone.org:5061]

09:37:03.376 [1;31mWARNING[1;0m: Invalid sip identity: NULL

09:37:03.378 [1;31mWARNING[1;0m: Bad proxy address: it is not in the list !

09:37:03.378 [1;41mERROR[1;0m: linphone_core_add_auth_info(): info supplied with empty password or ha1.

09:37:03.379 [1;36mINFO[1;0m: auth_info.username = zahersyed@sip.linphone.org,

09:37:06.433 [1;36mINFO[1;0m: stun.linphone.org resolved to 37.59.51.72

09:37:06.433 [1;36mINFO[1;0m: Stun server resolution successful.

09:37:06.434 [1;36mINFO[1;0m: New local ip address is 10.1.10.45

09:37:06.434 [1;36mINFO[1;0m: Network state is now [UP]

09:37:06.434 [1;36mINFO[1;0m: Resolver is using DNS server(s):

09:37:06.435 [1;36mINFO[1;0m: 75.75.75.75

09:37:06.435 [1;36mINFO[1;0m: 75.75.76.76

09:37:06.435 [1;36mINFO[1;0m: 2001:558:feed::1

09:37:06.436 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress

09:37:06.436 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop

09:37:06.437 [1;36mINFO[1;0m: Linphone core [0x16d6cb8] notifying [network_reachable]

09:37:06.525 [1;36mINFO[1;0m: stun.linphone.org resolved to 37.59.51.72

09:37:06.525 [1;36mINFO[1;0m: Stun server resolution successful.

09:37:42.264 [1;36mINFO[1;0m: *Motion detected!*

09:37:43.268 [1;36mINFO[1;0m: Notifying contacts...

09:37:43.269 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

09:37:43.272 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:37:43.272 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76cbbcb0>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:37:43.276 [1;36mINFO[1;0m: belle_sip_client_transaction_send_request(): waiting channel to be ready

09:37:43.276 [1;36mINFO[1;0m: channel [0x170ca08]: starting resolution of sip.linphone.org

09:37:43.277 [1;36mINFO[1;0m: channel 0x170ca08: state RES_IN_PROGRESS

09:37:43.277 [1;36mINFO[1;0m: transaction [0x170ba00] channel state changed to [RES_IN_PROGRESS]

09:37:43.277 [1;36mINFO[1;0m: Resolver is using DNS server(s):

09:37:43.278 [1;36mINFO[1;0m: 75.75.75.75

09:37:43.278 [1;36mINFO[1;0m: 75.75.76.76

09:37:43.278 [1;36mINFO[1;0m: 2001:558:feed::1

09:37:43.279 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress

09:37:43.279 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop

09:37:43.280 [1;36mINFO[1;0m: Chat message 0x17098c0: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:37:43.280 [1;36mINFO[1;0m: Notifying sip:aSecondSIPAccount@sip.linphone.org

09:37:43.284 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:37:43.284 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76cbbd00>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:37:43.288 [1;36mINFO[1;0m: Chat message 0x171cb10: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:37:49.299 [1;36mINFO[1;0m: Emailed and saved image to "/home/pi/emailedSecurityCameraImage-2016-04-10T09:37:49.293037.jpg"

09:38:08.839 [1;36mINFO[1;0m: SRV _sip._udp.sip.linphone.org resolved to [target:sip3.linphone.org. port:5060 prio:0 weight:100]

09:38:08.840 [1;36mINFO[1;0m: SRV _sip._udp.sip.linphone.org resolved to [target:sip1.linphone.org. port:5060 prio:10 weight:100]

09:38:08.841 [1;36mINFO[1;0m: Starting A/AAAA query for srv result [sip3.linphone.org.]

09:38:08.842 [1;36mINFO[1;0m: Resolver is using DNS server(s):

09:38:08.843 [1;36mINFO[1;0m: 75.75.75.75

09:38:08.843 [1;36mINFO[1;0m: 75.75.76.76
09:38:08.843 [1;36mINFO[1;0m: 2001:558:feed::1
09:38:08.844 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress
09:38:08.845 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop
09:38:08.845 [1;36mINFO[1;0m: Starting A/AAAA query for srv result [sip1.linphone.org.]
09:38:08.847 [1;36mINFO[1;0m: Resolver is using DNS server(s):
09:38:08.847 [1;36mINFO[1;0m: 75.75.75.75
09:38:08.847 [1;36mINFO[1;0m: 75.75.76.76
09:38:08.848 [1;36mINFO[1;0m: 2001:558:feed::1
09:38:08.849 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress
09:38:08.849 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop
09:38:08.850 [1;36mINFO[1;0m: *Motion detected!*\br/>09:38:09.857 [1;36mINFO[1;0m: sip3.linphone.org. resolved to 37.59.51.72
09:38:09.858 [1;36mINFO[1;0m: A query finished for srv result [sip3.linphone.org.]
09:38:09.858 [1;36mINFO[1;0m: sip1.linphone.org. resolved to 91.121.209.194
09:38:09.859 [1;36mINFO[1;0m: A query finished for srv result [sip1.linphone.org.]
09:38:09.859 [1;36mINFO[1;0m: All A/AAAA results for combined resolution have arrived.
09:38:09.860 [1;36mINFO[1;0m: channel 0x170ca08: state RES_DONE
09:38:09.860 [1;36mINFO[1;0m: transaction [0x170ba00] channel state changed to [RES_DONE]
09:38:09.861 [1;36mINFO[1;0m: transaction [0x1744190] channel state changed to [RES_DONE]
09:38:09.861 [1;36mINFO[1;0m: channel 0x170ca08: state CONNECTING
09:38:09.862 [1;36mINFO[1;0m: transaction [0x170ba00] channel state changed to [CONNECTING]
09:38:09.862 [1;36mINFO[1;0m: transaction [0x1744190] channel state changed to [CONNECTING]
09:38:09.863 [1;36mINFO[1;0m: Trying to connect to [UDP://37.59.51.72:5060]
09:38:09.863 [1;36mINFO[1;0m: belle_sip_get_src_addr_for(): af_inet6=0
09:38:09.864 [1;36mINFO[1;0m: Channel has local address 10.1.10.45:5063
09:38:09.864 [1;36mINFO[1;0m: channel 0x170ca08: state READY
09:38:09.865 [1;36mINFO[1;0m: transaction [0x170ba00] channel state changed to [READY]

09:38:09.865 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x170ba00], from state [INIT] to [TRYING]

09:38:09.866 [1;36mINFO[1;0m: channel [0x170ca08]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.K~ny7sq4r;rport

From: <sip:linphone@10.1.10.45>;tag=4IH4o-pvs

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: nA0GOF2WBa

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:37:43 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:37:43.271327'

09:38:09.867 [1;36mINFO[1;0m: transaction [0x1744190] channel state changed to [READY]

09:38:09.867 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1744190], from state [INIT] to [TRYING]

09:38:09.868 [1;36mINFO[1;0m: channel [0x170ca08]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.hQWcsMxtQ;rport

From: <sip:linphone@10.1.10.45>;tag=WmrCML~7u

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: Tba98IkThz

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:37:43 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:37:43.283011'

09:38:10.005 [1;36mINFO[1;0m: channel [0x170ca08]: received [303] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.K~ny7sq4r;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=4lH4o-pvs

To: <sip:zahersyed@sip.linphone.org>

Call-ID: nA0GOF2WBa

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:38:10.009 [1;36mINFO[1;0m: channel [0x170ca08] [303] bytes parsed

09:38:10.010 [1;36mINFO[1;0m: channel [0x170ca08]: discovered public ip and port are [173.12.114.238:5063]

09:38:10.010 [1;36mINFO[1;0m: Found transaction matching response.

09:38:10.010 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x170ba00], from state [TRYING] to [PROCEEDING]

09:38:10.011 [1;36mINFO[1;0m: channel [0x170ca08]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.K~ny7sq4r;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=4lH4o-pvs

To: <sip:zahersyed@sip.linphone.org>;tag=FBNjQt74FBZ1j

Call-ID: nA0GOF2WBa

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:38:10.015 [1;36mINFO[1;0m: channel [0x170ca08] [324] bytes parsed

09:38:10.015 [1;36mINFO[1;0m: Found transaction matching response.

09:38:10.016 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x170ba00], from state [PROCEEDING] to [COMPLETED]

09:38:10.016 [1;36mINFO[1;0m: Chat message 0x17098c0: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:38:10.016 [1;36mINFO[1;0m: channel [0x170ca08]: received [311] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.hQWcsMxtQ;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=WmrCML~7u

To: <sip:aSecondSIPAccount@sip.linphone.org>

Call-ID: Tba98IkThz

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:38:10.021 [1;36mINFO[1;0m: channel [0x170ca08] [311] bytes parsed

09:38:10.021 [1;36mINFO[1;0m: Found transaction matching response.

09:38:10.021 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1744190], from state [TRYING] to [PROCEEDING]

09:38:10.022 [1;36mINFO[1;0m: channel [0x170ca08]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.hQWcsMxtQ;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=WmrCML~7u

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=gmeBSNr8cmNme

Call-ID: Tba98IkThz

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:38:10.026 [1;36mINFO[1;0m: channel [0x170ca08] [332] bytes parsed

09:38:10.027 [1;36mINFO[1;0m: Found transaction matching response.

09:38:10.027 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1744190], from state [PROCEEDING] to [COMPLETED]

09:38:10.027 [1;36mINFO[1;0m: Chat message 0x171cb10: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:38:15.016 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x170ba00], from state [COMPLETED] to [TERMINATED]

09:38:15.016 [1;36mINFO[1;0m: Client MESSAGE transaction [0x170ba00] terminated

09:38:15.021 [1;36mINFO[1;0m: Unhandled transaction terminated [0x170ba00]

09:38:15.027 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1744190], from state [COMPLETED] to [TERMINATED]

09:38:15.027 [1;36mINFO[1;0m: Client MESSAGE transaction [0x1744190] terminated

09:38:15.027 [1;36mINFO[1;0m: Unhandled transaction terminated [0x1744190]

09:38:18.839 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:38:28.839 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:38:38.839 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:38:41.863 [1;36mINFO[1;0m: *Motion detected!*

09:38:42.867 [1;36mINFO[1;0m: Notifying contacts...

09:38:42.868 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

09:38:42.870 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:38:42.870 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76cbbd70>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:38:42.874 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1731200], from state [INIT] to [TRYING]

09:38:42.875 [1;36mINFO[1;0m: channel [0x170ca08]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.UVzUBUTfv;rport

From: <sip:linphone@10.1.10.45>;tag=801T~BE78

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: V9oJo8JUWp

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:38:42 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:38:42.869414'

09:38:42.876 [1;36mINFO[1;0m: Chat message 0x1733cb0: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:38:42.876 [1;36mINFO[1;0m: Notifying sip:aSecondSIPAccount@sip.linphone.org

09:38:42.879 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:38:42.879 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76cbbbe10>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:38:42.883 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x175bd98], from state [INIT] to [TRYING]

09:38:42.884 [1;36mINFO[1;0m: channel [0x170ca08]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.YE-rhbEOo;rport

From: <sip:linphone@10.1.10.45>;tag=HZ9yYmJ5L

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: q-cTNflwRh

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:38:42 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:38:42.877872'

09:38:42.885 [1;36mINFO[1;0m: Chat message 0x175b080: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:38:47.597 [1;36mINFO[1;0m: Emailed and saved image to "/home/pi/emailedSecurityCameraImage-2016-04-10T09:38:47.590527.jpg"

09:39:07.093 [1;36mINFO[1;0m: channel [0x170ca08]: received [303] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.UVzUBUTfV;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=8O1T~BE78

To: <sip:zahersyed@sip.linphone.org>

Call-ID: V9oJo8JUWp

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:39:07.101 [1;36mINFO[1;0m: channel [0x170ca08] [303] bytes parsed

09:39:07.102 [1;36mINFO[1;0m: Found transaction matching response.

09:39:07.102 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1731200], from state [TRYING] to [PROCEEDING]

09:39:07.103 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:39:07.103 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:39:07.104 [1;36mINFO[1;0m: channel [0x170ca08]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.UVzUBUTfV;rport

From: <sip:linphone@10.1.10.45>;tag=8O1T~BE78

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: V9oJo8JUWp

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:38:42 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:38:42.869414'

09:39:07.105 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:39:07.106 [1;36mINFO[1;0m: channel [0x170ca08]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.YE-rhbEOo;rport

From: <sip:linphone@10.1.10.45>;tag=HZ9yYmJ5L

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: q-cTNflwRh

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:38:42 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:38:42.877872'

09:39:07.107 [1;36mINFO[1;0m: *Motion detected!*

09:39:08.113 [1;36mINFO[1;0m: channel [0x170ca08]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.UVzUBUTfV;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=801T~BE78

To: <sip:zahersyed@sip.linphone.org>;tag=Xj8gF56D7D7FD

Call-ID: V9oJo8JUWp

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:39:08.121 [1;36mINFO[1;0m: channel [0x170ca08] [324] bytes parsed

09:39:08.122 [1;36mINFO[1;0m: Found transaction matching response.

09:39:08.122 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1731200], from state [PROCEEDING] to [COMPLETED]

09:39:08.123 [1;36mINFO[1;0m: Chat message 0x1733cb0: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:39:08.123 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:39:08.124 [1;36mINFO[1;0m: channel [0x170ca08]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.YE-rhbEOo;rport

From: <sip:linphone@10.1.10.45>;tag=HZ9yYmJ5L

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: q-cTNflwRh

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:38:42 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:38:42.877872'

09:39:08.126 [1;36mINFO[1;0m: channel [0x170ca08]: received [311] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.YE-rhbEOo;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=HZ9yYmJ5L

To: <sip:aSecondSIPAccount@sip.linphone.org>

Call-ID: q-cTNflwRh

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:39:08.133 [1;36mINFO[1;0m: channel [0x170ca08] [311] bytes parsed

09:39:08.134 [1;36mINFO[1;0m: Found transaction matching response.

09:39:08.135 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x175bd98], from state [TRYING] to [PROCEEDING]

09:39:08.135 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:39:08.136 [1;36mINFO[1;0m: channel [0x170ca08]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.YE-rhbEOo;rport

From: <sip:linphone@10.1.10.45>;tag=HZ9yYmJ5L

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: q-cTNflwRh

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:38:42 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:38:42.877872'

09:39:08.137 [1;36mINFO[1;0m: channel [0x170ca08]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.YE-rhbEOo;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=HZ9yYmJ5L

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=yU19g0QH4pX2r

Call-ID: q-cTNflwRh

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:39:08.146 [1;36mINFO[1;0m: channel [0x170ca08] [332] bytes parsed

09:39:08.146 [1;36mINFO[1;0m: Found transaction matching response.

09:39:08.147 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x175bd98], from state [PROCEEDING] to [COMPLETED]

09:39:08.147 [1;36mINFO[1;0m: Chat message 0x175b080: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:39:08.149 [1;36mINFO[1;0m: channel [0x170ca08]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.UVzUBUTfV;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=801T~BE78

To: <sip:zahersyed@sip.linphone.org>;tag=Xj8gF56D7D7FD

Call-ID: V9oJo8JUWp

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:39:08.156 [1;36mINFO[1;0m: channel [0x170ca08] [324] bytes parsed

09:39:08.157 [1;36mINFO[1;0m: Found transaction matching response.

09:39:08.158 [1;36mINFO[1;0m: channel [0x170ca08]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.YE-rhbEOo;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=HZ9yYmJ5L

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=yU19g0QH4pX2r

Call-ID: q-cTNflwRh

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:39:08.167 [1;36mINFO[1;0m: channel [0x170ca08] [332] bytes parsed

09:39:08.167 [1;36mINFO[1;0m: Found transaction matching response.

09:39:08.266 [1;36mINFO[1;0m: channel [0x170ca08]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.YE-rhbEOo;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=HZ9yYmJ5L

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=yU19g0QH4pX2r

Call-ID: q-cTNflwRh

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:39:08.271 [1;36mINFO[1;0m: channel [0x170ca08] [332] bytes parsed

09:39:08.271 [1;36mINFO[1;0m: Found transaction matching response.

09:39:08.277 [1;36mINFO[1;0m: channel [0x170ca08]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.YE-rhbEOo;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=HZ9yYmJ5L

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=yU19g0QH4pX2r

Call-ID: q-cTNflwRh

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:39:08.282 [1;36mINFO[1;0m: channel [0x170ca08] [332] bytes parsed

09:39:08.282 [1;36mINFO[1;0m: Found transaction matching response.

09:39:13.123 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1731200], from state [COMPLETED] to [TERMINATED]

09:39:13.123 [1;36mINFO[1;0m: Client MESSAGE transaction [0x1731200] terminated

09:39:13.124 [1;36mINFO[1;0m: Unhandled transaction terminated [0x1731200]

09:39:13.148 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x175bd98], from state [COMPLETED] to [TERMINATED]

09:39:13.148 [1;36mINFO[1;0m: Client MESSAGE transaction [0x175bd98] terminated

09:39:13.148 [1;36mINFO[1;0m: Unhandled transaction terminated [0x175bd98]

09:39:17.093 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:39:20.458 [1;36mINFO[1;0m: *Motion detected!*

09:39:21.461 [1;36mINFO[1;0m: Notifying contacts...

09:39:21.462 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

09:39:21.465 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:39:21.465 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76cbbf50>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:39:21.468 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1760f50], from state [INIT] to [TRYING]

09:39:21.469 [1;36mINFO[1;0m: channel [0x170ca08]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.Cq9wlmDJH;rport

From: <sip:linphone@10.1.10.45>;tag=BzFHou7I5

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: JDxl0br~y2

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:39:21 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:39:21.463763'

09:39:21.470 [1;36mINFO[1;0m: Chat message 0x1737578: moving from state
LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:39:21.470 [1;36mINFO[1;0m: Notifying sip:aSecondSIPAccount@sip.linphone.org

09:39:21.473 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:39:21.473 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76cbbf30>, ip =
None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:39:21.477 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x173ba28], from state [INIT]
to [TRYING]

09:39:21.478 [1;36mINFO[1;0m: channel [0x170ca08]: message sent to [UDP://sip.linphone.org:5060],
size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.LgAgQ6Bzy;rport

From: <sip:linphone@10.1.10.45>;tag=yrBrnlxel

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: HCUtIYiSDo

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:39:21 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:39:21.472112'

09:39:21.479 [1;36mINFO[1;0m: Chat message 0x17360f8: moving from state
LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:39:26.284 [1;36mINFO[1;0m: Emailed and saved image to "/home/pi/emailedSecurityCameraImage-
2016-04-10T09:39:26.280350.jpg"

09:39:45.797 [1;36mINFO[1;0m: channel [0x170ca08]: received [303] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.Cq9wlmDJH;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=BzFHou715

To: <sip:zahersyed@sip.linphone.org>

Call-ID: JDxI0br~y2

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:39:45.805 [1;36mINFO[1;0m: channel [0x170ca08] [303] bytes parsed

09:39:45.806 [1;36mINFO[1;0m: Found transaction matching response.

09:39:45.806 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1760f50], from state
[TRYING] to [PROCEEDING]

09:39:45.807 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:39:45.808 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:39:45.809 [1;36mINFO[1;0m: channel [0x170ca08]: message sent to [UDP://sip.linphone.org:5060],
size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.Cq9wlmDJH;rport

From: <sip:linphone@10.1.10.45>;tag=BzFHou715

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: JDxI0br~y2

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:39:21 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:39:21.463763'

09:39:45.809 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:39:45.810 [1;36mINFO[1;0m: channel [0x170ca08]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.LgAgQ6Bzy;rport

From: <sip:linphone@10.1.10.45>;tag=yrBrnlxel

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: HCUtIYiSDo

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:39:21 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:39:21.472112'

09:39:45.811 [1;36mINFO[1;0m: channel [0x170ca08]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.Cq9wlmDJH;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=BzFHou7I5

To: <sip:zahersyed@sip.linphone.org>;tag=eQScy4e3v532F

Call-ID: JDxl0br~y2

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:39:45.819 [1;36mINFO[1;0m: channel [0x170ca08] [324] bytes parsed

09:39:45.820 [1;36mINFO[1;0m: Found transaction matching response.

09:39:45.820 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1760f50], from state [PROCEEDING] to [COMPLETED]

09:39:45.821 [1;36mINFO[1;0m: Chat message 0x1737578: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:39:45.822 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:39:45.823 [1;36mINFO[1;0m: channel [0x170ca08]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.LgAgQ6Bzy;rport

From: <sip:linphone@10.1.10.45>;tag=yrBrnlxel

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: HCUtIYiSDo

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:39:21 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:39:21.472112'

09:39:45.824 [1;36mINFO[1;0m: channel [0x170ca08]: received [311] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.LgAgQ6Bzy;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=yrBrnlxel

To: <sip:aSecondSIPAccount@sip.linphone.org>

Call-ID: HCUtIYiSDo

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:39:45.832 [1;36mINFO[1;0m: channel [0x170ca08] [311] bytes parsed

09:39:45.833 [1;36mINFO[1;0m: Found transaction matching response.

09:39:45.833 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x173ba28], from state [TRYING] to [PROCEEDING]

09:39:45.834 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:39:45.835 [1;36mINFO[1;0m: channel [0x170ca08]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.LgAgQ6Bzy;rport

From: <sip:linphone@10.1.10.45>;tag=yrBrnlxel

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: HCUtIYiSDo

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:39:21 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:39:21.472112'

09:39:45.836 [1;36mINFO[1;0m: channel [0x170ca08]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.LgAgQ6Bzy;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=yrBrnlxel

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=F0j5ZZZ6SetNB

Call-ID: HCUtIYiSDo

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:39:45.844 [1;36mINFO[1;0m: channel [0x170ca08] [332] bytes parsed

09:39:45.845 [1;36mINFO[1;0m: Found transaction matching response.

09:39:45.845 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x173ba28], from state [PROCEEDING] to [COMPLETED]

09:39:45.846 [1;36mINFO[1;0m: Chat message 0x17360f8: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:39:45.952 [1;36mINFO[1;0m: channel [0x170ca08]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.Cq9wlmDJH;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=BzFHou7I5
To: <sip:zahersyed@sip.linphone.org>;tag=eQScy4e3v532F
Call-ID: JDxl0br~y2
CSeq: 20 MESSAGE
Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)
Content-Length: 0

09:39:45.956 [1;36mINFO[1;0m: channel [0x170ca08] [324] bytes parsed

09:39:45.957 [1;36mINFO[1;0m: Found transaction matching response.

09:39:45.957 [1;36mINFO[1;0m: channel [0x170ca08]: received [332] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.LgAgQ6Bzy;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=yrBrnlxel

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=F0j5ZZZ6SetNB

Call-ID: HCUtIYiSDo

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:39:45.962 [1;36mINFO[1;0m: channel [0x170ca08] [332] bytes parsed

09:39:45.962 [1;36mINFO[1;0m: Found transaction matching response.

09:39:45.966 [1;36mINFO[1;0m: channel [0x170ca08]: received [332] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.LgAgQ6Bzy;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=yrBrnlxel

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=F0j5ZZZ6SetNB

Call-ID: HCUtIYiSDo

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:39:45.970 [1;36mINFO[1;0m: channel [0x170ca08] [332] bytes parsed

09:39:45.971 [1;36mINFO[1;0m: Found transaction matching response.

09:39:45.972 [1;36mINFO[1;0m: channel [0x170ca08]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.LgAgQ6Bzy;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=yrBrnlxel

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=F0j5ZZZ6SetNB

Call-ID: HCUtIYiSDo

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:39:45.976 [1;36mINFO[1;0m: channel [0x170ca08] [332] bytes parsed

09:39:45.976 [1;36mINFO[1;0m: Found transaction matching response.

09:39:50.822 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1760f50], from state [COMPLETED] to [TERMINATED]

09:39:50.822 [1;36mINFO[1;0m: Client MESSAGE transaction [0x1760f50] terminated

09:39:50.822 [1;36mINFO[1;0m: Unhandled transaction terminated [0x1760f50]

09:39:50.846 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x173ba28], from state [COMPLETED] to [TERMINATED]

09:39:50.846 [1;36mINFO[1;0m: Client MESSAGE transaction [0x173ba28] terminated

09:39:50.846 [1;36mINFO[1;0m: Unhandled transaction terminated [0x173ba28]

09:39:55.797 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:40:05.797 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:40:15.797 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:40:25.797 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:40:35.797 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:40:45.797 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:40:55.797 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:41:05.797 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:41:15.797 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:41:25.797 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:41:35.797 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:41:45.797 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:41:55.797 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:42:05.797 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:42:15.797 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:42:25.797 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:42:35.797 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:42:45.797 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:42:55.797 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:43:05.797 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:43:15.797 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:43:22.589 [1;36mINFO[1;0m: *Motion detected!*

09:43:23.592 [1;36mINFO[1;0m: Notifying contacts...

09:43:23.593 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

09:43:23.595 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:43:23.595 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76cbbfe0>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:43:23.599 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x175a6b0], from state [INIT] to [TRYING]

09:43:23.600 [1;36mINFO[1;0m: channel [0x170ca08]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.5sftPYPIW;rport

From: <sip:linphone@10.1.10.45>;tag=AvCdNR66Q

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: yxdG4pcyD~

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:43:23 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:43:23.594430'

09:43:23.600 [1;36mINFO[1;0m: Chat message 0x1763088: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:43:23.601 [1;36mINFO[1;0m: Notifying sip:aSecondSIPAccount@sip.linphone.org

09:43:23.604 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:43:23.604 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76cbbff0>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:43:23.608 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x16da888], from state [INIT] to [TRYING]

09:43:23.609 [1;36mINFO[1;0m: channel [0x170ca08]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.TeUroAMBI;rport

From: <sip:linphone@10.1.10.45>;tag=xs~b3WGbd

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: Ot0z6YjIKM

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:43:23 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:43:23.602792'

09:43:23.609 [1;36mINFO[1;0m: Chat message 0x1763110: moving from state
LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:43:28.307 [1;36mINFO[1;0m: Emailed and saved image to "/home/pi/emailedSecurityCameraImage-
2016-04-10T09:43:28.293061.jpg"

09:43:47.791 [1;36mINFO[1;0m: channel [0x170ca08]: received [303] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.5sftPYPIW;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=AvCdNR66Q

To: <sip:zahersyed@sip.linphone.org>

Call-ID: yxdG4pcyD~

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:43:47.799 [1;36mINFO[1;0m: channel [0x170ca08] [303] bytes parsed

09:43:47.799 [1;36mINFO[1;0m: Found transaction matching response.

09:43:47.800 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x175a6b0], from state [TRYING] to [PROCEEDING]

09:43:47.800 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:43:47.801 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:43:47.802 [1;36mINFO[1;0m: channel [0x170ca08]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.5sftPYPIW;rport

From: <sip:linphone@10.1.10.45>;tag=AvCdNR66Q

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: yxdG4pcyD~

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:43:23 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:43:23.594430'

09:43:47.802 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:43:47.803 [1;36mINFO[1;0m: channel [0x170ca08]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.TeUroAMBI;rport

From: <sip:linphone@10.1.10.45>;tag=xs~b3WGbd

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: Ot0z6YjIKM

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:43:23 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:43:23.602792'

09:43:47.804 [1;36mINFO[1;0m: channel [0x170ca08]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.5sftPYPIW;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=AvCdNR66Q

To: <sip:zahersyed@sip.linphone.org>;tag=DHXHS0j8BU24r

Call-ID: yxdG4pcyD~

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:43:47.812 [1;36mINFO[1;0m: channel [0x170ca08] [324] bytes parsed

09:43:47.813 [1;36mINFO[1;0m: Found transaction matching response.

09:43:47.813 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x175a6b0], from state [PROCEEDING] to [COMPLETED]

09:43:47.814 [1;36mINFO[1;0m: Chat message 0x1763088: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:43:47.814 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:43:47.815 [1;36mINFO[1;0m: channel [0x170ca08]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.TeUroAMBI;rport

From: <sip:linphone@10.1.10.45>;tag=xs~b3WGbd

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: Ot0z6YjIKM

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:43:23 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:43:23.602792'

09:43:47.817 [1;36mINFO[1;0m: channel [0x170ca08]: received [311] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.TeUroAMBI;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=xs~b3WGbd

To: <sip:aSecondSIPAccount@sip.linphone.org>

Call-ID: Ot0z6YjIKM

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:43:47.824 [1;36mINFO[1;0m: channel [0x170ca08] [311] bytes parsed

09:43:47.825 [1;36mINFO[1;0m: Found transaction matching response.

09:43:47.826 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x16da888], from state [TRYING] to [PROCEEDING]

09:43:47.826 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:43:47.827 [1;36mINFO[1;0m: channel [0x170ca08]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.TeUroAMBI;rport

From: <sip:linphone@10.1.10.45>;tag=xs~b3WGbd

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: Ot0z6YjIKM

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:43:23 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:43:23.602792'

09:43:47.828 [1;36mINFO[1;0m: channel [0x170ca08]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.TeUroAMBI;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=xs~b3WGbd

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=etpaUU3B93rQm

Call-ID: Ot0z6YjIKM

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:43:47.836 [1;36mINFO[1;0m: channel [0x170ca08] [332] bytes parsed

09:43:47.837 [1;36mINFO[1;0m: Found transaction matching response.

09:43:47.838 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x16da888], from state [PROCEEDING] to [COMPLETED]

09:43:47.838 [1;36mINFO[1;0m: Chat message 0x1763110: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:43:47.945 [1;36mINFO[1;0m: channel [0x170ca08]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.5sftPYPIW;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=AvCdNR66Q

To: <sip:zahersyed@sip.linphone.org>;tag=DHXHS0j8BU24r

Call-ID: yxdG4pcyD~

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:43:47.949 [1;36mINFO[1;0m: channel [0x170ca08] [324] bytes parsed

09:43:47.950 [1;36mINFO[1;0m: Found transaction matching response.

09:43:47.950 [1;36mINFO[1;0m: channel [0x170ca08]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.TeUroAMBI;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=xs~b3WGbd

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=etpaUU3B93rQm

Call-ID: Ot0z6YjIKM

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:43:47.955 [1;36mINFO[1;0m: channel [0x170ca08] [332] bytes parsed

09:43:47.955 [1;36mINFO[1;0m: Found transaction matching response.

09:43:47.956 [1;36mINFO[1;0m: channel [0x170ca08]: received [332] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.TeUroAMBI;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=xs~b3WGbd

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=etpaUU3B93rQm

Call-ID: Ot0z6YjIKM

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:43:47.960 [1;36mINFO[1;0m: channel [0x170ca08] [332] bytes parsed

09:43:47.960 [1;36mINFO[1;0m: Found transaction matching response.

09:43:47.965 [1;36mINFO[1;0m: channel [0x170ca08]: received [332] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.TeUroAMBI;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=xs~b3WGbd

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=etpaUU3B93rQm

Call-ID: Ot0z6YjIKM

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:43:47.969 [1;36mINFO[1;0m: channel [0x170ca08] [332] bytes parsed

09:43:47.970 [1;36mINFO[1;0m: Found transaction matching response.

09:43:52.814 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x175a6b0], from state [COMPLETED] to [TERMINATED]

09:43:52.814 [1;36mINFO[1;0m: Client MESSAGE transaction [0x175a6b0] terminated

09:43:52.814 [1;36mINFO[1;0m: Unhandled transaction terminated [0x175a6b0]

09:43:52.839 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x16da888], from state [COMPLETED] to [TERMINATED]

09:43:52.839 [1;36mINFO[1;0m: Client MESSAGE transaction [0x16da888] terminated

09:43:52.839 [1;36mINFO[1;0m: Unhandled transaction terminated [0x16da888]

09:43:57.010 [1;36mINFO[1;0m: *Motion detected!*

09:43:58.013 [1;36mINFO[1;0m: Notifying contacts...

09:43:58.017 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

09:43:58.020 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:43:58.020 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76a23060>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:43:58.024 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x175b5a0], from state [INIT] to [TRYING]

09:43:58.025 [1;36mINFO[1;0m: channel [0x170ca08]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.hq04IUG2x;rport

From: <sip:linphone@10.1.10.45>;tag=H8sGR2N3G

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: bC8LDIznrQ

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:43:58 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:43:58.019216'

09:43:58.025 [1;36mINFO[1;0m: Chat message 0x1760870: moving from state
LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:43:58.026 [1;36mINFO[1;0m: Notifying sip:aSecondSIPAccount@sip.linphone.org

09:43:58.028 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:43:58.029 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76a23150>, ip
= None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:43:58.033 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x17340e0], from state [INIT]
to [TRYING]

09:43:58.033 [1;36mINFO[1;0m: channel [0x170ca08]: message sent to [UDP://sip.linphone.org:5060],
size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.16bukkkzgwrport

From: <sip:linphone@10.1.10.45>;tag=Db-o6zsGh

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: zsTcA0qxqs

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:43:58 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:43:58.027643'

09:43:58.034 [1;36mINFO[1;0m: Chat message 0x175a1b8: moving from state
LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:43:58.035 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:43:58.166 [1;36mINFO[1;0m: channel [0x170ca08]: received [303] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.hq04IUG2x;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=H8sGR2N3G

To: <sip:zahersyed@sip.linphone.org>

Call-ID: bC8LDIznrQ

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:43:58.171 [1;36mINFO[1;0m: channel [0x170ca08] [303] bytes parsed

09:43:58.171 [1;36mINFO[1;0m: Found transaction matching response.

09:43:58.171 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x175b5a0], from state [TRYING] to [PROCEEDING]

09:43:58.172 [1;36mINFO[1;0m: channel [0x170ca08]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.hq04IUG2x;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=H8sGR2N3G

To: <sip:zahersyed@sip.linphone.org>;tag=v2j2B8X5339UH

Call-ID: bC8LDIznrQ

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:43:58.176 [1;36mINFO[1;0m: channel [0x170ca08] [324] bytes parsed

09:43:58.176 [1;36mINFO[1;0m: Found transaction matching response.

09:43:58.177 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x175b5a0], from state [PROCEEDING] to [COMPLETED]

09:43:58.177 [1;36mINFO[1;0m: Chat message 0x1760870: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:43:58.177 [1;36mINFO[1;0m: channel [0x170ca08]: received [311] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.16bukkgzw;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=Db-o6zsGh

To: <sip:aSecondSIPAccount@sip.linphone.org>

Call-ID: zsTcA0qxqs

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:43:58.182 [1;36mINFO[1;0m: channel [0x170ca08] [311] bytes parsed

09:43:58.182 [1;36mINFO[1;0m: Found transaction matching response.

09:43:58.182 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x17340e0], from state [TRYING] to [PROCEEDING]

09:43:58.183 [1;36mINFO[1;0m: channel [0x170ca08]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.16bukkgzw;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=Db-o6zsGh

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=XBcUD3e90c0eD

Call-ID: zsTcA0qxqs

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:43:58.187 [1;36mINFO[1;0m: channel [0x170ca08] [332] bytes parsed

09:43:58.188 [1;36mINFO[1;0m: Found transaction matching response.

09:43:58.188 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x17340e0], from state [PROCEEDING] to [COMPLETED]

09:43:58.188 [1;36mINFO[1;0m: Chat message 0x175a1b8: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:44:03.177 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x175b5a0], from state [COMPLETED] to [TERMINATED]

09:44:03.184 [1;36mINFO[1;0m: Client MESSAGE transaction [0x175b5a0] terminated

09:44:03.185 [1;36mINFO[1;0m: Unhandled transaction terminated [0x175b5a0]

09:44:03.188 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x17340e0], from state [COMPLETED] to [TERMINATED]

09:44:03.188 [1;36mINFO[1;0m: Client MESSAGE transaction [0x17340e0] terminated

09:44:03.188 [1;36mINFO[1;0m: Unhandled transaction terminated [0x17340e0]

09:44:08.034 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:44:18.034 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:44:28.034 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:44:38.034 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:44:48.034 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:44:58.034 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:45:08.034 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:45:18.034 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:45:28.034 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:45:38.034 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:45:48.034 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:45:51.537 [1;36mINFO[1;0m: *Motion detected!*

09:45:52.541 [1;36mINFO[1;0m: Notifying contacts...

09:45:52.541 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

09:45:52.544 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:45:52.544 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76a23110>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:45:52.548 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x175d3a0], from state [INIT] to [TRYING]

09:45:52.549 [1;36mINFO[1;0m: channel [0x170ca08]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.4yIO95br0;rport

From: <sip:linphone@10.1.10.45>;tag=Jw-BjVwAe

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: QeoVTF5J8J

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:45:52 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:45:52.543302'

09:45:52.549 [1;36mINFO[1;0m: Chat message 0x1762008: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:45:52.550 [1;36mINFO[1;0m: Notifying sip:aSecondSIPAccount@sip.linphone.org

09:45:52.552 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:45:52.553 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76a23130>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:45:52.557 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x173da18], from state [INIT] to [TRYING]

09:45:52.558 [1;36mINFO[1;0m: channel [0x170ca08]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.SMDjXpfNP;rport

From: <sip:linphone@10.1.10.45>;tag=IPMNdssxm

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: 20yYv16q-R

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:45:52 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:45:52.551714'

09:45:52.558 [1;36mINFO[1;0m: Chat message 0x1739870: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:45:57.737 [1;36mINFO[1;0m: Emailed and saved image to "/home/pi/emailedSecurityCameraImage-2016-04-10T09:45:57.731507.jpg"

09:46:17.286 [1;36mINFO[1;0m: channel [0x170ca08]: received [303] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.4ylo95br0;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=Jw-BjVwAe

To: <sip:zahersyed@sip.linphone.org>

Call-ID: QeoVTF5J8J

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:46:17.294 [1;36mINFO[1;0m: channel [0x170ca08] [303] bytes parsed

09:46:17.295 [1;36mINFO[1;0m: Found transaction matching response.

09:46:17.295 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x175d3a0], from state [TRYING] to [PROCEEDING]

09:46:17.296 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:46:17.296 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:46:17.297 [1;36mINFO[1;0m: channel [0x170ca08]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.4yIO95br0;rport

From: <sip:linphone@10.1.10.45>;tag=Jw-BjVwAe

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: QeoVTF5J8J

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:45:52 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:45:52.543302'

09:46:17.298 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:46:17.299 [1;36mINFO[1;0m: channel [0x170ca08]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.SMDjXpfNP;rport

From: <sip:linphone@10.1.10.45>;tag=IPMNdssxm

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: 20yYv16q-R

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:45:52 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:45:52.551714'

09:46:17.300 [1;36mINFO[1;0m: channel [0x170ca08]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.4yIO95br0;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=Jw-BjVwAe

To: <sip:zahersyed@sip.linphone.org>;tag=H1FD3tvUUZ33D

Call-ID: QeoVTF5J8J

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:46:17.307 [1;36mINFO[1;0m: channel [0x170ca08] [324] bytes parsed

09:46:17.308 [1;36mINFO[1;0m: Found transaction matching response.

09:46:17.309 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x175d3a0], from state [PROCEEDING] to [COMPLETED]

09:46:17.309 [1;36mINFO[1;0m: Chat message 0x1762008: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:46:17.310 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:46:17.311 [1;36mINFO[1;0m: channel [0x170ca08]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.SMDjXpfNP;rport

From: <sip:linphone@10.1.10.45>;tag=IPMNdssxm

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: 20yYv16q-R

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:45:52 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:45:52.551714'

09:46:17.312 [1;36mINFO[1;0m: channel [0x170ca08]: received [311] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.SMDjXpfNP;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=IPMNdssxm

To: <sip:aSecondSIPAccount@sip.linphone.org>

Call-ID: 20yYv16q-R

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:46:17.320 [1;36mINFO[1;0m: channel [0x170ca08] [311] bytes parsed

09:46:17.321 [1;36mINFO[1;0m: Found transaction matching response.

09:46:17.321 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x173da18], from state [TRYING] to [PROCEEDING]

09:46:17.322 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:46:17.323 [1;36mINFO[1;0m: channel [0x170ca08]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.SMDjXpfNP;rport

From: <sip:linphone@10.1.10.45>;tag=IPMNdssxm

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: 20yYv16q-R

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:45:52 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:45:52.551714'

09:46:17.324 [1;36mINFO[1;0m: channel [0x170ca08]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.SMDjXpfNP;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=IPMNdssxm

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=ja954NDZr8SpS

Call-ID: 20yYv16q-R

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:46:17.332 [1;36mINFO[1;0m: channel [0x170ca08] [332] bytes parsed

09:46:17.333 [1;36mINFO[1;0m: Found transaction matching response.

09:46:17.333 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x173da18], from state [PROCEEDING] to [COMPLETED]

09:46:17.333 [1;36mINFO[1;0m: Chat message 0x1739870: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:46:17.441 [1;36mINFO[1;0m: channel [0x170ca08]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.4yIO95br0;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=Jw-BjVwAe

To: <sip:zahersyed@sip.linphone.org>;tag=H1FD3tvUUZ33D

Call-ID: QeoVTF5J8J

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:46:17.446 [1;36mINFO[1;0m: channel [0x170ca08] [324] bytes parsed

09:46:17.446 [1;36mINFO[1;0m: Found transaction matching response.

09:46:17.447 [1;36mINFO[1;0m: channel [0x170ca08]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.SMDjXpfNP;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=IPMNdssxm

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=ja954NDZr8SpS

Call-ID: 20yYv16q-R

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:46:17.451 [1;36mINFO[1;0m: channel [0x170ca08] [332] bytes parsed

09:46:17.451 [1;36mINFO[1;0m: Found transaction matching response.

09:46:17.452 [1;36mINFO[1;0m: channel [0x170ca08]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.SMDjXpfNP;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=IPMNdssxm

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=ja954NDZr8SpS

Call-ID: 20yYv16q-R

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:46:17.456 [1;36mINFO[1;0m: channel [0x170ca08] [332] bytes parsed

09:46:17.457 [1;36mINFO[1;0m: Found transaction matching response.

09:46:17.457 [1;36mINFO[1;0m: channel [0x170ca08]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.SMDjXpfNP;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=IPMNdssxm

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=ja954NDZr8SpS

Call-ID: 20yYv16q-R

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:46:17.462 [1;36mINFO[1;0m: channel [0x170ca08] [332] bytes parsed

09:46:17.462 [1;36mINFO[1;0m: Found transaction matching response.

09:46:22.310 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x175d3a0], from state [COMPLETED] to [TERMINATED]

09:46:22.316 [1;36mINFO[1;0m: Client MESSAGE transaction [0x175d3a0] terminated

09:46:22.317 [1;36mINFO[1;0m: Unhandled transaction terminated [0x175d3a0]

09:46:22.333 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x173da18], from state [COMPLETED] to [TERMINATED]

09:46:22.333 [1;36mINFO[1;0m: Client MESSAGE transaction [0x173da18] terminated

09:46:22.333 [1;36mINFO[1;0m: Unhandled transaction terminated [0x173da18]

09:46:27.286 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:46:31.545 [1;36mINFO[1;0m: *Motion detected!*

09:46:32.549 [1;36mINFO[1;0m: Notifying contacts...

09:46:32.550 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

09:46:32.552 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:46:32.553 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76a231b0>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:46:32.556 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x178d4d8], from state [INIT] to [TRYING]

09:46:32.557 [1;36mINFO[1;0m: channel [0x170ca08]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.W-khO1Fcy;rport

From: <sip:linphone@10.1.10.45>;tag=kfsLdmltX

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: PsvtyalceR

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:46:32 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:46:32.551518'

09:46:32.558 [1;36mINFO[1;0m: Chat message 0x17aee60: moving from state
LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:46:32.558 [1;36mINFO[1;0m: Notifying sip:aSecondSIPAccount@sip.linphone.org

09:46:32.561 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:46:32.561 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76a23200>, ip
= None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:46:32.565 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1756a68], from state [INIT]
to [TRYING]

09:46:32.566 [1;36mINFO[1;0m: channel [0x170ca08]: message sent to [UDP://sip.linphone.org:5060],
size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.IXymawaME;rport

From: <sip:linphone@10.1.10.45>;tag=fcMpLFXfa

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: TqEMF8viI5

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:46:32 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:46:32.560081'

09:46:32.567 [1;36mINFO[1;0m: Chat message 0x1796af0: moving from state
LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:46:37.552 [1;36mINFO[1;0m: Emailed and saved image to "/home/pi/emailedSecurityCameraImage-
2016-04-10T09:46:37.548654.jpg"

09:46:57.032 [1;36mINFO[1;0m: channel [0x170ca08]: received [303] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.W-khO1Fcy;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=kfsLdmltX

To: <sip:zahersyed@sip.linphone.org>

Call-ID: PsvtyalceR

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:46:57.040 [1;36mINFO[1;0m: channel [0x170ca08] [303] bytes parsed

09:46:57.041 [1;36mINFO[1;0m: Found transaction matching response.

09:46:57.041 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x178d4d8], from state
[TRYING] to [PROCEEDING]

09:46:57.042 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:46:57.043 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:46:57.044 [1;36mINFO[1;0m: channel [0x170ca08]: message sent to [UDP://sip.linphone.org:5060],
size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.W-khO1Fcy;rport

From: <sip:linphone@10.1.10.45>;tag=kfsLdmltX

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: PsvtyalceR

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:46:32 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:46:32.551518'

09:46:57.044 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:46:57.045 [1;36mINFO[1;0m: channel [0x170ca08]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.IXymawaME;rport

From: <sip:linphone@10.1.10.45>;tag=fcMpLFXfa

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: TqEMF8viI5

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:46:32 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:46:32.560081'

09:46:57.047 [1;36mINFO[1;0m: channel [0x170ca08]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.W-khO1Fcy;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=kfsLdmltX

To: <sip:zahersyed@sip.linphone.org>;tag=ejgj7yeUe2BQB

Call-ID: PsvtyalceR

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:46:57.055 [1;36mINFO[1;0m: channel [0x170ca08] [324] bytes parsed

09:46:57.056 [1;36mINFO[1;0m: Found transaction matching response.

09:46:57.056 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x178d4d8], from state [PROCEEDING] to [COMPLETED]

09:46:57.057 [1;36mINFO[1;0m: Chat message 0x17aee60: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:46:57.058 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:46:57.059 [1;36mINFO[1;0m: channel [0x170ca08]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.IXymawaME;rport

From: <sip:linphone@10.1.10.45>;tag=fcMpLFXfa

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: TqEMF8viI5

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:46:32 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:46:32.560081'

09:46:57.060 [1;36mINFO[1;0m: channel [0x170ca08]: received [311] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.IXYmawaME;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=fcMpLFXfa

To: <sip:aSecondSIPAccount@sip.linphone.org>

Call-ID: TqEMF8viI5

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:46:57.069 [1;36mINFO[1;0m: channel [0x170ca08] [311] bytes parsed

09:46:57.070 [1;36mINFO[1;0m: Found transaction matching response.

09:46:57.070 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1756a68], from state [TRYING] to [PROCEEDING]

09:46:57.071 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:46:57.072 [1;36mINFO[1;0m: channel [0x170ca08]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.IXYmawaME;rport

From: <sip:linphone@10.1.10.45>;tag=fcMpLFXfa

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: TqEMF8viI5

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:46:32 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:46:32.560081'

09:46:57.073 [1;36mINFO[1;0m: channel [0x170ca08]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.IXYmawaME;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=fcMpLFXfa

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=FU9a9SZyBB29p

Call-ID: TqEMF8viI5

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:46:57.082 [1;36mINFO[1;0m: channel [0x170ca08] [332] bytes parsed

09:46:57.083 [1;36mINFO[1;0m: Found transaction matching response.

09:46:57.083 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1756a68], from state [PROCEEDING] to [COMPLETED]

09:46:57.083 [1;36mINFO[1;0m: Chat message 0x1796af0: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:46:57.186 [1;36mINFO[1;0m: channel [0x170ca08]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.W-khO1Fcy;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=kfsLdmltX

To: <sip:zahersyed@sip.linphone.org>;tag=ejgj7yeUe2BQB

Call-ID: PsvtyalceR

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:46:57.190 [1;36mINFO[1;0m: channel [0x170ca08] [324] bytes parsed

09:46:57.191 [1;36mINFO[1;0m: Found transaction matching response.

09:46:57.191 [1;36mINFO[1;0m: channel [0x170ca08]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.IXYmawaME;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=fcMpLFXfa

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=FU9a9SZyBB29p

Call-ID: TqEMF8viI5

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:46:57.196 [1;36mINFO[1;0m: channel [0x170ca08] [332] bytes parsed

09:46:57.196 [1;36mINFO[1;0m: Found transaction matching response.

09:46:57.201 [1;36mINFO[1;0m: channel [0x170ca08]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.IXYmawaME;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=fcMpLFXfa

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=FU9a9SZyBB29p

Call-ID: TqEMF8viI5

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:46:57.205 [1;36mINFO[1;0m: channel [0x170ca08] [332] bytes parsed

09:46:57.206 [1;36mINFO[1;0m: Found transaction matching response.

09:46:57.209 [1;36mINFO[1;0m: channel [0x170ca08]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.IXYmawaME;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=fcMpLFXfa

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=FU9a9SZyBB29p

Call-ID: TqEMF8viI5

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:46:57.214 [1;36mINFO[1;0m: channel [0x170ca08] [332] bytes parsed

09:46:57.214 [1;36mINFO[1;0m: Found transaction matching response.

09:47:02.057 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x178d4d8], from state [COMPLETED] to [TERMINATED]

09:47:02.057 [1;36mINFO[1;0m: Client MESSAGE transaction [0x178d4d8] terminated

09:47:02.062 [1;36mINFO[1;0m: Unhandled transaction terminated [0x178d4d8]

09:47:02.083 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1756a68], from state [COMPLETED] to [TERMINATED]

09:47:02.083 [1;36mINFO[1;0m: Client MESSAGE transaction [0x1756a68] terminated

09:47:02.083 [1;36mINFO[1;0m: Unhandled transaction terminated [0x1756a68]

09:47:07.031 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:47:17.031 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]
09:47:27.031 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]
09:47:37.031 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]
09:47:47.031 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]
09:47:57.031 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]
09:48:07.031 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]
09:48:17.031 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]
09:48:27.031 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]
09:48:37.031 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]
09:48:47.031 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]
09:48:57.031 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]
09:49:07.031 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]
09:49:17.031 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]
09:49:27.031 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]
09:49:37.031 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]
09:49:44.471 [1;36mINFO[1;0m: *Motion detected!*

09:49:45.475 [1;36mINFO[1;0m: Notifying contacts...

09:49:45.475 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

09:49:45.478 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:49:45.478 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76a23320>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:49:45.482 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x178a020], from state [INIT] to [TRYING]

09:49:45.483 [1;36mINFO[1;0m: channel [0x170ca08]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.ruUFDWznA;rport

From: <sip:linphone@10.1.10.45>;tag=We9yH6-6h

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: az3rznANii

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:49:45 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:49:45.477395'

09:49:45.483 [1;36mINFO[1;0m: Chat message 0x1795a70: moving from state
LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:49:45.484 [1;36mINFO[1;0m: Notifying sip:aSecondSIPAccount@sip.linphone.org

09:49:45.486 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:49:45.487 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76a232f0>, ip =
None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:49:45.491 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1757048], from state [INIT]
to [TRYING]

09:49:45.491 [1;36mINFO[1;0m: channel [0x170ca08]: message sent to [UDP://sip.linphone.org:5060],
size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.NFfw5OkWF;rport

From: <sip:linphone@10.1.10.45>;tag=-JvvWY55B

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: mLp-sgwDZW

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:49:45 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:49:45.485678'

09:49:45.492 [1;36mINFO[1;0m: Chat message 0x173e260: moving from state
LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:49:50.251 [1;36mINFO[1;0m: Emailed and saved image to "/home/pi/emailedSecurityCameraImage-
2016-04-10T09:49:50.247385.jpg"

09:50:09.767 [1;36mINFO[1;0m: channel [0x170ca08]: received [303] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.ruUFDWznA;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=We9yH6-6h

To: <sip:zahersyed@sip.linphone.org>

Call-ID: az3rznANii

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:50:09.774 [1;36mINFO[1;0m: channel [0x170ca08] [303] bytes parsed

09:50:09.775 [1;36mINFO[1;0m: Found transaction matching response.

09:50:09.776 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x178a020], from state
[TRYING] to [PROCEEDING]

09:50:09.776 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:50:09.777 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:50:09.778 [1;36mINFO[1;0m: channel [0x170ca08]: message sent to [UDP://sip.linphone.org:5060],
size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.ruUFDWznA;rport

From: <sip:linphone@10.1.10.45>;tag=We9yH6-6h

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: az3rznANii

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:49:45 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:49:45.477395'

09:50:09.778 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:50:09.779 [1;36mINFO[1;0m: channel [0x170ca08]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.NFcw5OkWF;rport

From: <sip:linphone@10.1.10.45>;tag=-JvvWY55B

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: mLp-sgwDZW

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:49:45 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:49:45.485678'

09:50:09.780 [1;36mINFO[1;0m: channel [0x170ca08]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.ruUFDWznA;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=We9yH6-6h

To: <sip:zahersyed@sip.linphone.org>;tag=9vByaU5r2KFSr

Call-ID: az3rznANii

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:50:09.788 [1;36mINFO[1;0m: channel [0x170ca08] [324] bytes parsed

09:50:09.789 [1;36mINFO[1;0m: Found transaction matching response.

09:50:09.790 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x178a020], from state [PROCEEDING] to [COMPLETED]

09:50:09.790 [1;36mINFO[1;0m: Chat message 0x1795a70: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:50:09.791 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:50:09.792 [1;36mINFO[1;0m: channel [0x170ca08]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.NFcw5OkWF;rport

From: <sip:linphone@10.1.10.45>;tag=-JvvWY55B

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: mLp-sgwDZW

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:49:45 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:49:45.485678'

09:50:09.793 [1;36mINFO[1;0m: channel [0x170ca08]: received [311] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.NFcw5OkWF;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=-JvvWY55B

To: <sip:aSecondSIPAccount@sip.linphone.org>

Call-ID: mLp-sgwDZW

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:50:09.801 [1;36mINFO[1;0m: channel [0x170ca08] [311] bytes parsed

09:50:09.802 [1;36mINFO[1;0m: Found transaction matching response.

09:50:09.802 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1757048], from state [TRYING] to [PROCEEDING]

09:50:09.803 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:50:09.804 [1;36mINFO[1;0m: channel [0x170ca08]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.NFcw5OkWF;rport

From: <sip:linphone@10.1.10.45>;tag=-JvvWY55B

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: mLp-sgwDZW

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:49:45 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:49:45.485678'

09:50:09.805 [1;36mINFO[1;0m: channel [0x170ca08]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.NFcw5OkWF;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=-JvvWY55B

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=a64pcppvZv5Bm

Call-ID: mLp-sgwDZW

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:50:09.813 [1;36mINFO[1;0m: channel [0x170ca08] [332] bytes parsed

09:50:09.814 [1;36mINFO[1;0m: Found transaction matching response.

09:50:09.814 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1757048], from state [PROCEEDING] to [COMPLETED]

09:50:09.815 [1;36mINFO[1;0m: Chat message 0x173e260: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:50:09.920 [1;36mINFO[1;0m: channel [0x170ca08]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.ruUFDWznA;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=We9yH6-6h
To: <sip:zahersyed@sip.linphone.org>;tag=9vByaU5r2KFSr
Call-ID: az3rznANii
CSeq: 20 MESSAGE
Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)
Content-Length: 0

09:50:09.925 [1;36mINFO[1;0m: channel [0x170ca08] [324] bytes parsed

09:50:09.925 [1;36mINFO[1;0m: Found transaction matching response.

09:50:09.926 [1;36mINFO[1;0m: channel [0x170ca08]: received [332] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.NFcw5OkWF;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=-JvvWY55B

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=a64pcppvZv5Bm

Call-ID: mLp-sgwDZW

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:50:09.930 [1;36mINFO[1;0m: channel [0x170ca08] [332] bytes parsed

09:50:09.930 [1;36mINFO[1;0m: Found transaction matching response.

09:50:09.934 [1;36mINFO[1;0m: channel [0x170ca08]: received [332] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.NFcw5OkWF;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=-JvvWY55B

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=a64pcppvZv5Bm

Call-ID: mLp-sgwDZW

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:50:09.938 [1;36mINFO[1;0m: channel [0x170ca08] [332] bytes parsed

09:50:09.939 [1;36mINFO[1;0m: Found transaction matching response.

09:50:09.939 [1;36mINFO[1;0m: channel [0x170ca08]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.NFcw5OkWF;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=-JvvWY55B

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=a64pcppvZv5Bm

Call-ID: mLp-sgwDZW

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:50:09.944 [1;36mINFO[1;0m: channel [0x170ca08] [332] bytes parsed

09:50:09.944 [1;36mINFO[1;0m: Found transaction matching response.

09:50:14.791 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x178a020], from state [COMPLETED] to [TERMINATED]

09:50:14.791 [1;36mINFO[1;0m: Client MESSAGE transaction [0x178a020] terminated

09:50:14.791 [1;36mINFO[1;0m: Unhandled transaction terminated [0x178a020]

09:50:14.815 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1757048], from state [COMPLETED] to [TERMINATED]

09:50:14.815 [1;36mINFO[1;0m: Client MESSAGE transaction [0x1757048] terminated

09:50:14.815 [1;36mINFO[1;0m: Unhandled transaction terminated [0x1757048]

09:50:19.766 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:50:29.766 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:50:39.766 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:50:49.766 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:50:59.766 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:51:09.766 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:51:16.743 [1;36mINFO[1;0m: *Motion detected!*

09:51:17.746 [1;36mINFO[1;0m: Notifying contacts...

09:51:17.747 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

09:51:17.750 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:51:17.750 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76a23360>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:51:17.754 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1795090], from state [INIT] to [TRYING]

09:51:17.754 [1;36mINFO[1;0m: channel [0x170ca08]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.VKaRC5Rlt;rport

From: <sip:linphone@10.1.10.45>;tag=bWJDVIJ0e

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: H5p4Oyx~y7

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:51:17 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:51:17.748837'

09:51:17.755 [1;36mINFO[1;0m: Chat message 0x1757520: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:51:17.755 [1;36mINFO[1;0m: Notifying sip:aSecondSIPAccount@sip.linphone.org

09:51:17.758 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:51:17.758 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76a232d0>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:51:17.762 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x173aa10], from state [INIT] to [TRYING]

09:51:17.763 [1;36mINFO[1;0m: channel [0x170ca08]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.J6zbyuM-c;rport

From: <sip:linphone@10.1.10.45>;tag=MXAPw-w2Y

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: Zn4ixN-GOf

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:51:17 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:51:17.757320'

09:51:17.764 [1;36mINFO[1;0m: Chat message 0x173a4b8: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:51:22.672 [1;36mINFO[1;0m: Emailed and saved image to "/home/pi/emailedSecurityCameraImage-2016-04-10T09:51:22.665146.jpg"

09:51:42.120 [1;36mINFO[1;0m: channel [0x170ca08]: received [303] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.VKaRC5Rlt;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=bWJDVIJ0e

To: <sip:zahersyed@sip.linphone.org>

Call-ID: H5p4Oyx~y7

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:51:42.128 [1;36mINFO[1;0m: channel [0x170ca08] [303] bytes parsed

09:51:42.129 [1;36mINFO[1;0m: Found transaction matching response.

09:51:42.129 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1795090], from state [TRYING] to [PROCEEDING]

09:51:42.130 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:51:42.131 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:51:42.132 [1;36mINFO[1;0m: channel [0x170ca08]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.VKaRC5Rlt;rport

From: <sip:linphone@10.1.10.45>;tag=bWJDVIJ0e

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: H5p4Oyx~y7

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:51:17 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:51:17.748837'

09:51:42.132 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:51:42.133 [1;36mINFO[1;0m: channel [0x170ca08]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.J6zbyuM-c;rport

From: <sip:linphone@10.1.10.45>;tag=MXAPw-w2Y

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: Zn4ixN-G0f

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:51:17 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:51:17.757320'

09:51:42.135 [1;36mINFO[1;0m: channel [0x170ca08]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.VKaRC5Rlt;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=bWJDVIJ0e

To: <sip:zahersyed@sip.linphone.org>;tag=H09ep36UaDj8D

Call-ID: H5p4Oyx~y7

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:51:42.143 [1;36mINFO[1;0m: channel [0x170ca08] [324] bytes parsed

09:51:42.144 [1;36mINFO[1;0m: Found transaction matching response.

09:51:42.144 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1795090], from state [PROCEEDING] to [COMPLETED]

09:51:42.145 [1;36mINFO[1;0m: Chat message 0x1757520: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:51:42.145 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:51:42.147 [1;36mINFO[1;0m: channel [0x170ca08]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.J6zbyuM-c;rport

From: <sip:linphone@10.1.10.45>;tag=MXAPw-w2Y

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: Zn4ixN-G0f

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:51:17 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:51:17.757320'

09:51:42.148 [1;36mINFO[1;0m: channel [0x170ca08]: received [311] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.J6zbyuM-c;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=MXAPw-w2Y

To: <sip:aSecondSIPAccount@sip.linphone.org>

Call-ID: Zn4ixN-G0f

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:51:42.156 [1;36mINFO[1;0m: channel [0x170ca08] [311] bytes parsed

09:51:42.157 [1;36mINFO[1;0m: Found transaction matching response.

09:51:42.157 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x173aa10], from state [TRYING] to [PROCEEDING]

09:51:42.158 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:51:42.159 [1;36mINFO[1;0m: channel [0x170ca08]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.J6zbyuM-c;rport

From: <sip:linphone@10.1.10.45>;tag=MXAPw-w2Y

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: Zn4ixN-G0f

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:51:17 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:51:17.757320'

09:51:42.160 [1;36mINFO[1;0m: channel [0x170ca08]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.J6zbyuM-c;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=MXAPw-w2Y

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=j927QyQZ7N8tS

Call-ID: Zn4ixN-G0f

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:51:42.169 [1;36mINFO[1;0m: channel [0x170ca08] [332] bytes parsed

09:51:42.169 [1;36mINFO[1;0m: Found transaction matching response.

09:51:42.170 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x173aa10], from state [PROCEEDING] to [COMPLETED]

09:51:42.170 [1;36mINFO[1;0m: Chat message 0x173a4b8: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:51:42.275 [1;36mINFO[1;0m: channel [0x170ca08]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.VKaRC5Rlt;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=bWJDVIJ0e

To: <sip:zahersyed@sip.linphone.org>;tag=H09ep36UaDj8D

Call-ID: H5p4Oyx~y7

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:51:42.280 [1;36mINFO[1;0m: channel [0x170ca08] [324] bytes parsed

09:51:42.281 [1;36mINFO[1;0m: Found transaction matching response.

09:51:42.281 [1;36mINFO[1;0m: channel [0x170ca08]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.J6zbyuM-c;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=MXAPw-w2Y

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=j927QyQZ7N8tS

Call-ID: Zn4ixN-G0f

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:51:42.286 [1;36mINFO[1;0m: channel [0x170ca08] [332] bytes parsed

09:51:42.286 [1;36mINFO[1;0m: Found transaction matching response.

09:51:42.287 [1;36mINFO[1;0m: channel [0x170ca08]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.J6zbyuM-c;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=MXAPw-w2Y

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=j927QyQZ7N8tS

Call-ID: Zn4ixN-G0f

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:51:42.291 [1;36mINFO[1;0m: channel [0x170ca08] [332] bytes parsed

09:51:42.292 [1;36mINFO[1;0m: Found transaction matching response.

09:51:42.301 [1;36mINFO[1;0m: channel [0x170ca08]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.J6zbyuM-c;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=MXAPw-w2Y

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=j927QyQZ7N8tS

Call-ID: Zn4ixN-G0f

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:51:42.305 [1;36mINFO[1;0m: channel [0x170ca08] [332] bytes parsed

09:51:42.306 [1;36mINFO[1;0m: Found transaction matching response.

09:51:47.145 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1795090], from state [COMPLETED] to [TERMINATED]

09:51:47.145 [1;36mINFO[1;0m: Client MESSAGE transaction [0x1795090] terminated

09:51:47.145 [1;36mINFO[1;0m: Unhandled transaction terminated [0x1795090]

09:51:47.171 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x173aa10], from state [COMPLETED] to [TERMINATED]

09:51:47.171 [1;36mINFO[1;0m: Client MESSAGE transaction [0x173aa10] terminated

09:51:47.171 [1;36mINFO[1;0m: Unhandled transaction terminated [0x173aa10]

09:51:52.120 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:51:57.383 [1;36mINFO[1;0m: *Motion detected!*

09:51:58.386 [1;36mINFO[1;0m: Notifying contacts...

09:51:58.387 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

09:51:58.389 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:51:58.390 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76cbbf10>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:51:58.393 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1796dd8], from state [INIT] to [TRYING]

09:51:58.394 [1;36mINFO[1;0m: channel [0x170ca08]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.mvuVllwUe;rport

From: <sip:linphone@10.1.10.45>;tag=fplw1NkZZ

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: NpTYcO0wjS

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:51:58 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:51:58.388474'

09:51:58.395 [1;36mINFO[1;0m: Chat message 0x1791cf8: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:51:58.395 [1;36mINFO[1;0m: Notifying sip:aSecondSIPAccount@sip.linphone.org

09:51:58.398 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:51:58.398 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76cbb0>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:51:58.402 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1797428], from state [INIT] to [TRYING]

09:51:58.403 [1;36mINFO[1;0m: channel [0x170ca08]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.Vblbc9uNv;rport

From: <sip:linphone@10.1.10.45>;tag=dK92bfhff

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: 4CF3UqloCs

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:51:58 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:51:58.396845'

09:51:58.403 [1;36mINFO[1;0m: Chat message 0x173a760: moving from state
LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:52:03.361 [1;36mINFO[1;0m: Emailed and saved image to "/home/pi/emailedSecurityCameraImage-
2016-04-10T09:52:03.354484.jpg"

09:52:22.877 [1;36mINFO[1;0m: channel [0x170ca08]: received [303] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.mvuVllwUe;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=fplw1NkZZ

To: <sip:zahersyed@sip.linphone.org>

Call-ID: NpTYcO0wjS

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:52:22.885 [1;36mINFO[1;0m: channel [0x170ca08] [303] bytes parsed

09:52:22.885 [1;36mINFO[1;0m: Found transaction matching response.

09:52:22.886 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1796dd8], from state [TRYING] to [PROCEEDING]

09:52:22.887 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:52:22.887 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:52:22.888 [1;36mINFO[1;0m: channel [0x170ca08]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.mvuVllwUe;rport

From: <sip:linphone@10.1.10.45>;tag=fplw1NkZZ

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: NpTYc00wjS

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:51:58 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:51:58.388474'

09:52:22.889 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:52:22.889 [1;36mINFO[1;0m: channel [0x170ca08]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.Vblbc9uNv;rport

From: <sip:linphone@10.1.10.45>;tag=dK92bfhff

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: 4CF3UqloCs

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:51:58 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:51:58.396845'

09:52:22.891 [1;36mINFO[1;0m: *Motion detected!*

09:52:23.897 [1;36mINFO[1;0m: channel [0x170ca08]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.mvuVllwUe;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=fplw1NkZZ

To: <sip:zahersyed@sip.linphone.org>;tag=g2Kc5UZHm4Xag

Call-ID: NpTYc00wjS

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:52:23.905 [1;36mINFO[1;0m: channel [0x170ca08] [324] bytes parsed

09:52:23.906 [1;36mINFO[1;0m: Found transaction matching response.

09:52:23.907 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1796dd8], from state [PROCEEDING] to [COMPLETED]

09:52:23.907 [1;36mINFO[1;0m: Chat message 0x1791cf8: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:52:23.908 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:52:23.909 [1;36mINFO[1;0m: channel [0x170ca08]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.Vblbc9uNv;rport

From: <sip:linphone@10.1.10.45>;tag=dK92bfhff

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: 4CF3UqloCs

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:51:58 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:51:58.396845'

09:52:23.910 [1;36mINFO[1;0m: channel [0x170ca08]: received [311] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.Vblbc9uNv;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=dK92bfhff

To: <sip:aSecondSIPAccount@sip.linphone.org>

Call-ID: 4CF3UqloCs

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:52:23.918 [1;36mINFO[1;0m: channel [0x170ca08] [311] bytes parsed

09:52:23.919 [1;36mINFO[1;0m: Found transaction matching response.

09:52:23.920 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1797428], from state [TRYING] to [PROCEEDING]

09:52:23.920 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:52:23.921 [1;36mINFO[1;0m: channel [0x170ca08]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.Vblbc9uNv;rport

From: <sip:linphone@10.1.10.45>;tag=dK92bfhff

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: 4CF3UqloCs

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:51:58 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:51:58.396845'

09:52:23.923 [1;36mINFO[1;0m: channel [0x170ca08]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.Vblbc9uNv;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=dK92bfhff

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=HBD56pgNHDmXB

Call-ID: 4CF3UqloCs

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:52:23.931 [1;36mINFO[1;0m: channel [0x170ca08] [332] bytes parsed

09:52:23.932 [1;36mINFO[1;0m: Found transaction matching response.

09:52:23.932 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1797428], from state [PROCEEDING] to [COMPLETED]

09:52:23.933 [1;36mINFO[1;0m: Chat message 0x173a760: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:52:23.934 [1;36mINFO[1;0m: channel [0x170ca08]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.mvuVllwUe;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=fplw1NkZZ

To: <sip:zahersyed@sip.linphone.org>;tag=g2Kc5UZHm4Xag

Call-ID: NpTYcO0wjS

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:52:23.942 [1;36mINFO[1;0m: channel [0x170ca08] [324] bytes parsed

09:52:23.943 [1;36mINFO[1;0m: Found transaction matching response.

09:52:23.944 [1;36mINFO[1;0m: channel [0x170ca08]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.Vblbc9uNv;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=dK92bfhff

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=HBD56pgNHDmXB

Call-ID: 4CF3UqloCs

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:52:23.952 [1;36mINFO[1;0m: channel [0x170ca08] [332] bytes parsed

09:52:23.953 [1;36mINFO[1;0m: Found transaction matching response.

09:52:24.051 [1;36mINFO[1;0m: channel [0x170ca08]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.Vblbc9uNv;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=dK92bfhff

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=HBD56pgNHDmXB

Call-ID: 4CF3UqloCs

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:52:24.056 [1;36mINFO[1;0m: channel [0x170ca08] [332] bytes parsed

09:52:24.056 [1;36mINFO[1;0m: Found transaction matching response.

09:52:24.059 [1;36mINFO[1;0m: channel [0x170ca08]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.Vblbc9uNv;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=dK92bfhff

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=HBD56pgNHDmXB

Call-ID: 4CF3UqloCs

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:52:24.063 [1;36mINFO[1;0m: channel [0x170ca08] [332] bytes parsed

09:52:24.064 [1;36mINFO[1;0m: Found transaction matching response.

09:52:28.908 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1796dd8], from state [COMPLETED] to [TERMINATED]

09:52:28.908 [1;36mINFO[1;0m: Client MESSAGE transaction [0x1796dd8] terminated

09:52:28.908 [1;36mINFO[1;0m: Unhandled transaction terminated [0x1796dd8]

09:52:28.933 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1797428], from state [COMPLETED] to [TERMINATED]

09:52:28.933 [1;36mINFO[1;0m: Client MESSAGE transaction [0x1797428] terminated

09:52:28.933 [1;36mINFO[1;0m: Unhandled transaction terminated [0x1797428]

09:52:32.876 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:52:42.876 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:52:52.876 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:53:02.876 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:53:12.876 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:53:22.876 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:53:32.876 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:53:42.876 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:53:52.876 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:54:02.876 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:54:12.876 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:54:22.876 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:54:32.876 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:54:42.876 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:54:52.876 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:54:55.843 [1;36mINFO[1;0m: *Motion detected!*

09:54:56.846 [1;36mINFO[1;0m: Notifying contacts...

09:54:56.847 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

09:54:56.850 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:54:56.850 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76cbb60>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:54:56.854 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1795218], from state [INIT] to [TRYING]

09:54:56.854 [1;36mINFO[1;0m: channel [0x170ca08]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.mFhcrdS0L;rport

From: <sip:linphone@10.1.10.45>;tag=PVqgcF71T

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: MmqSjtUFDu

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:54:56 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:54:56.848874'

09:54:56.855 [1;36mINFO[1;0m: Chat message 0x1736540: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:54:56.855 [1;36mINFO[1;0m: Notifying sip:aSecondSIPAccount@sip.linphone.org

09:54:56.858 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:54:56.859 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76cbb60>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:54:56.863 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1756088], from state [INIT] to [TRYING]

09:54:56.864 [1;36mINFO[1;0m: channel [0x170ca08]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.bnQKnt2nC;rport

From: <sip:linphone@10.1.10.45>;tag=WyBwqAQRi

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: us8jgJ1pRt

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:54:56 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:54:56.857632'

09:54:56.865 [1;36mINFO[1;0m: Chat message 0x179c8c0: moving from state
LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:55:01.612 [1;36mINFO[1;0m: Emailed and saved image to "/home/pi/emailedSecurityCameraImage-
2016-04-10T09:55:01.607803.jpg"

09:55:21.093 [1;36mINFO[1;0m: channel [0x170ca08]: received [303] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.mFhcrdS0L;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=PVqgcF71T

To: <sip:zahersyed@sip.linphone.org>

Call-ID: MmqSjtUFDu

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:55:21.105 [1;36mINFO[1;0m: channel [0x170ca08] [303] bytes parsed

09:55:21.106 [1;36mINFO[1;0m: Found transaction matching response.

09:55:21.107 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1795218], from state [TRYING] to [PROCEEDING]

09:55:21.108 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:55:21.108 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:55:21.110 [1;36mINFO[1;0m: channel [0x170ca08]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.mFhcrdS0L;rport

From: <sip:linphone@10.1.10.45>;tag=PVqgcF71T

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: MmqSjtUFDu

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:54:56 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:54:56.848874'

09:55:21.110 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:55:21.111 [1;36mINFO[1;0m: channel [0x170ca08]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.bnQKnt2nC;rport

From: <sip:linphone@10.1.10.45>;tag=WyBwqAQRi

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: us8jgJ1pRt

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:54:56 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:54:56.857632'

09:55:21.113 [1;36mINFO[1;0m: *Motion detected!*

09:55:22.119 [1;36mINFO[1;0m: channel [0x170ca08]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.mFhcrdS0L;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=PVqgcF71T

To: <sip:zahersyed@sip.linphone.org>;tag=tHF0r81Hj4m2j

Call-ID: MmqSjtUFDu

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:55:22.127 [1;36mINFO[1;0m: channel [0x170ca08] [324] bytes parsed

09:55:22.128 [1;36mINFO[1;0m: Found transaction matching response.

09:55:22.128 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1795218], from state [PROCEEDING] to [COMPLETED]

09:55:22.129 [1;36mINFO[1;0m: Chat message 0x1736540: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:55:22.129 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:55:22.130 [1;36mINFO[1;0m: channel [0x170ca08]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.bnQKnt2nC;rport

From: <sip:linphone@10.1.10.45>;tag=WyBwqAQRi

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: us8jgJ1pRt

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:54:56 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:54:56.857632'

09:55:22.132 [1;36mINFO[1;0m: channel [0x170ca08]: received [311] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.bnQKnt2nC;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=WyBwqAQRi

To: <sip:aSecondSIPAccount@sip.linphone.org>

Call-ID: us8jgJ1pRt

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:55:22.140 [1;36mINFO[1;0m: channel [0x170ca08] [311] bytes parsed

09:55:22.141 [1;36mINFO[1;0m: Found transaction matching response.

09:55:22.141 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1756088], from state [TRYING] to [PROCEEDING]

09:55:22.142 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:55:22.143 [1;36mINFO[1;0m: channel [0x170ca08]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.bnQKnt2nC;rport

From: <sip:linphone@10.1.10.45>;tag=WyBwqAQRi

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: us8jgJ1pRt

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:54:56 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:54:56.857632'

09:55:22.144 [1;36mINFO[1;0m: channel [0x170ca08]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.bnQKnt2nC;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=WyBwqAQRi

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=Ut8rt3jNFDBNe

Call-ID: us8jgJ1pRt

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:55:22.153 [1;36mINFO[1;0m: channel [0x170ca08] [332] bytes parsed

09:55:22.154 [1;36mINFO[1;0m: Found transaction matching response.

09:55:22.154 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1756088], from state [PROCEEDING] to [COMPLETED]

09:55:22.155 [1;36mINFO[1;0m: Chat message 0x179c8c0: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:55:22.156 [1;36mINFO[1;0m: channel [0x170ca08]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.mFhcrdS0L;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=PvqgcF71T

To: <sip:zahersyed@sip.linphone.org>;tag=tHF0r81Hj4m2j

Call-ID: MmqSjtUFDu

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:55:22.164 [1;36mINFO[1;0m: channel [0x170ca08] [324] bytes parsed

09:55:22.165 [1;36mINFO[1;0m: Found transaction matching response.

09:55:22.166 [1;36mINFO[1;0m: channel [0x170ca08]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.bnQKnt2nC;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=WyBwqAQRi

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=Ut8rt3jNFDBNe

Call-ID: us8jgJ1pRt

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:55:22.174 [1;36mINFO[1;0m: channel [0x170ca08] [332] bytes parsed

09:55:22.175 [1;36mINFO[1;0m: Found transaction matching response.

09:55:22.283 [1;36mINFO[1;0m: channel [0x170ca08]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.bnQKnt2nC;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=WyBwqAQRi

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=Ut8rt3jNFDBNe

Call-ID: us8jgJ1pRt

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:55:22.288 [1;36mINFO[1;0m: channel [0x170ca08] [332] bytes parsed

09:55:22.289 [1;36mINFO[1;0m: Found transaction matching response.

09:55:22.289 [1;36mINFO[1;0m: channel [0x170ca08]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.bnQKnt2nC;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=WyBwqAQRi

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=Ut8rt3jNFDBNe

Call-ID: us8jgJ1pRt

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:55:22.294 [1;36mINFO[1;0m: channel [0x170ca08] [332] bytes parsed

09:55:22.294 [1;36mINFO[1;0m: Found transaction matching response.

09:55:27.129 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1795218], from state [COMPLETED] to [TERMINATED]

09:55:27.129 [1;36mINFO[1;0m: Client MESSAGE transaction [0x1795218] terminated

09:55:27.129 [1;36mINFO[1;0m: Unhandled transaction terminated [0x1795218]

09:55:27.155 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1756088], from state [COMPLETED] to [TERMINATED]

09:55:27.155 [1;36mINFO[1;0m: Client MESSAGE transaction [0x1756088] terminated

09:55:27.155 [1;36mINFO[1;0m: Unhandled transaction terminated [0x1756088]

09:55:27.966 [1;36mINFO[1;0m: *Motion detected!*

09:55:28.970 [1;36mINFO[1;0m: Notifying contacts...

09:55:28.970 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

09:55:28.973 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:55:28.973 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76a23280>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:55:28.977 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x178ad00], from state [INIT] to [TRYING]

09:55:28.978 [1;36mINFO[1;0m: channel [0x170ca08]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.pxZmOUknC;rport

From: <sip:linphone@10.1.10.45>;tag=a0F3VTYJN

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: ukOid~8V7e

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:55:28 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:55:28.972198'

09:55:28.978 [1;36mINFO[1;0m: Chat message 0x1794738: moving from state
LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:55:28.979 [1;36mINFO[1;0m: Notifying sip:aSecondSIPAccount@sip.linphone.org

09:55:28.982 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:55:28.982 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76a23290>, ip
= None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:55:28.986 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x17a5478], from state [INIT]
to [TRYING]

09:55:28.987 [1;36mINFO[1;0m: channel [0x170ca08]: message sent to [UDP://sip.linphone.org:5060],
size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.7V7nrDQJh;rport

From: <sip:linphone@10.1.10.45>;tag=9pN5gX1y5

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: 9UuGOpOF7e

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:55:28 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:55:28.980735'

09:55:28.988 [1;36mINFO[1;0m: Chat message 0x179ed88: moving from state
LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:55:29.119 [1;36mINFO[1;0m: channel [0x170ca08]: received [303] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.pxZmOUknC;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=a0F3VTYJN

To: <sip:zahersyed@sip.linphone.org>

Call-ID: ukOid~8V7e

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:55:29.124 [1;36mINFO[1;0m: channel [0x170ca08] [303] bytes parsed

09:55:29.125 [1;36mINFO[1;0m: Found transaction matching response.

09:55:29.125 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x178ad00], from state
[TRYING] to [PROCEEDING]

09:55:29.126 [1;36mINFO[1;0m: channel [0x170ca08]: received [324] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.pxZmOUknC;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=a0F3VTYJN

To: <sip:zahersyed@sip.linphone.org>;tag=yZe0Q6K89a7Bc

Call-ID: ukOid~8V7e

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:55:29.130 [1;36mINFO[1;0m: channel [0x170ca08] [324] bytes parsed

09:55:29.130 [1;36mINFO[1;0m: Found transaction matching response.

09:55:29.130 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x178ad00], from state [PROCEEDING] to [COMPLETED]

09:55:29.131 [1;36mINFO[1;0m: Chat message 0x1794738: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:55:29.131 [1;36mINFO[1;0m: channel [0x170ca08]: received [311] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.7V7nrDQJh;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=9pN5gX1y5

To: <sip:aSecondSIPAccount@sip.linphone.org>

Call-ID: 9UuGOpOF7e

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:55:29.135 [1;36mINFO[1;0m: channel [0x170ca08] [311] bytes parsed

09:55:29.136 [1;36mINFO[1;0m: Found transaction matching response.

09:55:29.136 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x17a5478], from state [TRYING] to [PROCEEDING]

09:55:29.138 [1;36mINFO[1;0m: channel [0x170ca08]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.7V7nrDQJh;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=9pN5gX1y5

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=Z87rS14B7KXyQ

Call-ID: 9UuGOpOF7e

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:55:29.142 [1;36mINFO[1;0m: channel [0x170ca08] [332] bytes parsed

09:55:29.143 [1;36mINFO[1;0m: Found transaction matching response.

09:55:29.143 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x17a5478], from state [PROCEEDING] to [COMPLETED]

09:55:29.143 [1;36mINFO[1;0m: Chat message 0x179ed88: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:55:31.093 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:55:34.131 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x178ad00], from state [COMPLETED] to [TERMINATED]

09:55:34.131 [1;36mINFO[1;0m: Client MESSAGE transaction [0x178ad00] terminated

09:55:34.131 [1;36mINFO[1;0m: Unhandled transaction terminated [0x178ad00]

09:55:34.143 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x17a5478], from state [COMPLETED] to [TERMINATED]

09:55:34.143 [1;36mINFO[1;0m: Client MESSAGE transaction [0x17a5478] terminated

09:55:34.143 [1;36mINFO[1;0m: Unhandled transaction terminated [0x17a5478]

09:55:41.093 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:55:51.093 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:56:01.093 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:56:11.093 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:56:21.093 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:56:31.093 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:56:34.597 [1;36mINFO[1;0m: *Motion detected!*

09:56:35.601 [1;36mINFO[1;0m: Notifying contacts...

09:56:35.601 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

09:56:35.604 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:56:35.604 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76a23380>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:56:35.608 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x173d100], from state [INIT] to [TRYING]

09:56:35.609 [1;36mINFO[1;0m: channel [0x170ca08]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.L9DI2ifdK;rport

From: <sip:linphone@10.1.10.45>;tag=NfRgmeqYV

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: Zp5iRvfjC1

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:56:35 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:56:35.603358'

09:56:35.609 [1;36mINFO[1;0m: Chat message 0x179cc00: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:56:35.610 [1;36mINFO[1;0m: Notifying sip:aSecondSIPAccount@sip.linphone.org

09:56:35.613 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

09:56:35.613 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76a233c0>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

09:56:35.617 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x17a1aa0], from state [INIT] to [TRYING]

09:56:35.618 [1;36mINFO[1;0m: channel [0x170ca08]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.Z5SBB8wgd;rport

From: <sip:linphone@10.1.10.45>;tag=geN096enb

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: 8gAvSLWiwn

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:56:35 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:56:35.611825'

09:56:35.618 [1;36mINFO[1;0m: Chat message 0x17a8b18: moving from state
LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

09:56:40.509 [1;36mINFO[1;0m: Emailed and saved image to "/home/pi/emailedSecurityCameraImage-
2016-04-10T09:56:40.505957.jpg"

09:56:59.992 [1;36mINFO[1;0m: channel [0x170ca08]: received [303] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.L9DI2ifdK;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=NfRgmeqYV

To: <sip:zahersyed@sip.linphone.org>

Call-ID: Zp5iRvfjC1

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:56:59.999 [1;36mINFO[1;0m: channel [0x170ca08] [303] bytes parsed

09:57:00.000 [1;36mINFO[1;0m: Found transaction matching response.

09:57:00.001 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x173d100], from state [TRYING] to [PROCEEDING]

09:57:00.002 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

09:57:00.002 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:57:00.003 [1;36mINFO[1;0m: channel [0x170ca08]: message sent to [UDP://sip.linphone.org:5060], size: [469] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.L9DI2ifdK;rport

From: <sip:linphone@10.1.10.45>;tag=NfRgmeqYV

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: Zp5iRvfjC1

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:56:35 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:56:35.603358'

09:57:00.004 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:57:00.005 [1;36mINFO[1;0m: channel [0x170ca08]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.Z5SBB8wgd;rport

From: <sip:linphone@10.1.10.45>;tag=geN096enb

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: 8gAvSLWiwn

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:56:35 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:56:35.611825'

09:57:00.006 [1;36mINFO[1;0m: *Motion detected!*

09:57:01.012 [1;36mINFO[1;0m: channel [0x170ca08]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.L9DI2ifdK;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=NfRgmeqYV

To: <sip:zahersyed@sip.linphone.org>;tag=5HBeU5B1rjcpG

Call-ID: Zp5iRvfjC1

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:57:01.020 [1;36mINFO[1;0m: channel [0x170ca08] [324] bytes parsed

09:57:01.021 [1;36mINFO[1;0m: Found transaction matching response.

09:57:01.022 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x173d100], from state [PROCEEDING] to [COMPLETED]

09:57:01.023 [1;36mINFO[1;0m: Chat message 0x179cc00: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:57:01.023 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:57:01.024 [1;36mINFO[1;0m: channel [0x170ca08]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0
Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.Z5SBB8wgd;rport
From: <sip:linphone@10.1.10.45>;tag=geN096enb
To: sip:aSecondSIPAccount@sip.linphone.org
CSeq: 20 MESSAGE
Call-ID: 8gAvSLWiwn
Max-Forwards: 70
Supported: outbound
Content-Type: text/plain
Content-Length: 79
Date: Sun, 10 Apr 2016 13:56:35 GMT
User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:56:35.611825'

09:57:01.026 [1;36mINFO[1;0m: channel [0x170ca08]: received [311] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.Z5SBB8wgd;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=geN096enb

To: <sip:aSecondSIPAccount@sip.linphone.org>

Call-ID: 8gAvSLWiwn

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:57:01.034 [1;36mINFO[1;0m: channel [0x170ca08] [311] bytes parsed

09:57:01.035 [1;36mINFO[1;0m: Found transaction matching response.

09:57:01.035 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x17a1aa0], from state [TRYING] to [PROCEEDING]

09:57:01.036 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

09:57:01.037 [1;36mINFO[1;0m: channel [0x170ca08]: message sent to [UDP://sip.linphone.org:5060], size: [485] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.Z5SBB8wgd;rport

From: <sip:linphone@10.1.10.45>;tag=geN096enb

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: 8gAvSLWiwn

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 13:56:35 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 09:56:35.611825'

09:57:01.038 [1;36mINFO[1;0m: channel [0x170ca08]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.Z5SBB8wgd;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=geN096enb

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=6t46v0v4NU28B

Call-ID: 8gAvSLWiwn

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:57:01.046 [1;36mINFO[1;0m: channel [0x170ca08] [332] bytes parsed

09:57:01.047 [1;36mINFO[1;0m: Found transaction matching response.

09:57:01.048 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x17a1aa0], from state [PROCEEDING] to [COMPLETED]

09:57:01.048 [1;36mINFO[1;0m: Chat message 0x17a8b18: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

09:57:01.049 [1;36mINFO[1;0m: channel [0x170ca08]: received [324] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.L9DI2ifdK;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=NfRgmeqYV

To: <sip:zahersyed@sip.linphone.org>;tag=5HBeU5B1rjcpG

Call-ID: Zp5iRvfjC1

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:57:01.059 [1;36mINFO[1;0m: channel [0x170ca08] [324] bytes parsed

09:57:01.059 [1;36mINFO[1;0m: Found transaction matching response.

09:57:01.061 [1;36mINFO[1;0m: channel [0x170ca08]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.Z5SBB8wgd;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=geN096enb

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=6t46v0v4NU28B

Call-ID: 8gAvSLWiwn

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:57:01.069 [1;36mINFO[1;0m: channel [0x170ca08] [332] bytes parsed

09:57:01.070 [1;36mINFO[1;0m: Found transaction matching response.

09:57:01.174 [1;36mINFO[1;0m: channel [0x170ca08]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.Z5SBB8wgd;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=geN096enb

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=6t46v0v4NU28B

Call-ID: 8gAvSLWiwn

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:57:01.178 [1;36mINFO[1;0m: channel [0x170ca08] [332] bytes parsed

09:57:01.179 [1;36mINFO[1;0m: Found transaction matching response.

09:57:01.179 [1;36mINFO[1;0m: channel [0x170ca08]: received [332] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.Z5SBB8wgd;rport=5063;received=173.12.114.238

From: <sip:linphone@10.1.10.45>;tag=geN096enb

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=6t46v0v4NU28B

Call-ID: 8gAvSLWiwn

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

09:57:01.184 [1;36mINFO[1;0m: channel [0x170ca08] [332] bytes parsed

09:57:01.184 [1;36mINFO[1;0m: Found transaction matching response.

09:57:06.023 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x173d100], from state [COMPLETED] to [TERMINATED]

09:57:06.023 [1;36mINFO[1;0m: Client MESSAGE transaction [0x173d100] terminated

09:57:06.023 [1;36mINFO[1;0m: Unhandled transaction terminated [0x173d100]

09:57:06.049 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x17a1aa0], from state [COMPLETED] to [TERMINATED]

09:57:06.049 [1;36mINFO[1;0m: Client MESSAGE transaction [0x17a1aa0] terminated

09:57:06.049 [1;36mINFO[1;0m: Unhandled transaction terminated [0x17a1aa0]

09:57:09.991 [1;36mINFO[1;0m: channel [0x170ca08]: keep alive sent to [UDP://sip.linphone.org:5060]

10:42:31.949 [1;36mINFO[1;0m: Initializaing jamPi System version 0.2.0...

10:42:36.956 [1;36mINFO[1;0m: Sensor online... Turning on motion sensor...

10:42:41.962 [1;36mINFO[1;0m: PIR sensor is ready.

10:42:43.219 [1;36mINFO[1;0m: Mediastreamer2 factory 2.12.0 (git: 3.9.0) initialized.

10:42:43.220 [1;36mINFO[1;0m: CPU count set to 4

10:42:43.220 [1;36mINFO[1;0m: ms_factory_init() done: platform_tags=linux,arm,embedded

10:42:43.229 [1;36mINFO[1;0m: srtp init

10:42:43.256 [1;36mINFO[1;0m: Registering all soundcard handlers

10:42:43.350 [1;36mINFO[1;0m: Card 'ALSA: default device' added

10:42:43.359 [1;36mINFO[1;0m: also error in pcm_hw.c:1557 - open '/dev/snd/pcmC0D0c' failed (-2)

10:42:43.360 [1;36mINFO[1;0m: Card 'ALSA: bcm2835 ALSA' added

10:42:43.378 [1;36mINFO[1;0m: Card 'ALSA: USB PnP Sound Device' added

10:42:43.379 [1;36mINFO[1;0m: Registering all webcam handlers

10:42:43.379 [1;36mINFO[1;0m: Webcam StaticImage: Static picture added

10:42:43.380 [1;36mINFO[1;0m: ms_factory_init_voip() done

10:42:43.380 [1;36mINFO[1;0m: Loading ms plugins from [./lib/mediastreamer/plugins]

10:42:43.380 [1;36mINFO[1;0m: Cannot open directory ./lib/mediastreamer/plugins: No such file or directory

10:42:43.380 [1;36mINFO[1;0m: Initializing LinphoneCore 3.9.0

10:42:43.386 [1;36mINFO[1;0m: Vtable [0x133ccb8] registered on core [0x133c528]

10:42:43.387 [1;36mINFO[1;0m: Linphone core [0x133ccb8] notifying [global_state_changed]

10:42:43.387 [1;36mINFO[1;0m: oRTP-0.25.0 initialized.

10:42:43.387 [1;36mINFO[1;0m: Skipping ms_base_init, because [2] ref

10:42:43.387 [1;36mINFO[1;0m: Skipping ms_voip_init, because [2] ref

10:42:43.388 [1;36mINFO[1;0m: Skipping ms_plugins_init, because [2] ref

10:42:43.388 [1;36mINFO[1;0m: Codec opus/48000 fmt=[useinbandfec=1] number=-1, enabled=1) added to default capabilities.

10:42:43.388 [1;36mINFO[1;0m: Could not find encoder for SILK

10:42:43.388 [1;36mINFO[1;0m: Could not find decoder for SILK

10:42:43.388 [1;36mINFO[1;0m: Codec speex/16000 fmt=[vbr=on] number=-1, enabled=1) added to default capabilities.

10:42:43.389 [1;36mINFO[1;0m: Codec speex/8000 fmt=[vbr=on] number=-1, enabled=1) added to default capabilities.

10:42:43.389 [1;36mINFO[1;0m: Codec PCMU/8000 fmt=[] number=0, enabled=1) added to default capabilities.

10:42:43.389 [1;36mINFO[1;0m: Codec PCMA/8000 fmt=[] number=8, enabled=1) added to default capabilities.

10:42:43.389 [1;36mINFO[1;0m: Codec t140/1000 fmt=[] number=96, enabled=1) added to default capabilities.

10:42:43.390 [1;36mINFO[1;0m: Codec red/1000 fmt=[] number=97, enabled=1) added to default capabilities.

10:42:43.390 [1;36mINFO[1;0m: Codec GSM/8000 fmt=[] number=3, enabled=0) added to default capabilities.

10:42:43.390 [1;36mINFO[1;0m: Codec G722/8000 fmt=[] number=9, enabled=0) added to default capabilities.

10:42:43.390 [1;36mINFO[1;0m: Could not find encoder for iLBC

10:42:43.391 [1;36mINFO[1;0m: Could not find decoder for iLBC

10:42:43.391 [1;36mINFO[1;0m: Could not find encoder for AMR

10:42:43.391 [1;36mINFO[1;0m: Could not find decoder for AMR

10:42:43.391 [1;36mINFO[1;0m: Could not find encoder for AMR-WB

10:42:43.392 [1;36mINFO[1;0m: Could not find decoder for AMR-WB

10:42:43.392 [1;36mINFO[1;0m: Could not find encoder for G729

10:42:43.392 [1;36mINFO[1;0m: Could not find decoder for G729

10:42:43.392 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

10:42:43.392 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

10:42:43.393 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

10:42:43.393 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

10:42:43.393 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

10:42:43.393 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

10:42:43.393 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

10:42:43.393 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

10:42:43.394 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

10:42:43.394 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

10:42:43.394 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

10:42:43.394 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

10:42:43.395 [1;36mINFO[1;0m: Could not find encoder for iSAC

10:42:43.395 [1;36mINFO[1;0m: Could not find decoder for iSAC

10:42:43.395 [1;36mINFO[1;0m: Codec speex/32000 fntp=[vbr=on] number=-1, enabled=0) added to default capabilities.

10:42:43.395 [1;36mINFO[1;0m: Could not find encoder for SILK

10:42:43.395 [1;36mINFO[1;0m: Could not find decoder for SILK

10:42:43.396 [1;36mINFO[1;0m: Could not find encoder for SILK

10:42:43.396 [1;36mINFO[1;0m: Could not find decoder for SILK

10:42:43.396 [1;36mINFO[1;0m: Could not find encoder for SILK

10:42:43.396 [1;36mINFO[1;0m: Could not find decoder for SILK

10:42:43.397 [1;36mINFO[1;0m: Could not find encoder for G726-16

10:42:43.397 [1;36mINFO[1;0m: Could not find decoder for G726-16

10:42:43.397 [1;36mINFO[1;0m: Could not find encoder for G726-24

10:42:43.397 [1;36mINFO[1;0m: Could not find decoder for G726-24

10:42:43.397 [1;36mINFO[1;0m: Could not find encoder for G726-32

10:42:43.398 [1;36mINFO[1;0m: Could not find decoder for G726-32

10:42:43.398 [1;36mINFO[1;0m: Could not find encoder for G726-40

10:42:43.398 [1;36mINFO[1;0m: Could not find decoder for G726-40

10:42:43.398 [1;36mINFO[1;0m: Could not find encoder for AAL2-G726-16

10:42:43.399 [1;36mINFO[1;0m: Could not find decoder for AAL2-G726-16

10:42:43.399 [1;36mINFO[1;0m: Could not find encoder for AAL2-G726-24

10:42:43.399 [1;36mINFO[1;0m: Could not find decoder for AAL2-G726-24

10:42:43.399 [1;36mINFO[1;0m: Could not find encoder for AAL2-G726-32

10:42:43.399 [1;36mINFO[1;0m: Could not find decoder for AAL2-G726-32

10:42:43.400 [1;36mINFO[1;0m: Could not find encoder for AAL2-G726-40

10:42:43.400 [1;36mINFO[1;0m: Could not find decoder for AAL2-G726-40

10:42:43.400 [1;36mINFO[1;0m: Could not find encoder for CODEC2

10:42:43.400 [1;36mINFO[1;0m: Could not find decoder for CODEC2

10:42:43.401 [1;36mINFO[1;0m: Codec VP8/90000 fntp=[] number=-1, enabled=1) added to default capabilities.

10:42:43.401 [1;36mINFO[1;0m: Could not find encoder for H264

10:42:43.401 [1;36mINFO[1;0m: Could not find decoder for H264

10:42:43.401 [1;36mINFO[1;0m: Could not find encoder for MP4V-ES

10:42:43.402 [1;36mINFO[1;0m: Could not find encoder for H263-1998

10:42:43.402 [1;36mINFO[1;0m: Could not find encoder for H263

10:42:43.402 [1;36mINFO[1;0m: Could not find encoder for 1016

10:42:43.402 [1;36mINFO[1;0m: Could not find decoder for 1016

10:42:43.402 [1;36mINFO[1;0m: Could not find encoder for G723

10:42:43.403 [1;36mINFO[1;0m: Could not find decoder for G723

10:42:43.403 [1;36mINFO[1;0m: Could not find encoder for LPC

10:42:43.403 [1;36mINFO[1;0m: Could not find decoder for LPC

10:42:43.403 [1;36mINFO[1;0m: Codec L16/44100 fntp=[] number=10, enabled=0) added to default capabilities.

10:42:43.404 [1;36mINFO[1;0m: Codec L16/44100 fntp=[] number=11, enabled=0) added to default capabilities.

10:42:43.404 [1;36mINFO[1;0m: Could not find encoder for CN

10:42:43.404 [1;36mINFO[1;0m: Could not find decoder for CN

10:42:43.404 [1;36mINFO[1;0m: Could not find encoder for G729

10:42:43.405 [1;36mINFO[1;0m: Could not find decoder for G729

10:42:43.405 [1;36mINFO[1;0m: Could not find encoder for H261

10:42:43.405 [1;36mINFO[1;0m: Could not find decoder for H261

10:42:43.405 [1;36mINFO[1;0m: Could not find encoder for MPV

10:42:43.405 [1;36mINFO[1;0m: Could not find decoder for MPV

10:42:43.406 [1;36mINFO[1;0m: Could not find encoder for H263

10:42:43.425 [1;36mINFO[1;0m: Sal nat helper [enabled]

10:42:43.425 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

10:42:43.426 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

10:42:43.426 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

10:42:43.426 [1;36mINFO[1;0m: Linphone core [0x133ccb8] notifying [configuring_status]

10:42:43.426 [1;36mINFO[1;0m: Cannot open directory ./lib/liblinphone/plugins: No such file or directory

10:42:43.427 [1;31mWARNING[1;0m: ./share/sounds/linphone/rings/oldphone.wav does not exist

10:42:43.427 [1;36mINFO[1;0m: linphone_core_set_playback_gain_db(): no active call.

10:42:43.427 [1;36mINFO[1;0m: linphone_core_set_mic_gain_db(): no active call.

10:42:43.427 [1;36mINFO[1;0m: MTU is supposed to be 1300, rtp payload max size will be 1240

10:42:43.428 [1;36mINFO[1;0m: Sal nat helper [enabled]

10:42:43.428 [1;36mINFO[1;0m: Sal use rport [enabled]

10:42:43.428 [1;36mINFO[1;0m: Supported codec opus/48000 fntp=useinbandfec=1 automatically added to codec list.

10:42:43.428 [1;36mINFO[1;0m: Supported codec speex/16000 fntp=vbr=on automatically added to codec list.

10:42:43.429 [1;36mINFO[1;0m: Supported codec speex/8000 fntp=vbr=on automatically added to codec list.

10:42:43.429 [1;36mINFO[1;0m: Supported codec PCMU/8000 fmp= automatically added to codec list.

10:42:43.429 [1;36mINFO[1;0m: Supported codec PCMA/8000 fmp= automatically added to codec list.

10:42:43.429 [1;36mINFO[1;0m: Supported codec GSM/8000 fmp= automatically added to codec list.

10:42:43.429 [1;36mINFO[1;0m: Supported codec G722/8000 fmp= automatically added to codec list.

10:42:43.430 [1;36mINFO[1;0m: Supported codec speex/32000 fmp=vbr=on automatically added to codec list.

10:42:43.430 [1;36mINFO[1;0m: Supported codec L16/44100 fmp= automatically added to codec list.

10:42:43.430 [1;36mINFO[1;0m: Supported codec L16/44100 fmp= automatically added to codec list.

10:42:43.430 [1;36mINFO[1;0m: Supported codec VP8/90000 fmp= automatically added to codec list.

10:42:43.431 [1;36mINFO[1;0m: Supported codec t140/1000 fmp= automatically added to codec list.

10:42:43.431 [1;36mINFO[1;0m: Supported codec red/1000 fmp= automatically added to codec list.

10:42:43.431 [1;36mINFO[1;0m: Sal use rport [enabled]

10:42:43.431 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

10:42:43.431 [1;36mINFO[1;0m: sal_unlisten_ports done

10:42:43.432 [1;36mINFO[1;0m: Creating listening point [0x135fa58] on [sip:0.0.0.0:5060;transport=UDP]

10:42:43.432 [1;36mINFO[1;0m: Creating listening point [0x133d760] on [sip:0.0.0.0:5060;transport=TCP]

10:42:43.442 [1;36mINFO[1;0m: Creating listening point [0x133d9e0] on [sip:0.0.0.0:-1;transport=TLS]

10:42:43.442 [1;36mINFO[1;0m: Random TCP port is 57057

10:42:43.442 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

10:42:43.443 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

10:42:43.508 [1;36mINFO[1;0m: Linphone core [0x133ccb8] notifying [global_state_changed]

10:42:43.510 [1;36mINFO[1;0m: Listening point [0x135fa58] on [sip:0.0.0.0:5060;transport=UDP] destroyed

10:42:43.510 [1;36mINFO[1;0m: Listening point [0x133d760] on [sip:0.0.0.0:5060;transport=TCP] destroyed

10:42:43.510 [1;36mINFO[1;0m: Listening point [0x133d9e0] on [sip:0.0.0.0:57057;transport=TLS] destroyed

10:42:43.511 [1;36mINFO[1;0m: sal_unlisten_ports done

10:42:43.511 [1;36mINFO[1;0m: Creating listening point [0x1341c78] on [sip:0.0.0.0:5063;transport=UDP]

10:42:43.511 [1;36mINFO[1;0m: Creating listening point [0x1341ff8] on [sip:0.0.0.0:5067;transport=TCP]

10:42:43.511 [1;36mINFO[1;0m: Creating listening point [0x133d830] on [sip:0.0.0.0:32737;transport=TLS]

10:42:43.512 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

10:42:43.512 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

10:42:43.516 [1;36mINFO[1;0m: Resolver is using DNS server(s):

10:42:43.517 [1;36mINFO[1;0m: 75.75.75.75

10:42:43.517 [1;36mINFO[1;0m: 75.75.76.76

10:42:43.517 [1;36mINFO[1;0m: 2001:558:feed::1

10:42:43.518 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress

10:42:43.518 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop

10:42:43.518 [1;36mINFO[1;0m: Sal nat helper [enabled]

10:42:43.519 [1;36mINFO[1;0m: Sal use rport [enabled]

10:42:43.520 [1;36mINFO[1;0m: no camera with id V4L2: /dev/video0

10:42:43.520 [1;31mWARNING[1;0m: Could not find video device V4L2: /dev/video0

10:42:43.523 [1;36mINFO[1;0m: Adding codec PCMU...

10:42:43.524 [1;36mINFO[1;0m: Adding codec PCMA...

10:42:43.525 [1;36mINFO[1;0m: Adding codec VP8...

10:42:43.530 [1;36mINFO[1;0m: auth_info.username = zahersyed,

10:42:46.583 [1;36mINFO[1;0m: *Motion detected!*

10:42:47.588 [1;36mINFO[1;0m: stun.linphone.org resolved to 37.59.51.72

10:42:47.589 [1;36mINFO[1;0m: Stun server resolution successful.

10:42:47.590 [1;36mINFO[1;0m: New local ip address is 10.1.10.45

10:42:47.590 [1;36mINFO[1;0m: Network state is now [UP]

10:42:47.591 [1;36mINFO[1;0m: Resolver is using DNS server(s):

10:42:47.592 [1;36mINFO[1;0m: 75.75.75.75

10:42:47.592 [1;36mINFO[1;0m: 75.75.76.76

10:42:47.593 [1;36mINFO[1;0m: 2001:558:feed::1

10:42:47.594 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress

10:42:47.594 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop

10:42:47.597 [1;36mINFO[1;0m: LinphoneProxyConfig [0x13715c0] about to register (LinphoneCore version: 3.9.0)

10:42:47.614 [1;36mINFO[1;0m: belle_sip_client_transaction_send_request(): waiting channel to be ready

10:42:47.615 [1;36mINFO[1;0m: channel [0x1382c68]: starting resolution of sip.linphone.org

10:42:47.615 [1;36mINFO[1;0m: channel 0x1382c68: state RES_IN_PROGRESS

10:42:47.616 [1;36mINFO[1;0m: transaction [0x1340dd8] channel state changed to [RES_IN_PROGRESS]

10:42:47.617 [1;36mINFO[1;0m: Resolver is using DNS server(s):

10:42:47.617 [1;36mINFO[1;0m: 75.75.75.75

10:42:47.618 [1;36mINFO[1;0m: 75.75.76.76

10:42:47.618 [1;36mINFO[1;0m: 2001:558:feed::1

10:42:47.619 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress

10:42:47.620 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop

10:42:47.620 [1;36mINFO[1;0m: Neither Expires header nor corresponding Contact header found, checking from original request

10:42:47.621 [1;36mINFO[1;0m: Refresher [0x13742d8] takes ownership of transaction [0x1340dd8]

10:42:47.621 [1;36mINFO[1;0m: Proxy config [0x13715c0] for identity [sip:zahersyed@sip.linphone.org:5061] moving from state [LinphoneRegistrationNone] to [LinphoneRegistrationProgress]

10:42:47.622 [1;36mINFO[1;0m: Linphone core [0x133ccb8] notifying [registration_state_changed]

10:42:47.623 [1;36mINFO[1;0m: Linphone core [0x133ccb8] notifying [network_reachable]

10:42:47.642 [1;36mINFO[1;0m: stun.linphone.org resolved to 37.59.51.72

10:42:47.642 [1;36mINFO[1;0m: Stun server resolution successful.

10:42:47.669 [1;36mINFO[1;0m: SRV _sip._udp.sip.linphone.org resolved to [target:sip1.linphone.org. port:5060 prio:10 weight:100]

10:42:47.670 [1;36mINFO[1;0m: SRV _sip._udp.sip.linphone.org resolved to [target:sip3.linphone.org. port:5060 prio:0 weight:100]

10:42:47.671 [1;36mINFO[1;0m: Starting A/AAAA query for srv result [sip3.linphone.org.]

10:42:47.672 [1;36mINFO[1;0m: Resolver is using DNS server(s):
10:42:47.672 [1;36mINFO[1;0m: 75.75.75.75
10:42:47.673 [1;36mINFO[1;0m: 75.75.76.76
10:42:47.673 [1;36mINFO[1;0m: 2001:558:feed::1
10:42:47.674 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress
10:42:47.675 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop
10:42:47.675 [1;36mINFO[1;0m: Starting A/AAAA query for srv result [sip1.linphone.org.]
10:42:47.676 [1;36mINFO[1;0m: Resolver is using DNS server(s):
10:42:47.677 [1;36mINFO[1;0m: 75.75.75.75
10:42:47.677 [1;36mINFO[1;0m: 75.75.76.76
10:42:47.678 [1;36mINFO[1;0m: 2001:558:feed::1
10:42:47.679 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress
10:42:47.679 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop
10:42:47.694 [1;36mINFO[1;0m: sip1.linphone.org. resolved to 91.121.209.194
10:42:47.695 [1;36mINFO[1;0m: A query finished for srv result [sip1.linphone.org.]
10:42:47.757 [1;36mINFO[1;0m: sip3.linphone.org. resolved to 37.59.51.72
10:42:47.758 [1;36mINFO[1;0m: A query finished for srv result [sip3.linphone.org.]
10:42:47.758 [1;36mINFO[1;0m: All A/AAAA results for combined resolution have arrived.
10:42:47.758 [1;36mINFO[1;0m: channel 0x1382c68: state RES_DONE
10:42:47.759 [1;36mINFO[1;0m: transaction [0x1340dd8] channel state changed to [RES_DONE]
10:42:47.759 [1;36mINFO[1;0m: channel 0x1382c68: state CONNECTING
10:42:47.759 [1;36mINFO[1;0m: transaction [0x1340dd8] channel state changed to [CONNECTING]
10:42:47.759 [1;36mINFO[1;0m: Trying to connect to [UDP://37.59.51.72:5060]
10:42:47.759 [1;36mINFO[1;0m: belle_sip_get_src_addr_for(): af_inet6=0
10:42:47.760 [1;36mINFO[1;0m: Channel has local address 10.1.10.45:5063
10:42:47.760 [1;36mINFO[1;0m: channel 0x1382c68: state READY
10:42:47.760 [1;36mINFO[1;0m: transaction [0x1340dd8] channel state changed to [READY]
10:42:47.760 [1;36mINFO[1;0m: Changing [client] [REGISTER] transaction [0x1340dd8], from state [INIT]
to [TRYING]

10:42:47.761 [1;36mINFO[1;0m: channel [0x1382c68]: message sent to [UDP://sip.linphone.org:5060], size: [523] bytes

REGISTER sip:sip.linphone.org:5061 SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.zWGeuCsR-;rport

From: <sip:zahersyed@sip.linphone.org>;tag=gHnssAUOp

To: sip:zahersyed@sip.linphone.org

CSeq: 20 REGISTER

Call-ID: WTyInNlf9Y

Max-Forwards: 70

Supported: outbound

Accept: application/sdp

Accept: text/plain

Accept: application/vnd.gsma.rcs-ft-http+xml

Contact: <sip:zahersyed@10.1.10.45:5063>;+sip.instance="<urn:uuid:2c1dea56-d87a-43cb-8318-579214919991>"

Expires: 3600

User-Agent: (belle-sip/1.4.2)

10:42:47.898 [1;36mINFO[1;0m: channel [0x1382c68]: received [474] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 401 Unauthorized

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.zWGeuCsR-;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=gHnssAUOp

To: <sip:zahersyed@sip.linphone.org>;tag=1r3BpH0B1aa8j

Call-ID: WTyInNlf9Y

CSeq: 20 REGISTER

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

WWW-Authenticate: Digest realm="sip.linphone.org", nonce="5+S02gAAAABatLkFAAC4MeY66c4AAAAA", opaque="+GNyWA==", algorithm=MD5, qop="auth"

Content-Length: 0

10:42:47.933 [1;36mINFO[1;0m: channel [0x1382c68] [474] bytes parsed

10:42:47.933 [1;36mINFO[1;0m: channel [0x1382c68]: discovered public ip and port are [173.12.114.238:5063]

10:42:47.934 [1;36mINFO[1;0m: Found transaction matching response.

10:42:47.934 [1;36mINFO[1;0m: Changing [client] [REGISTER] transaction [0x1340dd8], from state [TRYING] to [COMPLETED]

10:42:47.934 [1;36mINFO[1;0m: linphone_core_find_auth_info(): returning auth info username=zahersyed, realm=

10:42:47.935 [1;36mINFO[1;0m: Auth info found for [zahersyed] realm [sip.linphone.org]

10:42:47.935 [1;36mINFO[1;0m: Changing [client] [REGISTER] transaction [0x1375718], from state [INIT] to [TRYING]

10:42:47.936 [1;36mINFO[1;0m: channel [0x1382c68]: message sent to [UDP://sip.linphone.org:5060], size: [795] bytes

REGISTER sip:sip.linphone.org:5061 SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.54VPH8f0C;rport

From: <sip:zahersyed@sip.linphone.org>;tag=gHnssAUOp

To: sip:zahersyed@sip.linphone.org

CSeq: 21 REGISTER

Call-ID: WTyInNlf9Y

Max-Forwards: 70

Supported: outbound

Accept: application/sdp

Accept: text/plain

Accept: application/vnd.gsma.rcs-ft-http+xml

Contact: <sip:zahersyed@173.12.114.238:5063>;+sip.instance="<urn:uuid:2c1dea56-d87a-43cb-8318-579214919991>"

Expires: 3600

User-Agent: (belle-sip/1.4.2)

Authorization: Digest realm="sip.linphone.org", nonce="5+S02gAAAABatLkFAAC4MeY66c4AAAA", algorithm=MD5, opaque="+GNyWA==", username="zahersyed", uri="sip:sip.linphone.org:5061", response="9a70a7fb352ce712684101c55e20ba11", cnonce="246f7f8c", nc=00000001, qop=auth

10:42:48.077 [1;36mINFO[1;0m: channel [0x1382c68]: received [412] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 200 Registration successful

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.54VPH8f0C;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=gHnssAUOp

To: <sip:zahersyed@sip.linphone.org>;tag=3apXS71jUvpDa

Call-ID: WTyInNlf9Y

CSeq: 21 REGISTER

Contact: <sip:zahersyed@173.12.114.238:5063>;expires=3600;q=0.00

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

10:42:48.083 [1;36mINFO[1;0m: channel [0x1382c68] [412] bytes parsed

10:42:48.083 [1;36mINFO[1;0m: Found transaction matching response.

10:42:48.084 [1;36mINFO[1;0m: Changing [client] [REGISTER] transaction [0x1375718], from state [TRYING] to [COMPLETED]

10:42:48.084 [1;36mINFO[1;0m: Refresher [0x13742d8]: has no contact for request [0x1340d48].

10:42:48.084 [1;36mINFO[1;0m: Refresher: scheduling next timer in 3240000 ms

10:42:48.084 [1;36mINFO[1;0m: Register refresher [200] reason [Registration successful] for proxy [sip:sip.linphone.org]

10:42:48.085 [1;36mINFO[1;0m: Proxy config [0x13715c0] for identity [sip:zahersyed@sip.linphone.org:5061] moving from state [LinphoneRegistrationProgress] to [LinphoneRegistrationOk]

10:42:48.085 [1;36mINFO[1;0m: Linphone core [0x133ccb8] notifying [registration_state_changed]

10:42:52.936 [1;36mINFO[1;0m: Changing [client] [REGISTER] transaction [0x1340dd8], from state [COMPLETED] to [TERMINATED]

10:42:52.936 [1;36mINFO[1;0m: Client internal REGISTER transaction [0x1340dd8] terminated

10:42:53.085 [1;36mINFO[1;0m: Changing [client] [REGISTER] transaction [0x1375718], from state [COMPLETED] to [TERMINATED]

10:42:53.085 [1;36mINFO[1;0m: Client internal REGISTER transaction [0x1375718] terminated

10:42:53.511 [1;36mINFO[1;0m: channel [0x1382c68]: keep alive sent to [UDP://sip.linphone.org:5060]

10:42:57.629 [1;36mINFO[1;0m: *Motion detected!*

10:43:03.511 [1;36mINFO[1;0m: channel [0x1382c68]: keep alive sent to [UDP://sip.linphone.org:5060]

10:43:09.516 [1;36mINFO[1;0m: *Motion detected!*

10:43:10.519 [1;36mINFO[1;0m: Notifying contacts...

10:43:10.520 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

10:43:10.524 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

10:43:10.524 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76d0fd40>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

10:43:10.531 [1;36mINFO[1;0m: Skipping top route of initial route-set because same as request-uri.

10:43:10.532 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1379bd0], from state [INIT] to [TRYING]

10:43:10.533 [1;36mINFO[1;0m: channel [0x1382c68]: message sent to [UDP://sip.linphone.org:5060], size: [476] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.2TFszj1Zi;rport

From: <sip:zahersyed@sip.linphone.org>;tag=Wfa-On0-U

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: 2a7tVveexN

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 14:43:10 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 10:43:10.522745'

10:43:10.535 [1;36mINFO[1;0m: Chat message 0x1377270: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

10:43:10.536 [1;36mINFO[1;0m: Notifying sip:aSecondSIPAccount@sip.linphone.org

10:43:10.540 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

10:43:10.541 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76d0fd60>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

10:43:10.548 [1;36mINFO[1;0m: Skipping top route of initial route-set because same as request-uri.

10:43:10.549 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1372140], from state [INIT] to [TRYING]

10:43:10.550 [1;36mINFO[1;0m: channel [0x1382c68]: message sent to [UDP://sip.linphone.org:5060], size: [492] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.oHQgL7roD;rport

From: <sip:zahersyed@sip.linphone.org>;tag=J7NGBHTQV

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: kP54TzeMzV

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 14:43:10 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 10:43:10.539269'

10:43:10.552 [1;36mINFO[1;0m: Chat message 0x1372f88: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

10:43:15.840 [1;36mINFO[1;0m: Emailed and saved image to "/home/pi/emailedSecurityCameraImage-2016-04-10T10:43:15.836792.jpg"

10:43:35.288 [1;36mINFO[1;0m: channel [0x1382c68]: received [492] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 407 Proxy Authentication Required

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.2TFszj1Zi;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=Wfa-On0-U

To: <sip:zahersyed@sip.linphone.org>;tag=eNBZtXrFmaaQc

Call-ID: 2a7tVveexN

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Proxy-Authenticate: Digest realm="sip.linphone.org",
nonce="/uS02gAAAABwHC6BAAA/6B2pA00AAAA", opaque="+GNyWA==", algorithm=MD5,
qop="auth"

Content-Length: 0

10:43:35.294 [1;36mINFO[1;0m: channel [0x1382c68] [492] bytes parsed

10:43:35.295 [1;36mINFO[1;0m: Found transaction matching response.

10:43:35.295 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1379bd0], from state [TRYING] to [COMPLETED]

10:43:35.295 [1;36mINFO[1;0m: linphone_core_find_auth_info(): returning auth info
username=zahersyed, realm=sip.linphone.org

10:43:35.296 [1;36mINFO[1;0m: Auth info found for [zahersyed] realm [sip.linphone.org]

10:43:35.296 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x137acd8], from state [INIT] to [TRYING]

10:43:35.297 [1;36mINFO[1;0m: channel [0x1382c68]: message sent to [UDP://sip.linphone.org:5060],
size: [755] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.7JCHsiln5;rport

From: <sip:zahersyed@sip.linphone.org>;tag=Wfa-On0-U

To: sip:zahersyed@sip.linphone.org

CSeq: 21 MESSAGE

Call-ID: 2a7tVveexN

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 14:43:10 GMT

User-Agent: (belle-sip/1.4.2)

Proxy-Authorization: Digest realm="sip.linphone.org",
nonce="/uS02gAAAABwHC6BAAA/6B2pA00AAAA", algorithm=MD5, opaque="+GNyWA==",
username="zahersyed", uri="sip:zahersyed@sip.linphone.org",
response="682868fd50c293665c703b5c4a0b24a2", cnonce="006b18aa", nc=00000001, qop=auth

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 10:43:10.522745'

10:43:35.297 [1;36mINFO[1;0m: channel [0x1382c68]: keep alive sent to [UDP://sip.linphone.org:5060]

10:43:35.297 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

10:43:35.298 [1;36mINFO[1;0m: channel [0x1382c68]: message sent to [UDP://sip.linphone.org:5060],
size: [492] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.oHQgL7roD;rport

From: <sip:zahersyed@sip.linphone.org>;tag=J7NGBHTQV

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: kP54TzeMzV

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 14:43:10 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 10:43:10.539269'

10:43:35.299 [1;36mINFO[1;0m: channel [0x1382c68]: received [500] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 407 Proxy Authentication Required

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.oHQgL7roD;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=J7NGBHTQV

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=Fy4Qvr9jHK09Q

Call-ID: kP54TzeMzV

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Proxy-Authenticate: Digest realm="sip.linphone.org", nonce="/uS02gAAAABb21FfAABxjEI7rqEAAAAA", opaque="+GNyWA==", algorithm=MD5, qop="auth"

Content-Length: 0

10:43:35.305 [1;36mINFO[1;0m: channel [0x1382c68] [500] bytes parsed

10:43:35.306 [1;36mINFO[1;0m: Found transaction matching response.

10:43:35.306 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1372140], from state [TRYING] to [COMPLETED]

10:43:35.306 [1;36mINFO[1;0m: linphone_core_find_auth_info(): returning auth info username=zahersyed, realm=sip.linphone.org

10:43:35.306 [1;36mINFO[1;0m: Auth info found for [zahersyed] realm [sip.linphone.org]

10:43:35.307 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x13beed8], from state [INIT] to [TRYING]

10:43:35.308 [1;36mINFO[1;0m: channel [0x1382c68]: message sent to [UDP://sip.linphone.org:5060], size: [779] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.7AulZoLOs;rport

From: <sip:zahersyed@sip.linphone.org>;tag=J7NGBHTQV

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 21 MESSAGE

Call-ID: kP54TzeMzV

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 14:43:10 GMT

User-Agent: (belle-sip/1.4.2)

Proxy-Authorization: Digest realm="sip.linphone.org", nonce="/uS02gAAAABb2IFfAABxjEI7rqEAAAAA", algorithm=MD5, opaque="+GNyWA==", username="zahersyed", uri="sip:aSecondSIPAccount@sip.linphone.org", response="7f2339f88549624daa0bf88d7f6b9f31", cnonce="f102cd1d", nc=00000001, qop=auth

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 10:43:10.539269'

10:43:35.487 [1;36mINFO[1;0m: channel [0x1382c68]: received [500] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 407 Proxy Authentication Required

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.oHQgL7roD;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=J7NGBHTQV

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=Fy4Qvr9jHK09Q

Call-ID: kP54TzeMzV

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Proxy-Authenticate: Digest realm="sip.linphone.org", nonce="/uS02gAAAABb2IFfAABxjEI7rqEAAAAA", opaque="+GNyWA==", algorithm=MD5, qop="auth"

Content-Length: 0

10:43:35.495 [1;36mINFO[1;0m: channel [0x1382c68] [500] bytes parsed

10:43:35.495 [1;36mINFO[1;0m: Found transaction matching response.

10:43:35.496 [1;36mINFO[1;0m: channel [0x1382c68]: received [310] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.7JCHsiln5;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=Wfa-On0-U

To: <sip:zahersyed@sip.linphone.org>

Call-ID: 2a7tVveexN

CSeq: 21 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

10:43:35.501 [1;36mINFO[1;0m: channel [0x1382c68] [310] bytes parsed

10:43:35.502 [1;36mINFO[1;0m: Found transaction matching response.

10:43:35.502 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x137acd8], from state [TRYING] to [PROCEEDING]

10:43:35.503 [1;36mINFO[1;0m: channel [0x1382c68]: received [588] new bytes from [UDP://sip.linphone.org:5060]:

MESSAGE sip:zahersyed@173.12.114.238:5063 SIP/2.0

Via: SIP/2.0/UDP 37.59.51.72;rport;branch=z9hG4bK.36Q5rycQpZ0v3He37tyyD0KNpD

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.7JCHsiln5;rport=5063;received=173.12.114.238

Max-Forwards: 69

From: <sip:zahersyed@sip.linphone.org>;tag=Wfa-On0-U

To: <sip:zahersyed@sip.linphone.org>

Call-ID: 2a7tVveexN

CSeq: 21 MESSAGE

Date: Sun, 10 Apr 2016 14:43:10 GMT

User-Agent: (belle-sip/1.4.2)

Supported: outbound

Content-Type: text/plain

Content-Length: 79

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 10:43:10.522745'

10:43:35.551 [1;36mINFO[1;0m: channel [0x1382c68] [509] bytes parsed

10:43:35.551 [1;36mINFO[1;0m: channel [0x1382c68] read [79] bytes of body from
[sip.linphone.org:5060]

10:43:35.555 [1;36mINFO[1;0m: Changing [server] [MESSAGE] transaction [0x1340f58], from state [INIT]
to [TRYING]

10:43:35.557 [1;36mINFO[1;0m: Linphone core [0x133ccb8] notifying [message_received]

10:43:35.557 [1;36mINFO[1;0m: Linphone core [0x133ccb8] notifying [is_composing_received]

10:43:35.558 [1;36mINFO[1;0m: Changing [server] [MESSAGE] transaction [0x1340f58], from state
[TRYING] to [COMPLETED]

10:43:35.558 [1;36mINFO[1;0m: channel [0x1382c68]: message sent to [UDP://sip.linphone.org:5060],
size: [333] bytes

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 37.59.51.72;rport;branch=z9hG4bK.36Q5rycQpZ0v3He37tyyD0KNpD

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.7JCHsiln5;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=Wfa-On0-U

To: <sip:zahersyed@sip.linphone.org>;tag=lmyLpGL

Call-ID: 2a7tVveexN

CSeq: 21 MESSAGE

10:43:35.559 [1;36mINFO[1;0m: Destroying op [0x13e6528] of type [SalOpMessage]

10:43:35.559 [1;36mINFO[1;0m: channel [0x1382c68]: received [318] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.7AulZoLOs;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=J7NGBHTQV

To: <sip:aSecondSIPAccount@sip.linphone.org>

Call-ID: kP54TzeMzV

CSeq: 21 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

10:43:35.564 [1;36mINFO[1;0m: channel [0x1382c68] [318] bytes parsed

10:43:35.565 [1;36mINFO[1;0m: Found transaction matching response.

10:43:35.565 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x13beed8], from state [TRYING] to [PROCEEDING]

10:43:35.566 [1;36mINFO[1;0m: channel [0x1382c68]: received [339] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.7AulZoLOs;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=J7NGBHTQV

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=t92jpgU0Dyv9c

Call-ID: kP54TzeMzV

CSeq: 21 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

10:43:35.571 [1;36mINFO[1;0m: channel [0x1382c68] [339] bytes parsed

10:43:35.572 [1;36mINFO[1;0m: Found transaction matching response.

10:43:35.572 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x13beed8], from state [PROCEEDING] to [COMPLETED]

10:43:35.573 [1;36mINFO[1;0m: Chat message 0x1372f88: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

10:43:35.704 [1;36mINFO[1;0m: channel [0x1382c68]: received [274] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.7JCHsiln5;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=Wfa-On0-U

To: <sip:zahersyed@sip.linphone.org>;tag=lmyLpGL

Call-ID: 2a7tVveexN

CSeq: 21 MESSAGE

Content-Length: 0

10:43:35.710 [1;36mINFO[1;0m: channel [0x1382c68] [274] bytes parsed

10:43:35.711 [1;36mINFO[1;0m: Found transaction matching response.

10:43:35.711 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x137acd8], from state [PROCEEDING] to [COMPLETED]

10:43:35.711 [1;36mINFO[1;0m: Chat message 0x1377270: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateDelivered

10:43:40.297 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1379bd0], from state [COMPLETED] to [TERMINATED]

10:43:40.299 [1;36mINFO[1;0m: Client MESSAGE transaction [0x1379bd0] terminated

10:43:40.299 [1;36mINFO[1;0m: Unhandled transaction terminated [0x1379bd0]

10:43:40.309 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1372140], from state [COMPLETED] to [TERMINATED]

10:43:40.309 [1;36mINFO[1;0m: Client MESSAGE transaction [0x1372140] terminated

10:43:40.310 [1;36mINFO[1;0m: Unhandled transaction terminated [0x1372140]

10:43:40.573 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x13beed8], from state [COMPLETED] to [TERMINATED]

10:43:40.573 [1;36mINFO[1;0m: Client MESSAGE transaction [0x13beed8] terminated

10:43:40.574 [1;36mINFO[1;0m: Unhandled transaction terminated [0x13beed8]

10:43:40.711 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x137acd8], from state [COMPLETED] to [TERMINATED]

10:43:40.711 [1;36mINFO[1;0m: Client MESSAGE transaction [0x137acd8] terminated

10:43:40.712 [1;36mINFO[1;0m: Unhandled transaction terminated [0x137acd8]

10:43:45.288 [1;36mINFO[1;0m: channel [0x1382c68]: keep alive sent to [UDP://sip.linphone.org:5060]

10:43:55.288 [1;36mINFO[1;0m: channel [0x1382c68]: keep alive sent to [UDP://sip.linphone.org:5060]

10:44:05.288 [1;36mINFO[1;0m: channel [0x1382c68]: keep alive sent to [UDP://sip.linphone.org:5060]

10:44:07.558 [1;36mINFO[1;0m: Changing [server] [MESSAGE] transaction [0x1340f58], from state [COMPLETED] to [TERMINATED]

10:44:07.558 [1;36mINFO[1;0m: Server MESSAGE transaction [0x1340f58] terminated

10:44:07.558 [1;36mINFO[1;0m: Unhandled transaction terminated [0x1340f58]

10:44:15.288 [1;36mINFO[1;0m: channel [0x1382c68]: keep alive sent to [UDP://sip.linphone.org:5060]

10:44:25.288 [1;36mINFO[1;0m: channel [0x1382c68]: keep alive sent to [UDP://sip.linphone.org:5060]

10:44:35.288 [1;36mINFO[1;0m: channel [0x1382c68]: keep alive sent to [UDP://sip.linphone.org:5060]

10:44:45.288 [1;36mINFO[1;0m: channel [0x1382c68]: keep alive sent to [UDP://sip.linphone.org:5060]

10:44:55.288 [1;36mINFO[1;0m: channel [0x1382c68]: keep alive sent to [UDP://sip.linphone.org:5060]

10:45:04.441 [1;36mINFO[1;0m: *Motion detected!*

10:45:05.445 [1;36mINFO[1;0m: Notifying contacts...

10:45:05.445 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

10:45:05.448 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

10:45:05.448 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76d0fe30>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

10:45:05.455 [1;36mINFO[1;0m: Skipping top route of initial route-set because same as request-uri.

10:45:05.456 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x13cd0a0], from state [INIT] to [TRYING]

10:45:05.457 [1;36mINFO[1;0m: channel [0x1382c68]: message sent to [UDP://sip.linphone.org:5060], size: [476] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.IHVPUQ1A8;rport

From: <sip:zahersyed@sip.linphone.org>;tag=2Zvn5p~kX

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: 0kGb-PSEHR

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 14:45:05 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 10:45:05.447059'

10:45:05.458 [1;36mINFO[1;0m: Chat message 0x1378360: moving from state
LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

10:45:05.458 [1;36mINFO[1;0m: Notifying sip:aSecondSIPAccount@sip.linphone.org

10:45:05.461 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

10:45:05.462 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76d0fe20>, ip =
None, ea = sip:linphone@10.1.10.45:5063, un = linphone

10:45:05.469 [1;36mINFO[1;0m: Skipping top route of initial route-set because same as request-uri.

10:45:05.469 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1374c88], from state [INIT]
to [TRYING]

10:45:05.470 [1;36mINFO[1;0m: channel [0x1382c68]: message sent to [UDP://sip.linphone.org:5060],
size: [492] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.HjbSaR417;rport

From: <sip:zahersyed@sip.linphone.org>;tag=HyK-8octm

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: Hook967tIZ

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 14:45:05 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 10:45:05.460295'

10:45:05.471 [1;36mINFO[1;0m: Chat message 0x13a38d0: moving from state
LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

10:45:10.212 [1;36mINFO[1;0m: Emailed and saved image to "/home/pi/emailedSecurityCameraImage-
2016-04-10T10:45:10.209161.jpg"

10:45:29.728 [1;36mINFO[1;0m: channel [0x1382c68]: received [492] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 407 Proxy Authentication Required

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.IHVPUQ1A8;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=2Zvn5p~kX

To: <sip:zahersyed@sip.linphone.org>;tag=F10c0pv0cerNp

Call-ID: 0kGb-PSEHR

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Proxy-Authenticate: Digest realm="sip.linphone.org",
nonce="ceW02gAAAAAB62A+0AACq1w35fQIAAAAA", opaque="+GNywA==", algorithm=MD5,
qop="auth"

Content-Length: 0

10:45:29.734 [1;36mINFO[1;0m: channel [0x1382c68] [492] bytes parsed

10:45:29.734 [1;36mINFO[1;0m: Found transaction matching response.

10:45:29.735 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x13cd0a0], from state
[TRYING] to [COMPLETED]

10:45:29.735 [1;36mINFO[1;0m: linphone_core_find_auth_info(): returning auth info
username=zahersyed, realm=sip.linphone.org

10:45:29.735 [1;36mINFO[1;0m: Auth info found for [zahersyed] realm [sip.linphone.org]

10:45:29.735 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x13a1c90], from state [INIT]
to [TRYING]

10:45:29.736 [1;36mINFO[1;0m: channel [0x1382c68]: message sent to [UDP://sip.linphone.org:5060],
size: [755] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.Yh2KpySkK;rport

From: <sip:zahersyed@sip.linphone.org>;tag=2Zvn5p~kX

To: sip:zahersyed@sip.linphone.org

CSeq: 21 MESSAGE

Call-ID: 0kGb-PSEHR

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 14:45:05 GMT

User-Agent: (belle-sip/1.4.2)

Proxy-Authorization: Digest realm="sip.linphone.org",
nonce="ceW02gAAAAB62A+0AACq1w35fQIAAAAA", algorithm=MD5, opaque="+GNyWA==",
username="zahersyed", uri="sip:zahersyed@sip.linphone.org",
response="6b4b38d806897f74ffe0fc8a57c3c3db", cnonce="da176040", nc=00000001, qop=auth

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 10:45:05.447059'

10:45:29.736 [1;36mINFO[1;0m: channel [0x1382c68]: keep alive sent to [UDP://sip.linphone.org:5060]

10:45:29.737 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

10:45:29.737 [1;36mINFO[1;0m: channel [0x1382c68]: message sent to [UDP://sip.linphone.org:5060],
size: [492] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.HjbSaR417;rport

From: <sip:zahersyed@sip.linphone.org>;tag=HyK-8octm

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: Hook967tIZ

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 14:45:05 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 10:45:05.460295'

10:45:29.738 [1;36mINFO[1;0m: channel [0x1382c68]: received [500] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 407 Proxy Authentication Required

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.HjbSaR417;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=HyK-8octm

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=gat51HD49pe8H

Call-ID: Hook967tIZ

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Proxy-Authenticate: Digest realm="sip.linphone.org",
nonce="ceW02gAAAABIIIGOSAABnXXXBHHYAAAAA", opaque="+GNyWA==", algorithm=MD5,
qop="auth"

Content-Length: 0

10:45:29.744 [1;36mINFO[1;0m: channel [0x1382c68] [500] bytes parsed

10:45:29.745 [1;36mINFO[1;0m: Found transaction matching response.

10:45:29.745 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1374c88], from state [TRYING] to [COMPLETED]

10:45:29.745 [1;36mINFO[1;0m: linphone_core_find_auth_info(): returning auth info
username=zahersyed, realm=sip.linphone.org

10:45:29.745 [1;36mINFO[1;0m: Auth info found for [zahersyed] realm [sip.linphone.org]

10:45:29.746 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x13a1198], from state [INIT] to [TRYING]

10:45:29.746 [1;36mINFO[1;0m: channel [0x1382c68]: message sent to [UDP://sip.linphone.org:5060],
size: [779] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.D7Lx5dzS8;rport

From: <sip:zahersyed@sip.linphone.org>;tag=HyK-8octm

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 21 MESSAGE

Call-ID: Hook967tIZ

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 14:45:05 GMT

User-Agent: (belle-sip/1.4.2)

Proxy-Authorization: Digest realm="sip.linphone.org",
nonce="ceW02gAAAABIIIGOSAABnXXXBHHYAAAAA", algorithm=MD5, opaque="+GNyWA==",
username="zahersyed", uri="sip:aSecondSIPAccount@sip.linphone.org",
response="86eedbf76503b2a595f78656ec06da5", cnonce="cdb36cd7", nc=00000001, qop=auth

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 10:45:05.460295'

10:45:29.875 [1;36mINFO[1;0m: channel [0x1382c68]: received [310] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.Yh2KpySkK;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=2Zvn5p~kX

To: <sip:zahersyed@sip.linphone.org>

Call-ID: 0kGb-PSEHR

CSeq: 21 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

10:45:29.880 [1;36mINFO[1;0m: channel [0x1382c68] [310] bytes parsed

10:45:29.880 [1;36mINFO[1;0m: Found transaction matching response.

10:45:29.881 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x13a1c90], from state [TRYING] to [PROCEEDING]

10:45:29.881 [1;36mINFO[1;0m: channel [0x1382c68]: received [588] new bytes from [UDP://sip.linphone.org:5060]:

MESSAGE sip:zahersyed@173.12.114.238:5063 SIP/2.0

Via: SIP/2.0/UDP 37.59.51.72;rport;branch=z9hG4bK.py8SHaD04m6v5v4vHaXSB3562H

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.Yh2KpySkK;rport=5063;received=173.12.114.238

Max-Forwards: 69

From: <sip:zahersyed@sip.linphone.org>;tag=2Zvn5p~kX

To: <sip:zahersyed@sip.linphone.org>

Call-ID: 0kGb-PSEHR

CSeq: 21 MESSAGE

Date: Sun, 10 Apr 2016 14:45:05 GMT

User-Agent: (belle-sip/1.4.2)

Supported: outbound

Content-Type: text/plain

Content-Length: 79

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 10:45:05.447059'

10:45:29.890 [1;36mINFO[1;0m: channel [0x1382c68] [509] bytes parsed

10:45:29.891 [1;36mINFO[1;0m: channel [0x1382c68] read [79] bytes of body from [sip.linphone.org:5060]

10:45:29.894 [1;36mINFO[1;0m: Changing [server] [MESSAGE] transaction [0x13bc3e8], from state [INIT] to [TRYING]

10:45:29.896 [1;36mINFO[1;0m: Linphone core [0x133ccb8] notifying [message_received]

10:45:29.897 [1;36mINFO[1;0m: Linphone core [0x133ccb8] notifying [is_composing_received]

10:45:29.897 [1;36mINFO[1;0m: Changing [server] [MESSAGE] transaction [0x13bc3e8], from state [TRYING] to [COMPLETED]

10:45:29.898 [1;36mINFO[1;0m: channel [0x1382c68]: message sent to [UDP://sip.linphone.org:5060], size: [333] bytes

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 37.59.51.72;rport;branch=z9hG4bK.py8SHaD04m6v5v4vHaXSB3562H

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.Yh2KpySkK;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=2Zvn5p~kX

To: <sip:zahersyed@sip.linphone.org>;tag=VYKdnk6

Call-ID: 0kGb-PSEHR

CSeq: 21 MESSAGE

10:45:29.898 [1;36mINFO[1;0m: Destroying op [0x13b79b8] of type [SalOpMessage]

10:45:29.898 [1;36mINFO[1;0m: channel [0x1382c68]: received [500] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 407 Proxy Authentication Required

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.HjbSaR417;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=HyK-8octm

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=gat51HD49pe8H

Call-ID: Hook967tIZ

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Proxy-Authenticate: Digest realm="sip.linphone.org",
nonce="ceW02gAAAABlIGOSAABnXXXBHYYAAAAA", opaque="+GNyWA==", algorithm=MD5,
qop="auth"

Content-Length: 0

10:45:29.905 [1;36mINFO[1;0m: channel [0x1382c68] [500] bytes parsed

10:45:29.905 [1;36mINFO[1;0m: Found transaction matching response.

10:45:29.906 [1;36mINFO[1;0m: channel [0x1382c68]: received [318] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.D7Lx5dzS8;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=HyK-8octm

To: <sip:aSecondSIPAccount@sip.linphone.org>

Call-ID: Hook967tIZ

CSeq: 21 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

10:45:29.911 [1;36mINFO[1;0m: channel [0x1382c68] [318] bytes parsed

10:45:29.911 [1;36mINFO[1;0m: Found transaction matching response.

10:45:29.912 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x13a1198], from state [TRYING] to [PROCEEDING]

10:45:29.912 [1;36mINFO[1;0m: channel [0x1382c68]: received [339] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.D7Lx5dzS8;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=HyK-8octm

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=Zrmaam7eQ8tvj

Call-ID: Hook967tIZ

CSeq: 21 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

10:45:29.917 [1;36mINFO[1;0m: channel [0x1382c68] [339] bytes parsed

10:45:29.918 [1;36mINFO[1;0m: Found transaction matching response.

10:45:29.918 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x13a1198], from state [PROCEEDING] to [COMPLETED]

10:45:29.918 [1;36mINFO[1;0m: Chat message 0x13a38d0: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

10:45:30.032 [1;36mINFO[1;0m: channel [0x1382c68]: received [274] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.Yh2KpySkK;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=2Zvn5p~kX

To: <sip:zahersyed@sip.linphone.org>;tag=VYKdnk6

Call-ID: 0kGb-PSEHR

CSeq: 21 MESSAGE

Content-Length: 0

10:45:30.036 [1;36mINFO[1;0m: channel [0x1382c68] [274] bytes parsed

10:45:30.037 [1;36mINFO[1;0m: Found transaction matching response.

10:45:30.037 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x13a1c90], from state [PROCEEDING] to [COMPLETED]

10:45:30.037 [1;36mINFO[1;0m: Chat message 0x1378360: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateDelivered

10:45:34.736 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x13cd0a0], from state [COMPLETED] to [TERMINATED]

10:45:34.736 [1;36mINFO[1;0m: Client MESSAGE transaction [0x13cd0a0] terminated

10:45:34.737 [1;36mINFO[1;0m: Unhandled transaction terminated [0x13cd0a0]

10:45:34.747 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1374c88], from state [COMPLETED] to [TERMINATED]

10:45:34.747 [1;36mINFO[1;0m: Client MESSAGE transaction [0x1374c88] terminated

10:45:34.747 [1;36mINFO[1;0m: Unhandled transaction terminated [0x1374c88]

10:45:34.919 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x13a1198], from state [COMPLETED] to [TERMINATED]

10:45:34.919 [1;36mINFO[1;0m: Client MESSAGE transaction [0x13a1198] terminated

10:45:34.920 [1;36mINFO[1;0m: Unhandled transaction terminated [0x13a1198]

10:45:35.038 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x13a1c90], from state [COMPLETED] to [TERMINATED]

10:45:35.038 [1;36mINFO[1;0m: Client MESSAGE transaction [0x13a1c90] terminated

10:45:35.039 [1;36mINFO[1;0m: Unhandled transaction terminated [0x13a1c90]

10:45:39.727 [1;36mINFO[1;0m: channel [0x1382c68]: keep alive sent to [UDP://sip.linphone.org:5060]

10:45:49.727 [1;36mINFO[1;0m: channel [0x1382c68]: keep alive sent to [UDP://sip.linphone.org:5060]

10:45:59.727 [1;36mINFO[1;0m: channel [0x1382c68]: keep alive sent to [UDP://sip.linphone.org:5060]

10:46:01.897 [1;36mINFO[1;0m: Changing [server] [MESSAGE] transaction [0x13bc3e8], from state [COMPLETED] to [TERMINATED]

10:46:01.897 [1;36mINFO[1;0m: Server MESSAGE transaction [0x13bc3e8] terminated

10:46:01.897 [1;36mINFO[1;0m: Unhandled transaction terminated [0x13bc3e8]

10:46:07.401 [1;36mINFO[1;0m: *Motion detected!*

10:46:08.405 [1;36mINFO[1;0m: Notifying contacts...

10:46:08.405 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

10:46:08.408 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

10:46:08.408 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76d0ff80>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

10:46:08.415 [1;36mINFO[1;0m: Skipping top route of initial route-set because same as request-uri.

10:46:08.416 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1442920], from state [INIT] to [TRYING]

10:46:08.417 [1;36mINFO[1;0m: channel [0x1382c68]: message sent to [UDP://sip.linphone.org:5060], size: [476] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.32qxG3sVf;rport

From: <sip:zahersyed@sip.linphone.org>;tag=vnvNASOc5

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: 3s1KVeGkWc

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 14:46:08 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 10:46:08.407347'

10:46:08.418 [1;36mINFO[1;0m: Chat message 0x1442f98: moving from state
LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

10:46:08.419 [1;36mINFO[1;0m: Notifying sip:aSecondSIPAccount@sip.linphone.org

10:46:08.421 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

10:46:08.422 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76d0fef0>, ip =
None, ea = sip:linphone@10.1.10.45:5063, un = linphone

10:46:08.429 [1;36mINFO[1;0m: Skipping top route of initial route-set because same as request-uri.

10:46:08.429 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x136fcf0], from state [INIT]
to [TRYING]

10:46:08.430 [1;36mINFO[1;0m: channel [0x1382c68]: message sent to [UDP://sip.linphone.org:5060],
size: [492] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.m3NCmiQwF;rport

From: <sip:zahersyed@sip.linphone.org>;tag=nGRBlp~J-

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: JsROmU38jd

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 14:46:08 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 10:46:08.420431'

10:46:08.431 [1;36mINFO[1;0m: Chat message 0x1341960: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

10:46:13.626 [1;36mINFO[1;0m: Emailed and saved image to "/home/pi/emailedSecurityCameraImage-2016-04-10T10:46:13.622538.jpg"

10:46:33.014 [1;36mINFO[1;0m: channel [0x1382c68]: received [492] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 407 Proxy Authentication Required

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.32qxG3sVf;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=vnvNASOc5

To: <sip:zahersyed@sip.linphone.org>;tag=gX55rKF4c0QFN

Call-ID: 3s1KVeGkWc

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Proxy-Authenticate: Digest realm="sip.linphone.org",
nonce="sOW02gAAAAAzRkKeAADzRkuPA4UAAAAA", opaque="+GNyWA==", algorithm=MD5,
qop="auth"

Content-Length: 0

10:46:33.020 [1;36mINFO[1;0m: channel [0x1382c68] [492] bytes parsed

10:46:33.021 [1;36mINFO[1;0m: Found transaction matching response.

10:46:33.021 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1442920], from state [TRYING] to [COMPLETED]

10:46:33.021 [1;36mINFO[1;0m: linphone_core_find_auth_info(): returning auth info
username=zahersyed, realm=sip.linphone.org

10:46:33.021 [1;36mINFO[1;0m: Auth info found for [zahersyed] realm [sip.linphone.org]

10:46:33.022 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x13a70a0], from state [INIT] to [TRYING]

10:46:33.022 [1;36mINFO[1;0m: channel [0x1382c68]: message sent to [UDP://sip.linphone.org:5060], size: [755] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.UHp8VmhPG;rport

From: <sip:zahersyed@sip.linphone.org>;tag=vnvNASOc5

To: sip:zahersyed@sip.linphone.org

CSeq: 21 MESSAGE

Call-ID: 3s1KVeGkWc

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 14:46:08 GMT

User-Agent: (belle-sip/1.4.2)

Proxy-Authorization: Digest realm="sip.linphone.org",
nonce="sOW02gAAAAAzRKkeAADzRkuPA4UAAAAA", algorithm=MD5, opaque="+GNyWA==",
username="zahersyed", uri="sip:zahersyed@sip.linphone.org",
response="f2b0d5576932f2732536f63485bb3ed0", cnonce="60e53358", nc=00000001, qop=auth

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 10:46:08.407347'

10:46:33.023 [1;36mINFO[1;0m: channel [0x1382c68]: keep alive sent to [UDP://sip.linphone.org:5060]

10:46:33.023 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

10:46:33.023 [1;36mINFO[1;0m: channel [0x1382c68]: message sent to [UDP://sip.linphone.org:5060],
size: [492] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.m3NCmiQwF;rport

From: <sip:zahersyed@sip.linphone.org>;tag=nGRBlp~J-

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: JsROmU38jd

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 14:46:08 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 10:46:08.420431'

10:46:33.024 [1;36mINFO[1;0m: channel [0x1382c68]: received [500] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 407 Proxy Authentication Required

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.m3NCmiQwF;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=nGRBlp~J-

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=H6yyte0798D2g

Call-ID: JsROmU38jd

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Proxy-Authenticate: Digest realm="sip.linphone.org",
nonce="sOW02gAAAAeAP38AAAIJRv6yGgAAAA", opaque="+GNyWA==", algorithm=MD5, qop="auth"

Content-Length: 0

10:46:33.030 [1;36mINFO[1;0m: channel [0x1382c68] [500] bytes parsed

10:46:33.031 [1;36mINFO[1;0m: Found transaction matching response.

10:46:33.031 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x136fcf0], from state [TRYING] to [COMPLETED]

10:46:33.032 [1;36mINFO[1;0m: linphone_core_find_auth_info(): returning auth info
username=zahersyed, realm=sip.linphone.org

10:46:33.032 [1;36mINFO[1;0m: Auth info found for [zahersyed] realm [sip.linphone.org]

10:46:33.032 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x137d8c0], from state [INIT] to [TRYING]

10:46:33.033 [1;36mINFO[1;0m: channel [0x1382c68]: message sent to [UDP://sip.linphone.org:5060], size: [779] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.VgNTxeN63;rport

From: <sip:zahersyed@sip.linphone.org>;tag=nGRBlp~J-

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 21 MESSAGE

Call-ID: JsROmU38jd

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 14:46:08 GMT

User-Agent: (belle-sip/1.4.2)

Proxy-Authorization: Digest realm="sip.linphone.org",
nonce="sOW02gAAAAAeAP38AAAIJRv6yGgAAAAA", algorithm=MD5, opaque="+GNyWA==",
username="zahersyed", uri="sip:aSecondSIPAccount@sip.linphone.org",
response="b14e2fb0c5f63bae33a095af8d552ff5", cnonce="88f09700", nc=00000001, qop=auth

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 10:46:08.420431'

10:46:33.163 [1;36mINFO[1;0m: channel [0x1382c68]: received [310] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.UHp8VmhPG;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=vnvNASOc5

To: <sip:zahersyed@sip.linphone.org>

Call-ID: 3s1KVeGkWc

CSeq: 21 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

10:46:33.167 [1;36mINFO[1;0m: channel [0x1382c68] [310] bytes parsed

10:46:33.168 [1;36mINFO[1;0m: Found transaction matching response.

10:46:33.168 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x13a70a0], from state [TRYING] to [PROCEEDING]

10:46:33.169 [1;36mINFO[1;0m: channel [0x1382c68]: received [588] new bytes from [UDP://sip.linphone.org:5060]:

MESSAGE sip:zahersyed@173.12.114.238:5063 SIP/2.0

Via: SIP/2.0/UDP 37.59.51.72;rport;branch=z9hG4bK.HF527aj90pZ47SBXQBc0cppQmc

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.UHp8VmhPG;rport=5063;received=173.12.114.238

Max-Forwards: 69

From: <sip:zahersyed@sip.linphone.org>;tag=vnvNASOc5

To: <sip:zahersyed@sip.linphone.org>

Call-ID: 3s1KVeGkWc

CSeq: 21 MESSAGE

Date: Sun, 10 Apr 2016 14:46:08 GMT

User-Agent: (belle-sip/1.4.2)

Supported: outbound

Content-Type: text/plain

Content-Length: 79

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 10:46:08.407347'

10:46:33.178 [1;36mINFO[1;0m: channel [0x1382c68] [509] bytes parsed

10:46:33.178 [1;36mINFO[1;0m: channel [0x1382c68] read [79] bytes of body from [sip.linphone.org:5060]

10:46:33.182 [1;36mINFO[1;0m: Changing [server] [MESSAGE] transaction [0x13a8798], from state [INIT] to [TRYING]

10:46:33.184 [1;36mINFO[1;0m: Linphone core [0x133ccb8] notifying [message_received]

10:46:33.184 [1;36mINFO[1;0m: Linphone core [0x133ccb8] notifying [is_composing_received]

10:46:33.185 [1;36mINFO[1;0m: Changing [server] [MESSAGE] transaction [0x13a8798], from state [TRYING] to [COMPLETED]

10:46:33.185 [1;36mINFO[1;0m: channel [0x1382c68]: message sent to [UDP://sip.linphone.org:5060], size: [333] bytes

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 37.59.51.72;rport;branch=z9hG4bK.HF527aj90pZ47SBXQBc0cppQmc

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.UHp8VmhPG;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=vnvNASOc5

To: <sip:zahersyed@sip.linphone.org>;tag=jikZJdC

Call-ID: 3s1KVeGkWc

CSeq: 21 MESSAGE

10:46:33.185 [1;36mINFO[1;0m: Destroying op [0x13a6138] of type [SalOpMessage]

10:46:33.186 [1;36mINFO[1;0m: channel [0x1382c68]: received [500] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 407 Proxy Authentication Required

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.m3NCmiQwF;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=nGRBlp~J-

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=H6yyte0798D2g

Call-ID: JsROmU38jd

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Proxy-Authenticate: Digest realm="sip.linphone.org",
nonce="sOW02gAAAAAeAP38AAAIJRv6yGgAAAAA", opaque="+GNyWA==", algorithm=MD5, qop="auth"

Content-Length: 0

10:46:33.193 [1;36mINFO[1;0m: channel [0x1382c68] [500] bytes parsed

10:46:33.193 [1;36mINFO[1;0m: Found transaction matching response.

10:46:33.194 [1;36mINFO[1;0m: channel [0x1382c68]: received [318] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.VgNTxeN63;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=nGRBlp~J-

To: <sip:aSecondSIPAccount@sip.linphone.org>

Call-ID: JsROmU38jd

CSeq: 21 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

10:46:33.199 [1;36mINFO[1;0m: channel [0x1382c68] [318] bytes parsed

10:46:33.199 [1;36mINFO[1;0m: Found transaction matching response.

10:46:33.200 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x137d8c0], from state [TRYING] to [PROCEEDING]

10:46:33.200 [1;36mINFO[1;0m: channel [0x1382c68]: received [339] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.VgNTxeN63;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=nGRBlp~J-

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=HDyF8tXX2mcyK

Call-ID: JsROmU38jd

CSeq: 21 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

10:46:33.205 [1;36mINFO[1;0m: channel [0x1382c68] [339] bytes parsed

10:46:33.206 [1;36mINFO[1;0m: Found transaction matching response.

10:46:33.206 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x137d8c0], from state [PROCEEDING] to [COMPLETED]

10:46:33.206 [1;36mINFO[1;0m: Chat message 0x1341960: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

10:46:33.326 [1;36mINFO[1;0m: channel [0x1382c68]: received [274] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.UHp8VmhPG;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=vnvNASOc5

To: <sip:zahersyed@sip.linphone.org>;tag=jikZJdC

Call-ID: 3s1KVeGkWc

CSeq: 21 MESSAGE

Content-Length: 0

10:46:33.331 [1;36mINFO[1;0m: channel [0x1382c68] [274] bytes parsed

10:46:33.332 [1;36mINFO[1;0m: Found transaction matching response.

10:46:33.332 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x13a70a0], from state [PROCEEDING] to [COMPLETED]

10:46:33.332 [1;36mINFO[1;0m: Chat message 0x1442f98: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateDelivered

10:46:38.023 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1442920], from state [COMPLETED] to [TERMINATED]

10:46:38.023 [1;36mINFO[1;0m: Client MESSAGE transaction [0x1442920] terminated

10:46:38.024 [1;36mINFO[1;0m: Unhandled transaction terminated [0x1442920]

10:46:38.033 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x136fcf0], from state [COMPLETED] to [TERMINATED]

10:46:38.033 [1;36mINFO[1;0m: Client MESSAGE transaction [0x136fcf0] terminated

10:46:38.033 [1;36mINFO[1;0m: Unhandled transaction terminated [0x136fcf0]

10:46:38.207 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x137d8c0], from state [COMPLETED] to [TERMINATED]

10:46:38.207 [1;36mINFO[1;0m: Client MESSAGE transaction [0x137d8c0] terminated

10:46:38.207 [1;36mINFO[1;0m: Unhandled transaction terminated [0x137d8c0]

10:46:38.333 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x13a70a0], from state [COMPLETED] to [TERMINATED]

10:46:38.333 [1;36mINFO[1;0m: Client MESSAGE transaction [0x13a70a0] terminated

10:46:38.334 [1;36mINFO[1;0m: Unhandled transaction terminated [0x13a70a0]

10:46:43.014 [1;36mINFO[1;0m: channel [0x1382c68]: keep alive sent to [UDP://sip.linphone.org:5060]

10:46:52.378 [1;36mINFO[1;0m: *Motion detected!*

10:46:53.381 [1;36mINFO[1;0m: Notifying contacts...

10:46:53.382 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

10:46:53.385 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

10:46:53.385 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76d0ffa0>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

10:46:53.393 [1;36mINFO[1;0m: Skipping top route of initial route-set because same as request-uri.

10:46:53.394 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x13a6650], from state [INIT] to [TRYING]

10:46:53.394 [1;36mINFO[1;0m: channel [0x1382c68]: message sent to [UDP://sip.linphone.org:5060], size: [476] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.XJPDRjtOY;rport

From: <sip:zahersyed@sip.linphone.org>;tag=h4B4tss6b

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: iQWn3Y2YWI

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 14:46:53 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 10:46:53.383850'

10:46:53.396 [1;36mINFO[1;0m: Chat message 0x13a1bd0: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

10:46:53.397 [1;36mINFO[1;0m: Notifying sip:aSecondSIPAccount@sip.linphone.org

10:46:53.400 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

10:46:53.400 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76a76070>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

10:46:53.407 [1;36mINFO[1;0m: Skipping top route of initial route-set because same as request-uri.

10:46:53.409 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x13b71a0], from state [INIT] to [TRYING]

10:46:53.410 [1;36mINFO[1;0m: channel [0x1382c68]: message sent to [UDP://sip.linphone.org:5060], size: [492] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.xH2ki69bj;rport

From: <sip:zahersyed@sip.linphone.org>;tag=MTgUffU0H

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: oufubbiLnO

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 14:46:53 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 10:46:53.398757'

10:46:53.411 [1;36mINFO[1;0m: Chat message 0x13a41a0: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

10:46:58.362 [1;36mINFO[1;0m: Emailed and saved image to "/home/pi/emailedSecurityCameraImage-2016-04-10T10:46:58.359061.jpg"

10:47:17.770 [1;36mINFO[1;0m: channel [0x1382c68]: received [492] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 407 Proxy Authentication Required

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.XJPDRjtOY;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=h4B4tss6b

To: <sip:zahersyed@sip.linphone.org>;tag=aNcK994tF2eQN

Call-ID: iQWn3Y2YWI

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Proxy-Authenticate: Digest realm="sip.linphone.org",
nonce="3eW02gAAAADZ3a5zAABdwFmC5mMAAAAA", opaque="+GNyWA==", algorithm=MD5,
qop="auth"

Content-Length: 0

10:47:17.777 [1;36mINFO[1;0m: channel [0x1382c68] [492] bytes parsed

10:47:17.777 [1;36mINFO[1;0m: Found transaction matching response.

10:47:17.778 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x13a6650], from state [TRYING] to [COMPLETED]

10:47:17.778 [1;36mINFO[1;0m: linphone_core_find_auth_info(): returning auth info
username=zahersyed, realm=sip.linphone.org

10:47:17.778 [1;36mINFO[1;0m: Auth info found for [zahersyed] realm [sip.linphone.org]

10:47:17.779 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x13a4748], from state [INIT] to [TRYING]

10:47:17.779 [1;36mINFO[1;0m: channel [0x1382c68]: message sent to [UDP://sip.linphone.org:5060], size: [755] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.XdnDN~9Ee;rport

From: <sip:zahersyed@sip.linphone.org>;tag=h4B4tss6b

To: sip:zahersyed@sip.linphone.org

CSeq: 21 MESSAGE

Call-ID: iQWn3Y2YWI

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 14:46:53 GMT

User-Agent: (belle-sip/1.4.2)

Proxy-Authorization: Digest realm="sip.linphone.org",
nonce="3eW02gAAAADZ3a5zAABdwFmC5mMAAAA", algorithm=MD5, opaque="+GNyWA==",
username="zahersyed", uri="sip:zahersyed@sip.linphone.org",
response="5ef19f3582f9ee9e39aed28657b86f14", cnonce="9ecf6936", nc=00000001, qop=auth

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 10:46:53.383850'

10:47:17.780 [1;36mINFO[1;0m: channel [0x1382c68]: keep alive sent to [UDP://sip.linphone.org:5060]

10:47:17.780 [1;36mINFO[1;0m: Changing [server] [MESSAGE] transaction [0x13a8798], from state [COMPLETED] to [TERMINATED]

10:47:17.780 [1;36mINFO[1;0m: Server MESSAGE transaction [0x13a8798] terminated

10:47:17.780 [1;36mINFO[1;0m: Unhandled transaction terminated [0x13a8798]

10:47:17.781 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

10:47:17.781 [1;36mINFO[1;0m: channel [0x1382c68]: message sent to [UDP://sip.linphone.org:5060],
size: [492] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.xH2ki69bj;rport

From: <sip:zahersyed@sip.linphone.org>;tag=MTgUffU0H

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: oufubbiLnO

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 14:46:53 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 10:46:53.398757'

10:47:17.782 [1;36mINFO[1;0m: *Motion detected!*

10:47:18.786 [1;36mINFO[1;0m: channel [0x1382c68]: received [500] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 407 Proxy Authentication Required

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.xH2ki69bj;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=MTgUffU0H

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=By5BB5NycB59g

Call-ID: oufubbiLnO

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Proxy-Authenticate: Digest realm="sip.linphone.org",
nonce="3eW02gAAAADeMQJSAADWcx6/6koAAAAA", opaque="+GNyWA==", algorithm=MD5,
qop="auth"

Content-Length: 0

10:47:18.793 [1;36mINFO[1;0m: channel [0x1382c68] [500] bytes parsed

10:47:18.793 [1;36mINFO[1;0m: Found transaction matching response.

10:47:18.794 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x13b71a0], from state [TRYING] to [COMPLETED]

10:47:18.794 [1;36mINFO[1;0m: linphone_core_find_auth_info(): returning auth info
username=zahersyed, realm=sip.linphone.org

10:47:18.794 [1;36mINFO[1;0m: Auth info found for [zahersyed] realm [sip.linphone.org]

10:47:18.795 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x13a5d48], from state [INIT] to [TRYING]

10:47:18.796 [1;36mINFO[1;0m: channel [0x1382c68]: message sent to [UDP://sip.linphone.org:5060],
size: [779] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.U3AeXk~Rt;rport

From: <sip:zahersyed@sip.linphone.org>;tag=MTgUffU0H

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 21 MESSAGE

Call-ID: oufubbiLnO

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 14:46:53 GMT

User-Agent: (belle-sip/1.4.2)

Proxy-Authorization: Digest realm="sip.linphone.org",
nonce="3eW02gAAAADeMQJSAADWcx6/6koAAAAA", algorithm=MD5, opaque="+GNyWA==",
username="zahersyed", uri="sip:aSecondSIPAccount@sip.linphone.org",
response="ff805a787af1d29e9451985f8e88cf17", cnonce="eaed9716", nc=00000001, qop=auth

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 10:46:53.398757'

10:47:18.796 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

10:47:18.797 [1;36mINFO[1;0m: channel [0x1382c68]: message sent to [UDP://sip.linphone.org:5060],
size: [755] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.XdnDN~9Ee;rport

From: <sip:zahersyed@sip.linphone.org>;tag=h4B4tss6b

To: sip:zahersyed@sip.linphone.org

CSeq: 21 MESSAGE

Call-ID: iQWn3Y2YWI

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 14:46:53 GMT

User-Agent: (belle-sip/1.4.2)

Proxy-Authorization: Digest realm="sip.linphone.org",
nonce="3eW02gAAAADZ3a5zAABdwFmC5mMAAAAA", algorithm=MD5, opaque="+GNyWA==",
username="zahersyed", uri="sip:zahersyed@sip.linphone.org",
response="5ef19f3582f9ee9e39aed28657b86f14", cnonce="9ecf6936", nc=00000001, qop=auth

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 10:46:53.383850'

10:47:18.797 [1;36mINFO[1;0m: channel [0x1382c68]: received [310] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.XdnDN~9Ee;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=h4B4tss6b

To: <sip:zahersyed@sip.linphone.org>

Call-ID: iQWn3Y2YWI

CSeq: 21 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

10:47:18.802 [1;36mINFO[1;0m: channel [0x1382c68] [310] bytes parsed

10:47:18.803 [1;36mINFO[1;0m: Found transaction matching response.

10:47:18.803 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x13a4748], from state
[TRYING] to [PROCEEDING]

10:47:18.804 [1;36mINFO[1;0m: channel [0x1382c68]: received [588] new bytes from
[UDP://sip.linphone.org:5060]:

MESSAGE sip:zahersyed@173.12.114.238:5063 SIP/2.0

Via: SIP/2.0/UDP 37.59.51.72;rport;branch=z9hG4bK.1NQgKZ9gH3FemHeZgK0vH1j28H

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.XdnDN~9Ee;rport=5063;received=173.12.114.238

Max-Forwards: 69

From: <sip:zahersyed@sip.linphone.org>;tag=h4B4tss6b

To: <sip:zahersyed@sip.linphone.org>

Call-ID: iQWn3Y2YWI

CSeq: 21 MESSAGE

Date: Sun, 10 Apr 2016 14:46:53 GMT

User-Agent: (belle-sip/1.4.2)

Supported: outbound

Content-Type: text/plain

Content-Length: 79

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 10:46:53.383850'

10:47:18.814 [1;36mINFO[1;0m: channel [0x1382c68] [509] bytes parsed

10:47:18.815 [1;36mINFO[1;0m: channel [0x1382c68] read [79] bytes of body from
[sip.linphone.org:5060]

10:47:18.818 [1;36mINFO[1;0m: Changing [server] [MESSAGE] transaction [0x13cf618], from state [INIT]
to [TRYING]

10:47:18.821 [1;36mINFO[1;0m: Linphone core [0x133ccb8] notifying [message_received]

10:47:18.822 [1;36mINFO[1;0m: Linphone core [0x133ccb8] notifying [is_composing_received]

10:47:18.822 [1;36mINFO[1;0m: Changing [server] [MESSAGE] transaction [0x13cf618], from state
[TRYING] to [COMPLETED]

10:47:18.822 [1;36mINFO[1;0m: channel [0x1382c68]: message sent to [UDP://sip.linphone.org:5060],
size: [333] bytes

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 37.59.51.72;rport;branch=z9hG4bK.1NQgKZ9gH3FemHeZgK0vH1j28H

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.XdnDN~9Ee;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=h4B4tss6b

To: <sip:zahersyed@sip.linphone.org>;tag=aek8CCc

Call-ID: iQWn3Y2YWI

CSeq: 21 MESSAGE

10:47:18.823 [1;36mINFO[1;0m: Destroying op [0x13c5000] of type [SalOpMessage]

10:47:18.823 [1;36mINFO[1;0m: channel [0x1382c68]: received [500] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 407 Proxy Authentication Required

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.xH2ki69bj;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=MTgUffU0H

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=By5BB5NycB59g

Call-ID: oufubbiLnO

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Proxy-Authenticate: Digest realm="sip.linphone.org",
nonce="3eW02gAAAADeMQJSAADWcx6/6koAAAAA", opaque="+GNyWA==", algorithm=MD5,
qop="auth"

Content-Length: 0

10:47:18.830 [1;36mINFO[1;0m: channel [0x1382c68] [500] bytes parsed

10:47:18.831 [1;36mINFO[1;0m: Found transaction matching response.

10:47:18.832 [1;36mINFO[1;0m: channel [0x1382c68]: received [588] new bytes from [UDP://sip.linphone.org:5060]:

MESSAGE sip:zahersyed@173.12.114.238:5063 SIP/2.0

Via: SIP/2.0/UDP 37.59.51.72;rport;branch=z9hG4bK.1NQgKZ9gH3FemHeZgK0vH1j28H

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.XdnDN~9Ee;rport=5063;received=173.12.114.238

Max-Forwards: 69

From: <sip:zahersyed@sip.linphone.org>;tag=h4B4tss6b

To: <sip:zahersyed@sip.linphone.org>

Call-ID: iQWn3Y2YWI

CSeq: 21 MESSAGE

Date: Sun, 10 Apr 2016 14:46:53 GMT

User-Agent: (belle-sip/1.4.2)

Supported: outbound

Content-Type: text/plain

Content-Length: 79

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 10:46:53.383850'

10:47:18.842 [1;36mINFO[1;0m: channel [0x1382c68] [509] bytes parsed

10:47:18.842 [1;36mINFO[1;0m: channel [0x1382c68] read [79] bytes of body from [sip.linphone.org:5060]

10:47:18.843 [1;36mINFO[1;0m: Found transaction [0x13cf618] matching request.

10:47:18.843 [1;36mINFO[1;0m: channel [0x1382c68]: message sent to [UDP://sip.linphone.org:5060], size: [333] bytes

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 37.59.51.72;rport;branch=z9hG4bK.1NQgKZ9gH3FemHeZgK0vH1j28H

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.XdnDN~9Ee;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=h4B4tss6b

To: <sip:zahersyed@sip.linphone.org>;tag=aek8CCc

Call-ID: iQWn3Y2YWI

CSeq: 21 MESSAGE

10:47:18.932 [1;36mINFO[1;0m: channel [0x1382c68]: received [318] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.U3AeXk~Rt;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=MTgUffU0H

To: <sip:aSecondSIPAccount@sip.linphone.org>

Call-ID: oufubbiLnO

CSeq: 21 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

10:47:18.938 [1;36mINFO[1;0m: channel [0x1382c68] [318] bytes parsed

10:47:18.938 [1;36mINFO[1;0m: Found transaction matching response.

10:47:18.939 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x13a5d48], from state [TRYING] to [PROCEEDING]

10:47:18.940 [1;36mINFO[1;0m: channel [0x1382c68]: received [339] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.U3AeXk~Rt;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=MTgUffU0H

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=72Hc3857QDv7a

Call-ID: oufubbiLnO

CSeq: 21 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

10:47:18.946 [1;36mINFO[1;0m: channel [0x1382c68] [339] bytes parsed

10:47:18.946 [1;36mINFO[1;0m: Found transaction matching response.

10:47:18.947 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x13a5d48], from state [PROCEEDING] to [COMPLETED]

10:47:18.947 [1;36mINFO[1;0m: Chat message 0x13a41a0: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

10:47:18.948 [1;36mINFO[1;0m: channel [0x1382c68]: received [310] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.XdnDN~9Ee;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=h4B4tss6b

To: <sip:zahersyed@sip.linphone.org>

Call-ID: iQWn3Y2YWI

CSeq: 21 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

10:47:18.953 [1;36mINFO[1;0m: channel [0x1382c68] [310] bytes parsed

10:47:18.954 [1;36mINFO[1;0m: Found transaction matching response.

10:47:18.966 [1;36mINFO[1;0m: channel [0x1382c68]: received [274] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.XdnDN~9Ee;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=h4B4tss6b

To: <sip:zahersyed@sip.linphone.org>;tag=aek8CCc

Call-ID: iQWn3Y2YWI

CSeq: 21 MESSAGE

Content-Length: 0

10:47:18.971 [1;36mINFO[1;0m: channel [0x1382c68] [274] bytes parsed

10:47:18.972 [1;36mINFO[1;0m: Found transaction matching response.

10:47:18.972 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x13a4748], from state [PROCEEDING] to [COMPLETED]

10:47:18.973 [1;36mINFO[1;0m: Chat message 0x13a1bd0: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateDelivered

10:47:22.780 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x13a6650], from state [COMPLETED] to [TERMINATED]

10:47:22.780 [1;36mINFO[1;0m: Client MESSAGE transaction [0x13a6650] terminated

10:47:23.688 [1;36mINFO[1;0m: Unhandled transaction terminated [0x13a6650]

10:47:23.796 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x13b71a0], from state [COMPLETED] to [TERMINATED]

10:47:23.796 [1;36mINFO[1;0m: Client MESSAGE transaction [0x13b71a0] terminated

10:47:23.796 [1;36mINFO[1;0m: Unhandled transaction terminated [0x13b71a0]

10:47:23.947 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x13a5d48], from state [COMPLETED] to [TERMINATED]

10:47:23.947 [1;36mINFO[1;0m: Client MESSAGE transaction [0x13a5d48] terminated

10:47:23.947 [1;36mINFO[1;0m: Unhandled transaction terminated [0x13a5d48]

10:47:23.973 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x13a4748], from state [COMPLETED] to [TERMINATED]

10:47:23.973 [1;36mINFO[1;0m: Client MESSAGE transaction [0x13a4748] terminated

10:47:23.973 [1;36mINFO[1;0m: Unhandled transaction terminated [0x13a4748]

10:47:27.770 [1;36mINFO[1;0m: channel [0x1382c68]: keep alive sent to [UDP://sip.linphone.org:5060]

10:47:37.770 [1;36mINFO[1;0m: channel [0x1382c68]: keep alive sent to [UDP://sip.linphone.org:5060]

10:47:47.770 [1;36mINFO[1;0m: channel [0x1382c68]: keep alive sent to [UDP://sip.linphone.org:5060]

10:47:50.822 [1;36mINFO[1;0m: Changing [server] [MESSAGE] transaction [0x13cf618], from state [COMPLETED] to [TERMINATED]

10:47:50.822 [1;36mINFO[1;0m: Server MESSAGE transaction [0x13cf618] terminated

10:47:50.822 [1;36mINFO[1;0m: Unhandled transaction terminated [0x13cf618]

10:47:57.770 [1;36mINFO[1;0m: channel [0x1382c68]: keep alive sent to [UDP://sip.linphone.org:5060]

10:48:07.770 [1;36mINFO[1;0m: channel [0x1382c68]: keep alive sent to [UDP://sip.linphone.org:5060]

10:48:14.783 [1;36mINFO[1;0m: *Motion detected!*

10:48:15.787 [1;36mINFO[1;0m: Notifying contacts...

10:48:15.788 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

10:48:15.790 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

10:48:15.791 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76a76110>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

10:48:15.798 [1;36mINFO[1;0m: Skipping top route of initial route-set because same as request-uri.

10:48:15.799 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x137d020], from state [INIT] to [TRYING]

10:48:15.799 [1;36mINFO[1;0m: channel [0x1382c68]: message sent to [UDP://sip.linphone.org:5060], size: [476] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.bQ-Rf~9zo;rport

From: <sip:zahersyed@sip.linphone.org>;tag=9rL~86W-b

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: VHL98IVQcV

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 14:48:15 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 10:48:15.789492'

10:48:15.801 [1;36mINFO[1;0m: Chat message 0x13c8430: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

10:48:15.801 [1;36mINFO[1;0m: Notifying sip:aSecondSIPAccount@sip.linphone.org

10:48:15.804 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

10:48:15.804 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76a760a0>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

10:48:15.811 [1;36mINFO[1;0m: Skipping top route of initial route-set because same as request-uri.

10:48:15.812 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x137dfe8], from state [INIT] to [TRYING]

10:48:15.813 [1;36mINFO[1;0m: channel [0x1382c68]: message sent to [UDP://sip.linphone.org:5060], size: [492] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.hd46mEJcR;rport

From: <sip:zahersyed@sip.linphone.org>;tag=WqYXjVhj6

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: h3SVt0MyhK

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 14:48:15 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 10:48:15.802878'

10:48:15.814 [1;36mINFO[1;0m: Chat message 0x13b9908: moving from state
LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

10:48:20.493 [1;36mINFO[1;0m: Emailed and saved image to "/home/pi/emailedSecurityCameraImage-
2016-04-10T10:48:20.489983.jpg"

10:48:39.881 [1;36mINFO[1;0m: channel [0x1382c68]: received [492] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 407 Proxy Authentication Required

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.bQ-Rf~9zo;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=9rL~86W-b

To: <sip:zahersyed@sip.linphone.org>;tag=ag0X6SZ1emZge

Call-ID: VHL98IVQcV

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Proxy-Authenticate: Digest realm="sip.linphone.org",
nonce="L+a02gAAAACbC+oPAAB57h0MM3UAAAAA", opaque="+GNyWA==", algorithm=MD5,
qop="auth"

Content-Length: 0

10:48:39.887 [1;36mINFO[1;0m: channel [0x1382c68] [492] bytes parsed

10:48:39.888 [1;36mINFO[1;0m: Found transaction matching response.

10:48:39.888 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x137d020], from state [TRYING] to [COMPLETED]

10:48:39.888 [1;36mINFO[1;0m: linphone_core_find_auth_info(): returning auth info
username=zahersyed, realm=sip.linphone.org

10:48:39.889 [1;36mINFO[1;0m: Auth info found for [zahersyed] realm [sip.linphone.org]

10:48:39.889 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x13a32d8], from state [INIT] to [TRYING]

10:48:39.890 [1;36mINFO[1;0m: channel [0x1382c68]: message sent to [UDP://sip.linphone.org:5060],
size: [755] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.~rRBdQLhz;rport

From: <sip:zahersyed@sip.linphone.org>;tag=9rL~86W-b

To: sip:zahersyed@sip.linphone.org

CSeq: 21 MESSAGE

Call-ID: VHL98IVQcV

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 14:48:15 GMT

User-Agent: (belle-sip/1.4.2)

Proxy-Authorization: Digest realm="sip.linphone.org",
nonce="L+a02gAAAACbC+oPAAB57h0MM3UAAAAA", algorithm=MD5, opaque="+GNywA==",
username="zahersyed", uri="sip:zahersyed@sip.linphone.org",
response="02829427a089f714638535c56c2ff272", cnonce="7b785164", nc=00000001, qop=auth

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 10:48:15.789492'

10:48:39.890 [1;36mINFO[1;0m: channel [0x1382c68]: keep alive sent to [UDP://sip.linphone.org:5060]

10:48:39.890 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

10:48:39.891 [1;36mINFO[1;0m: channel [0x1382c68]: message sent to [UDP://sip.linphone.org:5060], size: [492] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.hd46mEJcR;rport

From: <sip:zahersyed@sip.linphone.org>;tag=WqYXjVhj6

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: h3SVt0MyhK

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 14:48:15 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 10:48:15.802878'

10:48:39.891 [1;36mINFO[1;0m: *Motion detected!*

10:48:40.899 [1;36mINFO[1;0m: channel [0x1382c68]: received [500] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 407 Proxy Authentication Required

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.hd46mEJcR;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=WqYXjVhj6

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=BSSp8mg5BXN3S

Call-ID: h3SVt0MyhK

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Proxy-Authenticate: Digest realm="sip.linphone.org",
nonce="L+a02gAAAACGxz3uAADmcvVv29QAAAAA", opaque="+GNywA==", algorithm=MD5,
qop="auth"

Content-Length: 0

10:48:40.906 [1;36mINFO[1;0m: channel [0x1382c68] [500] bytes parsed

10:48:40.906 [1;36mINFO[1;0m: Found transaction matching response.

10:48:40.907 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x137dfe8], from state [TRYING] to [COMPLETED]

10:48:40.907 [1;36mINFO[1;0m: linphone_core_find_auth_info(): returning auth info
username=zahersyed, realm=sip.linphone.org

10:48:40.907 [1;36mINFO[1;0m: Auth info found for [zahersyed] realm [sip.linphone.org]

10:48:40.908 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x13a8478], from state [INIT] to [TRYING]

10:48:40.908 [1;36mINFO[1;0m: channel [0x1382c68]: message sent to [UDP://sip.linphone.org:5060], size: [779] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.xfIINScA0;rport

From: <sip:zahersyed@sip.linphone.org>;tag=WqYXjVhj6

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 21 MESSAGE

Call-ID: h3SVt0MyhK

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 14:48:15 GMT

User-Agent: (belle-sip/1.4.2)

Proxy-Authorization: Digest realm="sip.linphone.org",
nonce="L+a02gAAAACGxz3uAADmCvVv29QAAAAA", algorithm=MD5, opaque="+GNyWA==",
username="zahersyed", uri="sip:aSecondSIPAccount@sip.linphone.org",
response="172e89445ae629a44bc146a1a161c4d2", cnonce="26ba28e9", nc=00000001, qop=auth

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 10:48:15.802878'

10:48:40.909 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

10:48:40.909 [1;36mINFO[1;0m: channel [0x1382c68]: message sent to [UDP://sip.linphone.org:5060], size: [755] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.~rRBdQLhz;rport

From: <sip:zahersyed@sip.linphone.org>;tag=9rL~86W-b

To: sip:zahersyed@sip.linphone.org

CSeq: 21 MESSAGE

Call-ID: VHL98IVQcV

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 14:48:15 GMT

User-Agent: (belle-sip/1.4.2)

Proxy-Authorization: Digest realm="sip.linphone.org",
nonce="L+a02gAAAACbC+oPAAB57h0MM3UAAAAA", algorithm=MD5, opaque="+GNywA==",
username="zahersyed", uri="sip:zahersyed@sip.linphone.org",
response="02829427a089f714638535c56c2ff272", cnonce="7b785164", nc=00000001, qop=auth

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 10:48:15.789492'

10:48:40.910 [1;36mINFO[1;0m: channel [0x1382c68]: received [310] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.~rRBdQLhz;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=9rL~86W-b

To: <sip:zahersyed@sip.linphone.org>

Call-ID: VHL98IVQcV

CSeq: 21 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

10:48:40.915 [1;36mINFO[1;0m: channel [0x1382c68] [310] bytes parsed

10:48:40.915 [1;36mINFO[1;0m: Found transaction matching response.

10:48:40.916 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x13a32d8], from state [TRYING] to [PROCEEDING]

10:48:40.916 [1;36mINFO[1;0m: channel [0x1382c68]: received [500] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 407 Proxy Authentication Required

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.hd46mEJcR;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=WqYXjVhj6

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=BSSp8mg5BXN3S

Call-ID: h3SVt0MyhK

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Proxy-Authenticate: Digest realm="sip.linphone.org",
nonce="L+a02gAAAACGxz3uAADmcvVv29QAAAAA", opaque="+GNyWA==", algorithm=MD5,
qop="auth"

Content-Length: 0

10:48:40.923 [1;36mINFO[1;0m: channel [0x1382c68] [500] bytes parsed

10:48:40.923 [1;36mINFO[1;0m: Found transaction matching response.

10:48:40.924 [1;36mINFO[1;0m: channel [0x1382c68]: received [588] new bytes from [UDP://sip.linphone.org:5060]:

MESSAGE sip:zahersyed@173.12.114.238:5063 SIP/2.0

Via: SIP/2.0/UDP 37.59.51.72;rport;branch=z9hG4bK.02g7QNv80B0Q31XcN1KXm4c7Qg

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.~rRBdQLhz;rport=5063;received=173.12.114.238

Max-Forwards: 69

From: <sip:zahersyed@sip.linphone.org>;tag=9rL~86W-b

To: <sip:zahersyed@sip.linphone.org>

Call-ID: VHL98IVQcV

CSeq: 21 MESSAGE

Date: Sun, 10 Apr 2016 14:48:15 GMT

User-Agent: (belle-sip/1.4.2)

Supported: outbound

Content-Type: text/plain

Content-Length: 79

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 10:48:15.789492'

10:48:40.933 [1;36mINFO[1;0m: channel [0x1382c68] [509] bytes parsed

10:48:40.934 [1;36mINFO[1;0m: channel [0x1382c68] read [79] bytes of body from
[sip.linphone.org:5060]

10:48:40.937 [1;36mINFO[1;0m: Changing [server] [MESSAGE] transaction [0x13c8ab0], from state
[INIT] to [TRYING]

10:48:40.940 [1;36mINFO[1;0m: Linphone core [0x133ccb8] notifying [message_received]

10:48:40.940 [1;36mINFO[1;0m: Linphone core [0x133ccb8] notifying [is_composing_received]

10:48:40.940 [1;36mINFO[1;0m: Changing [server] [MESSAGE] transaction [0x13c8ab0], from state
[TRYING] to [COMPLETED]

10:48:40.941 [1;36mINFO[1;0m: channel [0x1382c68]: message sent to [UDP://sip.linphone.org:5060],
size: [333] bytes

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 37.59.51.72;rport;branch=z9hG4bK.02g7QNv80B0Q31XcN1KXm4c7Qg

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.~rRBdQLhz;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=9rL~86W-b

To: <sip:zahersyed@sip.linphone.org>;tag=KS5V-~2

Call-ID: VHL98IVQcV

CSeq: 21 MESSAGE

10:48:40.941 [1;36mINFO[1;0m: Destroying op [0x1442e18] of type [SalOpMessage]

10:48:40.942 [1;36mINFO[1;0m: channel [0x1382c68]: received [588] new bytes from [UDP://sip.linphone.org:5060]:

MESSAGE sip:zahersyed@173.12.114.238:5063 SIP/2.0

Via: SIP/2.0/UDP 37.59.51.72;rport;branch=z9hG4bK.02g7QNv80B0Q31XcN1KXm4c7Qg

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.~rRBdQLhz;rport=5063;received=173.12.114.238

Max-Forwards: 69

From: <sip:zahersyed@sip.linphone.org>;tag=9rL~86W-b

To: <sip:zahersyed@sip.linphone.org>

Call-ID: VHL98IVQcV

CSeq: 21 MESSAGE

Date: Sun, 10 Apr 2016 14:48:15 GMT

User-Agent: (belle-sip/1.4.2)

Supported: outbound

Content-Type: text/plain

Content-Length: 79

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 10:48:15.789492'

10:48:40.951 [1;36mINFO[1;0m: channel [0x1382c68] [509] bytes parsed

10:48:40.952 [1;36mINFO[1;0m: channel [0x1382c68] read [79] bytes of body from [sip.linphone.org:5060]

10:48:40.952 [1;36mINFO[1;0m: Found transaction [0x13c8ab0] matching request.

10:48:40.953 [1;36mINFO[1;0m: channel [0x1382c68]: message sent to [UDP://sip.linphone.org:5060], size: [333] bytes

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 37.59.51.72;rport;branch=z9hG4bK.02g7QNv80B0Q31XcN1KXm4c7Qg

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.~rRBdQLhz;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=9rL~86W-b

To: <sip:zahersyed@sip.linphone.org>;tag=KS5V-~2

Call-ID: VHL98IVQcV

CSeq: 21 MESSAGE

10:48:41.059 [1;36mINFO[1;0m: channel [0x1382c68]: received [318] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.xfiINSca0;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=WqYXjVhj6

To: <sip:aSecondSIPAccount@sip.linphone.org>

Call-ID: h3SVt0MyhK

CSeq: 21 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

10:48:41.064 [1;36mINFO[1;0m: channel [0x1382c68] [318] bytes parsed

10:48:41.065 [1;36mINFO[1;0m: Found transaction matching response.

10:48:41.065 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x13a8478], from state [TRYING] to [PROCEEDING]

10:48:41.066 [1;36mINFO[1;0m: channel [0x1382c68]: received [339] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 404 Not Found

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.xfiINSca0;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=WqYXjVhj6

To: <sip:aSecondSIPAccount@sip.linphone.org>;tag=6mcyXFBtpper

Call-ID: h3SVt0MyhK

CSeq: 21 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

10:48:41.071 [1;36mINFO[1;0m: channel [0x1382c68] [339] bytes parsed

10:48:41.071 [1;36mINFO[1;0m: Found transaction matching response.

10:48:41.072 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x13a8478], from state [PROCEEDING] to [COMPLETED]

10:48:41.072 [1;36mINFO[1;0m: Chat message 0x13b9908: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateNotDelivered

10:48:41.073 [1;36mINFO[1;0m: channel [0x1382c68]: received [310] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.~rRBdQLhz;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=9rL~86W-b

To: <sip:zahersyed@sip.linphone.org>

Call-ID: VHL98IVQcV

CSeq: 21 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

10:48:41.077 [1;36mINFO[1;0m: channel [0x1382c68] [310] bytes parsed

10:48:41.078 [1;36mINFO[1;0m: Found transaction matching response.

10:48:41.084 [1;36mINFO[1;0m: channel [0x1382c68]: received [274] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.~rRBdQLhz;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=9rL~86W-b

To: <sip:zahersyed@sip.linphone.org>;tag=KS5V~2

Call-ID: VHL98IVQcV

CSeq: 21 MESSAGE

Content-Length: 0

10:48:41.088 [1;36mINFO[1;0m: channel [0x1382c68] [274] bytes parsed

10:48:41.089 [1;36mINFO[1;0m: Found transaction matching response.

10:48:41.089 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x13a32d8], from state [PROCEEDING] to [COMPLETED]

10:48:41.089 [1;36mINFO[1;0m: Chat message 0x13c8430: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateDelivered

10:48:44.890 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x137d020], from state [COMPLETED] to [TERMINATED]

10:48:44.890 [1;36mINFO[1;0m: Client MESSAGE transaction [0x137d020] terminated

10:48:44.891 [1;36mINFO[1;0m: Unhandled transaction terminated [0x137d020]

10:48:45.909 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x137dfe8], from state [COMPLETED] to [TERMINATED]

10:48:45.914 [1;36mINFO[1;0m: Client MESSAGE transaction [0x137dfe8] terminated

10:48:45.914 [1;36mINFO[1;0m: Unhandled transaction terminated [0x137dfe8]

10:48:46.072 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x13a8478], from state [COMPLETED] to [TERMINATED]

10:48:46.072 [1;36mINFO[1;0m: Client MESSAGE transaction [0x13a8478] terminated

10:48:46.073 [1;36mINFO[1;0m: Unhandled transaction terminated [0x13a8478]

10:48:46.090 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x13a32d8], from state [COMPLETED] to [TERMINATED]

10:48:46.090 [1;36mINFO[1;0m: Client MESSAGE transaction [0x13a32d8] terminated

10:48:46.090 [1;36mINFO[1;0m: Unhandled transaction terminated [0x13a32d8]

10:48:49.881 [1;36mINFO[1;0m: channel [0x1382c68]: keep alive sent to [UDP://sip.linphone.org:5060]

10:48:59.881 [1;36mINFO[1;0m: channel [0x1382c68]: keep alive sent to [UDP://sip.linphone.org:5060]

10:49:09.881 [1;36mINFO[1;0m: channel [0x1382c68]: keep alive sent to [UDP://sip.linphone.org:5060]

10:49:12.940 [1;36mINFO[1;0m: Changing [server] [MESSAGE] transaction [0x13c8ab0], from state [COMPLETED] to [TERMINATED]

10:49:12.940 [1;36mINFO[1;0m: Server MESSAGE transaction [0x13c8ab0] terminated

10:49:12.940 [1;36mINFO[1;0m: Unhandled transaction terminated [0x13c8ab0]

10:49:19.881 [1;36mINFO[1;0m: channel [0x1382c68]: keep alive sent to [UDP://sip.linphone.org:5060]

10:49:29.881 [1;36mINFO[1;0m: channel [0x1382c68]: keep alive sent to [UDP://sip.linphone.org:5060]

10:49:29.923 [1;36mINFO[1;0m: *Motion detected!*

10:49:30.927 [1;36mINFO[1;0m: Notifying contacts...

10:49:30.927 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

10:49:30.930 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

10:49:30.931 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76a76240>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

10:49:30.937 [1;36mINFO[1;0m: Skipping top route of initial route-set because same as request-uri.

10:49:30.938 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x13c2a88], from state [INIT] to [TRYING]

10:49:30.939 [1;36mINFO[1;0m: channel [0x1382c68]: message sent to [UDP://sip.linphone.org:5060], size: [476] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.nBPL8eapP;rport

From: <sip:zahersyed@sip.linphone.org>;tag=wIjmfKxQ7

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: XdPZmdK-B8

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 14:49:30 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 10:49:30.929431'

10:49:30.940 [1;36mINFO[1;0m: Chat message 0x13c0de0: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

10:49:30.940 [1;36mINFO[1;0m: Notifying sip:aSecondSIPAccount@sip.linphone.org

10:49:30.943 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

10:49:30.944 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76a761b0>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

10:49:30.951 [1;36mINFO[1;0m: Skipping top route of initial route-set because same as request-uri.

10:49:30.952 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x13de848], from state [INIT] to [TRYING]

10:49:30.952 [1;36mINFO[1;0m: channel [0x1382c68]: message sent to [UDP://sip.linphone.org:5060], size: [492] bytes

MESSAGE sip:aSecondSIPAccount@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.YVeSaK3G7;rport

From: <sip:zahersyed@sip.linphone.org>;tag=0d9VgxG1s

To: sip:aSecondSIPAccount@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: jGLOOKm2qT

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 14:49:30 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 10:49:30.942431'

10:49:30.953 [1;36mINFO[1;0m: Chat message 0x13c2788: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

10:49:36.210 [1;36mINFO[1;0m: Emailed and saved image to "/home/pi/emailedSecurityCameraImage-2016-04-10T10:49:36.206401.jpg"

11:17:04.965 [1;36mINFO[1;0m: Initializaing jamPi System version 0.2.0...

11:17:09.974 [1;36mINFO[1;0m: Sensor online... Turning on motion sensor...

11:17:14.981 [1;36mINFO[1;0m: PIR sensor is ready.

11:17:16.209 [1;36mINFO[1;0m: Mediastreamer2 factory 2.12.0 (git: 3.9.0) initialized.

11:17:16.210 [1;36mINFO[1;0m: CPU count set to 4

11:17:16.210 [1;36mINFO[1;0m: ms_factory_init() done: platform_tags=linux,arm,embedded

11:17:16.218 [1;36mINFO[1;0m: srtp init

11:17:16.245 [1;36mINFO[1;0m: Registering all soundcard handlers

11:17:16.307 [1;36mINFO[1;0m: Card 'ALSA: default device' added

11:17:16.316 [1;36mINFO[1;0m: also error in pcm_hw.c:1557 - open '/dev/snd/pcmCOD0c' failed (-2)

11:17:16.318 [1;36mINFO[1;0m: Card 'ALSA: bcm2835 ALSA' added

11:17:16.336 [1;36mINFO[1;0m: Card 'ALSA: USB PnP Sound Device' added

11:17:16.336 [1;36mINFO[1;0m: Registering all webcam handlers

11:17:16.337 [1;36mINFO[1;0m: Webcam StaticImage: Static picture added

11:17:16.337 [1;36mINFO[1;0m: ms_factory_init_voip() done

11:17:16.337 [1;36mINFO[1;0m: Loading ms plugins from [./lib/mediastreamer/plugins]

11:17:16.337 [1;36mINFO[1;0m: Cannot open directory ./lib/mediastreamer/plugins: No such file or directory

11:17:16.338 [1;36mINFO[1;0m: Initializing LinphoneCore 3.9.0

11:17:16.343 [1;36mINFO[1;0m: Vtable [0x107bcb8] registered on core [0x107b528]

11:17:16.344 [1;36mINFO[1;0m: Linphone core [0x107bcb8] notifying [global_state_changed]

11:17:16.344 [1;36mINFO[1;0m: oRTP-0.25.0 initialized.

11:17:16.344 [1;36mINFO[1;0m: Skipping ms_base_init, because [2] ref

11:17:16.345 [1;36mINFO[1;0m: Skipping ms_voip_init, because [2] ref

11:17:16.345 [1;36mINFO[1;0m: Skipping ms_plugins_init, because [2] ref

11:17:16.345 [1;36mINFO[1;0m: Codec opus/48000 fmt=[useinbandfec=1] number=-1, enabled=1) added to default capabilities.

11:17:16.345 [1;36mINFO[1;0m: Could not find encoder for SILK

11:17:16.345 [1;36mINFO[1;0m: Could not find decoder for SILK

11:17:16.346 [1;36mINFO[1;0m: Codec speex/16000 fmt=[vbr=on] number=-1, enabled=1) added to default capabilities.

11:17:16.346 [1;36mINFO[1;0m: Codec speex/8000 fmt=[vbr=on] number=-1, enabled=1) added to default capabilities.

11:17:16.346 [1;36mINFO[1;0m: Codec PCMU/8000 fntp=[] number=0, enabled=1) added to default capabilities.

11:17:16.346 [1;36mINFO[1;0m: Codec PCMA/8000 fntp=[] number=8, enabled=1) added to default capabilities.

11:17:16.347 [1;36mINFO[1;0m: Codec t140/1000 fntp=[] number=96, enabled=1) added to default capabilities.

11:17:16.347 [1;36mINFO[1;0m: Codec red/1000 fntp=[] number=97, enabled=1) added to default capabilities.

11:17:16.347 [1;36mINFO[1;0m: Codec GSM/8000 fntp=[] number=3, enabled=0) added to default capabilities.

11:17:16.347 [1;36mINFO[1;0m: Codec G722/8000 fntp=[] number=9, enabled=0) added to default capabilities.

11:17:16.348 [1;36mINFO[1;0m: Could not find encoder for iLBC

11:17:16.348 [1;36mINFO[1;0m: Could not find decoder for iLBC

11:17:16.348 [1;36mINFO[1;0m: Could not find encoder for AMR

11:17:16.348 [1;36mINFO[1;0m: Could not find decoder for AMR

11:17:16.348 [1;36mINFO[1;0m: Could not find encoder for AMR-WB

11:17:16.349 [1;36mINFO[1;0m: Could not find decoder for AMR-WB

11:17:16.349 [1;36mINFO[1;0m: Could not find encoder for G729

11:17:16.349 [1;36mINFO[1;0m: Could not find decoder for G729

11:17:16.349 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

11:17:16.350 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

11:17:16.350 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

11:17:16.350 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

11:17:16.350 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

11:17:16.350 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

11:17:16.351 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

11:17:16.351 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

11:17:16.351 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

11:17:16.351 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

11:17:16.352 [1;36mINFO[1;0m: Could not find encoder for iSAC

11:17:16.352 [1;36mINFO[1;0m: Could not find decoder for iSAC

11:17:16.352 [1;36mINFO[1;0m: Codec speex/32000 fmt=[vbr=on] number=-1, enabled=0) added to default capabilities.

11:17:16.352 [1;36mINFO[1;0m: Could not find encoder for SILK

11:17:16.352 [1;36mINFO[1;0m: Could not find decoder for SILK

11:17:16.353 [1;36mINFO[1;0m: Could not find encoder for SILK

11:17:16.353 [1;36mINFO[1;0m: Could not find decoder for SILK

11:17:16.353 [1;36mINFO[1;0m: Could not find encoder for SILK

11:17:16.353 [1;36mINFO[1;0m: Could not find decoder for SILK

11:17:16.354 [1;36mINFO[1;0m: Could not find encoder for G726-16

11:17:16.354 [1;36mINFO[1;0m: Could not find decoder for G726-16

11:17:16.354 [1;36mINFO[1;0m: Could not find encoder for G726-24

11:17:16.354 [1;36mINFO[1;0m: Could not find decoder for G726-24

11:17:16.354 [1;36mINFO[1;0m: Could not find encoder for G726-32

11:17:16.355 [1;36mINFO[1;0m: Could not find decoder for G726-32

11:17:16.355 [1;36mINFO[1;0m: Could not find encoder for G726-40

11:17:16.355 [1;36mINFO[1;0m: Could not find decoder for G726-40

11:17:16.355 [1;36mINFO[1;0m: Could not find encoder for AAL2-G726-16

11:17:16.356 [1;36mINFO[1;0m: Could not find decoder for AAL2-G726-16

11:17:16.356 [1;36mINFO[1;0m: Could not find encoder for AAL2-G726-24

11:17:16.356 [1;36mINFO[1;0m: Could not find decoder for AAL2-G726-24

11:17:16.356 [1;36mINFO[1;0m: Could not find encoder for AAL2-G726-32

11:17:16.356 [1;36mINFO[1;0m: Could not find decoder for AAL2-G726-32

11:17:16.357 [1;36mINFO[1;0m: Could not find encoder for AAL2-G726-40

11:17:16.357 [1;36mINFO[1;0m: Could not find decoder for AAL2-G726-40

11:17:16.357 [1;36mINFO[1;0m: Could not find encoder for CODEC2

11:17:16.357 [1;36mINFO[1;0m: Could not find decoder for CODEC2

11:17:16.358 [1;36mINFO[1;0m: Codec VP8/90000 fmt=[] number=-1, enabled=1) added to default capabilities.

11:17:16.358 [1;36mINFO[1;0m: Could not find encoder for H264

11:17:16.358 [1;36mINFO[1;0m: Could not find decoder for H264

11:17:16.358 [1;36mINFO[1;0m: Could not find encoder for MP4V-ES

11:17:16.358 [1;36mINFO[1;0m: Could not find encoder for H263-1998

11:17:16.359 [1;36mINFO[1;0m: Could not find encoder for H263

11:17:16.359 [1;36mINFO[1;0m: Could not find encoder for 1016

11:17:16.359 [1;36mINFO[1;0m: Could not find decoder for 1016

11:17:16.359 [1;36mINFO[1;0m: Could not find encoder for G723

11:17:16.360 [1;36mINFO[1;0m: Could not find decoder for G723

11:17:16.360 [1;36mINFO[1;0m: Could not find encoder for LPC

11:17:16.360 [1;36mINFO[1;0m: Could not find decoder for LPC

11:17:16.360 [1;36mINFO[1;0m: Codec L16/44100 fmtp=[] number=10, enabled=0) added to default capabilities.

11:17:16.360 [1;36mINFO[1;0m: Codec L16/44100 fmtp=[] number=11, enabled=0) added to default capabilities.

11:17:16.361 [1;36mINFO[1;0m: Could not find encoder for CN

11:17:16.361 [1;36mINFO[1;0m: Could not find decoder for CN

11:17:16.361 [1;36mINFO[1;0m: Could not find encoder for G729

11:17:16.361 [1;36mINFO[1;0m: Could not find decoder for G729

11:17:16.362 [1;36mINFO[1;0m: Could not find encoder for H261

11:17:16.362 [1;36mINFO[1;0m: Could not find decoder for H261

11:17:16.362 [1;36mINFO[1;0m: Could not find encoder for MPV

11:17:16.362 [1;36mINFO[1;0m: Could not find decoder for MPV

11:17:16.363 [1;36mINFO[1;0m: Could not find encoder for H263

11:17:16.382 [1;36mINFO[1;0m: Sal nat helper [enabled]

11:17:16.382 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

11:17:16.382 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

11:17:16.382 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

11:17:16.383 [1;36mINFO[1;0m: Linphone core [0x107bcb8] notifying [configuring_status]

11:17:16.383 [1;36mINFO[1;0m: Cannot open directory ./lib/liblinphone/plugins: No such file or directory

11:17:16.383 [1;31mWARNING[1;0m: ./share/sounds/linphone/rings/oldphone.wav does not exist

11:17:16.384 [1;36mINFO[1;0m: linphone_core_set_playback_gain_db(): no active call.

11:17:16.384 [1;36mINFO[1;0m: linphone_core_set_mic_gain_db(): no active call.

11:17:16.384 [1;36mINFO[1;0m: MTU is supposed to be 1300, rtp payload max size will be 1240

11:17:16.384 [1;36mINFO[1;0m: Sal nat helper [enabled]

11:17:16.384 [1;36mINFO[1;0m: Sal use rport [enabled]

11:17:16.385 [1;36mINFO[1;0m: Supported codec opus/48000 fmp=useinbandfec=1 automatically added to codec list.

11:17:16.385 [1;36mINFO[1;0m: Supported codec speex/16000 fmp=vbr=on automatically added to codec list.

11:17:16.385 [1;36mINFO[1;0m: Supported codec speex/8000 fmp=vbr=on automatically added to codec list.

11:17:16.385 [1;36mINFO[1;0m: Supported codec PCMU/8000 fmp= automatically added to codec list.

11:17:16.386 [1;36mINFO[1;0m: Supported codec PCMA/8000 fmp= automatically added to codec list.

11:17:16.386 [1;36mINFO[1;0m: Supported codec GSM/8000 fmp= automatically added to codec list.

11:17:16.386 [1;36mINFO[1;0m: Supported codec G722/8000 fmp= automatically added to codec list.

11:17:16.386 [1;36mINFO[1;0m: Supported codec speex/32000 fmp=vbr=on automatically added to codec list.

11:17:16.386 [1;36mINFO[1;0m: Supported codec L16/44100 fmp= automatically added to codec list.

11:17:16.387 [1;36mINFO[1;0m: Supported codec L16/44100 fmp= automatically added to codec list.

11:17:16.387 [1;36mINFO[1;0m: Supported codec VP8/90000 fmp= automatically added to codec list.

11:17:16.387 [1;36mINFO[1;0m: Supported codec t140/1000 fmp= automatically added to codec list.

11:17:16.387 [1;36mINFO[1;0m: Supported codec red/1000 fmp= automatically added to codec list.

11:17:16.388 [1;36mINFO[1;0m: Sal use rport [enabled]

11:17:16.388 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

11:17:16.388 [1;36mINFO[1;0m: sal_unlisten_ports done

11:17:16.388 [1;36mINFO[1;0m: Creating listening point [0x109ea58] on [sip:0.0.0.0:5060;transport=UDP]

11:17:16.389 [1;36mINFO[1;0m: Creating listening point [0x107c760] on [sip:0.0.0.0:5060;transport=TCP]

11:17:16.398 [1;36mINFO[1;0m: Creating listening point [0x107c9e0] on [sip:0.0.0.0:-1;transport=TLS]

11:17:16.398 [1;36mINFO[1;0m: Random TCP port is 52018

11:17:16.399 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

11:17:16.399 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

11:17:16.465 [1;36mINFO[1;0m: Linphone core [0x107bcb8] notifying [global_state_changed]

11:17:16.466 [1;36mINFO[1;0m: Listening point [0x109ea58] on [sip:0.0.0.0:5060;transport=UDP] destroyed

11:17:16.466 [1;36mINFO[1;0m: Listening point [0x107c760] on [sip:0.0.0.0:5060;transport=TCP] destroyed

11:17:16.467 [1;36mINFO[1;0m: Listening point [0x107c9e0] on [sip:0.0.0.0:52018;transport=TLS] destroyed

11:17:16.467 [1;36mINFO[1;0m: sal_unlisten_ports done

11:17:16.467 [1;36mINFO[1;0m: Creating listening point [0x1080c78] on [sip:0.0.0.0:5063;transport=UDP]

11:17:16.467 [1;36mINFO[1;0m: Creating listening point [0x1080ff8] on [sip:0.0.0.0:5067;transport=TCP]

11:17:16.468 [1;36mINFO[1;0m: Creating listening point [0x107c830] on [sip:0.0.0.0:32737;transport=TLS]

11:17:16.468 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

11:17:16.468 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

11:17:16.473 [1;36mINFO[1;0m: Resolver is using DNS server(s):

11:17:16.473 [1;36mINFO[1;0m: 75.75.75.75

11:17:16.473 [1;36mINFO[1;0m: 75.75.76.76

11:17:16.474 [1;36mINFO[1;0m: 2001:558:feed::1

11:17:16.474 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress

11:17:16.474 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop

11:17:16.475 [1;36mINFO[1;0m: Sal nat helper [enabled]

11:17:16.475 [1;36mINFO[1;0m: Sal use rport [enabled]

11:17:16.477 [1;36mINFO[1;0m: no camera with id V4L2: /dev/video0

11:17:16.477 [1;31mWARNING[1;0m: Could not find video device V4L2: /dev/video0

11:17:16.480 [1;36mINFO[1;0m: Adding codec PCMU...

11:17:16.480 [1;36mINFO[1;0m: Adding codec PCMA...

11:17:16.482 [1;36mINFO[1;0m: Adding codec VP8...

11:17:16.486 [1;36mINFO[1;0m: auth_info.username = zahersyed,

11:17:19.541 [1;36mINFO[1;0m: stun.linphone.org resolved to 37.59.51.72

11:17:19.542 [1;36mINFO[1;0m: Stun server resolution successful.

11:17:19.543 [1;36mINFO[1;0m: New local ip address is 10.1.10.45

11:17:19.543 [1;36mINFO[1;0m: Network state is now [UP]

11:17:19.544 [1;36mINFO[1;0m: Resolver is using DNS server(s):

11:17:19.545 [1;36mINFO[1;0m: 75.75.75.75

11:17:19.545 [1;36mINFO[1;0m: 75.75.76.76

11:17:19.546 [1;36mINFO[1;0m: 2001:558:feed::1

11:17:19.547 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress

11:17:19.547 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop

11:17:19.550 [1;36mINFO[1;0m: LinphoneProxyConfig [0x10b05c0] about to register (LinphoneCore version: 3.9.0)

11:17:19.566 [1;36mINFO[1;0m: belle_sip_client_transaction_send_request(): waiting channel to be ready

11:17:19.567 [1;36mINFO[1;0m: channel [0x10c1c68]: starting resolution of sip.linphone.org

11:17:19.568 [1;36mINFO[1;0m: channel 0x10c1c68: state RES_IN_PROGRESS

11:17:19.568 [1;36mINFO[1;0m: transaction [0x107fdd8] channel state changed to [RES_IN_PROGRESS]

11:17:19.569 [1;36mINFO[1;0m: Resolver is using DNS server(s):

11:17:19.570 [1;36mINFO[1;0m: 75.75.75.75

11:17:19.570 [1;36mINFO[1;0m: 75.75.76.76

11:17:19.570 [1;36mINFO[1;0m: 2001:558:feed::1

11:17:19.572 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress

11:17:19.572 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop

11:17:19.573 [1;36mINFO[1;0m: Neither Expires header nor corresponding Contact header found, checking from original request

11:17:19.573 [1;36mINFO[1;0m: Refresher [0x10b32d8] takes ownership of transaction [0x107fdd8]

11:17:19.573 [1;36mINFO[1;0m: Proxy config [0x10b05c0] for identity [sip:zahersyed@sip.linphone.org:5061] moving from state [LinphoneRegistrationNone] to [LinphoneRegistrationProgress]

11:17:19.574 [1;36mINFO[1;0m: Linphone core [0x107bcb8] notifying [registration_state_changed]

11:17:19.575 [1;36mINFO[1;0m: Linphone core [0x107bcb8] notifying [network_reachable]

11:17:19.656 [1;36mINFO[1;0m: SRV _sip._udp.sip.linphone.org resolved to [target:sip1.linphone.org.port:5060 prio:10 weight:100]

11:17:19.656 [1;36mINFO[1;0m: SRV _sip._udp.sip.linphone.org resolved to [target:sip3.linphone.org.port:5060 prio:0 weight:100]

11:17:19.656 [1;36mINFO[1;0m: Starting A/AAAA query for srv result [sip3.linphone.org.]

11:17:19.657 [1;36mINFO[1;0m: Resolver is using DNS server(s):

11:17:19.657 [1;36mINFO[1;0m: 75.75.75.75

11:17:19.657 [1;36mINFO[1;0m: 75.75.76.76

11:17:19.658 [1;36mINFO[1;0m: 2001:558:feed::1

11:17:19.658 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress

11:17:19.659 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop

11:17:19.659 [1;36mINFO[1;0m: Starting A/AAAA query for srv result [sip1.linphone.org.]

11:17:19.659 [1;36mINFO[1;0m: Resolver is using DNS server(s):

11:17:19.660 [1;36mINFO[1;0m: 75.75.75.75

11:17:19.660 [1;36mINFO[1;0m: 75.75.76.76

11:17:19.660 [1;36mINFO[1;0m: 2001:558:feed::1

11:17:19.661 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress

11:17:19.661 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop

11:17:19.662 [1;36mINFO[1;0m: stun.linphone.org resolved to 37.59.51.72

11:17:19.662 [1;36mINFO[1;0m: Stun server resolution successful.

11:17:19.751 [1;36mINFO[1;0m: sip3.linphone.org. resolved to 37.59.51.72

11:17:19.752 [1;36mINFO[1;0m: A query finished for srv result [sip3.linphone.org.]

11:17:19.752 [1;36mINFO[1;0m: sip1.linphone.org. resolved to 91.121.209.194

11:17:19.752 [1;36mINFO[1;0m: A query finished for srv result [sip1.linphone.org.]

11:17:19.753 [1;36mINFO[1;0m: All A/AAAA results for combined resolution have arrived.

11:17:19.753 [1;36mINFO[1;0m: channel 0x10c1c68: state RES_DONE
11:17:19.753 [1;36mINFO[1;0m: transaction [0x107fdd8] channel state changed to [RES_DONE]
11:17:19.753 [1;36mINFO[1;0m: channel 0x10c1c68: state CONNECTING
11:17:19.753 [1;36mINFO[1;0m: transaction [0x107fdd8] channel state changed to [CONNECTING]
11:17:19.754 [1;36mINFO[1;0m: Trying to connect to [UDP://37.59.51.72:5060]
11:17:19.754 [1;36mINFO[1;0m: belle_sip_get_src_addr_for(): af_inet6=0
11:17:19.754 [1;36mINFO[1;0m: Channel has local address 10.1.10.45:5063
11:17:19.755 [1;36mINFO[1;0m: channel 0x10c1c68: state READY
11:17:19.755 [1;36mINFO[1;0m: transaction [0x107fdd8] channel state changed to [READY]
11:17:19.755 [1;36mINFO[1;0m: Changing [client] [REGISTER] transaction [0x107fdd8], from state [INIT]
to [TRYING]
11:17:19.756 [1;36mINFO[1;0m: channel [0x10c1c68]: message sent to [UDP://sip.linphone.org:5060],
size: [523] bytes
REGISTER sip:sip.linphone.org:5061 SIP/2.0
Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.UpqKtyQMM;rport
From: <sip:zahersyed@sip.linphone.org>;tag=fhyMzZwoF
To: sip:zahersyed@sip.linphone.org
CSeq: 20 REGISTER
Call-ID: TuMNXWT5Jo
Max-Forwards: 70
Supported: outbound
Accept: application/sdp
Accept: text/plain
Accept: application/vnd.gsma.rcs-ft-http+xml
Contact: <sip:zahersyed@10.1.10.45:5063>;+sip.instance="<urn:uuid:4791c620-c99b-43ae-b461-
d1c78146ac32>"
Expires: 3600
User-Agent: (belle-sip/1.4.2)

11:17:19.901 [1;36mINFO[1;0m: channel [0x10c1c68]: received [474] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 401 Unauthorized

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.UpqKtyQMM;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=fhyMzZwoF

To: <sip:zahersyed@sip.linphone.org>;tag=N5B1rt1Se5XrN

Call-ID: TuMNWXT5Jo

CSeq: 20 REGISTER

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

WWW-Authenticate: Digest realm="sip.linphone.org",
nonce="/+y02gAAAABfQbBOAADooUAg3hwAAAAA", opaque="+GNyWA==", algorithm=MD5,
qop="auth"

Content-Length: 0

11:17:19.938 [1;36mINFO[1;0m: channel [0x10c1c68] [474] bytes parsed

11:17:19.939 [1;36mINFO[1;0m: channel [0x10c1c68]: discovered public ip and port are [173.12.114.238:5063]

11:17:19.939 [1;36mINFO[1;0m: Found transaction matching response.

11:17:19.939 [1;36mINFO[1;0m: Changing [client] [REGISTER] transaction [0x107fdd8], from state [TRYING] to [COMPLETED]

11:17:19.939 [1;36mINFO[1;0m: linphone_core_find_auth_info(): returning auth info
username=zahersyed, realm=

11:17:19.940 [1;36mINFO[1;0m: Auth info found for [zahersyed] realm [sip.linphone.org]

11:17:19.940 [1;36mINFO[1;0m: Changing [client] [REGISTER] transaction [0x10b52b0], from state [INIT] to [TRYING]

11:17:19.941 [1;36mINFO[1;0m: channel [0x10c1c68]: message sent to [UDP://sip.linphone.org:5060], size: [795] bytes

REGISTER sip:sip.linphone.org:5061 SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.PKZaNxikB;rport

From: <sip:zahersyed@sip.linphone.org>;tag=fhyMzZwoF

To: sip:zahersyed@sip.linphone.org

CSeq: 21 REGISTER

Call-ID: TuMNXWXT5Jo

Max-Forwards: 70

Supported: outbound

Accept: application/sdp

Accept: text/plain

Accept: application/vnd.gsma.rcs-ft-http+xml

Contact: <sip:zahersyed@173.12.114.238:5063>;+sip.instance="<urn:uuid:4791c620-c99b-43ae-b461-d1c78146ac32>"

Expires: 3600

User-Agent: (belle-sip/1.4.2)

Authorization: Digest realm="sip.linphone.org", nonce="/+y02gAAAABfQbBOAADooUAg3hwAAAA", algorithm=MD5, opaque="+GNyWA==", username="zahersyed", uri="sip:sip.linphone.org:5061", response="92bcb41a6547d53466c64365c8940258", cnonce="bccb2f49", nc=00000001, qop=auth

11:17:20.082 [1;36mINFO[1;0m: channel [0x10c1c68]: received [492] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 200 Registration successful

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.PKZaNXikB;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=fhyMzZwoF

To: <sip:zahersyed@sip.linphone.org>;tag=tjaX11NB0HDpF

Call-ID: TuMNXWXT5Jo

CSeq: 21 REGISTER

Contact: <sip:zahersyed@173.12.114.238:5063>;expires=3600;q=0.00

Contact: <sip:zahersyed@173.12.114.238:63201;transport=tls>;expires=248;q=0.00

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

11:17:20.088 [1;36mINFO[1;0m: channel [0x10c1c68] [492] bytes parsed

11:17:20.089 [1;36mINFO[1;0m: Found transaction matching response.

11:17:20.089 [1;36mINFO[1;0m: Changing [client] [REGISTER] transaction [0x10b52b0], from state [TRYING] to [COMPLETED]

11:17:20.089 [1;36mINFO[1;0m: Refresher [0x10b32d8]: has no contact for request [0x10ab730].

11:17:20.090 [1;36mINFO[1;0m: Refresher: scheduling next timer in 3240000 ms

11:17:20.090 [1;36mINFO[1;0m: Register refresher [200] reason [Registration successful] for proxy [sip:sip.linphone.org]

11:17:20.090 [1;36mINFO[1;0m: Proxy config [0x10b05c0] for identity [sip:zahersyed@sip.linphone.org:5061] moving from state [LinphoneRegistrationProgress] to [LinphoneRegistrationOk]

11:17:20.090 [1;36mINFO[1;0m: Linphone core [0x107bcb8] notifying [registration_state_changed]

11:17:24.941 [1;36mINFO[1;0m: Changing [client] [REGISTER] transaction [0x107fdd8], from state [COMPLETED] to [TERMINATED]

11:17:24.941 [1;36mINFO[1;0m: Client internal REGISTER transaction [0x107fdd8] terminated

11:17:25.091 [1;36mINFO[1;0m: Changing [client] [REGISTER] transaction [0x10b52b0], from state [COMPLETED] to [TERMINATED]

11:17:25.091 [1;36mINFO[1;0m: Client internal REGISTER transaction [0x10b52b0] terminated

11:17:26.467 [1;36mINFO[1;0m: channel [0x10c1c68]: keep alive sent to [UDP://sip.linphone.org:5060]

11:17:36.467 [1;36mINFO[1;0m: channel [0x10c1c68]: keep alive sent to [UDP://sip.linphone.org:5060]

11:17:46.467 [1;36mINFO[1;0m: channel [0x10c1c68]: keep alive sent to [UDP://sip.linphone.org:5060]

11:17:56.467 [1;36mINFO[1;0m: channel [0x10c1c68]: keep alive sent to [UDP://sip.linphone.org:5060]

11:18:06.467 [1;36mINFO[1;0m: channel [0x10c1c68]: keep alive sent to [UDP://sip.linphone.org:5060]

11:18:16.467 [1;36mINFO[1;0m: channel [0x10c1c68]: keep alive sent to [UDP://sip.linphone.org:5060]

11:18:26.467 [1;36mINFO[1;0m: channel [0x10c1c68]: keep alive sent to [UDP://sip.linphone.org:5060]

11:18:36.467 [1;36mINFO[1;0m: channel [0x10c1c68]: keep alive sent to [UDP://sip.linphone.org:5060]

11:18:46.467 [1;36mINFO[1;0m: channel [0x10c1c68]: keep alive sent to [UDP://sip.linphone.org:5060]

11:18:56.467 [1;36mINFO[1;0m: channel [0x10c1c68]: keep alive sent to [UDP://sip.linphone.org:5060]

11:19:06.467 [1;36mINFO[1;0m: channel [0x10c1c68]: keep alive sent to [UDP://sip.linphone.org:5060]

12:05:30.152 [1;36mINFO[1;0m: Initializaing jamPi System version 0.2.0...

12:05:35.162 [1;36mINFO[1;0m: Sensor online... Turning on motion sensor...

12:05:40.171 [1;36mINFO[1;0m: PIR sensor is ready.

12:05:41.437 [1;36mINFO[1;0m: Mediastreamer2 factory 2.12.0 (git: 3.9.0) initialized.

12:05:41.438 [1;36mINFO[1;0m: CPU count set to 4

12:05:41.438 [1;36mINFO[1;0m: ms_factory_init() done: platform_tags=linux,arm,embedded

12:05:41.438 [1;36mINFO[1;0m: srtp init

12:05:41.455 [1;36mINFO[1;0m: Registering all soundcard handlers

12:05:41.512 [1;36mINFO[1;0m: Card 'ALSA: default device' added

12:05:41.521 [1;36mINFO[1;0m: also error in pcm_hw.c:1557 - open '/dev/snd/pcmC0D0c' failed (-2)

12:05:41.523 [1;36mINFO[1;0m: Card 'ALSA: bcm2835 ALSA' added

12:05:41.543 [1;36mINFO[1;0m: Card 'ALSA: USB PnP Sound Device' added

12:05:41.543 [1;36mINFO[1;0m: Registering all webcam handlers

12:05:41.543 [1;36mINFO[1;0m: Webcam StaticImage: Static picture added

12:05:41.544 [1;36mINFO[1;0m: ms_factory_init_voip() done

12:05:41.544 [1;36mINFO[1;0m: Loading ms plugins from [./lib/mediastreamer/plugins]

12:05:41.544 [1;36mINFO[1;0m: Cannot open directory ./lib/mediastreamer/plugins: No such file or directory

12:05:41.544 [1;36mINFO[1;0m: Initializing LinphoneCore 3.9.0

12:05:41.545 [1;36mINFO[1;0m: Vtable [0x1574120] registered on core [0x1596e80]

12:05:41.545 [1;36mINFO[1;0m: Linphone core [0x1574120] notifying [global_state_changed]

12:05:41.545 [1;36mINFO[1;0m: oRTP-0.25.0 initialized.

12:05:41.545 [1;36mINFO[1;0m: Skipping ms_base_init, because [2] ref

12:05:41.546 [1;36mINFO[1;0m: Skipping ms_voip_init, because [2] ref

12:05:41.546 [1;36mINFO[1;0m: Skipping ms_plugins_init, because [2] ref

12:05:41.546 [1;36mINFO[1;0m: Codec opus/48000 fmt=[useinbandfec=1] number=-1, enabled=1) added to default capabilities.

12:05:41.546 [1;36mINFO[1;0m: Could not find encoder for SILK

12:05:41.547 [1;36mINFO[1;0m: Could not find decoder for SILK

12:05:41.547 [1;36mINFO[1;0m: Codec speex/16000 fmt=[vbr=on] number=-1, enabled=1) added to default capabilities.

12:05:41.547 [1;36mINFO[1;0m: Codec speex/8000 fntp=[vbr=on] number=-1, enabled=1) added to default capabilities.

12:05:41.547 [1;36mINFO[1;0m: Codec PCMU/8000 fntp=[] number=0, enabled=1) added to default capabilities.

12:05:41.548 [1;36mINFO[1;0m: Codec PCMA/8000 fntp=[] number=8, enabled=1) added to default capabilities.

12:05:41.548 [1;36mINFO[1;0m: Codec t140/1000 fntp=[] number=96, enabled=1) added to default capabilities.

12:05:41.548 [1;36mINFO[1;0m: Codec red/1000 fntp=[] number=97, enabled=1) added to default capabilities.

12:05:41.548 [1;36mINFO[1;0m: Codec GSM/8000 fntp=[] number=3, enabled=0) added to default capabilities.

12:05:41.548 [1;36mINFO[1;0m: Codec G722/8000 fntp=[] number=9, enabled=0) added to default capabilities.

12:05:41.549 [1;36mINFO[1;0m: Could not find encoder for iLBC

12:05:41.549 [1;36mINFO[1;0m: Could not find decoder for iLBC

12:05:41.549 [1;36mINFO[1;0m: Could not find encoder for AMR

12:05:41.549 [1;36mINFO[1;0m: Could not find decoder for AMR

12:05:41.550 [1;36mINFO[1;0m: Could not find encoder for AMR-WB

12:05:41.550 [1;36mINFO[1;0m: Could not find decoder for AMR-WB

12:05:41.550 [1;36mINFO[1;0m: Could not find encoder for G729

12:05:41.550 [1;36mINFO[1;0m: Could not find decoder for G729

12:05:41.550 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

12:05:41.551 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

12:05:41.551 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

12:05:41.551 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

12:05:41.551 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

12:05:41.552 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

12:05:41.552 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

12:05:41.552 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

12:05:41.552 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

12:05:41.552 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

12:05:41.553 [1;36mINFO[1;0m: Could not find encoder for iSAC

12:05:41.553 [1;36mINFO[1;0m: Could not find decoder for iSAC

12:05:41.553 [1;36mINFO[1;0m: Codec speex/32000 fntp=[vbr=on] number=-1, enabled=0) added to default capabilities.

12:05:41.553 [1;36mINFO[1;0m: Could not find encoder for SILK

12:05:41.554 [1;36mINFO[1;0m: Could not find decoder for SILK

12:05:41.554 [1;36mINFO[1;0m: Could not find encoder for SILK

12:05:41.554 [1;36mINFO[1;0m: Could not find decoder for SILK

12:05:41.554 [1;36mINFO[1;0m: Could not find encoder for SILK

12:05:41.555 [1;36mINFO[1;0m: Could not find decoder for SILK

12:05:41.555 [1;36mINFO[1;0m: Could not find encoder for G726-16

12:05:41.555 [1;36mINFO[1;0m: Could not find decoder for G726-16

12:05:41.555 [1;36mINFO[1;0m: Could not find encoder for G726-24

12:05:41.555 [1;36mINFO[1;0m: Could not find decoder for G726-24

12:05:41.556 [1;36mINFO[1;0m: Could not find encoder for G726-32

12:05:41.556 [1;36mINFO[1;0m: Could not find decoder for G726-32

12:05:41.556 [1;36mINFO[1;0m: Could not find encoder for G726-40

12:05:41.556 [1;36mINFO[1;0m: Could not find decoder for G726-40

12:05:41.556 [1;36mINFO[1;0m: Could not find encoder for AAL2-G726-16

12:05:41.557 [1;36mINFO[1;0m: Could not find decoder for AAL2-G726-16

12:05:41.557 [1;36mINFO[1;0m: Could not find encoder for AAL2-G726-24

12:05:41.557 [1;36mINFO[1;0m: Could not find decoder for AAL2-G726-24

12:05:41.557 [1;36mINFO[1;0m: Could not find encoder for AAL2-G726-32

12:05:41.558 [1;36mINFO[1;0m: Could not find decoder for AAL2-G726-32

12:05:41.558 [1;36mINFO[1;0m: Could not find encoder for AAL2-G726-40

12:05:41.558 [1;36mINFO[1;0m: Could not find decoder for AAL2-G726-40

12:05:41.558 [1;36mINFO[1;0m: Could not find encoder for CODEC2

12:05:41.558 [1;36mINFO[1;0m: Could not find decoder for CODEC2

12:05:41.559 [1;36mINFO[1;0m: Codec VP8/90000 fmtp=[] number=-1, enabled=1) added to default capabilities.

12:05:41.559 [1;36mINFO[1;0m: Could not find encoder for H264

12:05:41.559 [1;36mINFO[1;0m: Could not find decoder for H264

12:05:41.559 [1;36mINFO[1;0m: Could not find encoder for MP4V-ES

12:05:41.560 [1;36mINFO[1;0m: Could not find encoder for H263-1998

12:05:41.560 [1;36mINFO[1;0m: Could not find encoder for H263

12:05:41.560 [1;36mINFO[1;0m: Could not find encoder for 1016

12:05:41.560 [1;36mINFO[1;0m: Could not find decoder for 1016

12:05:41.560 [1;36mINFO[1;0m: Could not find encoder for G723

12:05:41.561 [1;36mINFO[1;0m: Could not find decoder for G723

12:05:41.561 [1;36mINFO[1;0m: Could not find encoder for LPC

12:05:41.561 [1;36mINFO[1;0m: Could not find decoder for LPC

12:05:41.561 [1;36mINFO[1;0m: Codec L16/44100 fmtp=[] number=10, enabled=0) added to default capabilities.

12:05:41.562 [1;36mINFO[1;0m: Codec L16/44100 fmtp=[] number=11, enabled=0) added to default capabilities.

12:05:41.562 [1;36mINFO[1;0m: Could not find encoder for CN

12:05:41.562 [1;36mINFO[1;0m: Could not find decoder for CN

12:05:41.562 [1;36mINFO[1;0m: Could not find encoder for G729

12:05:41.562 [1;36mINFO[1;0m: Could not find decoder for G729

12:05:41.563 [1;36mINFO[1;0m: Could not find encoder for H261

12:05:41.563 [1;36mINFO[1;0m: Could not find decoder for H261

12:05:41.563 [1;36mINFO[1;0m: Could not find encoder for MPV

12:05:41.563 [1;36mINFO[1;0m: Could not find decoder for MPV

12:05:41.564 [1;36mINFO[1;0m: Could not find encoder for H263

12:05:41.564 [1;36mINFO[1;0m: Sal nat helper [enabled]

12:05:41.564 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

12:05:41.564 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

12:05:41.565 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

12:05:41.565 [1;36mINFO[1;0m: Linphone core [0x1574120] notifying [configuring_status]

12:05:41.565 [1;36mINFO[1;0m: Cannot open directory ./lib/liblinphone/plugins: No such file or directory

12:05:41.565 [1;31mWARNING[1;0m: ./share/sounds/linphone/rings/oldphone.wav does not exist

12:05:41.566 [1;36mINFO[1;0m: linphone_core_set_playback_gain_db(): no active call.

12:05:41.566 [1;36mINFO[1;0m: linphone_core_set_mic_gain_db(): no active call.

12:05:41.566 [1;36mINFO[1;0m: MTU is supposed to be 1300, rtp payload max size will be 1240

12:05:41.566 [1;36mINFO[1;0m: Sal nat helper [enabled]

12:05:41.567 [1;36mINFO[1;0m: Sal use rport [enabled]

12:05:41.567 [1;36mINFO[1;0m: Supported codec opus/48000 fmp=useinbandfec=1 automatically added to codec list.

12:05:41.567 [1;36mINFO[1;0m: Supported codec speex/16000 fmp=vbr=on automatically added to codec list.

12:05:41.567 [1;36mINFO[1;0m: Supported codec speex/8000 fmp=vbr=on automatically added to codec list.

12:05:41.567 [1;36mINFO[1;0m: Supported codec PCMU/8000 fmp= automatically added to codec list.

12:05:41.568 [1;36mINFO[1;0m: Supported codec PCMA/8000 fmp= automatically added to codec list.

12:05:41.568 [1;36mINFO[1;0m: Supported codec GSM/8000 fmp= automatically added to codec list.

12:05:41.568 [1;36mINFO[1;0m: Supported codec G722/8000 fmp= automatically added to codec list.

12:05:41.568 [1;36mINFO[1;0m: Supported codec speex/32000 fmp=vbr=on automatically added to codec list.

12:05:41.569 [1;36mINFO[1;0m: Supported codec L16/44100 fmp= automatically added to codec list.

12:05:41.569 [1;36mINFO[1;0m: Supported codec L16/44100 fmp= automatically added to codec list.

12:05:41.569 [1;36mINFO[1;0m: Supported codec VP8/90000 fmp= automatically added to codec list.

12:05:41.569 [1;36mINFO[1;0m: Supported codec t140/1000 fmp= automatically added to codec list.

12:05:41.569 [1;36mINFO[1;0m: Supported codec red/1000 fmp= automatically added to codec list.

12:05:41.570 [1;36mINFO[1;0m: Sal use rport [enabled]

12:05:41.570 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

12:05:41.570 [1;36mINFO[1;0m: sal_unlisten_ports done

12:05:41.570 [1;36mINFO[1;0m: Creating listening point [0x1573e38] on [sip:0.0.0.0:5060;transport=UDP]

12:05:41.571 [1;36mINFO[1;0m: Creating listening point [0x1574798] on [sip:0.0.0.0:5060;transport=TCP]

12:05:41.571 [1;36mINFO[1;0m: Creating listening point [0x1574938] on [sip:0.0.0.0:-1;transport=TLS]

12:05:41.571 [1;36mINFO[1;0m: Random TCP port is 47179

12:05:41.572 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

12:05:41.572 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

12:05:41.575 [1;36mINFO[1;0m: Linphone core [0x1574120] notifying [global_state_changed]

12:05:41.576 [1;36mINFO[1;0m: Listening point [0x1573e38] on [sip:0.0.0.0:5060;transport=UDP] destroyed

12:05:41.577 [1;36mINFO[1;0m: Listening point [0x1574798] on [sip:0.0.0.0:5060;transport=TCP] destroyed

12:05:41.577 [1;36mINFO[1;0m: Listening point [0x1574938] on [sip:0.0.0.0:47179;transport=TLS] destroyed

12:05:41.577 [1;36mINFO[1;0m: sal_unlisten_ports done

12:05:41.577 [1;36mINFO[1;0m: Creating listening point [0x1573d30] on [sip:0.0.0.0:5063;transport=UDP]

12:05:41.578 [1;36mINFO[1;0m: Creating listening point [0x1573f20] on [sip:0.0.0.0:5067;transport=TCP]

12:05:41.578 [1;36mINFO[1;0m: Creating listening point [0x15746b0] on [sip:0.0.0.0:32737;transport=TLS]

12:05:41.578 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

12:05:41.579 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

12:05:41.579 [1;36mINFO[1;0m: Resolver is using DNS server(s):

12:05:41.580 [1;36mINFO[1;0m: 75.75.75.75

12:05:41.580 [1;36mINFO[1;0m: 75.75.76.76

12:05:41.580 [1;36mINFO[1;0m: 2001:558:feed::1

12:05:41.581 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress

12:05:41.581 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop

12:05:41.581 [1;36mINFO[1;0m: Sal nat helper [enabled]

12:05:41.581 [1;36mINFO[1;0m: Sal use rport [enabled]

12:05:41.583 [1;36mINFO[1;0m: no camera with id V4L2: /dev/video0

12:05:41.583 [1;31mWARNING[1;0m: Could not find video device V4L2: /dev/video0

12:05:41.586 [1;36mINFO[1;0m: Adding codec PCMU...

12:05:41.587 [1;36mINFO[1;0m: Adding codec PCMA...

12:05:41.588 [1;36mINFO[1;0m: Adding codec VP8...

12:05:41.593 [1;36mINFO[1;0m: auth_info.username = zahersyed,

12:05:44.647 [1;36mINFO[1;0m: stun.linphone.org resolved to 37.59.51.72

12:05:44.648 [1;36mINFO[1;0m: Stun server resolution successful.

12:05:44.649 [1;36mINFO[1;0m: New local ip address is 10.1.10.45

12:05:44.649 [1;36mINFO[1;0m: Network state is now [UP]

12:05:44.650 [1;36mINFO[1;0m: Resolver is using DNS server(s):

12:05:44.651 [1;36mINFO[1;0m: 75.75.75.75

12:05:44.651 [1;36mINFO[1;0m: 75.75.76.76

12:05:44.652 [1;36mINFO[1;0m: 2001:558:feed::1

12:05:44.653 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress

12:05:44.653 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop

12:05:44.656 [1;36mINFO[1;0m: LinphoneProxyConfig [0x15c3028] about to register (LinphoneCore version: 3.9.0)

12:05:44.672 [1;36mINFO[1;0m: belle_sip_client_transaction_send_request(): waiting channel to be ready

12:05:44.673 [1;36mINFO[1;0m: channel [0x15d4b20]: starting resolution of sip.linphone.org

12:05:44.673 [1;36mINFO[1;0m: channel 0x15d4b20: state RES_IN_PROGRESS

12:05:44.673 [1;36mINFO[1;0m: transaction [0x15c1b68] channel state changed to [RES_IN_PROGRESS]

12:05:44.675 [1;36mINFO[1;0m: Resolver is using DNS server(s):

12:05:44.675 [1;36mINFO[1;0m: 75.75.75.75

12:05:44.675 [1;36mINFO[1;0m: 75.75.76.76

12:05:44.676 [1;36mINFO[1;0m: 2001:558:feed::1

12:05:44.677 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress

12:05:44.677 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop

12:05:44.678 [1;36mINFO[1;0m: Neither Expires header nor corresponding Contact header found, checking from original request

12:05:44.678 [1;36mINFO[1;0m: Refresher [0x15c4320] takes ownership of transaction [0x15c1b68]

12:05:44.679 [1;36mINFO[1;0m: Proxy config [0x15c3028] for identity [sip:zahersyed@sip.linphone.org:5061] moving from state [LinphoneRegistrationNone] to [LinphoneRegistrationProgress]

12:05:44.679 [1;36mINFO[1;0m: Linphone core [0x1574120] notifying [registration_state_changed]

12:05:44.680 [1;36mINFO[1;0m: Linphone core [0x1574120] notifying [network_reachable]

12:05:44.743 [1;36mINFO[1;0m: SRV _sip._udp.sip.linphone.org resolved to [target:sip3.linphone.org.port:5060 prio:0 weight:100]

12:05:44.743 [1;36mINFO[1;0m: SRV _sip._udp.sip.linphone.org resolved to [target:sip1.linphone.org.port:5060 prio:10 weight:100]

12:05:44.744 [1;36mINFO[1;0m: Starting A/AAAA query for srv result [sip3.linphone.org.]

12:05:44.745 [1;36mINFO[1;0m: Resolver is using DNS server(s):

12:05:44.745 [1;36mINFO[1;0m: 75.75.75.75

12:05:44.745 [1;36mINFO[1;0m: 75.75.76.76

12:05:44.746 [1;36mINFO[1;0m: 2001:558:feed::1

12:05:44.746 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress

12:05:44.746 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop

12:05:44.747 [1;36mINFO[1;0m: Starting A/AAAA query for srv result [sip1.linphone.org.]

12:05:44.747 [1;36mINFO[1;0m: Resolver is using DNS server(s):

12:05:44.747 [1;36mINFO[1;0m: 75.75.75.75

12:05:44.748 [1;36mINFO[1;0m: 75.75.76.76

12:05:44.748 [1;36mINFO[1;0m: 2001:558:feed::1

12:05:44.748 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress

12:05:44.749 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop

12:05:44.764 [1;36mINFO[1;0m: sip3.linphone.org. resolved to 37.59.51.72

12:05:44.764 [1;36mINFO[1;0m: A query finished for srv result [sip3.linphone.org.]

12:05:44.765 [1;36mINFO[1;0m: stun.linphone.org resolved to 37.59.51.72

12:05:44.765 [1;36mINFO[1;0m: Stun server resolution successful.

12:05:44.766 [1;36mINFO[1;0m: sip1.linphone.org. resolved to 91.121.209.194

12:05:44.766 [1;36mINFO[1;0m: A query finished for srv result [sip1.linphone.org.]

12:05:44.767 [1;36mINFO[1;0m: All A/AAAA results for combined resolution have arrived.

12:05:44.767 [1;36mINFO[1;0m: channel 0x15d4b20: state RES_DONE

12:05:44.767 [1;36mINFO[1;0m: transaction [0x15c1b68] channel state changed to [RES_DONE]

12:05:44.767 [1;36mINFO[1;0m: channel 0x15d4b20: state CONNECTING

12:05:44.768 [1;36mINFO[1;0m: transaction [0x15c1b68] channel state changed to [CONNECTING]

12:05:44.768 [1;36mINFO[1;0m: Trying to connect to [UDP://37.59.51.72:5060]

12:05:44.768 [1;36mINFO[1;0m: belle_sip_get_src_addr_for(): af_inet6=0

12:05:44.768 [1;36mINFO[1;0m: Channel has local address 10.1.10.45:5063

12:05:44.769 [1;36mINFO[1;0m: channel 0x15d4b20: state READY

12:05:44.769 [1;36mINFO[1;0m: transaction [0x15c1b68] channel state changed to [READY]

12:05:44.769 [1;36mINFO[1;0m: Changing [client] [REGISTER] transaction [0x15c1b68], from state [INIT] to [TRYING]

12:05:44.770 [1;36mINFO[1;0m: channel [0x15d4b20]: message sent to [UDP://sip.linphone.org:5060], size: [523] bytes

REGISTER sip:sip.linphone.org:5061 SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.QloHmCyu2;rport

From: <sip:zahersyed@sip.linphone.org>;tag=aZ7NXXpBf

To: sip:zahersyed@sip.linphone.org

CSeq: 20 REGISTER

Call-ID: iO0bHdgkd5

Max-Forwards: 70

Supported: outbound

Accept: application/sdp

Accept: text/plain

Accept: application/vnd.gsma.rcs-ft-http+xml

Contact: <sip:zahersyed@10.1.10.45:5063>;+sip.instance="<urn:uuid:d51e0e2f-7862-4210-b4ae-8cf638fb5515>"

Expires: 3600

User-Agent: (belle-sip/1.4.2)

12:05:44.911 [1;36mINFO[1;0m: channel [0x15d4b20]: received [474] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 401 Unauthorized

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.QloHmCyu2;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=aZ7NXXpBf

To: <sip:zahersyed@sip.linphone.org>;tag=XX6vv8H5aF2Fp

Call-ID: iO0bHdgkd5

CSeq: 20 REGISTER

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

WWW-Authenticate: Digest realm="sip.linphone.org",
nonce="WPI02gAAAACz9w8fAAAQUs+XTZkAAAAA", opaque="+GNyWA==", algorithm=MD5, qop="auth"

Content-Length: 0

12:05:44.917 [1;36mINFO[1;0m: channel [0x15d4b20] [474] bytes parsed

12:05:44.917 [1;36mINFO[1;0m: channel [0x15d4b20]: discovered public ip and port are [173.12.114.238:5063]

12:05:44.918 [1;36mINFO[1;0m: Found transaction matching response.

12:05:44.918 [1;36mINFO[1;0m: Changing [client] [REGISTER] transaction [0x15c1b68], from state [TRYING] to [COMPLETED]

12:05:44.918 [1;36mINFO[1;0m: linphone_core_find_auth_info(): returning auth info
username=zahersyed, realm=

12:05:44.919 [1;36mINFO[1;0m: Auth info found for [zahersyed] realm [sip.linphone.org]

12:05:44.919 [1;36mINFO[1;0m: Changing [client] [REGISTER] transaction [0x15c7f20], from state [INIT] to [TRYING]

12:05:44.919 [1;36mINFO[1;0m: channel [0x15d4b20]: message sent to [UDP://sip.linphone.org:5060],
size: [795] bytes

REGISTER sip:sip.linphone.org:5061 SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.JHuO3Xc-P;rport

From: <sip:zahersyed@sip.linphone.org>;tag=aZ7NXXpBf

To: sip:zahersyed@sip.linphone.org

CSeq: 21 REGISTER

Call-ID: iO0bHdgkd5

Max-Forwards: 70

Supported: outbound

Accept: application/sdp

Accept: text/plain

Accept: application/vnd.gsma.rcs-ft-http+xml

Contact: <sip:zahersyed@173.12.114.238:5063>;+sip.instance="<urn:uuid:d51e0e2f-7862-4210-b4ae-8cf638fb5515>"

Expires: 3600

User-Agent: (belle-sip/1.4.2)

Authorization: Digest realm="sip.linphone.org", nonce="WPI02gAAAACz9w8fAAAU+XTZkAAAAA", algorithm=MD5, opaque="+GNyWA==", username="zahersyed", uri="sip:sip.linphone.org:5061", response="692c92fc902f92e53be0c11e3b770a00", cnonce="7ef6cda5", nc=00000001, qop=auth

12:05:45.059 [1;36mINFO[1;0m: channel [0x15d4b20]: received [492] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 200 Registration successful

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.JHuO3Xc-P;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=aZ7NXXpBf

To: <sip:zahersyed@sip.linphone.org>;tag=0rj71S4F2947r

Call-ID: iO0bHdgkd5

CSeq: 21 REGISTER

Contact: <sip:zahersyed@173.12.114.238:5063>;expires=3600;q=0.00

Contact: <sip:zahersyed@173.12.114.238:63201;transport=tls>;expires=585;q=0.00

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

12:05:45.065 [1;36mINFO[1;0m: channel [0x15d4b20] [492] bytes parsed

12:05:45.065 [1;36mINFO[1;0m: Found transaction matching response.

12:05:45.065 [1;36mINFO[1;0m: Changing [client] [REGISTER] transaction [0x15c7f20], from state [TRYING] to [COMPLETED]

12:05:45.066 [1;36mINFO[1;0m: Refresher [0x15c4320]: has no contact for request [0x15c73b0].

12:05:45.066 [1;36mINFO[1;0m: Refresher: scheduling next timer in 3240000 ms

12:05:45.066 [1;36mINFO[1;0m: Register refresher [200] reason [Registration successful] for proxy [sip:sip.linphone.org]

12:05:45.066 [1;36mINFO[1;0m: Proxy config [0x15c3028] for identity [sip:zahersyed@sip.linphone.org:5061] moving from state [LinphoneRegistrationProgress] to [LinphoneRegistrationOk]

12:05:45.067 [1;36mINFO[1;0m: Linphone core [0x1574120] notifying [registration_state_changed]

12:05:49.920 [1;36mINFO[1;0m: Changing [client] [REGISTER] transaction [0x15c1b68], from state [COMPLETED] to [TERMINATED]

12:05:49.920 [1;36mINFO[1;0m: Client internal REGISTER transaction [0x15c1b68] terminated

12:05:50.067 [1;36mINFO[1;0m: Changing [client] [REGISTER] transaction [0x15c7f20], from state [COMPLETED] to [TERMINATED]

12:05:50.067 [1;36mINFO[1;0m: Client internal REGISTER transaction [0x15c7f20] terminated

12:05:51.578 [1;36mINFO[1;0m: channel [0x15d4b20]: keep alive sent to [UDP://sip.linphone.org:5060]

12:06:01.578 [1;36mINFO[1;0m: channel [0x15d4b20]: keep alive sent to [UDP://sip.linphone.org:5060]

12:06:11.578 [1;36mINFO[1;0m: channel [0x15d4b20]: keep alive sent to [UDP://sip.linphone.org:5060]

12:06:21.578 [1;36mINFO[1;0m: channel [0x15d4b20]: keep alive sent to [UDP://sip.linphone.org:5060]

12:06:31.578 [1;36mINFO[1;0m: channel [0x15d4b20]: keep alive sent to [UDP://sip.linphone.org:5060]

12:06:41.578 [1;36mINFO[1;0m: channel [0x15d4b20]: keep alive sent to [UDP://sip.linphone.org:5060]

12:06:49.382 [1;36mINFO[1;0m: *Motion detected!*

12:06:50.385 [1;36mINFO[1;0m: Notifying contacts...

12:06:50.386 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

12:06:50.389 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

12:06:50.390 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76d02d40>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

12:06:50.396 [1;36mINFO[1;0m: Skipping top route of initial route-set because same as request-uri.

12:06:50.397 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x15cb8b8], from state [INIT] to [TRYING]

12:06:50.397 [1;36mINFO[1;0m: channel [0x15d4b20]: message sent to [UDP://sip.linphone.org:5060], size: [476] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.7sbAdbHbg;rport

From: <sip:zahersyed@sip.linphone.org>;tag=n3UbNbB-2

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: YhCNC3wdVI

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 16:06:50 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 12:06:50.388602'

12:06:50.399 [1;36mINFO[1;0m: Chat message 0x163a0a8: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

12:06:50.399 [1;36mINFO[1;0m: Notifying pidoorbell@sip.linphone.org

12:06:50.402 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

12:06:50.403 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76d02d60>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

12:06:50.409 [1;36mINFO[1;0m: Skipping top route of initial route-set because same as request-uri.

12:06:50.410 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x15cf898], from state [INIT] to [TRYING]

12:06:50.410 [1;36mINFO[1;0m: channel [0x15d4b20]: message sent to [UDP://sip.linphone.org:5060], size: [478] bytes

MESSAGE sip:pidoorbell@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.2-QXadEzP;rport

From: <sip:zahersyed@sip.linphone.org>;tag=b-hXm6prf

To: sip:pidoorbell@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: 1v1NFndadN

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 16:06:50 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 12:06:50.401717'

12:06:50.412 [1;36mINFO[1;0m: Chat message 0x15c0fd8: moving from state
LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

12:06:55.466 [1;36mINFO[1;0m: Emailed and saved image to "/home/pi/emailedSecurityCameraImage-
2016-04-10T12:06:55.460554.jpg"

12:07:15.016 [1;36mINFO[1;0m: channel [0x15d4b20]: received [492] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 407 Proxy Authentication Required

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.7sbAdbHbg;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=n3UbNbB-2

To: <sip:zahersyed@sip.linphone.org>;tag=jcKK7yZDaSDKQ

Call-ID: YhCNc3wdVI

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Proxy-Authenticate: Digest realm="sip.linphone.org",
nonce="mvi02gAAAAD7cHIJAAD+Kh456Z0AAAAA", opaque="+GNyWA==", algorithm=MD5, qop="auth"

Content-Length: 0

12:07:15.028 [1;36mINFO[1;0m: channel [0x15d4b20] [492] bytes parsed

12:07:15.028 [1;36mINFO[1;0m: Found transaction matching response.

12:07:15.029 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x15cb8b8], from state [TRYING] to [COMPLETED]

12:07:15.029 [1;36mINFO[1;0m: linphone_core_find_auth_info(): returning auth info
username=zahersyed, realm=sip.linphone.org

12:07:15.030 [1;36mINFO[1;0m: Auth info found for [zahersyed] realm [sip.linphone.org]

12:07:15.031 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x16351a0], from state [INIT] to [TRYING]

12:07:15.032 [1;36mINFO[1;0m: channel [0x15d4b20]: message sent to [UDP://sip.linphone.org:5060], size: [755] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.oywJeAEA9;rport

From: <sip:zahersyed@sip.linphone.org>;tag=n3UbNbB-2

To: sip:zahersyed@sip.linphone.org

CSeq: 21 MESSAGE

Call-ID: YhCNc3wdVI

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 16:06:50 GMT

User-Agent: (belle-sip/1.4.2)

Proxy-Authorization: Digest realm="sip.linphone.org",
nonce="mvi02gAAAAD7cHIJAAD+Kh456Z0AAAAA", algorithm=MD5, opaque="+GNyWA==",
username="zahersyed", uri="sip:zahersyed@sip.linphone.org",
response="f89cb6cb09b379eab892c44584504ea2", cnonce="9bff23a6", nc=00000001, qop=auth

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 12:06:50.388602'

12:07:15.032 [1;36mINFO[1;0m: channel [0x15d4b20]: keep alive sent to [UDP://sip.linphone.org:5060]

12:07:15.033 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

12:07:15.034 [1;36mINFO[1;0m: channel [0x15d4b20]: message sent to [UDP://sip.linphone.org:5060], size: [478] bytes

MESSAGE sip:pidoorbell@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.2-QXadEzP;rport

From: <sip:zahersyed@sip.linphone.org>;tag=b-hXm6prf

To: sip:pidoorbell@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: 1v1NFndadN

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 16:06:50 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 12:06:50.401717'

12:07:15.035 [1;36mINFO[1;0m: *Motion detected!*

12:07:16.041 [1;36mINFO[1;0m: channel [0x15d4b20]: received [493] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 407 Proxy Authentication Required

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.2-QXadEzP;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=b-hXm6prf

To: <sip:pidoorbell@sip.linphone.org>;tag=KNcc9SgH7135j

Call-ID: 1v1NFndadN

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Proxy-Authenticate: Digest realm="sip.linphone.org",
nonce="mvi02gAAAADmLMbnAABVgRfnkbgAAAAA", opaque="+GNyWA==", algorithm=MD5,
qop="auth"

Content-Length: 0

12:07:16.053 [1;36mINFO[1;0m: channel [0x15d4b20] [493] bytes parsed

12:07:16.054 [1;36mINFO[1;0m: Found transaction matching response.

12:07:16.054 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x15cf898], from state [TRYING] to [COMPLETED]

12:07:16.055 [1;36mINFO[1;0m: linphone_core_find_auth_info(): returning auth info
username=zahersyed, realm=sip.linphone.org

12:07:16.055 [1;36mINFO[1;0m: Auth info found for [zahersyed] realm [sip.linphone.org]

12:07:16.056 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1608b40], from state [INIT] to [TRYING]

12:07:16.057 [1;36mINFO[1;0m: channel [0x15d4b20]: message sent to [UDP://sip.linphone.org:5060],
size: [758] bytes

MESSAGE sip:pidoorbell@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.8iQ2RR9LH;rport

From: <sip:zahersyed@sip.linphone.org>;tag=b-hXm6prf

To: sip:pidoorbell@sip.linphone.org

CSeq: 21 MESSAGE

Call-ID: 1v1NFndadN

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 16:06:50 GMT

User-Agent: (belle-sip/1.4.2)

Proxy-Authorization: Digest realm="sip.linphone.org",
nonce="mvi02gAAAADmLMbnAABVgRfnkbgAAAA", algorithm=MD5, opaque="+GNyWA==",
username="zahersyed", uri="sip:pidoorbell@sip.linphone.org",
response="c1be06bf394758ff11def48eb2b63a67", cnonce="b58b8b34", nc=00000001, qop=auth

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 12:06:50.401717'

12:07:16.058 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

12:07:16.059 [1;36mINFO[1;0m: channel [0x15d4b20]: message sent to [UDP://sip.linphone.org:5060], size: [755] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.oywJeAEA9;rport

From: <sip:zahersyed@sip.linphone.org>;tag=n3UbNbB-2

To: sip:zahersyed@sip.linphone.org

CSeq: 21 MESSAGE

Call-ID: YhCNc3wdVI

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 16:06:50 GMT

User-Agent: (belle-sip/1.4.2)

Proxy-Authorization: Digest realm="sip.linphone.org",
nonce="mvi02gAAAAD7cHIJAAD+Kh456Z0AAAAA", algorithm=MD5, opaque="+GNyWA==",
username="zahersyed", uri="sip:zahersyed@sip.linphone.org",
response="f89cb6cb09b379eab892c44584504ea2", cnonce="9bff23a6", nc=00000001, qop=auth

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 12:06:50.388602'

12:07:16.060 [1;36mINFO[1;0m: channel [0x15d4b20]: received [310] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.oywJeAEA9;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=n3UbNbB-2

To: <sip:zahersyed@sip.linphone.org>

Call-ID: YhCNc3wdVI

CSeq: 21 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

12:07:16.068 [1;36mINFO[1;0m: channel [0x15d4b20] [310] bytes parsed

12:07:16.069 [1;36mINFO[1;0m: Found transaction matching response.

12:07:16.070 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x16351a0], from state [TRYING] to [PROCEEDING]

12:07:16.071 [1;36mINFO[1;0m: channel [0x15d4b20]: received [588] new bytes from [UDP://sip.linphone.org:5060]:

MESSAGE sip:zahersyed@173.12.114.238:5063 SIP/2.0

Via: SIP/2.0/UDP 37.59.51.72;rport;branch=z9hG4bK.41B7Bea88mDDZjKp7p148Nm1Sc

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.oywJeAEA9;rport=5063;received=173.12.114.238

Max-Forwards: 69

From: <sip:zahersyed@sip.linphone.org>;tag=n3UbNbB-2

To: <sip:zahersyed@sip.linphone.org>

Call-ID: YhCNc3wdVI

CSeq: 21 MESSAGE

Date: Sun, 10 Apr 2016 16:06:50 GMT

User-Agent: (belle-sip/1.4.2)

Supported: outbound

Content-Type: text/plain

Content-Length: 79

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 12:06:50.388602'

12:07:16.089 [1;36mINFO[1;0m: channel [0x15d4b20] [509] bytes parsed

12:07:16.089 [1;36mINFO[1;0m: channel [0x15d4b20] read [79] bytes of body from [sip.linphone.org:5060]

12:07:16.095 [1;36mINFO[1;0m: Changing [server] [MESSAGE] transaction [0x160c950], from state [INIT] to [TRYING]

12:07:16.100 [1;36mINFO[1;0m: Linphone core [0x1574120] notifying [message_received]
12:07:16.101 [1;36mINFO[1;0m: Linphone core [0x1574120] notifying [is_composing_received]
12:07:16.101 [1;36mINFO[1;0m: Changing [server] [MESSAGE] transaction [0x160c950], from state [TRYING] to [COMPLETED]
12:07:16.102 [1;36mINFO[1;0m: channel [0x15d4b20]: message sent to [UDP://sip.linphone.org:5060], size: [333] bytes
SIP/2.0 200 Ok
Via: SIP/2.0/UDP 37.59.51.72;rport;branch=z9hG4bK.41B7Bea88mDDZjKp7p148Nm1Sc
Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.oywJeAEA9;rport=5063
From: <sip:zahersyed@sip.linphone.org>;tag=n3UbNbB-2
To: <sip:zahersyed@sip.linphone.org>;tag=4VFp57Y
Call-ID: YhCNc3wdVI
CSeq: 21 MESSAGE

12:07:16.102 [1;36mINFO[1;0m: Destroying op [0x11c0368] of type [SalOpMessage]
12:07:16.104 [1;36mINFO[1;0m: channel [0x15d4b20]: received [493] new bytes from [UDP://sip.linphone.org:5060]:
SIP/2.0 407 Proxy Authentication Required
Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.2-QXadEzP;rport=5063;received=173.12.114.238
From: <sip:zahersyed@sip.linphone.org>;tag=b-hXm6prf
To: <sip:pidoorbell@sip.linphone.org>;tag=KNcc9SgH7135j
Call-ID: 1v1NFndadN
CSeq: 20 MESSAGE
Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)
Proxy-Authenticate: Digest realm="sip.linphone.org",
nonce="mvi02gAAAADmLMbnAABVgRfnkbgAAAAA", opaque="+GNyWA==", algorithm=MD5,
qop="auth"
Content-Length: 0

12:07:16.115 [1;36mINFO[1;0m: channel [0x15d4b20] [493] bytes parsed

12:07:16.116 [1;36mINFO[1;0m: Found transaction matching response.

12:07:16.117 [1;36mINFO[1;0m: channel [0x15d4b20]: received [274] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.oywJeAEA9;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=n3UbNbB-2

To: <sip:zahersyed@sip.linphone.org>;tag=qOdcXOD

Call-ID: YhCNc3wdVI

CSeq: 21 MESSAGE

Content-Length: 0

12:07:16.126 [1;36mINFO[1;0m: channel [0x15d4b20] [274] bytes parsed

12:07:16.127 [1;36mINFO[1;0m: Found transaction matching response.

12:07:16.127 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x16351a0], from state [PROCEEDING] to [COMPLETED]

12:07:16.128 [1;36mINFO[1;0m: Chat message 0x163a0a8: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateDelivered

12:07:16.129 [1;36mINFO[1;0m: channel [0x15d4b20]: received [588] new bytes from [UDP://sip.linphone.org:5060]:

MESSAGE sip:zahersyed@173.12.114.238:5063 SIP/2.0

Via: SIP/2.0/UDP 37.59.51.72;rport;branch=z9hG4bK.41B7Bea88mDDZjKp7p148Nm1Sc

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.oywJeAEA9;rport=5063;received=173.12.114.238

Max-Forwards: 69

From: <sip:zahersyed@sip.linphone.org>;tag=n3UbNbB-2

To: <sip:zahersyed@sip.linphone.org>

Call-ID: YhCNc3wdVI

CSeq: 21 MESSAGE

Date: Sun, 10 Apr 2016 16:06:50 GMT

User-Agent: (belle-sip/1.4.2)

Supported: outbound

Content-Type: text/plain

Content-Length: 79

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 12:06:50.388602'

12:07:16.145 [1;36mINFO[1;0m: channel [0x15d4b20] [509] bytes parsed

12:07:16.146 [1;36mINFO[1;0m: channel [0x15d4b20] read [79] bytes of body from [sip.linphone.org:5060]

12:07:16.146 [1;36mINFO[1;0m: Found transaction [0x160c950] matching request.

12:07:16.147 [1;36mINFO[1;0m: channel [0x15d4b20]: message sent to [UDP://sip.linphone.org:5060], size: [333] bytes

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 37.59.51.72;rport;branch=z9hG4bK.41B7Bea88mDDZjKp7p148Nm1Sc

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.oywJeAEA9;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=n3UbNbB-2

To: <sip:zahersyed@sip.linphone.org>;tag=4VFp57Y

Call-ID: YhCNC3wdVI

CSeq: 21 MESSAGE

12:07:16.201 [1;36mINFO[1;0m: channel [0x15d4b20]: received [311] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.8iQ2RR9LH;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=b-hXm6prf

To: <sip:pidoorbell@sip.linphone.org>

Call-ID: 1v1NFndadN

CSeq: 21 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

12:07:16.205 [1;36mINFO[1;0m: channel [0x15d4b20] [311] bytes parsed

12:07:16.206 [1;36mINFO[1;0m: Found transaction matching response.

12:07:16.206 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1608b40], from state [TRYING] to [PROCEEDING]

12:07:16.207 [1;36mINFO[1;0m: channel [0x15d4b20]: received [274] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.oywJeAEA9;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=n3UbNbB-2

To: <sip:zahersyed@sip.linphone.org>;tag=qOdcXOD

Call-ID: YhCNC3wdVI

CSeq: 21 MESSAGE

Content-Length: 0

12:07:16.211 [1;36mINFO[1;0m: channel [0x15d4b20] [274] bytes parsed

12:07:16.212 [1;36mINFO[1;0m: Found transaction matching response.

12:07:16.544 [1;36mINFO[1;0m: channel [0x15d4b20]: received [275] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.8iQ2RR9LH;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=b-hXm6prf

To: <sip:pidoorbell@sip.linphone.org>;tag=x0CFPNh

Call-ID: 1v1NFndadN

CSeq: 21 MESSAGE

Content-Length: 0

12:07:16.549 [1;36mINFO[1;0m: channel [0x15d4b20] [275] bytes parsed

12:07:16.549 [1;36mINFO[1;0m: Found transaction matching response.

12:07:16.549 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1608b40], from state [PROCEEDING] to [COMPLETED]

12:07:16.550 [1;36mINFO[1;0m: Chat message 0x15c0fd8: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateDelivered

12:07:20.032 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x15cb8b8], from state [COMPLETED] to [TERMINATED]

12:07:20.032 [1;36mINFO[1;0m: Client MESSAGE transaction [0x15cb8b8] terminated

12:07:20.032 [1;36mINFO[1;0m: Unhandled transaction terminated [0x15cb8b8]

12:07:21.057 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x15cf898], from state [COMPLETED] to [TERMINATED]

12:07:21.057 [1;36mINFO[1;0m: Client MESSAGE transaction [0x15cf898] terminated

12:07:21.062 [1;36mINFO[1;0m: Unhandled transaction terminated [0x15cf898]

12:07:21.128 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x16351a0], from state [COMPLETED] to [TERMINATED]

12:07:21.128 [1;36mINFO[1;0m: Client MESSAGE transaction [0x16351a0] terminated

12:07:21.128 [1;36mINFO[1;0m: Unhandled transaction terminated [0x16351a0]

12:07:21.550 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1608b40], from state [COMPLETED] to [TERMINATED]

12:07:21.550 [1;36mINFO[1;0m: Client MESSAGE transaction [0x1608b40] terminated

12:07:21.550 [1;36mINFO[1;0m: Unhandled transaction terminated [0x1608b40]

12:07:25.016 [1;36mINFO[1;0m: channel [0x15d4b20]: keep alive sent to [UDP://sip.linphone.org:5060]

12:07:35.016 [1;36mINFO[1;0m: channel [0x15d4b20]: keep alive sent to [UDP://sip.linphone.org:5060]

12:07:42.428 [1;36mINFO[1;0m: *Motion detected!*

12:07:43.431 [1;36mINFO[1;0m: Notifying contacts...

12:07:43.432 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

12:07:43.435 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

12:07:43.435 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76d02e20>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

12:07:43.441 [1;36mINFO[1;0m: Skipping top route of initial route-set because same as request-uri.

12:07:43.442 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1612b90], from state [INIT] to [TRYING]

12:07:43.443 [1;36mINFO[1;0m: channel [0x15d4b20]: message sent to [UDP://sip.linphone.org:5060], size: [476] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.DDuo5Nvkx;rport

From: <sip:zahersyed@sip.linphone.org>;tag=2WdV6UPf4

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: 8HjBSW5oyd

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 16:07:43 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 12:07:43.433811'

12:07:43.444 [1;36mINFO[1;0m: Chat message 0x1692e80: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

12:07:43.444 [1;36mINFO[1;0m: Notifying pidoorbell@sip.linphone.org

12:07:43.447 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

12:07:43.447 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76d02d80>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

12:07:43.454 [1;36mINFO[1;0m: Skipping top route of initial route-set because same as request-uri.

12:07:43.454 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x168f360], from state [INIT] to [TRYING]

12:07:43.455 [1;36mINFO[1;0m: channel [0x15d4b20]: message sent to [UDP://sip.linphone.org:5060], size: [478] bytes

MESSAGE sip:pidoorbell@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.vhQq1OvRh;rport

From: <sip:zahersyed@sip.linphone.org>;tag=Dhpk6KyAh

To: sip:pidoorbell@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: 3v9o3ojTwn

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 16:07:43 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 12:07:43.446040'

12:07:43.456 [1;36mINFO[1;0m: Chat message 0x168c6a0: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

12:07:48.247 [1;36mINFO[1;0m: Emailed and saved image to "/home/pi/emailedSecurityCameraImage-2016-04-10T12:07:48.243960.jpg"

12:08:07.693 [1;36mINFO[1;0m: channel [0x15d4b20]: received [492] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 407 Proxy Authentication Required

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.DDuo5Nvkx;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=2WdV6UPf4

To: <sip:zahersyed@sip.linphone.org>;tag=NQFjSc35S5yFN

Call-ID: 8HjBSW5oyd

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Proxy-Authenticate: Digest realm="sip.linphone.org", nonce="z/i02gAAAACkofjEAADITIPMaIAAAAA", opaque="+GNyWA==", algorithm=MD5, qop="auth"

Content-Length: 0

12:08:07.699 [1;36mINFO[1;0m: channel [0x15d4b20] [492] bytes parsed

12:08:07.700 [1;36mINFO[1;0m: Found transaction matching response.

12:08:07.700 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1612b90], from state [TRYING] to [COMPLETED]

12:08:07.700 [1;36mINFO[1;0m: linphone_core_find_auth_info(): returning auth info
username=zahersyed, realm=sip.linphone.org

12:08:07.701 [1;36mINFO[1;0m: Auth info found for [zahersyed] realm [sip.linphone.org]

12:08:07.701 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x168e540], from state [INIT] to [TRYING]

12:08:07.702 [1;36mINFO[1;0m: channel [0x15d4b20]: message sent to [UDP://sip.linphone.org:5060], size: [755] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.whzehYW9f;rport

From: <sip:zahersyed@sip.linphone.org>;tag=2WdV6UPf4

To: sip:zahersyed@sip.linphone.org

CSeq: 21 MESSAGE

Call-ID: 8HjBSW5oyd

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 16:07:43 GMT

User-Agent: (belle-sip/1.4.2)

Proxy-Authorization: Digest realm="sip.linphone.org", nonce="z/i02gAAAACkofjEAADITIPMaIAAAAA", algorithm=MD5, opaque="+GNyWA==", username="zahersyed", uri="sip:zahersyed@sip.linphone.org", response="404d0b1e706604e7b824c59b0dfe1565", cnonce="b967db25", nc=00000001, qop=auth

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 12:07:43.433811'

12:08:07.702 [1;36mINFO[1;0m: channel [0x15d4b20]: keep alive sent to [UDP://sip.linphone.org:5060]

12:08:07.702 [1;36mINFO[1;0m: Changing [server] [MESSAGE] transaction [0x160c950], from state [COMPLETED] to [TERMINATED]

12:08:07.702 [1;36mINFO[1;0m: Server MESSAGE transaction [0x160c950] terminated

12:08:07.703 [1;36mINFO[1;0m: Unhandled transaction terminated [0x160c950]

12:08:07.703 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

12:08:07.704 [1;36mINFO[1;0m: channel [0x15d4b20]: message sent to [UDP://sip.linphone.org:5060], size: [478] bytes

MESSAGE sip:pidoorbell@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.vhQq1OvRh;rport

From: <sip:zahersyed@sip.linphone.org>;tag=Dhpk6KyAh

To: sip:pidoorbell@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: 3v9o3ojTwn

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 16:07:43 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 12:07:43.446040'

12:08:07.704 [1;36mINFO[1;0m: *Motion detected!*

12:08:09.766 [1;36mINFO[1;0m: channel [0x15d4b20]: received [493] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 407 Proxy Authentication Required

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.vhQq1OvRh;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=Dhpk6KyAh

To: <sip:pidoorbell@sip.linphone.org>;tag=p08aU7K9peN2g

Call-ID: 3v9o3ojTwn

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Proxy-Authenticate: Digest realm="sip.linphone.org", nonce="z/i02gAAAACPXKyIAAAy0F4X1NEAAAA", opaque="+GNyWA==", algorithm=MD5, qop="auth"

Content-Length: 0

12:08:09.778 [1;36mINFO[1;0m: channel [0x15d4b20] [493] bytes parsed

12:08:09.779 [1;36mINFO[1;0m: Found transaction matching response.

12:08:09.779 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x168f360], from state [TRYING] to [COMPLETED]

12:08:09.780 [1;36mINFO[1;0m: linphone_core_find_auth_info(): returning auth info
username=zahersyed, realm=sip.linphone.org

12:08:09.780 [1;36mINFO[1;0m: Auth info found for [zahersyed] realm [sip.linphone.org]

12:08:09.781 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x15cb0d8], from state [INIT] to [TRYING]

12:08:09.782 [1;36mINFO[1;0m: channel [0x15d4b20]: message sent to [UDP://sip.linphone.org:5060], size: [758] bytes

MESSAGE sip:pidoorbell@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.JjCzspHgb;rport

From: <sip:zahersyed@sip.linphone.org>;tag=Dhpk6KyAh

To: sip:pidoorbell@sip.linphone.org

CSeq: 21 MESSAGE

Call-ID: 3v9o3ojTwn

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 16:07:43 GMT

User-Agent: (belle-sip/1.4.2)

Proxy-Authorization: Digest realm="sip.linphone.org",
nonce="z/i02gAAAACPXKyIAAAy0F4X1NEAAAAA", algorithm=MD5, opaque="+GNyWA==",
username="zahersyed", uri="sip:pidoorbell@sip.linphone.org",
response="3f26e065131447eeb99ba7fa2caa2ab3", cnonce="0b7c3f7a", nc=00000001, qop=auth

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 12:07:43.446040'

12:08:09.782 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

12:08:09.784 [1;36mINFO[1;0m: channel [0x15d4b20]: message sent to [UDP://sip.linphone.org:5060],
size: [755] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.whzehYW9f;rport

From: <sip:zahersyed@sip.linphone.org>;tag=2WdV6UPf4

To: sip:zahersyed@sip.linphone.org

CSeq: 21 MESSAGE

Call-ID: 8HjBSW5oyd

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 16:07:43 GMT

User-Agent: (belle-sip/1.4.2)

Proxy-Authorization: Digest realm="sip.linphone.org", nonce="z/i02gAAAACkoFjEAADITIPMaIAAAAAA",
algorithm=MD5, opaque="+GNyWA==", username="zahersyed", uri="sip:zahersyed@sip.linphone.org",
response="404d0b1e706604e7b824c59b0dfe1565", cnonce="b967db25", nc=00000001, qop=auth

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 12:07:43.433811'

12:08:09.785 [1;36mINFO[1;0m: channel [0x15d4b20]: received [310] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.whzehYW9f;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=2WdV6UPf4

To: <sip:zahersyed@sip.linphone.org>

Call-ID: 8HjBSW5oyd

CSeq: 21 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

12:08:09.794 [1;36mINFO[1;0m: channel [0x15d4b20] [310] bytes parsed

12:08:09.795 [1;36mINFO[1;0m: Found transaction matching response.

12:08:09.795 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x168e540], from state [TRYING] to [PROCEEDING]

12:08:09.796 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

12:08:09.797 [1;36mINFO[1;0m: channel [0x15d4b20]: message sent to [UDP://sip.linphone.org:5060], size: [755] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.whzehYW9f;rport

From: <sip:zahersyed@sip.linphone.org>;tag=2WdV6UPf4

To: sip:zahersyed@sip.linphone.org

CSeq: 21 MESSAGE

Call-ID: 8HjBSW5oyd

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 16:07:43 GMT

User-Agent: (belle-sip/1.4.2)

Proxy-Authorization: Digest realm="sip.linphone.org", nonce="z/i02gAAAACkofjEAADITIPMaIAAAAA", algorithm=MD5, opaque="+GNyWA==", username="zahersyed", uri="sip:zahersyed@sip.linphone.org", response="404d0b1e706604e7b824c59b0dfe1565", cnonce="b967db25", nc=00000001, qop=auth

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 12:07:43.433811'

12:08:09.798 [1;36mINFO[1;0m: channel [0x15d4b20]: received [588] new bytes from [UDP://sip.linphone.org:5060]:

MESSAGE sip:zahersyed@173.12.114.238:5063 SIP/2.0

Via: SIP/2.0/UDP 37.59.51.72;rport;branch=z9hG4bK.0g3Kapyas9Q5pyjaU7H89U4Bpg

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.whzehYW9f;rport=5063;received=173.12.114.238

Max-Forwards: 69

From: <sip:zahersyed@sip.linphone.org>;tag=2WdV6UPf4

To: <sip:zahersyed@sip.linphone.org>

Call-ID: 8HjBSW5oyd

CSeq: 21 MESSAGE

Date: Sun, 10 Apr 2016 16:07:43 GMT

User-Agent: (belle-sip/1.4.2)

Supported: outbound

Content-Type: text/plain

Content-Length: 79

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 12:07:43.433811'

12:08:09.815 [1;36mINFO[1;0m: channel [0x15d4b20] [509] bytes parsed

12:08:09.816 [1;36mINFO[1;0m: channel [0x15d4b20] read [79] bytes of body from [sip.linphone.org:5060]

12:08:09.822 [1;36mINFO[1;0m: Changing [server] [MESSAGE] transaction [0x1695b68], from state [INIT] to [TRYING]

12:08:09.827 [1;36mINFO[1;0m: Linphone core [0x1574120] notifying [message_received]

12:08:09.828 [1;36mINFO[1;0m: Linphone core [0x1574120] notifying [is_composing_received]

12:08:09.828 [1;36mINFO[1;0m: Changing [server] [MESSAGE] transaction [0x1695b68], from state [TRYING] to [COMPLETED]

12:08:09.829 [1;36mINFO[1;0m: channel [0x15d4b20]: message sent to [UDP://sip.linphone.org:5060], size: [333] bytes

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 37.59.51.72;rport;branch=z9hG4bK.0g3Kapyas9Q5pyjaU7H89U4Bpg

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.whzehYW9f;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=2WdV6UPf4

To: <sip:zahersyed@sip.linphone.org>;tag=H~6CDmA

Call-ID: 8HjBSW5oyd

CSeq: 21 MESSAGE

12:08:09.829 [1;36mINFO[1;0m: Destroying op [0x16153c8] of type [SalOpMessage]

12:08:09.831 [1;36mINFO[1;0m: channel [0x15d4b20]: received [493] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 407 Proxy Authentication Required

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.vhQq1OvRh;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=Dhpk6KyAh

To: <sip:pidoorbell@sip.linphone.org>;tag=p08aU7K9peN2g

Call-ID: 3v9o3ojTwn

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Proxy-Authenticate: Digest realm="sip.linphone.org", nonce="z/i02gAAAACPXKyIAAAy0F4X1NEAAAA", opaque="+GNyA==", algorithm=MD5, qop="auth"

Content-Length: 0

12:08:09.842 [1;36mINFO[1;0m: channel [0x15d4b20] [493] bytes parsed

12:08:09.844 [1;36mINFO[1;0m: Found transaction matching response.

12:08:09.845 [1;36mINFO[1;0m: channel [0x15d4b20]: received [274] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.whzehYW9f;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=2WdV6UPf4

To: <sip:zahersyed@sip.linphone.org>;tag=bviDg4T

Call-ID: 8HjBSW5oyd

CSeq: 21 MESSAGE

Content-Length: 0

12:08:09.849 [1;36mINFO[1;0m: channel [0x15d4b20] [274] bytes parsed

12:08:09.850 [1;36mINFO[1;0m: Found transaction matching response.

12:08:09.850 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x168e540], from state [PROCEEDING] to [COMPLETED]

12:08:09.850 [1;36mINFO[1;0m: Chat message 0x1692e80: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateDelivered

12:08:09.851 [1;36mINFO[1;0m: channel [0x15d4b20]: received [588] new bytes from [UDP://sip.linphone.org:5060]:

MESSAGE sip:zahersyed@173.12.114.238:5063 SIP/2.0

Via: SIP/2.0/UDP 37.59.51.72;rport;branch=z9hG4bK.0g3Kapyas9Q5pyjaU7H89U4Bpg

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.whzehYW9f;rport=5063;received=173.12.114.238

Max-Forwards: 69

From: <sip:zahersyed@sip.linphone.org>;tag=2WdV6UPf4

To: <sip:zahersyed@sip.linphone.org>

Call-ID: 8HjBSW5oyd

CSeq: 21 MESSAGE

Date: Sun, 10 Apr 2016 16:07:43 GMT

User-Agent: (belle-sip/1.4.2)

Supported: outbound

Content-Type: text/plain

Content-Length: 79

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 12:07:43.433811'

12:08:09.860 [1;36mINFO[1;0m: channel [0x15d4b20] [509] bytes parsed

12:08:09.860 [1;36mINFO[1;0m: channel [0x15d4b20] read [79] bytes of body from [sip.linphone.org:5060]

12:08:09.861 [1;36mINFO[1;0m: Found transaction [0x1695b68] matching request.

12:08:09.861 [1;36mINFO[1;0m: channel [0x15d4b20]: message sent to [UDP://sip.linphone.org:5060], size: [333] bytes

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 37.59.51.72;rport;branch=z9hG4bK.0g3Kapyas9Q5pyjaU7H89U4Bpg

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.whzehYW9f;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=2WdV6UPf4

To: <sip:zahersyed@sip.linphone.org>;tag=H~6CDmA

Call-ID: 8HjBSW5oyd

CSeq: 21 MESSAGE

12:08:09.862 [1;36mINFO[1;0m: channel [0x15d4b20]: received [588] new bytes from [UDP://sip.linphone.org:5060]:

MESSAGE sip:zahersyed@173.12.114.238:5063 SIP/2.0

Via: SIP/2.0/UDP 37.59.51.72;rport;branch=z9hG4bK.0g3Kapyas9Q5pyjaU7H89U4Bpg

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.whzehYW9f;rport=5063;received=173.12.114.238

Max-Forwards: 69

From: <sip:zahersyed@sip.linphone.org>;tag=2WdV6UPf4

To: <sip:zahersyed@sip.linphone.org>

Call-ID: 8HjBSW5oyd

CSeq: 21 MESSAGE

Date: Sun, 10 Apr 2016 16:07:43 GMT

User-Agent: (belle-sip/1.4.2)

Supported: outbound

Content-Type: text/plain

Content-Length: 79

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 12:07:43.433811'

12:08:09.871 [1;36mINFO[1;0m: channel [0x15d4b20] [509] bytes parsed

12:08:09.871 [1;36mINFO[1;0m: channel [0x15d4b20] read [79] bytes of body from [sip.linphone.org:5060]

12:08:09.872 [1;36mINFO[1;0m: Found transaction [0x1695b68] matching request.

12:08:09.872 [1;36mINFO[1;0m: channel [0x15d4b20]: message sent to [UDP://sip.linphone.org:5060], size: [333] bytes

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 37.59.51.72;rport;branch=z9hG4bK.Og3Kapyas9Q5pyjaU7H89U4Bpg

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.whzehYW9f;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=2WdV6UPf4

To: <sip:zahersyed@sip.linphone.org>;tag=H~6CDmA

Call-ID: 8HjBSW5oyd

CSeq: 21 MESSAGE

12:08:09.924 [1;36mINFO[1;0m: channel [0x15d4b20]: received [311] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.JjCzspHgb;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=Dhpk6KyAh

To: <sip:pidoorbell@sip.linphone.org>

Call-ID: 3v9o3ojTwn

CSeq: 21 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

12:08:09.928 [1;36mINFO[1;0m: channel [0x15d4b20] [311] bytes parsed

12:08:09.929 [1;36mINFO[1;0m: Found transaction matching response.

12:08:09.929 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x15cb0d8], from state [TRYING] to [PROCEEDING]

12:08:09.930 [1;36mINFO[1;0m: channel [0x15d4b20]: received [274] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.whzehYW9f;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=2WdV6UPf4

To: <sip:zahersyed@sip.linphone.org>;tag=bviDg4T

Call-ID: 8HjBSW5oyd

CSeq: 21 MESSAGE

Content-Length: 0

12:08:09.934 [1;36mINFO[1;0m: channel [0x15d4b20] [274] bytes parsed

12:08:09.935 [1;36mINFO[1;0m: Found transaction matching response.

12:08:09.936 [1;36mINFO[1;0m: channel [0x15d4b20]: received [274] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.whzehYW9f;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=2WdV6UPf4

To: <sip:zahersyed@sip.linphone.org>;tag=bviDg4T

Call-ID: 8HjBSW5oyd

CSeq: 21 MESSAGE

Content-Length: 0

12:08:09.940 [1;36mINFO[1;0m: channel [0x15d4b20] [274] bytes parsed

12:08:09.940 [1;36mINFO[1;0m: Found transaction matching response.

12:08:10.281 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

12:08:10.281 [1;36mINFO[1;0m: channel [0x15d4b20]: message sent to [UDP://sip.linphone.org:5060], size: [758] bytes

MESSAGE sip:pidoorbell@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.JjCzspHgb;rport

From: <sip:zahersyed@sip.linphone.org>;tag=Dhpk6KyAh

To: sip:pidoorbell@sip.linphone.org

CSeq: 21 MESSAGE

Call-ID: 3v9o3ojTwn

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 16:07:43 GMT

User-Agent: (belle-sip/1.4.2)

Proxy-Authorization: Digest realm="sip.linphone.org",
nonce="z/i02gAAAACPXKyIAAAy0F4X1NEAAAA", algorithm=MD5, opaque="+GNyWA==",
username="zahersyed", uri="sip:pidoorbell@sip.linphone.org",
response="3f26e065131447eeb99ba7fa2caa2ab3", cnonce="0b7c3f7a", nc=00000001, qop=auth

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 12:07:43.446040'

12:08:10.422 [1;36mINFO[1;0m: channel [0x15d4b20]: received [311] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.JjCzspHgb;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=Dhpk6KyAh

To: <sip:pidoorbell@sip.linphone.org>

Call-ID: 3v9o3ojTwn

CSeq: 21 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

12:08:10.426 [1;36mINFO[1;0m: channel [0x15d4b20] [311] bytes parsed

12:08:10.427 [1;36mINFO[1;0m: Found transaction matching response.

12:08:10.501 [1;36mINFO[1;0m: channel [0x15d4b20]: received [275] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.JjCzspHgb;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=Dhpk6KyAh

To: <sip:pidoorbell@sip.linphone.org>;tag=jdDWGLF

Call-ID: 3v9o3ojTwn

CSeq: 21 MESSAGE

Content-Length: 0

12:08:10.506 [1;36mINFO[1;0m: channel [0x15d4b20] [275] bytes parsed

12:08:10.507 [1;36mINFO[1;0m: Found transaction matching response.

12:08:10.507 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x15cb0d8], from state [PROCEEDING] to [COMPLETED]

12:08:10.507 [1;36mINFO[1;0m: Chat message 0x168c6a0: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateDelivered

12:08:12.702 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1612b90], from state [COMPLETED] to [TERMINATED]

12:08:12.702 [1;36mINFO[1;0m: Client MESSAGE transaction [0x1612b90] terminated

12:08:12.702 [1;36mINFO[1;0m: Unhandled transaction terminated [0x1612b90]

12:08:14.782 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x168f360], from state [COMPLETED] to [TERMINATED]

12:08:14.782 [1;36mINFO[1;0m: Client MESSAGE transaction [0x168f360] terminated

12:08:14.782 [1;36mINFO[1;0m: Unhandled transaction terminated [0x168f360]

12:08:14.850 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x168e540], from state [COMPLETED] to [TERMINATED]

12:08:14.850 [1;36mINFO[1;0m: Client MESSAGE transaction [0x168e540] terminated

12:08:14.850 [1;36mINFO[1;0m: Unhandled transaction terminated [0x168e540]

12:08:15.507 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x15cb0d8], from state [COMPLETED] to [TERMINATED]

12:08:15.507 [1;36mINFO[1;0m: Client MESSAGE transaction [0x15cb0d8] terminated

12:08:15.507 [1;36mINFO[1;0m: Unhandled transaction terminated [0x15cb0d8]

12:08:17.693 [1;36mINFO[1;0m: channel [0x15d4b20]: keep alive sent to [UDP://sip.linphone.org:5060]

12:08:27.693 [1;36mINFO[1;0m: channel [0x15d4b20]: keep alive sent to [UDP://sip.linphone.org:5060]

12:08:37.693 [1;36mINFO[1;0m: channel [0x15d4b20]: keep alive sent to [UDP://sip.linphone.org:5060]

12:08:41.828 [1;36mINFO[1;0m: Changing [server] [MESSAGE] transaction [0x1695b68], from state [COMPLETED] to [TERMINATED]

12:08:41.828 [1;36mINFO[1;0m: Server MESSAGE transaction [0x1695b68] terminated

12:08:41.828 [1;36mINFO[1;0m: Unhandled transaction terminated [0x1695b68]

12:08:47.218 [1;36mINFO[1;0m: *Motion detected!*

12:08:48.221 [1;36mINFO[1;0m: Notifying contacts...

12:08:48.222 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

12:08:48.225 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

12:08:48.225 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76d02f40>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

12:08:48.232 [1;36mINFO[1;0m: Skipping top route of initial route-set because same as request-uri.

12:08:48.232 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x15f4f70], from state [INIT] to [TRYING]

12:08:48.233 [1;36mINFO[1;0m: channel [0x15d4b20]: message sent to [UDP://sip.linphone.org:5060], size: [476] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.LlpSQv5Ue;rport

From: <sip:zahersyed@sip.linphone.org>;tag=uhkoCavnW

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: 2cLZj1W0py

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 16:08:48 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 12:08:48.223903'

12:08:48.234 [1;36mINFO[1;0m: Chat message 0x160ebb8: moving from state
LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

12:08:48.234 [1;36mINFO[1;0m: Notifying pidoorbell@sip.linphone.org

12:08:48.237 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

12:08:48.237 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76d02f50>, ip =
None, ea = sip:linphone@10.1.10.45:5063, un = linphone

12:08:48.244 [1;36mINFO[1;0m: Skipping top route of initial route-set because same as request-uri.

12:08:48.245 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1666518], from state [INIT]
to [TRYING]

12:08:48.245 [1;36mINFO[1;0m: channel [0x15d4b20]: message sent to [UDP://sip.linphone.org:5060],
size: [478] bytes

MESSAGE sip:pidoorbell@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.QPN7hTWOX;rport

From: <sip:zahersyed@sip.linphone.org>;tag=BhTPILnqr

To: sip:pidoorbell@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: gOSej4mgna

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 16:08:48 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 12:08:48.236253'

12:08:48.247 [1;36mINFO[1;0m: Chat message 0x160ba58: moving from state
LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

12:08:53.044 [1;36mINFO[1;0m: Emailed and saved image to "/home/pi/emailedSecurityCameraImage-
2016-04-10T12:08:53.040874.jpg"

12:09:12.528 [1;36mINFO[1;0m: channel [0x15d4b20]: received [492] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 407 Proxy Authentication Required

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.LlpSQv5Ue;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=uhkoCavnW

To: <sip:zahersyed@sip.linphone.org>;tag=r56vNZQgm9aFB

Call-ID: 2cLZj1W0py

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Proxy-Authenticate: Digest realm="sip.linphone.org",
nonce="EPm02gAAAAAVaQfsAAAB6ZtCBu8AAAAA", opaque="+GNyWA==", algorithm=MD5, qop="auth"

Content-Length: 0

12:09:12.539 [1;36mINFO[1;0m: channel [0x15d4b20] [492] bytes parsed

12:09:12.540 [1;36mINFO[1;0m: Found transaction matching response.

12:09:12.541 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x15f4f70], from state
[TRYING] to [COMPLETED]

12:09:12.541 [1;36mINFO[1;0m: linphone_core_find_auth_info(): returning auth info
username=zahersyed, realm=sip.linphone.org

12:09:12.542 [1;36mINFO[1;0m: Auth info found for [zahersyed] realm [sip.linphone.org]

12:09:12.542 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x161e188], from state [INIT] to [TRYING]

12:09:12.544 [1;36mINFO[1;0m: channel [0x15d4b20]: message sent to [UDP://sip.linphone.org:5060], size: [755] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.rROJyLAir;rport

From: <sip:zahersyed@sip.linphone.org>;tag=uhkoCavnW

To: sip:zahersyed@sip.linphone.org

CSeq: 21 MESSAGE

Call-ID: 2cLZj1W0py

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 16:08:48 GMT

User-Agent: (belle-sip/1.4.2)

Proxy-Authorization: Digest realm="sip.linphone.org",
nonce="EPm02gAAAAAVaQfsAAAB6ZtCBu8AAAAA", algorithm=MD5, opaque="+GNyWA==",
username="zahersyed", uri="sip:zahersyed@sip.linphone.org",
response="354641c0efe7e0c400ee29ba23b573c5", cnonce="51a2d99b", nc=00000001, qop=auth

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 12:08:48.223903'

12:09:12.544 [1;36mINFO[1;0m: channel [0x15d4b20]: keep alive sent to [UDP://sip.linphone.org:5060]

12:09:12.545 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

12:09:12.546 [1;36mINFO[1;0m: channel [0x15d4b20]: message sent to [UDP://sip.linphone.org:5060], size: [478] bytes

MESSAGE sip:pidoorbell@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.QPN7hTWOX;rport

From: <sip:zahersyed@sip.linphone.org>;tag=BhTPIlnqr

To: sip:pidoorbell@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: gOSej4mgna

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 16:08:48 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 12:08:48.236253'

12:09:12.547 [1;36mINFO[1;0m: *Motion detected!*

12:09:13.553 [1;36mINFO[1;0m: channel [0x15d4b20]: received [493] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 407 Proxy Authentication Required

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.QPN7hTWOX;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=BhTPILnqr

To: <sip:pidoorbell@sip.linphone.org>;tag=Se0NQ8KHj11p

Call-ID: gOSej4mgna

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Proxy-Authenticate: Digest realm="sip.linphone.org",
nonce="EPm02gAAAAAJVvKAAAJUsvWORKAAAA", opaque="+GNyWA==", algorithm=MD5,
qop="auth"

Content-Length: 0

12:09:13.565 [1;36mINFO[1;0m: channel [0x15d4b20] [493] bytes parsed

12:09:13.566 [1;36mINFO[1;0m: Found transaction matching response.

12:09:13.566 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1666518], from state [TRYING] to [COMPLETED]

12:09:13.567 [1;36mINFO[1;0m: linphone_core_find_auth_info(): returning auth info
username=zahersyed, realm=sip.linphone.org

12:09:13.567 [1;36mINFO[1;0m: Auth info found for [zahersyed] realm [sip.linphone.org]

12:09:13.568 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x16082d8], from state [INIT]
to [TRYING]

12:09:13.569 [1;36mINFO[1;0m: channel [0x15d4b20]: message sent to [UDP://sip.linphone.org:5060],
size: [758] bytes

MESSAGE sip:pidoorbell@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.D1cHlotYn;rport

From: <sip:zahersyed@sip.linphone.org>;tag=BhTPILnqr

To: sip:pidoorbell@sip.linphone.org

CSeq: 21 MESSAGE

Call-ID: gOSej4mgna

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 16:08:48 GMT

User-Agent: (belle-sip/1.4.2)

Proxy-Authorization: Digest realm="sip.linphone.org",
nonce="EPm02gAAAAAJVvKAAAJUsvWORKAAAAA", algorithm=MD5, opaque="+GNyWA==",
username="zahersyed", uri="sip:pidoorbell@sip.linphone.org",
response="df8a52d360057913049031fe65246c23", cnonce="b330a1b6", nc=00000001, qop=auth

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 12:08:48.236253'

12:09:13.570 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

12:09:13.571 [1;36mINFO[1;0m: channel [0x15d4b20]: message sent to [UDP://sip.linphone.org:5060],
size: [755] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.rROJyLAir;rport

From: <sip:zahersyed@sip.linphone.org>;tag=uhkoCavnW

To: sip:zahersyed@sip.linphone.org

CSeq: 21 MESSAGE

Call-ID: 2cLZj1W0py

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 16:08:48 GMT

User-Agent: (belle-sip/1.4.2)

Proxy-Authorization: Digest realm="sip.linphone.org",
nonce="EPm02gAAAAAVaQfsAAAB6ZtCBu8AAAAA", algorithm=MD5, opaque="+GNyWA==",
username="zahersyed", uri="sip:zahersyed@sip.linphone.org",
response="354641c0efe7e0c400ee29ba23b573c5", cnonce="51a2d99b", nc=00000001, qop=auth

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 12:08:48.223903'

12:09:13.572 [1;36mINFO[1;0m: channel [0x15d4b20]: received [310] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.rROJyLAir;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=uhkoCavnW

To: <sip:zahersyed@sip.linphone.org>

Call-ID: 2cLZj1W0py

CSeq: 21 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

12:09:13.581 [1;36mINFO[1;0m: channel [0x15d4b20] [310] bytes parsed

12:09:13.582 [1;36mINFO[1;0m: Found transaction matching response.

12:09:13.582 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x161e188], from state [TRYING] to [PROCEEDING]

12:09:13.583 [1;36mINFO[1;0m: channel [0x15d4b20]: received [588] new bytes from [UDP://sip.linphone.org:5060]:

MESSAGE sip:zahersyed@173.12.114.238:5063 SIP/2.0

Via: SIP/2.0/UDP 37.59.51.72;rport;branch=z9hG4bK.H16m874QZBFQ9v086jyX8B5SSB

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.rROJyLAir;rport=5063;received=173.12.114.238

Max-Forwards: 69

From: <sip:zahersyed@sip.linphone.org>;tag=uhkoCavnW

To: <sip:zahersyed@sip.linphone.org>

Call-ID: 2cLZj1W0py

CSeq: 21 MESSAGE

Date: Sun, 10 Apr 2016 16:08:48 GMT

User-Agent: (belle-sip/1.4.2)

Supported: outbound

Content-Type: text/plain

Content-Length: 79

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 12:08:48.223903'

12:09:13.600 [1;36mINFO[1;0m: channel [0x15d4b20] [509] bytes parsed

12:09:13.601 [1;36mINFO[1;0m: channel [0x15d4b20] read [79] bytes of body from [sip.linphone.org:5060]

12:09:13.607 [1;36mINFO[1;0m: Changing [server] [MESSAGE] transaction [0x160c5b8], from state [INIT] to [TRYING]

12:09:13.612 [1;36mINFO[1;0m: Linphone core [0x1574120] notifying [message_received]

12:09:13.612 [1;36mINFO[1;0m: Linphone core [0x1574120] notifying [is_composing_received]

12:09:13.613 [1;36mINFO[1;0m: Changing [server] [MESSAGE] transaction [0x160c5b8], from state [TRYING] to [COMPLETED]

12:09:13.614 [1;36mINFO[1;0m: channel [0x15d4b20]: message sent to [UDP://sip.linphone.org:5060], size: [333] bytes

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 37.59.51.72;rport;branch=z9hG4bK.H16m874QZBFQ9v086jyX8B5SSB

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.rROJyLAir;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=uhkoCavnW

To: <sip:zahersyed@sip.linphone.org>;tag=KTPs3lu

Call-ID: 2cLZj1W0py

CSeq: 21 MESSAGE

12:09:13.614 [1;36mINFO[1;0m: Destroying op [0x16385f0] of type [SalOpMessage]

12:09:13.616 [1;36mINFO[1;0m: channel [0x15d4b20]: received [493] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 407 Proxy Authentication Required

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.QPN7hTWOX;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=BhTPILnqr

To: <sip:pidoorbell@sip.linphone.org>;tag=Se0NQt8KHj11p

Call-ID: gOSej4mgna

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Proxy-Authenticate: Digest realm="sip.linphone.org",
nonce="EPm02gAAAAAAJVvKAAAJUsvWORKAAAAA", opaque="+GNyWA==", algorithm=MD5,
qop="auth"

Content-Length: 0

12:09:13.627 [1;36mINFO[1;0m: channel [0x15d4b20] [493] bytes parsed

12:09:13.628 [1;36mINFO[1;0m: Found transaction matching response.

12:09:13.629 [1;36mINFO[1;0m: channel [0x15d4b20]: received [274] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.rROJyLAir;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=uhkoCavnW

To: <sip:zahersyed@sip.linphone.org>;tag=Mj7BBxh

Call-ID: 2cLZj1W0py

CSeq: 21 MESSAGE

Content-Length: 0

12:09:13.638 [1;36mINFO[1;0m: channel [0x15d4b20] [274] bytes parsed

12:09:13.639 [1;36mINFO[1;0m: Found transaction matching response.

12:09:13.639 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x161e188], from state [PROCEEDING] to [COMPLETED]

12:09:13.640 [1;36mINFO[1;0m: Chat message 0x160ebb8: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateDelivered

12:09:13.641 [1;36mINFO[1;0m: channel [0x15d4b20]: received [588] new bytes from [UDP://sip.linphone.org:5060]:

MESSAGE sip:zahersyed@173.12.114.238:5063 SIP/2.0

Via: SIP/2.0/UDP 37.59.51.72;rport;branch=z9hG4bK.H16m874QZBFQ9v086jyX8B5SSB

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.rROJyLAir;rport=5063;received=173.12.114.238

Max-Forwards: 69

From: <sip:zahersyed@sip.linphone.org>;tag=uhkoCavnW

To: <sip:zahersyed@sip.linphone.org>

Call-ID: 2cLZj1W0py

CSeq: 21 MESSAGE

Date: Sun, 10 Apr 2016 16:08:48 GMT

User-Agent: (belle-sip/1.4.2)

Supported: outbound

Content-Type: text/plain

Content-Length: 79

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 12:08:48.223903'

12:09:13.652 [1;36mINFO[1;0m: channel [0x15d4b20] [509] bytes parsed

12:09:13.652 [1;36mINFO[1;0m: channel [0x15d4b20] read [79] bytes of body from [sip.linphone.org:5060]

12:09:13.653 [1;36mINFO[1;0m: Found transaction [0x160c5b8] matching request.

12:09:13.653 [1;36mINFO[1;0m: channel [0x15d4b20]: message sent to [UDP://sip.linphone.org:5060], size: [333] bytes

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 37.59.51.72;rport;branch=z9hG4bK.H16m874QZBFQ9v086jyX8B5SSB

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.rROJyLAir;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=uhkoCavnW

To: <sip:zahersyed@sip.linphone.org>;tag=KTPs3lu

Call-ID: 2cLZj1W0py

CSeq: 21 MESSAGE

12:09:13.713 [1;36mINFO[1;0m: channel [0x15d4b20]: received [311] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.D1cHlotYn;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=BhTPILnqr

To: <sip:pidoorbell@sip.linphone.org>

Call-ID: gOSej4mgna

CSeq: 21 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

12:09:13.718 [1;36mINFO[1;0m: channel [0x15d4b20] [311] bytes parsed

12:09:13.718 [1;36mINFO[1;0m: Found transaction matching response.

12:09:13.718 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x16082d8], from state [TRYING] to [PROCEEDING]

12:09:13.719 [1;36mINFO[1;0m: channel [0x15d4b20]: received [274] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.rROJyLAir;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=uhkoCavnW

To: <sip:zahersyed@sip.linphone.org>;tag=Mj7BBxh

Call-ID: 2cLZj1W0py

CSeq: 21 MESSAGE

Content-Length: 0

12:09:13.723 [1;36mINFO[1;0m: channel [0x15d4b20] [274] bytes parsed

12:09:13.724 [1;36mINFO[1;0m: Found transaction matching response.

12:09:13.964 [1;36mINFO[1;0m: channel [0x15d4b20]: received [275] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.D1cHlotYn;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=BhTPILnqr

To: <sip:pidoorbell@sip.linphone.org>;tag=w9LpAhY

Call-ID: gOSej4mgna

CSeq: 21 MESSAGE

Content-Length: 0

12:09:13.968 [1;36mINFO[1;0m: channel [0x15d4b20] [275] bytes parsed

12:09:13.969 [1;36mINFO[1;0m: Found transaction matching response.

12:09:13.969 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x16082d8], from state [PROCEEDING] to [COMPLETED]

12:09:13.969 [1;36mINFO[1;0m: Chat message 0x160ba58: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateDelivered

12:09:17.544 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x15f4f70], from state [COMPLETED] to [TERMINATED]

12:09:17.544 [1;36mINFO[1;0m: Client MESSAGE transaction [0x15f4f70] terminated

12:09:17.544 [1;36mINFO[1;0m: Unhandled transaction terminated [0x15f4f70]

12:09:18.569 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1666518], from state [COMPLETED] to [TERMINATED]

12:09:18.569 [1;36mINFO[1;0m: Client MESSAGE transaction [0x1666518] terminated

12:09:18.569 [1;36mINFO[1;0m: Unhandled transaction terminated [0x1666518]

12:09:18.640 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x161e188], from state [COMPLETED] to [TERMINATED]

12:09:18.640 [1;36mINFO[1;0m: Client MESSAGE transaction [0x161e188] terminated

12:09:18.640 [1;36mINFO[1;0m: Unhandled transaction terminated [0x161e188]

12:09:18.970 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x16082d8], from state [COMPLETED] to [TERMINATED]

12:09:18.970 [1;36mINFO[1;0m: Client MESSAGE transaction [0x16082d8] terminated

12:09:18.970 [1;36mINFO[1;0m: Unhandled transaction terminated [0x16082d8]

12:09:22.527 [1;36mINFO[1;0m: channel [0x15d4b20]: keep alive sent to [UDP://sip.linphone.org:5060]

12:09:32.527 [1;36mINFO[1;0m: channel [0x15d4b20]: keep alive sent to [UDP://sip.linphone.org:5060]

12:09:42.527 [1;36mINFO[1;0m: channel [0x15d4b20]: keep alive sent to [UDP://sip.linphone.org:5060]

12:09:45.613 [1;36mINFO[1;0m: Changing [server] [MESSAGE] transaction [0x160c5b8], from state [COMPLETED] to [TERMINATED]

12:09:45.613 [1;36mINFO[1;0m: Server MESSAGE transaction [0x160c5b8] terminated

12:09:45.613 [1;36mINFO[1;0m: Unhandled transaction terminated [0x160c5b8]

12:09:52.527 [1;36mINFO[1;0m: channel [0x15d4b20]: keep alive sent to [UDP://sip.linphone.org:5060]

12:09:57.917 [1;36mINFO[1;0m: *Motion detected!*

12:09:58.921 [1;36mINFO[1;0m: Notifying contacts...

12:09:58.921 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

12:09:58.924 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

12:09:58.925 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76d02ff0>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

12:09:58.931 [1;36mINFO[1;0m: Skipping top route of initial route-set because same as request-uri.

12:09:58.932 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x168cbf8], from state [INIT] to [TRYING]

12:09:58.932 [1;36mINFO[1;0m: channel [0x15d4b20]: message sent to [UDP://sip.linphone.org:5060], size: [476] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.ZDEiup50-;rport

From: <sip:zahersyed@sip.linphone.org>;tag=pflmkuo2X

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: lcPXCOGgeu

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 16:09:58 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 12:09:58.923370'

12:09:58.934 [1;36mINFO[1;0m: Chat message 0x15cbc40: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

12:09:58.934 [1;36mINFO[1;0m: Notifying pidoorbell@sip.linphone.org

12:09:58.937 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

12:09:58.937 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76a69060>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

12:09:58.943 [1;36mINFO[1;0m: Skipping top route of initial route-set because same as request-uri.

12:09:58.944 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1612990], from state [INIT] to [TRYING]

12:09:58.945 [1;36mINFO[1;0m: channel [0x15d4b20]: message sent to [UDP://sip.linphone.org:5060], size: [478] bytes

MESSAGE sip:pidoorbell@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.0CPRYGeLK;rport

From: <sip:zahersyed@sip.linphone.org>;tag=RGoReOgPQ

To: sip:pidoorbell@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: UtAY8hme3d

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 16:09:58 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 12:09:58.935860'

12:09:58.946 [1;36mINFO[1;0m: Chat message 0x16971d8: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

12:10:03.954 [1;36mINFO[1;0m: Emailed and saved image to "/home/pi/emailedSecurityCameraImage-2016-04-10T12:10:03.943249.jpg"

12:10:23.405 [1;36mINFO[1;0m: channel [0x15d4b20]: received [492] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 407 Proxy Authentication Required

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.ZDEiup50-;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=pflmkuo2X

To: <sip:zahersyed@sip.linphone.org>;tag=02epcXpe7Krrg

Call-ID: IcPXCOGgeu

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Proxy-Authenticate: Digest realm="sip.linphone.org",
nonce="V/m02gAAAACvgAJRAACRrMtMatEAAAAA", opaque="+GNyWA==", algorithm=MD5,
qop="auth"

Content-Length: 0

12:10:23.412 [1;36mINFO[1;0m: channel [0x15d4b20] [492] bytes parsed

12:10:23.413 [1;36mINFO[1;0m: Found transaction matching response.

12:10:23.413 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x168cbf8], from state [TRYING] to [COMPLETED]

12:10:23.414 [1;36mINFO[1;0m: linphone_core_find_auth_info(): returning auth info
username=zahersyed, realm=sip.linphone.org

12:10:23.414 [1;36mINFO[1;0m: Auth info found for [zahersyed] realm [sip.linphone.org]

12:10:23.415 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x169a378], from state [INIT] to [TRYING]

12:10:23.416 [1;36mINFO[1;0m: channel [0x15d4b20]: message sent to [UDP://sip.linphone.org:5060],
size: [755] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.JZvJUD2yT;rport

From: <sip:zahersyed@sip.linphone.org>;tag=pflmkuo2X

To: sip:zahersyed@sip.linphone.org

CSeq: 21 MESSAGE

Call-ID: lcPXCOGgeu

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 16:09:58 GMT

User-Agent: (belle-sip/1.4.2)

Proxy-Authorization: Digest realm="sip.linphone.org",
nonce="V/m02gAAAACvgAJRAACRrMtMatEAAAAA", algorithm=MD5, opaque="+GNyWA==",

username="zahersyed", uri="sip:zahersyed@sip.linphone.org",
response="3c24292c835dcc349f7ae0cef8551f5a", cnonce="9396217e", nc=00000001, qop=auth

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 12:09:58.923370'

12:10:23.416 [1;36mINFO[1;0m: channel [0x15d4b20]: keep alive sent to [UDP://sip.linphone.org:5060]

12:10:23.417 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

12:10:23.417 [1;36mINFO[1;0m: channel [0x15d4b20]: message sent to [UDP://sip.linphone.org:5060],
size: [478] bytes

MESSAGE sip:pidoorbell@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.0CPRYGeLK;rport

From: <sip:zahersyed@sip.linphone.org>;tag=RGoReOgPQ

To: sip:pidoorbell@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: UtAY8hme3d

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 16:09:58 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 12:09:58.935860'

12:10:23.418 [1;36mINFO[1;0m: channel [0x15d4b20]: received [493] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 407 Proxy Authentication Required

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.0CPRYGeLK;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=RGoReOgPQ

To: <sip:pidoorbell@sip.linphone.org>;tag=2m17FKrN154XQ

Call-ID: UtAY8hme3d

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Proxy-Authenticate: Digest realm="sip.linphone.org",
nonce="V/m02gAAAACF+KkNAAB6m8TXx4cAAAAA", opaque="+GNyWA==", algorithm=MD5,
qop="auth"

Content-Length: 0

12:10:23.425 [1;36mINFO[1;0m: channel [0x15d4b20] [493] bytes parsed

12:10:23.425 [1;36mINFO[1;0m: Found transaction matching response.

12:10:23.425 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1612990], from state [TRYING] to [COMPLETED]

12:10:23.426 [1;36mINFO[1;0m: linphone_core_find_auth_info(): returning auth info
username=zahersyed, realm=sip.linphone.org

12:10:23.426 [1;36mINFO[1;0m: Auth info found for [zahersyed] realm [sip.linphone.org]

12:10:23.426 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x168d1f0], from state [INIT] to [TRYING]

12:10:23.427 [1;36mINFO[1;0m: channel [0x15d4b20]: message sent to [UDP://sip.linphone.org:5060],
size: [758] bytes

MESSAGE sip:pidoorbell@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.S21ykW06V;rport

From: <sip:zahersyed@sip.linphone.org>;tag=RGoReOgPQ

To: sip:pidoorbell@sip.linphone.org

CSeq: 21 MESSAGE

Call-ID: UtAY8hme3d

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 16:09:58 GMT

User-Agent: (belle-sip/1.4.2)

Proxy-Authorization: Digest realm="sip.linphone.org",
nonce="V/m02gAAAACF+KkNAAB6m8TXx4cAAAAA", algorithm=MD5, opaque="+GNyWA==",
username="zahersyed", uri="sip:pidoorbell@sip.linphone.org",
response="696386a4d529260e76832a8dd37ce85a", cnonce="41d34a44", nc=00000001, qop=auth

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 12:09:58.935860'

12:10:23.552 [1;36mINFO[1;0m: channel [0x15d4b20]: received [310] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.JZvJUD2yT;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=pflmkuo2X

To: <sip:zahersyed@sip.linphone.org>

Call-ID: lcPXCOGgeu

CSeq: 21 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

12:10:23.557 [1;36mINFO[1;0m: channel [0x15d4b20] [310] bytes parsed

12:10:23.558 [1;36mINFO[1;0m: Found transaction matching response.

12:10:23.558 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x169a378], from state
[TRYING] to [PROCEEDING]

12:10:23.559 [1;36mINFO[1;0m: channel [0x15d4b20]: received [588] new bytes from
[UDP://sip.linphone.org:5060]:

MESSAGE sip:zahersyed@173.12.114.238:5063 SIP/2.0

Via: SIP/2.0/UDP 37.59.51.72;rport;branch=z9hG4bK.FSQyayrKtmtDeUyN6aZF9NB7KH

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.JZvJUD2yT;rport=5063;received=173.12.114.238

Max-Forwards: 69

From: <sip:zahersyed@sip.linphone.org>;tag=pflmkuo2X

To: <sip:zahersyed@sip.linphone.org>

Call-ID: lcPXCOGgeu

CSeq: 21 MESSAGE

Date: Sun, 10 Apr 2016 16:09:58 GMT

User-Agent: (belle-sip/1.4.2)

Supported: outbound

Content-Type: text/plain

Content-Length: 79

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 12:09:58.923370'

12:10:23.567 [1;36mINFO[1;0m: channel [0x15d4b20] [509] bytes parsed

12:10:23.568 [1;36mINFO[1;0m: channel [0x15d4b20] read [79] bytes of body from [sip.linphone.org:5060]

12:10:23.571 [1;36mINFO[1;0m: Changing [server] [MESSAGE] transaction [0x15c9a80], from state [INIT] to [TRYING]

12:10:23.574 [1;36mINFO[1;0m: Linphone core [0x1574120] notifying [message_received]

12:10:23.574 [1;36mINFO[1;0m: Linphone core [0x1574120] notifying [is_composing_received]

12:10:23.574 [1;36mINFO[1;0m: Changing [server] [MESSAGE] transaction [0x15c9a80], from state [TRYING] to [COMPLETED]

12:10:23.575 [1;36mINFO[1;0m: channel [0x15d4b20]: message sent to [UDP://sip.linphone.org:5060], size: [333] bytes

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 37.59.51.72;rport;branch=z9hG4bK.FSQyayrKtmtDeUyN6aZF9NB7KH

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.JZvJUD2yT;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=pflmkuo2X

To: <sip:zahersyed@sip.linphone.org>;tag=U1x5RIF

Call-ID: lcPXCOGgeu

CSeq: 21 MESSAGE

12:10:23.575 [1;36mINFO[1;0m: Destroying op [0x168d5f8] of type [SalOpMessage]

12:10:23.576 [1;36mINFO[1;0m: channel [0x15d4b20]: received [493] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 407 Proxy Authentication Required

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.0CPRyGeLK;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=RGoReOgPQ

To: <sip:pidoorbell@sip.linphone.org>;tag=2m17FKrN154XQ

Call-ID: UtAY8hme3d

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Proxy-Authenticate: Digest realm="sip.linphone.org",
nonce="V/m02gAAAACF+KkNAAB6m8TXx4cAAAAA", opaque="+GNyWA==", algorithm=MD5,
qop="auth"

Content-Length: 0

12:10:23.582 [1;36mINFO[1;0m: channel [0x15d4b20] [493] bytes parsed

12:10:23.582 [1;36mINFO[1;0m: Found transaction matching response.

12:10:23.583 [1;36mINFO[1;0m: channel [0x15d4b20]: received [311] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.S21ykw06V;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=RGoReOgPQ

To: <sip:pidoorbell@sip.linphone.org>

Call-ID: UtAY8hme3d

CSeq: 21 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

12:10:23.588 [1;36mINFO[1;0m: channel [0x15d4b20] [311] bytes parsed

12:10:23.588 [1;36mINFO[1;0m: Found transaction matching response.

12:10:23.588 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x168d1f0], from state [TRYING] to [PROCEEDING]

12:10:23.716 [1;36mINFO[1;0m: channel [0x15d4b20]: received [274] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.JZvJUD2yT;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=pflmkuo2X

To: <sip:zahersyed@sip.linphone.org>;tag=U1x5RIF

Call-ID: lcPXCOGgeu

CSeq: 21 MESSAGE

Content-Length: 0

12:10:23.720 [1;36mINFO[1;0m: channel [0x15d4b20] [274] bytes parsed

12:10:23.721 [1;36mINFO[1;0m: Found transaction matching response.

12:10:23.721 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x169a378], from state [PROCEEDING] to [COMPLETED]

12:10:23.721 [1;36mINFO[1;0m: Chat message 0x15cbc40: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateDelivered

12:10:23.905 [1;36mINFO[1;0m: channel [0x15d4b20]: received [275] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.S21ykw06V;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=RGoReOgPQ

To: <sip:pidoorbell@sip.linphone.org>;tag=eRtK14E

Call-ID: UtAY8hme3d

CSeq: 21 MESSAGE

Content-Length: 0

12:10:23.911 [1;36mINFO[1;0m: channel [0x15d4b20] [275] bytes parsed

12:10:23.912 [1;36mINFO[1;0m: Found transaction matching response.

12:10:23.912 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x168d1f0], from state [PROCEEDING] to [COMPLETED]

12:10:23.912 [1;36mINFO[1;0m: Chat message 0x16971d8: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateDelivered

12:10:28.416 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x168cbf8], from state [COMPLETED] to [TERMINATED]

12:10:28.416 [1;36mINFO[1;0m: Client MESSAGE transaction [0x168cbf8] terminated

12:10:28.417 [1;36mINFO[1;0m: Unhandled transaction terminated [0x168cbf8]

12:10:28.427 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1612990], from state [COMPLETED] to [TERMINATED]

12:10:28.427 [1;36mINFO[1;0m: Client MESSAGE transaction [0x1612990] terminated

12:10:28.427 [1;36mINFO[1;0m: Unhandled transaction terminated [0x1612990]

12:10:28.721 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x169a378], from state [COMPLETED] to [TERMINATED]

12:10:28.721 [1;36mINFO[1;0m: Client MESSAGE transaction [0x169a378] terminated

12:10:28.721 [1;36mINFO[1;0m: Unhandled transaction terminated [0x169a378]

12:10:28.912 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x168d1f0], from state [COMPLETED] to [TERMINATED]

12:10:28.912 [1;36mINFO[1;0m: Client MESSAGE transaction [0x168d1f0] terminated

12:10:28.912 [1;36mINFO[1;0m: Unhandled transaction terminated [0x168d1f0]

12:10:33.405 [1;36mINFO[1;0m: channel [0x15d4b20]: keep alive sent to [UDP://sip.linphone.org:5060]

12:10:43.405 [1;36mINFO[1;0m: channel [0x15d4b20]: keep alive sent to [UDP://sip.linphone.org:5060]

12:10:53.405 [1;36mINFO[1;0m: channel [0x15d4b20]: keep alive sent to [UDP://sip.linphone.org:5060]

12:10:55.574 [1;36mINFO[1;0m: Changing [server] [MESSAGE] transaction [0x15c9a80], from state [COMPLETED] to [TERMINATED]

12:10:55.574 [1;36mINFO[1;0m: Server MESSAGE transaction [0x15c9a80] terminated

12:10:55.574 [1;36mINFO[1;0m: Unhandled transaction terminated [0x15c9a80]

12:11:02.011 [1;36mINFO[1;0m: *Motion detected!*

12:11:03.014 [1;36mINFO[1;0m: Notifying contacts...

12:11:03.015 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

12:11:03.017 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

12:11:03.018 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76a69130>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

12:11:03.024 [1;36mINFO[1;0m: Skipping top route of initial route-set because same as request-uri.

12:11:03.025 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1693ce8], from state [INIT] to [TRYING]

12:11:03.025 [1;36mINFO[1;0m: channel [0x15d4b20]: message sent to [UDP://sip.linphone.org:5060], size: [476] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.zo3EYp1~G;rport

From: <sip:zahersyed@sip.linphone.org>;tag=nmmegzmmw

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: MJvEqaQv1G

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 16:11:03 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 12:11:03.016598'

12:11:03.027 [1;36mINFO[1;0m: Chat message 0x1615da0: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

12:11:03.027 [1;36mINFO[1;0m: Notifying pidoorbelle@sip.linphone.org

12:11:03.030 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

12:11:03.030 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76a69110>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

12:11:03.036 [1;36mINFO[1;0m: Skipping top route of initial route-set because same as request-uri.

12:11:03.037 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x160b5e8], from state [INIT] to [TRYING]

12:11:03.038 [1;36mINFO[1;0m: channel [0x15d4b20]: message sent to [UDP://sip.linphone.org:5060], size: [478] bytes

MESSAGE sip:pidoorbell@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.UixlWSzD7;rport

From: <sip:zahersyed@sip.linphone.org>;tag=gEtpYTpuR

To: sip:pidoorbell@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: WuTkV4OBlo

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 16:11:03 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 12:11:03.028763'

12:11:03.039 [1;36mINFO[1;0m: Chat message 0x1613c18: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

12:11:08.004 [1;36mINFO[1;0m: Emailed and saved image to "/home/pi/emailedSecurityCameraImage-2016-04-10T12:11:07.999997.jpg"

12:11:27.458 [1;36mINFO[1;0m: channel [0x15d4b20]: received [492] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 407 Proxy Authentication Required

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.zo3EYp1~G;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=nmmegezmmw

To: <sip:zahersyed@sip.linphone.org>;tag=FXNaymN3y2FrH

Call-ID: MJvEqqQv1G

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Proxy-Authenticate: Digest realm="sip.linphone.org", nonce="l/m02gAAAABbRslxAABD/s91ZOAAAAA", opaque="+GNyWA==", algorithm=MD5, qop="auth"

Content-Length: 0

12:11:27.470 [1;36mINFO[1;0m: channel [0x15d4b20] [492] bytes parsed

12:11:27.471 [1;36mINFO[1;0m: Found transaction matching response.

12:11:27.471 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1693ce8], from state [TRYING] to [COMPLETED]

12:11:27.472 [1;36mINFO[1;0m: linphone_core_find_auth_info(): returning auth info username=zahersyed, realm=sip.linphone.org

12:11:27.472 [1;36mINFO[1;0m: Auth info found for [zahersyed] realm [sip.linphone.org]

12:11:27.473 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1613828], from state [INIT] to [TRYING]

12:11:27.474 [1;36mINFO[1;0m: channel [0x15d4b20]: message sent to [UDP://sip.linphone.org:5060], size: [755] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.pHuzbL~7M;rport

From: <sip:zahersyed@sip.linphone.org>;tag=nmmegzmmw

To: sip:zahersyed@sip.linphone.org

CSeq: 21 MESSAGE

Call-ID: MJvEqaQv1G

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 16:11:03 GMT

User-Agent: (belle-sip/1.4.2)

Proxy-Authorization: Digest realm="sip.linphone.org",
nonce="/m02gAAAABbRslxAABD/s91ZOsAAAAA", algorithm=MD5, opaque="+GNyWA==",
username="zahersyed", uri="sip:zahersyed@sip.linphone.org",
response="e33b215051a57ae41158b59ea108bc60", cnonce="1391de21", nc=00000001, qop=auth

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 12:11:03.016598'

12:11:27.475 [1;36mINFO[1;0m: channel [0x15d4b20]: keep alive sent to [UDP://sip.linphone.org:5060]

12:11:27.475 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

12:11:27.476 [1;36mINFO[1;0m: channel [0x15d4b20]: message sent to [UDP://sip.linphone.org:5060],
size: [478] bytes

MESSAGE sip:pidoorbell@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.UixlWSzD7;rport

From: <sip:zahersyed@sip.linphone.org>;tag=gEtpYTpuR

To: sip:pidoorbell@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: WuTkV4OBlo

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 16:11:03 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 12:11:03.028763'

12:11:27.478 [1;36mINFO[1;0m: channel [0x15d4b20]: received [493] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 407 Proxy Authentication Required

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.UixlWSzD7;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=gEtpYTpuR

To: <sip:pidoorbell@sip.linphone.org>;tag=g6e3ZF66UB6aD

Call-ID: WuTkV4OBlo

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Proxy-Authenticate: Digest realm="sip.linphone.org",
nonce="/m02gAAAABGAh1QAADI1eAa4XsAAAAA", opaque="+GNyWA==", algorithm=MD5, qop="auth"

Content-Length: 0

12:11:27.489 [1;36mINFO[1;0m: channel [0x15d4b20] [493] bytes parsed

12:11:27.490 [1;36mINFO[1;0m: Found transaction matching response.

12:11:27.491 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x160b5e8], from state [TRYING] to [COMPLETED]

12:11:27.491 [1;36mINFO[1;0m: linphone_core_find_auth_info(): returning auth info
username=zahersyed, realm=sip.linphone.org

12:11:27.492 [1;36mINFO[1;0m: Auth info found for [zahersyed] realm [sip.linphone.org]

12:11:27.492 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x169a818], from state [INIT] to [TRYING]

12:11:27.494 [1;36mINFO[1;0m: channel [0x15d4b20]: message sent to [UDP://sip.linphone.org:5060],
size: [758] bytes

MESSAGE sip:pidoorbell@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.Q1Hmrnkfg;rport

From: <sip:zahersyed@sip.linphone.org>;tag=gEtpYTpuR

To: sip:pidoorbell@sip.linphone.org

CSeq: 21 MESSAGE

Call-ID: WuTkV4OBlo

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 16:11:03 GMT

User-Agent: (belle-sip/1.4.2)

Proxy-Authorization: Digest realm="sip.linphone.org",
nonce="/m02gAAAABGAh1QAADI1eAa4XsAAAAA", algorithm=MD5, opaque="+GNyWA==",
username="zahersyed", uri="sip:pidoorbell@sip.linphone.org",
response="c9af15d368dad21aa706bbf3a0fa1d51", cnonce="c8135277", nc=00000001, qop=auth

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 12:11:03.028763'

12:11:27.616 [1;36mINFO[1;0m: channel [0x15d4b20]: received [310] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.pHuzbL~7M;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=nmmegzmmw

To: <sip:zahersyed@sip.linphone.org>

Call-ID: MJvEqQv1G

CSeq: 21 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

12:11:27.620 [1;36mINFO[1;0m: channel [0x15d4b20] [310] bytes parsed

12:11:27.621 [1;36mINFO[1;0m: Found transaction matching response.

12:11:27.621 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1613828], from state
[TRYING] to [PROCEEDING]

12:11:27.622 [1;36mINFO[1;0m: channel [0x15d4b20]: received [588] new bytes from
[UDP://sip.linphone.org:5060]:

MESSAGE sip:zahersyed@173.12.114.238:5063 SIP/2.0

Via: SIP/2.0/UDP 37.59.51.72;rport;branch=z9hG4bK.r2ta23pDr2avj13SB6t42UmgKg

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.pHuzbL~7M;rport=5063;received=173.12.114.238

Max-Forwards: 69

From: <sip:zahersyed@sip.linphone.org>;tag=nmmegzmmw

To: <sip:zahersyed@sip.linphone.org>

Call-ID: MJvEqaQv1G

CSeq: 21 MESSAGE

Date: Sun, 10 Apr 2016 16:11:03 GMT

User-Agent: (belle-sip/1.4.2)

Supported: outbound

Content-Type: text/plain

Content-Length: 79

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 12:11:03.016598'

12:11:27.631 [1;36mINFO[1;0m: channel [0x15d4b20] [509] bytes parsed

12:11:27.631 [1;36mINFO[1;0m: channel [0x15d4b20] read [79] bytes of body from
[sip.linphone.org:5060]

12:11:27.634 [1;36mINFO[1;0m: Changing [server] [MESSAGE] transaction [0x15caf30], from state [INIT]
to [TRYING]

12:11:27.637 [1;36mINFO[1;0m: Linphone core [0x1574120] notifying [message_received]

12:11:27.637 [1;36mINFO[1;0m: Linphone core [0x1574120] notifying [is_composing_received]

12:11:27.638 [1;36mINFO[1;0m: Changing [server] [MESSAGE] transaction [0x15caf30], from state
[TRYING] to [COMPLETED]

12:11:27.638 [1;36mINFO[1;0m: channel [0x15d4b20]: message sent to [UDP://sip.linphone.org:5060],
size: [333] bytes

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 37.59.51.72;rport;branch=z9hG4bK.r2ta23pDr2avj13SB6t42UmgKg

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.pHuzbL~7M;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=nmmezmmw

To: <sip:zahersyed@sip.linphone.org>;tag=vE-DeSq

Call-ID: MJvEqaQv1G

CSeq: 21 MESSAGE

12:11:27.638 [1;36mINFO[1;0m: Destroying op [0x15f61f8] of type [SalOpMessage]

12:11:27.639 [1;36mINFO[1;0m: channel [0x15d4b20]: received [493] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 407 Proxy Authentication Required

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.UixlWSzD7;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=gEtpYTpuR

To: <sip:pidoorbell@sip.linphone.org>;tag=g6e3ZF66UB6aD

Call-ID: WuTkV4OBlo

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Proxy-Authenticate: Digest realm="sip.linphone.org",
nonce="/m02gAAAABGAh1QAADI1eAa4XsAAAAA", opaque="+GNyWA==", algorithm=MD5, qop="auth"

Content-Length: 0

12:11:27.645 [1;36mINFO[1;0m: channel [0x15d4b20] [493] bytes parsed

12:11:27.646 [1;36mINFO[1;0m: Found transaction matching response.

12:11:27.646 [1;36mINFO[1;0m: channel [0x15d4b20]: received [311] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.Q1Hmrnkfg;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=gEtpYTpuR

To: <sip:pidoorbell@sip.linphone.org>

Call-ID: WuTkV4OBlo

CSeq: 21 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

12:11:27.651 [1;36mINFO[1;0m: channel [0x15d4b20] [311] bytes parsed

12:11:27.651 [1;36mINFO[1;0m: Found transaction matching response.

12:11:27.652 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x169a818], from state [TRYING] to [PROCEEDING]

12:11:27.778 [1;36mINFO[1;0m: channel [0x15d4b20]: received [274] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.pHuzbL~7M;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=nmmegzmmw

To: <sip:zahersyed@sip.linphone.org>;tag=vE-DeSq

Call-ID: MJvEqaQv1G

CSeq: 21 MESSAGE

Content-Length: 0

12:11:27.783 [1;36mINFO[1;0m: channel [0x15d4b20] [274] bytes parsed

12:11:27.783 [1;36mINFO[1;0m: Found transaction matching response.

12:11:27.784 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1613828], from state [PROCEEDING] to [COMPLETED]

12:11:27.784 [1;36mINFO[1;0m: Chat message 0x1615da0: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateDelivered

12:11:27.986 [1;36mINFO[1;0m: channel [0x15d4b20]: received [275] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.Q1Hmrnkfg;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=gEtpYTpuR

To: <sip:pidoorbell@sip.linphone.org>;tag=WwAd9XM

Call-ID: WuTkV4OBlo

CSeq: 21 MESSAGE

Content-Length: 0

12:11:27.991 [1;36mINFO[1;0m: channel [0x15d4b20] [275] bytes parsed

12:11:27.991 [1;36mINFO[1;0m: Found transaction matching response.

12:11:27.991 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x169a818], from state [PROCEEDING] to [COMPLETED]

12:11:27.992 [1;36mINFO[1;0m: Chat message 0x1613c18: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateDelivered

12:11:32.475 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1693ce8], from state [COMPLETED] to [TERMINATED]

12:11:32.475 [1;36mINFO[1;0m: Client MESSAGE transaction [0x1693ce8] terminated

12:11:32.475 [1;36mINFO[1;0m: Unhandled transaction terminated [0x1693ce8]

12:11:32.494 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x160b5e8], from state [COMPLETED] to [TERMINATED]

12:11:32.494 [1;36mINFO[1;0m: Client MESSAGE transaction [0x160b5e8] terminated

12:11:32.494 [1;36mINFO[1;0m: Unhandled transaction terminated [0x160b5e8]

12:11:32.784 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1613828], from state [COMPLETED] to [TERMINATED]

12:11:32.784 [1;36mINFO[1;0m: Client MESSAGE transaction [0x1613828] terminated

12:11:32.784 [1;36mINFO[1;0m: Unhandled transaction terminated [0x1613828]

12:11:32.992 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x169a818], from state [COMPLETED] to [TERMINATED]

12:11:32.992 [1;36mINFO[1;0m: Client MESSAGE transaction [0x169a818] terminated

12:11:32.992 [1;36mINFO[1;0m: Unhandled transaction terminated [0x169a818]

12:11:37.458 [1;36mINFO[1;0m: channel [0x15d4b20]: keep alive sent to [UDP://sip.linphone.org:5060]

12:11:47.458 [1;36mINFO[1;0m: channel [0x15d4b20]: keep alive sent to [UDP://sip.linphone.org:5060]

12:11:57.458 [1;36mINFO[1;0m: channel [0x15d4b20]: keep alive sent to [UDP://sip.linphone.org:5060]

12:11:59.637 [1;36mINFO[1;0m: Changing [server] [MESSAGE] transaction [0x15caf30], from state [COMPLETED] to [TERMINATED]

12:11:59.637 [1;36mINFO[1;0m: Server MESSAGE transaction [0x15caf30] terminated

12:11:59.637 [1;36mINFO[1;0m: Unhandled transaction terminated [0x15caf30]

12:12:07.458 [1;36mINFO[1;0m: channel [0x15d4b20]: keep alive sent to [UDP://sip.linphone.org:5060]

12:12:17.458 [1;36mINFO[1;0m: channel [0x15d4b20]: keep alive sent to [UDP://sip.linphone.org:5060]

12:12:27.458 [1;36mINFO[1;0m: channel [0x15d4b20]: keep alive sent to [UDP://sip.linphone.org:5060]
12:12:37.458 [1;36mINFO[1;0m: channel [0x15d4b20]: keep alive sent to [UDP://sip.linphone.org:5060]
12:12:47.458 [1;36mINFO[1;0m: channel [0x15d4b20]: keep alive sent to [UDP://sip.linphone.org:5060]
12:12:57.458 [1;36mINFO[1;0m: channel [0x15d4b20]: keep alive sent to [UDP://sip.linphone.org:5060]
12:13:07.458 [1;36mINFO[1;0m: channel [0x15d4b20]: keep alive sent to [UDP://sip.linphone.org:5060]
12:13:17.458 [1;36mINFO[1;0m: channel [0x15d4b20]: keep alive sent to [UDP://sip.linphone.org:5060]
12:13:27.458 [1;36mINFO[1;0m: channel [0x15d4b20]: keep alive sent to [UDP://sip.linphone.org:5060]
12:13:37.458 [1;36mINFO[1;0m: channel [0x15d4b20]: keep alive sent to [UDP://sip.linphone.org:5060]
12:13:47.458 [1;36mINFO[1;0m: channel [0x15d4b20]: keep alive sent to [UDP://sip.linphone.org:5060]
12:13:57.458 [1;36mINFO[1;0m: channel [0x15d4b20]: keep alive sent to [UDP://sip.linphone.org:5060]
12:14:07.458 [1;36mINFO[1;0m: channel [0x15d4b20]: keep alive sent to [UDP://sip.linphone.org:5060]
12:14:17.458 [1;36mINFO[1;0m: channel [0x15d4b20]: keep alive sent to [UDP://sip.linphone.org:5060]
12:14:24.768 [1;36mINFO[1;0m: *Motion detected!*

12:14:25.771 [1;36mINFO[1;0m: Notifying contacts...

12:14:25.772 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

12:14:25.774 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

12:14:25.775 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76a690e0>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

12:14:25.781 [1;36mINFO[1;0m: Skipping top route of initial route-set because same as request-uri.

12:14:25.782 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x16132e8], from state [INIT] to [TRYING]

12:14:25.782 [1;36mINFO[1;0m: channel [0x15d4b20]: message sent to [UDP://sip.linphone.org:5060], size: [476] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.W0g4Do1DE;rport

From: <sip:zahersyed@sip.linphone.org>;tag=ufTfrHCPu

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: X~ScaW3t7P

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 16:14:25 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 12:14:25.773598'

12:14:25.784 [1;36mINFO[1;0m: Chat message 0x15f3f50: moving from state
LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

12:14:25.784 [1;36mINFO[1;0m: Notifying pidoorbell@sip.linphone.org

12:14:25.787 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

12:14:25.787 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76a69240>, ip
= None, ea = sip:linphone@10.1.10.45:5063, un = linphone

12:14:25.793 [1;36mINFO[1;0m: Skipping top route of initial route-set because same as request-uri.

12:14:25.794 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1697e30], from state [INIT]
to [TRYING]

12:14:25.795 [1;36mINFO[1;0m: channel [0x15d4b20]: message sent to [UDP://sip.linphone.org:5060],
size: [478] bytes

MESSAGE sip:pidoorbell@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.6EEG53fpz;rport

From: <sip:zahersyed@sip.linphone.org>;tag=F1U9Ze91b

To: sip:pidoorbell@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: EU9A0KguTQ

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 16:14:25 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 12:14:25.785837'

12:14:25.796 [1;36mINFO[1;0m: Chat message 0x168f9d0: moving from state
LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

12:14:31.447 [1;36mINFO[1;0m: Emailed and saved image to "/home/pi/emailedSecurityCameraImage-
2016-04-10T12:14:31.443917.jpg"

12:14:50.997 [1;36mINFO[1;0m: channel [0x15d4b20]: received [492] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 407 Proxy Authentication Required

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.W0g4Do1DE;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=ufTfrHCPu

To: <sip:zahersyed@sip.linphone.org>;tag=8vXNB77FHe5ga

Call-ID: X~ScaW3t7P

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Proxy-Authenticate: Digest realm="sip.linphone.org",
nonce="Yfq02gAAAAAdIPRcAADjdHyvMMkAAAAA", opaque="+GNywA==", algorithm=MD5, qop="auth"

Content-Length: 0

12:14:51.009 [1;36mINFO[1;0m: channel [0x15d4b20] [492] bytes parsed

12:14:51.010 [1;36mINFO[1;0m: Found transaction matching response.

12:14:51.010 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x16132e8], from state
[TRYING] to [COMPLETED]

12:14:51.011 [1;36mINFO[1;0m: linphone_core_find_auth_info(): returning auth info
username=zahersyed, realm=sip.linphone.org

12:14:51.011 [1;36mINFO[1;0m: Auth info found for [zahersyed] realm [sip.linphone.org]

12:14:51.012 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1636eb8], from state [INIT]
to [TRYING]

12:14:51.013 [1;36mINFO[1;0m: channel [0x15d4b20]: message sent to [UDP://sip.linphone.org:5060],
size: [755] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.NIVLG3XwR;rport

From: <sip:zahersyed@sip.linphone.org>;tag=ufTfrHCPu

To: sip:zahersyed@sip.linphone.org

CSeq: 21 MESSAGE

Call-ID: X~ScaW3t7P

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 16:14:25 GMT

User-Agent: (belle-sip/1.4.2)

Proxy-Authorization: Digest realm="sip.linphone.org",
nonce="Yfq02gAAAAAdIPRcAADjdHyvMMkAAAAA", algorithm=MD5, opaque="+GNyWA==",
username="zahersyed", uri="sip:zahersyed@sip.linphone.org",
response="6ec4d5c33d70592bf7d88ef456bf6bce", cnonce="01118a06", nc=00000001, qop=auth

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 12:14:25.773598'

12:14:51.014 [1;36mINFO[1;0m: channel [0x15d4b20]: keep alive sent to [UDP://sip.linphone.org:5060]

12:14:51.014 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

12:14:51.015 [1;36mINFO[1;0m: channel [0x15d4b20]: message sent to [UDP://sip.linphone.org:5060],
size: [478] bytes

MESSAGE sip:pidoorbell@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.6EEG53fpz;rport

From: <sip:zahersyed@sip.linphone.org>;tag=F1U9Ze91b

To: sip:pidoorbell@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: EU9A0KguTQ

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 16:14:25 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 12:14:25.785837'

12:14:51.017 [1;36mINFO[1;0m: channel [0x15d4b20]: received [493] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 407 Proxy Authentication Required

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.6EEG53fpz;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=F1U9Ze91b

To: <sip:pidoorbell@sip.linphone.org>;tag=95peD2rKeQU3N

Call-ID: EU9A0KguTQ

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Proxy-Authenticate: Digest realm="sip.linphone.org",
nonce="Yfq02gAAAAAI3Ec7AABmTz1V9OcAAAAA", opaque="+GNyWA==", algorithm=MD5, qop="auth"

Content-Length: 0

12:14:51.028 [1;36mINFO[1;0m: channel [0x15d4b20] [493] bytes parsed

12:14:51.029 [1;36mINFO[1;0m: Found transaction matching response.

12:14:51.030 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1697e30], from state [TRYING] to [COMPLETED]

12:14:51.030 [1;36mINFO[1;0m: linphone_core_find_auth_info(): returning auth info
username=zahersyed, realm=sip.linphone.org

12:14:51.031 [1;36mINFO[1;0m: Auth info found for [zahersyed] realm [sip.linphone.org]

12:14:51.031 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1616ed8], from state [INIT] to [TRYING]

12:14:51.033 [1;36mINFO[1;0m: channel [0x15d4b20]: message sent to [UDP://sip.linphone.org:5060],
size: [758] bytes

MESSAGE sip:pidoorbell@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.pTK0e2ko9;rport

From: <sip:zahersyed@sip.linphone.org>;tag=F1U9Ze91b

To: sip:pidoorbell@sip.linphone.org

CSeq: 21 MESSAGE

Call-ID: EU9A0KguTQ

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 16:14:25 GMT

User-Agent: (belle-sip/1.4.2)

Proxy-Authorization: Digest realm="sip.linphone.org",
nonce="Yfq02gAAAAAI3Ec7AABmTz1V9OcAAAAA", algorithm=MD5, opaque="+GNyWA==",
username="zahersyed", uri="sip:pidoorbell@sip.linphone.org",
response="18a7a6d4ecf9e5ea4ba7547e77943b2d", cnonce="20554737", nc=00000001, qop=auth

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 12:14:25.785837'

12:14:51.512 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

12:14:51.513 [1;36mINFO[1;0m: channel [0x15d4b20]: message sent to [UDP://sip.linphone.org:5060],
size: [755] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.NIVLG3XwR;rport

From: <sip:zahersyed@sip.linphone.org>;tag=ufTfrHCPu

To: sip:zahersyed@sip.linphone.org

CSeq: 21 MESSAGE

Call-ID: X~ScaW3t7P

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 16:14:25 GMT

User-Agent: (belle-sip/1.4.2)

Proxy-Authorization: Digest realm="sip.linphone.org",
nonce="Yfq02gAAAAAdIPRcAADjdHyvMMkAAAAA", algorithm=MD5, opaque="+GNyWA==",
username="zahersyed", uri="sip:zahersyed@sip.linphone.org",
response="6ec4d5c33d70592bf7d88ef456bf6bce", cnonce="01118a06", nc=00000001, qop=auth

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 12:14:25.773598'

12:14:51.532 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

12:14:51.532 [1;36mINFO[1;0m: channel [0x15d4b20]: message sent to [UDP://sip.linphone.org:5060],
size: [758] bytes

MESSAGE sip:pidoorbell@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.pTK0e2ko9;rport

From: <sip:zahersyed@sip.linphone.org>;tag=F1U9Ze91b

To: sip:pidoorbell@sip.linphone.org

CSeq: 21 MESSAGE

Call-ID: EU9A0KguTQ

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 16:14:25 GMT

User-Agent: (belle-sip/1.4.2)

Proxy-Authorization: Digest realm="sip.linphone.org",
nonce="Yfq02gAAAAAI3Ec7AABmTz1V9OcAAAAA", algorithm=MD5, opaque="+GNyWA==",
username="zahersyed", uri="sip:pidoorbell@sip.linphone.org",
response="18a7a6d4ecf9e5ea4ba7547e77943b2d", cnonce="20554737", nc=00000001, qop=auth

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 12:14:25.785837'

12:14:51.631 [1;36mINFO[1;0m: channel [0x15d4b20]: received [310] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.NIVLG3XwR;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=ufTfrHCPu

To: <sip:zahersyed@sip.linphone.org>

Call-ID: X~ScaW3t7P

CSeq: 21 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

12:14:51.636 [1;36mINFO[1;0m: channel [0x15d4b20] [310] bytes parsed

12:14:51.636 [1;36mINFO[1;0m: Found transaction matching response.

12:14:51.637 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1636eb8], from state [TRYING] to [PROCEEDING]

12:14:51.649 [1;36mINFO[1;0m: channel [0x15d4b20]: received [588] new bytes from [UDP://sip.linphone.org:5060]:

MESSAGE sip:zahersyed@173.12.114.238:5063 SIP/2.0

Via: SIP/2.0/UDP 37.59.51.72;rport;branch=z9hG4bK.NpjD48BUS1X5rm2jgre28pSpBe

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.NIVLG3XwR;rport=5063;received=173.12.114.238

Max-Forwards: 69

From: <sip:zahersyed@sip.linphone.org>;tag=ufTfrHCPu

To: <sip:zahersyed@sip.linphone.org>

Call-ID: X~ScaW3t7P

CSeq: 21 MESSAGE

Date: Sun, 10 Apr 2016 16:14:25 GMT

User-Agent: (belle-sip/1.4.2)

Supported: outbound

Content-Type: text/plain

Content-Length: 79

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 12:14:25.773598'

12:14:51.658 [1;36mINFO[1;0m: channel [0x15d4b20] [509] bytes parsed

12:14:51.659 [1;36mINFO[1;0m: channel [0x15d4b20] read [79] bytes of body from [sip.linphone.org:5060]

12:14:51.662 [1;36mINFO[1;0m: Changing [server] [MESSAGE] transaction [0x1693898], from state [INIT] to [TRYING]

12:14:51.664 [1;36mINFO[1;0m: Linphone core [0x1574120] notifying [message_received]

12:14:51.665 [1;36mINFO[1;0m: Linphone core [0x1574120] notifying [is_composing_received]

12:14:51.665 [1;36mINFO[1;0m: Changing [server] [MESSAGE] transaction [0x1693898], from state [TRYING] to [COMPLETED]

12:14:51.666 [1;36mINFO[1;0m: channel [0x15d4b20]: message sent to [UDP://sip.linphone.org:5060], size: [333] bytes

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 37.59.51.72;rport;branch=z9hG4bK.NpjD48BUS1X5rm2jgre28pSpBe

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.NIVLG3XwR;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=ufTfrHCPu

To: <sip:zahersyed@sip.linphone.org>;tag=QnuLPqL

Call-ID: X~ScaW3t7P

CSeq: 21 MESSAGE

12:14:51.666 [1;36mINFO[1;0m: Destroying op [0x160bc40] of type [SalOpMessage]

12:14:51.667 [1;36mINFO[1;0m: channel [0x15d4b20]: received [493] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 407 Proxy Authentication Required

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.6EEG53fpz;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=F1U9Ze91b

To: <sip:pidoorbell@sip.linphone.org>;tag=95peD2rKeQU3N

Call-ID: EU9A0KguTQ

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Proxy-Authenticate: Digest realm="sip.linphone.org",
nonce="Yfq02gAAAAAI3Ec7AABmTz1V9OcAAAAA", opaque="+GNyWA==", algorithm=MD5, qop="auth"

Content-Length: 0

12:14:51.673 [1;36mINFO[1;0m: channel [0x15d4b20] [493] bytes parsed

12:14:51.673 [1;36mINFO[1;0m: Found transaction matching response.

12:14:51.699 [1;36mINFO[1;0m: channel [0x15d4b20]: received [274] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.NIVLG3XwR;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=ufTfrHCPu

To: <sip:zahersyed@sip.linphone.org>;tag=e23-rET

Call-ID: X~ScaW3t7P

CSeq: 21 MESSAGE

Content-Length: 0

12:14:51.704 [1;36mINFO[1;0m: channel [0x15d4b20] [274] bytes parsed

12:14:51.705 [1;36mINFO[1;0m: Found transaction matching response.

12:14:51.705 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1636eb8], from state
[PROCEEDING] to [COMPLETED]

12:14:51.705 [1;36mINFO[1;0m: Chat message 0x15f3f50: moving from state
LinphoneChatMessageStateInProgress to LinphoneChatMessageStateDelivered

12:14:51.706 [1;36mINFO[1;0m: channel [0x15d4b20]: received [274] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.NIVLG3XwR;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=ufTfrHCPu

To: <sip:zahersyed@sip.linphone.org>;tag=e23-rET

Call-ID: X~ScaW3t7P

CSeq: 21 MESSAGE

Content-Length: 0

12:14:51.710 [1;36mINFO[1;0m: channel [0x15d4b20] [274] bytes parsed

12:14:51.711 [1;36mINFO[1;0m: Found transaction matching response.

12:14:51.711 [1;36mINFO[1;0m: channel [0x15d4b20]: received [311] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.pTK0e2ko9;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=F1U9Ze91b

To: <sip:pidoorbell@sip.linphone.org>

Call-ID: EU9A0KguTQ

CSeq: 21 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

12:14:51.716 [1;36mINFO[1;0m: channel [0x15d4b20] [311] bytes parsed

12:14:51.716 [1;36mINFO[1;0m: Found transaction matching response.

12:14:51.717 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1616ed8], from state [TRYING] to [PROCEEDING]

12:14:51.717 [1;36mINFO[1;0m: channel [0x15d4b20]: received [588] new bytes from [UDP://sip.linphone.org:5060]:

MESSAGE sip:zahersyed@173.12.114.238:5063 SIP/2.0

Via: SIP/2.0/UDP 37.59.51.72;rport;branch=z9hG4bK.NpjD48BUS1X5rm2jgre28pSpBe

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.NIVLG3XwR;rport=5063;received=173.12.114.238

Max-Forwards: 69

From: <sip:zahersyed@sip.linphone.org>;tag=ufTfrHCPu

To: <sip:zahersyed@sip.linphone.org>

Call-ID: X~ScaW3t7P

CSeq: 21 MESSAGE

Date: Sun, 10 Apr 2016 16:14:25 GMT

User-Agent: (belle-sip/1.4.2)

Supported: outbound

Content-Type: text/plain

Content-Length: 79

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 12:14:25.773598'

12:14:51.726 [1;36mINFO[1;0m: channel [0x15d4b20] [509] bytes parsed

12:14:51.727 [1;36mINFO[1;0m: channel [0x15d4b20] read [79] bytes of body from [sip.linphone.org:5060]

12:14:51.727 [1;36mINFO[1;0m: Found transaction [0x1693898] matching request.

12:14:51.728 [1;36mINFO[1;0m: channel [0x15d4b20]: message sent to [UDP://sip.linphone.org:5060], size: [333] bytes

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 37.59.51.72;rport;branch=z9hG4bK.NpjD48BUS1X5rm2jgre28pSpBe

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.NIVLG3XwR;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=ufTfrHCPu

To: <sip:zahersyed@sip.linphone.org>;tag=QnuLPqL

Call-ID: X~ScaW3t7P

CSeq: 21 MESSAGE

12:14:51.987 [1;36mINFO[1;0m: channel [0x15d4b20]: received [275] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.pTK0e2ko9;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=F1U9Ze91b

To: <sip:pidoorbell@sip.linphone.org>;tag=7KHeWfv

Call-ID: EU9A0KguTQ

CSeq: 21 MESSAGE

Content-Length: 0

12:14:51.991 [1;36mINFO[1;0m: channel [0x15d4b20] [275] bytes parsed

12:14:51.992 [1;36mINFO[1;0m: Found transaction matching response.

12:14:51.992 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1616ed8], from state [PROCEEDING] to [COMPLETED]

12:14:51.992 [1;36mINFO[1;0m: Chat message 0x168f9d0: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateDelivered

12:14:56.014 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x16132e8], from state [COMPLETED] to [TERMINATED]

12:14:56.014 [1;36mINFO[1;0m: Client MESSAGE transaction [0x16132e8] terminated

12:14:56.014 [1;36mINFO[1;0m: Unhandled transaction terminated [0x16132e8]

12:14:56.033 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1697e30], from state [COMPLETED] to [TERMINATED]

12:14:56.033 [1;36mINFO[1;0m: Client MESSAGE transaction [0x1697e30] terminated

12:14:56.033 [1;36mINFO[1;0m: Unhandled transaction terminated [0x1697e30]

12:14:56.705 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1636eb8], from state [COMPLETED] to [TERMINATED]

12:14:56.705 [1;36mINFO[1;0m: Client MESSAGE transaction [0x1636eb8] terminated

12:14:56.710 [1;36mINFO[1;0m: Unhandled transaction terminated [0x1636eb8]

12:14:56.992 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0x1616ed8], from state [COMPLETED] to [TERMINATED]

12:14:56.992 [1;36mINFO[1;0m: Client MESSAGE transaction [0x1616ed8] terminated

12:14:56.992 [1;36mINFO[1;0m: Unhandled transaction terminated [0x1616ed8]

12:15:00.997 [1;36mINFO[1;0m: channel [0x15d4b20]: keep alive sent to [UDP://sip.linphone.org:5060]

12:58:21.876 [1;36mINFO[1;0m: Initializaing jamPi System version 0.2.0...

12:58:26.885 [1;36mINFO[1;0m: Sensor online... Turning on motion sensor...

12:58:31.894 [1;36mINFO[1;0m: PIR sensor is ready.

12:58:33.182 [1;36mINFO[1;0m: Mediastreamer2 factory 2.12.0 (git: 3.9.0) initialized.

12:58:33.183 [1;36mINFO[1;0m: CPU count set to 4

12:58:33.183 [1;36mINFO[1;0m: ms_factory_init() done: platform_tags=linux,arm,embedded

12:58:33.192 [1;36mINFO[1;0m: srtp init

12:58:33.219 [1;36mINFO[1;0m: Registering all soundcard handlers

12:58:33.280 [1;36mINFO[1;0m: Card 'ALSA: default device' added

12:58:33.289 [1;36mINFO[1;0m: also error in pcm_hw.c:1557 - open '/dev/snd/pcmC0D0c' failed (-2)

12:58:33.291 [1;36mINFO[1;0m: Card 'ALSA: bcm2835 ALSA' added

12:58:33.308 [1;36mINFO[1;0m: Card 'ALSA: USB PnP Sound Device' added

12:58:33.309 [1;36mINFO[1;0m: Registering all webcam handlers

12:58:33.309 [1;36mINFO[1;0m: Webcam StaticImage: Static picture added

12:58:33.310 [1;36mINFO[1;0m: ms_factory_init_voip() done

12:58:33.310 [1;36mINFO[1;0m: Loading ms plugins from [./lib/mediastreamer/plugins]

12:58:33.310 [1;36mINFO[1;0m: Cannot open directory ./lib/mediastreamer/plugins: No such file or directory

12:58:33.310 [1;36mINFO[1;0m: Initializing LinphoneCore 3.9.0

12:58:33.315 [1;36mINFO[1;0m: Vtable [0xe5e120] registered on core [0xe80e80]

12:58:33.316 [1;36mINFO[1;0m: Linphone core [0xe5e120] notifying [global_state_changed]

12:58:33.316 [1;36mINFO[1;0m: oRTP-0.25.0 initialized.

12:58:33.316 [1;36mINFO[1;0m: Skipping ms_base_init, because [2] ref

12:58:33.316 [1;36mINFO[1;0m: Skipping ms_voip_init, because [2] ref

12:58:33.317 [1;36mINFO[1;0m: Skipping ms_plugins_init, because [2] ref

12:58:33.317 [1;36mINFO[1;0m: Codec opus/48000 fmp=[useinbandfec=1] number=-1, enabled=1) added to default capabilities.

12:58:33.317 [1;36mINFO[1;0m: Could not find encoder for SILK

12:58:33.317 [1;36mINFO[1;0m: Could not find decoder for SILK

12:58:33.318 [1;36mINFO[1;0m: Codec speex/16000 fmp=[vbr=on] number=-1, enabled=1) added to default capabilities.

12:58:33.318 [1;36mINFO[1;0m: Codec speex/8000 fmp=[vbr=on] number=-1, enabled=1) added to default capabilities.

12:58:33.318 [1;36mINFO[1;0m: Codec PCMU/8000 fmp=[] number=0, enabled=1) added to default capabilities.

12:58:33.318 [1;36mINFO[1;0m: Codec PCMA/8000 fmp=[] number=8, enabled=1) added to default capabilities.

12:58:33.318 [1;36mINFO[1;0m: Codec t140/1000 fmp=[] number=96, enabled=1) added to default capabilities.

12:58:33.319 [1;36mINFO[1;0m: Codec red/1000 fmp=[] number=97, enabled=1) added to default capabilities.

12:58:33.319 [1;36mINFO[1;0m: Codec GSM/8000 fmp=[] number=3, enabled=0) added to default capabilities.

12:58:33.319 [1;36mINFO[1;0m: Codec G722/8000 fmp=[] number=9, enabled=0) added to default capabilities.

12:58:33.319 [1;36mINFO[1;0m: Could not find encoder for iLBC

12:58:33.320 [1;36mINFO[1;0m: Could not find decoder for iLBC

12:58:33.320 [1;36mINFO[1;0m: Could not find encoder for AMR

12:58:33.320 [1;36mINFO[1;0m: Could not find decoder for AMR

12:58:33.320 [1;36mINFO[1;0m: Could not find encoder for AMR-WB

12:58:33.320 [1;36mINFO[1;0m: Could not find decoder for AMR-WB

12:58:33.321 [1;36mINFO[1;0m: Could not find encoder for G729

12:58:33.321 [1;36mINFO[1;0m: Could not find decoder for G729

12:58:33.321 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

12:58:33.321 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

12:58:33.322 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

12:58:33.322 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

12:58:33.322 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

12:58:33.322 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

12:58:33.323 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

12:58:33.323 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

12:58:33.323 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic
12:58:33.323 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic
12:58:33.323 [1;36mINFO[1;0m: Could not find encoder for iSAC
12:58:33.324 [1;36mINFO[1;0m: Could not find decoder for iSAC
12:58:33.324 [1;36mINFO[1;0m: Codec speex/32000 fntp=[vbr=on] number=-1, enabled=0) added to default capabilities.
12:58:33.324 [1;36mINFO[1;0m: Could not find encoder for SILK
12:58:33.324 [1;36mINFO[1;0m: Could not find decoder for SILK
12:58:33.325 [1;36mINFO[1;0m: Could not find encoder for SILK
12:58:33.325 [1;36mINFO[1;0m: Could not find decoder for SILK
12:58:33.325 [1;36mINFO[1;0m: Could not find encoder for SILK
12:58:33.325 [1;36mINFO[1;0m: Could not find decoder for SILK
12:58:33.325 [1;36mINFO[1;0m: Could not find encoder for SILK
12:58:33.326 [1;36mINFO[1;0m: Could not find decoder for SILK
12:58:33.326 [1;36mINFO[1;0m: Could not find encoder for G726-16
12:58:33.326 [1;36mINFO[1;0m: Could not find decoder for G726-16
12:58:33.326 [1;36mINFO[1;0m: Could not find encoder for G726-24
12:58:33.326 [1;36mINFO[1;0m: Could not find decoder for G726-24
12:58:33.326 [1;36mINFO[1;0m: Could not find encoder for G726-32
12:58:33.327 [1;36mINFO[1;0m: Could not find decoder for G726-32
12:58:33.327 [1;36mINFO[1;0m: Could not find encoder for G726-40
12:58:33.327 [1;36mINFO[1;0m: Could not find decoder for G726-40
12:58:33.327 [1;36mINFO[1;0m: Could not find encoder for AAL2-G726-16
12:58:33.328 [1;36mINFO[1;0m: Could not find decoder for AAL2-G726-16
12:58:33.328 [1;36mINFO[1;0m: Could not find encoder for AAL2-G726-24
12:58:33.328 [1;36mINFO[1;0m: Could not find decoder for AAL2-G726-24
12:58:33.328 [1;36mINFO[1;0m: Could not find encoder for AAL2-G726-32
12:58:33.328 [1;36mINFO[1;0m: Could not find decoder for AAL2-G726-32
12:58:33.329 [1;36mINFO[1;0m: Could not find encoder for AAL2-G726-40
12:58:33.329 [1;36mINFO[1;0m: Could not find decoder for AAL2-G726-40
12:58:33.329 [1;36mINFO[1;0m: Could not find encoder for CODEC2

12:58:33.329 [1;36mINFO[1;0m: Could not find decoder for CODEC2

12:58:33.330 [1;36mINFO[1;0m: Codec VP8/90000 fmt=[] number=-1, enabled=1) added to default capabilities.

12:58:33.330 [1;36mINFO[1;0m: Could not find encoder for H264

12:58:33.330 [1;36mINFO[1;0m: Could not find decoder for H264

12:58:33.330 [1;36mINFO[1;0m: Could not find encoder for MP4V-ES

12:58:33.330 [1;36mINFO[1;0m: Could not find encoder for H263-1998

12:58:33.331 [1;36mINFO[1;0m: Could not find encoder for H263

12:58:33.331 [1;36mINFO[1;0m: Could not find encoder for 1016

12:58:33.331 [1;36mINFO[1;0m: Could not find decoder for 1016

12:58:33.331 [1;36mINFO[1;0m: Could not find encoder for G723

12:58:33.332 [1;36mINFO[1;0m: Could not find decoder for G723

12:58:33.332 [1;36mINFO[1;0m: Could not find encoder for LPC

12:58:33.332 [1;36mINFO[1;0m: Could not find decoder for LPC

12:58:33.332 [1;36mINFO[1;0m: Codec L16/44100 fmt=[] number=10, enabled=0) added to default capabilities.

12:58:33.333 [1;36mINFO[1;0m: Codec L16/44100 fmt=[] number=11, enabled=0) added to default capabilities.

12:58:33.333 [1;36mINFO[1;0m: Could not find encoder for CN

12:58:33.333 [1;36mINFO[1;0m: Could not find decoder for CN

12:58:33.333 [1;36mINFO[1;0m: Could not find encoder for G729

12:58:33.333 [1;36mINFO[1;0m: Could not find decoder for G729

12:58:33.334 [1;36mINFO[1;0m: Could not find encoder for H261

12:58:33.334 [1;36mINFO[1;0m: Could not find decoder for H261

12:58:33.334 [1;36mINFO[1;0m: Could not find encoder for MPV

12:58:33.334 [1;36mINFO[1;0m: Could not find decoder for MPV

12:58:33.335 [1;36mINFO[1;0m: Could not find encoder for H263

12:58:33.352 [1;36mINFO[1;0m: Sal nat helper [enabled]

12:58:33.352 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

12:58:33.353 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

12:58:33.353 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

12:58:33.353 [1;36mINFO[1;0m: Linphone core [0xe5e120] notifying [configuring_status]

12:58:33.353 [1;36mINFO[1;0m: Cannot open directory ./lib/liblinphone/plugins: No such file or directory

12:58:33.354 [1;31mWARNING[1;0m: ./share/sounds/linphone/rings/oldphone.wav does not exist

12:58:33.354 [1;36mINFO[1;0m: linphone_core_set_playback_gain_db(): no active call.

12:58:33.354 [1;36mINFO[1;0m: linphone_core_set_mic_gain_db(): no active call.

12:58:33.354 [1;36mINFO[1;0m: MTU is supposed to be 1300, rtp payload max size will be 1240

12:58:33.355 [1;36mINFO[1;0m: Sal nat helper [enabled]

12:58:33.355 [1;36mINFO[1;0m: Sal use rport [enabled]

12:58:33.355 [1;36mINFO[1;0m: Supported codec opus/48000 fmp=useinbandfec=1 automatically added to codec list.

12:58:33.355 [1;36mINFO[1;0m: Supported codec speex/16000 fmp=vbr=on automatically added to codec list.

12:58:33.356 [1;36mINFO[1;0m: Supported codec speex/8000 fmp=vbr=on automatically added to codec list.

12:58:33.356 [1;36mINFO[1;0m: Supported codec PCMU/8000 fmp= automatically added to codec list.

12:58:33.356 [1;36mINFO[1;0m: Supported codec PCMA/8000 fmp= automatically added to codec list.

12:58:33.356 [1;36mINFO[1;0m: Supported codec GSM/8000 fmp= automatically added to codec list.

12:58:33.356 [1;36mINFO[1;0m: Supported codec G722/8000 fmp= automatically added to codec list.

12:58:33.357 [1;36mINFO[1;0m: Supported codec speex/32000 fmp=vbr=on automatically added to codec list.

12:58:33.357 [1;36mINFO[1;0m: Supported codec L16/44100 fmp= automatically added to codec list.

12:58:33.357 [1;36mINFO[1;0m: Supported codec L16/44100 fmp= automatically added to codec list.

12:58:33.357 [1;36mINFO[1;0m: Supported codec VP8/90000 fmp= automatically added to codec list.

12:58:33.358 [1;36mINFO[1;0m: Supported codec t140/1000 fmp= automatically added to codec list.

12:58:33.358 [1;36mINFO[1;0m: Supported codec red/1000 fmp= automatically added to codec list.

12:58:33.358 [1;36mINFO[1;0m: Sal use rport [enabled]

12:58:33.358 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

12:58:33.359 [1;36mINFO[1;0m: sal_unlisten_ports done

12:58:33.359 [1;36mINFO[1;0m: Creating listening point [0xe5de38] on [sip:0.0.0.0:5060;transport=UDP]

12:58:33.359 [1;36mINFO[1;0m: Creating listening point [0xe5e798] on [sip:0.0.0.0:5060;transport=TCP]

12:58:33.369 [1;36mINFO[1;0m: Creating listening point [0xe5e938] on [sip:0.0.0.0:-1;transport=TLS]

12:58:33.369 [1;36mINFO[1;0m: Random TCP port is 43076

12:58:33.370 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

12:58:33.370 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

12:58:33.436 [1;36mINFO[1;0m: Linphone core [0xe5e120] notifying [global_state_changed]

12:58:33.438 [1;36mINFO[1;0m: Listening point [0xe5de38] on [sip:0.0.0.0:5060;transport=UDP] destroyed

12:58:33.438 [1;36mINFO[1;0m: Listening point [0xe5e798] on [sip:0.0.0.0:5060;transport=TCP] destroyed

12:58:33.438 [1;36mINFO[1;0m: Listening point [0xe5e938] on [sip:0.0.0.0:43076;transport=TLS] destroyed

12:58:33.439 [1;36mINFO[1;0m: sal_unlisten_ports done

12:58:33.439 [1;36mINFO[1;0m: Creating listening point [0xe5dd30] on [sip:0.0.0.0:5063;transport=UDP]

12:58:33.439 [1;36mINFO[1;0m: Creating listening point [0xe5df20] on [sip:0.0.0.0:5067;transport=TCP]

12:58:33.439 [1;36mINFO[1;0m: Creating listening point [0xe5e6b0] on [sip:0.0.0.0:32737;transport=TLS]

12:58:33.440 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

12:58:33.440 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

12:58:33.445 [1;36mINFO[1;0m: Resolver is using DNS server(s):

12:58:33.445 [1;36mINFO[1;0m: 75.75.75.75

12:58:33.445 [1;36mINFO[1;0m: 75.75.76.76

12:58:33.446 [1;36mINFO[1;0m: 2001:558:feed::1

12:58:33.446 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress

12:58:33.446 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop

12:58:33.447 [1;36mINFO[1;0m: Sal nat helper [enabled]

12:58:33.447 [1;36mINFO[1;0m: Sal use rport [enabled]

12:58:33.449 [1;36mINFO[1;0m: no camera with id V4L2: /dev/video0

12:58:33.449 [1;31mWARNING[1;0m: Could not find video device V4L2: /dev/video0

12:58:33.452 [1;36mINFO[1;0m: Adding codec PCMU...

12:58:33.453 [1;36mINFO[1;0m: Adding codec PCMA...

12:58:33.454 [1;36mINFO[1;0m: Adding codec VP8...

12:58:33.458 [1;36mINFO[1;0m: auth_info.username = zahersyed,

12:58:36.513 [1;36mINFO[1;0m: *Motion detected!*

12:58:37.519 [1;36mINFO[1;0m: stun.linphone.org resolved to 37.59.51.72

12:58:37.520 [1;36mINFO[1;0m: Stun server resolution successful.

12:58:37.521 [1;36mINFO[1;0m: New local ip address is 10.1.10.45

12:58:37.521 [1;36mINFO[1;0m: Network state is now [UP]

12:58:37.522 [1;36mINFO[1;0m: Resolver is using DNS server(s):

12:58:37.523 [1;36mINFO[1;0m: 75.75.75.75

12:58:37.523 [1;36mINFO[1;0m: 75.75.76.76

12:58:37.524 [1;36mINFO[1;0m: 2001:558:feed::1

12:58:37.525 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress

12:58:37.525 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop

12:58:37.528 [1;36mINFO[1;0m: LinphoneProxyConfig [0xead028] about to register (LinphoneCore version: 3.9.0)

12:58:37.544 [1;36mINFO[1;0m: belle_sip_client_transaction_send_request(): waiting channel to be ready

12:58:37.545 [1;36mINFO[1;0m: channel [0xeb20]: starting resolution of sip.linphone.org

12:58:37.545 [1;36mINFO[1;0m: channel 0xeb20: state RES_IN_PROGRESS

12:58:37.546 [1;36mINFO[1;0m: transaction [0xeabb68] channel state changed to [RES_IN_PROGRESS]

12:58:37.547 [1;36mINFO[1;0m: Resolver is using DNS server(s):

12:58:37.547 [1;36mINFO[1;0m: 75.75.75.75

12:58:37.548 [1;36mINFO[1;0m: 75.75.76.76

12:58:37.548 [1;36mINFO[1;0m: 2001:558:feed::1

12:58:37.549 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress

12:58:37.550 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop

12:58:37.550 [1;36mINFO[1;0m: Neither Expires header nor corresponding Contact header found, checking from original request

12:58:37.551 [1;36mINFO[1;0m: Refresher [0xae320] takes ownership of transaction [0xeabb68]

12:58:37.551 [1;36mINFO[1;0m: Proxy config [0xead028] for identity [sip:zahersyed@sip.linphone.org:5061] moving from state [LinphoneRegistrationNone] to [LinphoneRegistrationProgress]

12:58:37.552 [1;36mINFO[1;0m: Linphone core [0xe5e120] notifying [registration_state_changed]

12:58:37.553 [1;36mINFO[1;0m: Linphone core [0xe5e120] notifying [network_reachable]

12:58:37.639 [1;36mINFO[1;0m: SRV _sip._udp.sip.linphone.org resolved to [target:sip1.linphone.org. port:5060 prio:10 weight:100]

12:58:37.639 [1;36mINFO[1;0m: SRV _sip._udp.sip.linphone.org resolved to [target:sip3.linphone.org. port:5060 prio:0 weight:100]

12:58:37.639 [1;36mINFO[1;0m: Starting A/AAAA query for srv result [sip3.linphone.org.]

12:58:37.640 [1;36mINFO[1;0m: Resolver is using DNS server(s):

12:58:37.640 [1;36mINFO[1;0m: 75.75.75.75

12:58:37.640 [1;36mINFO[1;0m: 75.75.76.76

12:58:37.641 [1;36mINFO[1;0m: 2001:558:feed::1

12:58:37.641 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress

12:58:37.641 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop

12:58:37.642 [1;36mINFO[1;0m: Starting A/AAAA query for srv result [sip1.linphone.org.]

12:58:37.642 [1;36mINFO[1;0m: Resolver is using DNS server(s):

12:58:37.642 [1;36mINFO[1;0m: 75.75.75.75

12:58:37.643 [1;36mINFO[1;0m: 75.75.76.76

12:58:37.643 [1;36mINFO[1;0m: 2001:558:feed::1

12:58:37.643 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress

12:58:37.644 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop

12:58:37.644 [1;36mINFO[1;0m: stun.linphone.org resolved to 37.59.51.72

12:58:37.645 [1;36mINFO[1;0m: Stun server resolution successful.

12:58:37.720 [1;36mINFO[1;0m: sip3.linphone.org. resolved to 37.59.51.72

12:58:37.721 [1;36mINFO[1;0m: A query finished for srv result [sip3.linphone.org.]

12:58:37.723 [1;36mINFO[1;0m: sip1.linphone.org. resolved to 91.121.209.194

12:58:37.723 [1;36mINFO[1;0m: A query finished for srv result [sip1.linphone.org.]

12:58:37.723 [1;36mINFO[1;0m: All A/AAAA results for combined resolution have arrived.

12:58:37.724 [1;36mINFO[1;0m: channel 0xeb20: state RES_DONE

12:58:37.724 [1;36mINFO[1;0m: transaction [0xeb68] channel state changed to [RES_DONE]

12:58:37.724 [1;36mINFO[1;0m: channel 0xeb20: state CONNECTING

12:58:37.724 [1;36mINFO[1;0m: transaction [0xeb68] channel state changed to [CONNECTING]

12:58:37.725 [1;36mINFO[1;0m: Trying to connect to [UDP://37.59.51.72:5060]

12:58:37.725 [1;36mINFO[1;0m: belle_sip_get_src_addr_for(): af_inet6=0

12:58:37.725 [1;36mINFO[1;0m: Channel has local address 10.1.10.45:5063

12:58:37.725 [1;36mINFO[1;0m: channel 0xeb20: state READY

12:58:37.725 [1;36mINFO[1;0m: transaction [0xeb68] channel state changed to [READY]

12:58:37.726 [1;36mINFO[1;0m: Changing [client] [REGISTER] transaction [0xeb68], from state [INIT] to [TRYING]

12:58:37.726 [1;36mINFO[1;0m: channel [0xeb20]: message sent to [UDP://sip.linphone.org:5060], size: [523] bytes

REGISTER sip:sip.linphone.org:5061 SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.gL5Pc24VK;rport

From: <sip:zahersyed@sip.linphone.org>;tag=inapdpwrq

To: sip:zahersyed@sip.linphone.org

CSeq: 20 REGISTER

Call-ID: WiZhiEXajn

Max-Forwards: 70

Supported: outbound

Accept: application/sdp

Accept: text/plain

Accept: application/vnd.gsma.rcs-ft-http+xml

Contact: <sip:zahersyed@10.1.10.45:5063>;+sip.instance="<urn:uuid:5447cec4-4930-4e9e-bb7e-ea399b8b469c>"

Expires: 3600

User-Agent: (belle-sip/1.4.2)

12:58:37.864 [1;36mINFO[1;0m: channel [0xebeb20]: received [474] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 401 Unauthorized

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.gL5Pc24VK;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=inapdpwrq

To: <sip:zahersyed@sip.linphone.org>;tag=N0y4e4B9jNr3S

Call-ID: WiZhIEXajn

CSeq: 20 REGISTER

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

WWW-Authenticate: Digest realm="sip.linphone.org",
nonce="vQS12gAAAACKt8alAADMANvmk70AAAAA", opaque="+GNyWA==", algorithm=MD5,
qop="auth"

Content-Length: 0

12:58:37.904 [1;36mINFO[1;0m: channel [0xebeb20] [474] bytes parsed

12:58:37.904 [1;36mINFO[1;0m: channel [0xebeb20]: discovered public ip and port are [173.12.114.238:5063]

12:58:37.904 [1;36mINFO[1;0m: Found transaction matching response.

12:58:37.905 [1;36mINFO[1;0m: Changing [client] [REGISTER] transaction [0xeabb68], from state [TRYING] to [COMPLETED]

12:58:37.905 [1;36mINFO[1;0m: linphone_core_find_auth_info(): returning auth info
username=zahersyed, realm=

12:58:37.905 [1;36mINFO[1;0m: Auth info found for [zahersyed] realm [sip.linphone.org]

12:58:37.906 [1;36mINFO[1;0m: Changing [client] [REGISTER] transaction [0xe61b88], from state [INIT] to [TRYING]

12:58:37.906 [1;36mINFO[1;0m: channel [0xebeb20]: message sent to [UDP://sip.linphone.org:5060],
size: [795] bytes

REGISTER sip:sip.linphone.org:5061 SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.xcyPA95mh;rport

From: <sip:zahersyed@sip.linphone.org>;tag=inapdpwrq

To: sip:zahersyed@sip.linphone.org

CSeq: 21 REGISTER

Call-ID: WiZhIEXajn

Max-Forwards: 70

Supported: outbound

Accept: application/sdp

Accept: text/plain

Accept: application/vnd.gsma.rcs-ft-http+xml

Contact: <sip:zahersyed@173.12.114.238:5063>;+sip.instance="<urn:uuid:5447cec4-4930-4e9e-bb7e-ea399b8b469c>"

Expires: 3600

User-Agent: (belle-sip/1.4.2)

Authorization: Digest realm="sip.linphone.org", nonce="vQS12gAAAACKt8alAADMANvmk70AAAAA", algorithm=MD5, opaque="+GNyWA==", username="zahersyed", uri="sip:sip.linphone.org:5061", response="dc214d3cb326c147cf8df728eb977f7b", cnonce="dc20641b", nc=00000001, qop=auth

12:58:38.059 [1;36mINFO[1;0m: channel [0xeb20]: received [492] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 200 Registration successful

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.xcyPA95mh;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=inapdpwrq

To: <sip:zahersyed@sip.linphone.org>;tag=rUaFmNyKagUUc

Call-ID: WiZhIEXajn

CSeq: 21 REGISTER

Contact: <sip:zahersyed@173.12.114.238:5063>;expires=3600;q=0.00

Contact: <sip:zahersyed@173.12.114.238:63201;transport=tls>;expires=113;q=0.00

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

12:58:38.065 [1;36mINFO[1;0m: channel [0xeb20] [492] bytes parsed

12:58:38.066 [1;36mINFO[1;0m: Found transaction matching response.

12:58:38.066 [1;36mINFO[1;0m: Changing [client] [REGISTER] transaction [0xe61b88], from state [TRYING] to [COMPLETED]

12:58:38.066 [1;36mINFO[1;0m: Refresher [0xae320]: has no contact for request [0xe9f8].

12:58:38.067 [1;36mINFO[1;0m: Refresher: scheduling next timer in 3240000 ms

12:58:38.067 [1;36mINFO[1;0m: Register refresher [200] reason [Registration successful] for proxy [sip:sip.linphone.org]

12:58:38.067 [1;36mINFO[1;0m: Proxy config [0xe028] for identity [sip:zahersyed@sip.linphone.org:5061] moving from state [LinphoneRegistrationProgress] to [LinphoneRegistrationOk]

12:58:38.067 [1;36mINFO[1;0m: Linphone core [0xe5e120] notifying [registration_state_changed]

12:58:42.906 [1;36mINFO[1;0m: Changing [client] [REGISTER] transaction [0xeabb68], from state [COMPLETED] to [TERMINATED]

12:58:42.906 [1;36mINFO[1;0m: Client internal REGISTER transaction [0xeabb68] terminated

12:58:43.068 [1;36mINFO[1;0m: Changing [client] [REGISTER] transaction [0xe61b88], from state [COMPLETED] to [TERMINATED]

12:58:43.068 [1;36mINFO[1;0m: Client internal REGISTER transaction [0xe61b88] terminated

12:58:43.439 [1;36mINFO[1;0m: channel [0xeb20]: keep alive sent to [UDP://sip.linphone.org:5060]

12:58:51.689 [1;36mINFO[1;0m: *Motion detected!*

12:58:52.692 [1;36mINFO[1;0m: Notifying contacts...

12:58:52.693 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

12:58:52.696 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

12:58:52.697 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76c95d40>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

12:58:52.703 [1;36mINFO[1;0m: Skipping top route of initial route-set because same as request-uri.

12:58:52.704 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xe920], from state [INIT] to [TRYING]

12:58:52.704 [1;36mINFO[1;0m: channel [0xebeb20]: message sent to [UDP://sip.linphone.org:5060], size: [476] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.rrAv8dQpV;rport

From: <sip:zahersyed@sip.linphone.org>;tag=WfNzKr2zC

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: VI8SHn8YTy

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 16:58:52 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 12:58:52.695722'

12:58:52.706 [1;36mINFO[1;0m: Chat message 0xeb5a50: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

12:58:52.706 [1;36mINFO[1;0m: Notifying pidoorbell@sip.linphone.org

12:58:52.710 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

12:58:52.710 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76c95d60>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

12:58:52.716 [1;36mINFO[1;0m: Skipping top route of initial route-set because same as request-uri.

12:58:52.717 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xebc9e0], from state [INIT] to [TRYING]

12:58:52.718 [1;36mINFO[1;0m: channel [0xebeb20]: message sent to [UDP://sip.linphone.org:5060], size: [478] bytes

MESSAGE sip:pidoorbell@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.LOSIATPyY;rport

From: <sip:zahersyed@sip.linphone.org>;tag=ak2bUTsJJ

To: sip:pidoorbell@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: MzaJ5ghObs

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 16:58:52 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 12:58:52.708828'

12:58:52.719 [1;36mINFO[1;0m: Chat message 0xead5e0: moving from state
LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

12:58:57.434 [1;36mINFO[1;0m: Emailed and saved image to "/home/pi/emailedSecurityCameraImage-
2016-04-10T12:58:57.432906.jpg"

12:59:16.983 [1;36mINFO[1;0m: channel [0xeb20]: received [492] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 407 Proxy Authentication Required

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.rrAv8dQpV;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=WfNzKr2zC

To: <sip:zahersyed@sip.linphone.org>;tag=XF8Ua9FUm88mS

Call-ID: VI8SHn8YTy

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Proxy-Authenticate: Digest realm="sip.linphone.org", nonce="zAS12gAAACovRTcAAB4itZZoRcAAAAA",
opaque="+GNyWA==", algorithm=MD5, qop="auth"

Content-Length: 0

12:59:16.995 [1;36mINFO[1;0m: channel [0xeb20] [492] bytes parsed

12:59:16.996 [1;36mINFO[1;0m: Found transaction matching response.

12:59:16.996 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xebe920], from state [TRYING] to [COMPLETED]

12:59:16.997 [1;36mINFO[1;0m: linphone_core_find_auth_info(): returning auth info
username=zahersyed, realm=sip.linphone.org

12:59:16.997 [1;36mINFO[1;0m: Auth info found for [zahersyed] realm [sip.linphone.org]

12:59:16.998 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf1e5a8], from state [INIT] to [TRYING]

12:59:16.999 [1;36mINFO[1;0m: channel [0xebeb20]: message sent to [UDP://sip.linphone.org:5060],
size: [755] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.EjWesvKor;rport

From: <sip:zahersyed@sip.linphone.org>;tag=WfNzKr2zC

To: sip:zahersyed@sip.linphone.org

CSeq: 21 MESSAGE

Call-ID: VI8SHn8YTy

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 16:58:52 GMT

User-Agent: (belle-sip/1.4.2)

Proxy-Authorization: Digest realm="sip.linphone.org",
nonce="zAS12gAAAACovRTcAAB4itZZoRcAAAAA", algorithm=MD5, opaque="+GNyWA==",
username="zahersyed", uri="sip:zahersyed@sip.linphone.org",
response="118b550593cfb25b2a1a90545c3d98b8", cnonce="8bf2f770", nc=00000001, qop=auth

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 12:58:52.695722'

12:59:17.000 [1;36mINFO[1;0m: channel [0xebeb20]: keep alive sent to [UDP://sip.linphone.org:5060]

12:59:17.000 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

12:59:17.001 [1;36mINFO[1;0m: channel [0xebeb20]: message sent to [UDP://sip.linphone.org:5060],
size: [478] bytes

MESSAGE sip:pidoorbell@sip.linphone.org SIP/2.0
Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.LOSIATPyY;rport
From: <sip:zahersyed@sip.linphone.org>;tag=ak2bUTsJJ
To: sip:pidoorbell@sip.linphone.org
CSeq: 20 MESSAGE
Call-ID: MzaJ5ghObS
Max-Forwards: 70
Supported: outbound
Content-Type: text/plain
Content-Length: 79
Date: Sun, 10 Apr 2016 16:58:52 GMT
User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 12:58:52.708828'

12:59:17.003 [1;36mINFO[1;0m: *Motion detected!*

12:59:18.009 [1;36mINFO[1;0m: channel [0xeb20]: received [493] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 407 Proxy Authentication Required

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.LOSIATPyY;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=ak2bUTsJJ

To: <sip:pidoorbell@sip.linphone.org>;tag=yr1mc40yHHZ7m

Call-ID: MzaJ5ghObS

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Proxy-Authenticate: Digest realm="sip.linphone.org",
nonce="zAS12gAAAACteWi6AABshpUOsGkAAAAA", opaque="+GNyWA==", algorithm=MD5, qop="auth"

Content-Length: 0

12:59:18.021 [1;36mINFO[1;0m: channel [0xeb20] [493] bytes parsed

12:59:18.022 [1;36mINFO[1;0m: Found transaction matching response.

12:59:18.022 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xeb9e0], from state [TRYING] to [COMPLETED]

12:59:18.023 [1;36mINFO[1;0m: linphone_core_find_auth_info(): returning auth info
username=zahersyed, realm=sip.linphone.org

12:59:18.023 [1;36mINFO[1;0m: Auth info found for [zahersyed] realm [sip.linphone.org]

12:59:18.024 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xeb3b08], from state [INIT] to [TRYING]

12:59:18.025 [1;36mINFO[1;0m: channel [0xeb20]: message sent to [UDP://sip.linphone.org:5060],
size: [758] bytes

MESSAGE sip:pidoorbell@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.nZL6aPAsB;rport

From: <sip:zahersyed@sip.linphone.org>;tag=ak2bUTsJJ

To: sip:pidoorbell@sip.linphone.org

CSeq: 21 MESSAGE

Call-ID: MzaJ5ghObs

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 16:58:52 GMT

User-Agent: (belle-sip/1.4.2)

Proxy-Authorization: Digest realm="sip.linphone.org",
nonce="zAS12gAAAACteWi6AABshpUOsGkAAAAA", algorithm=MD5, opaque="+GNyWA==",
username="zahersyed", uri="sip:pidoorbell@sip.linphone.org",
response="838a0dde5b9e57a0fe79ddca8fb164d2", cnonce="af67879f", nc=00000001, qop=auth

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 12:58:52.708828'

12:59:18.026 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

12:59:18.027 [1;36mINFO[1;0m: channel [0xeb20]: message sent to [UDP://sip.linphone.org:5060],
size: [755] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.EjWesvKor;rport

From: <sip:zahersyed@sip.linphone.org>;tag=WfNzKr2zC

To: sip:zahersyed@sip.linphone.org

CSeq: 21 MESSAGE

Call-ID: VI8SHn8YTy

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 16:58:52 GMT

User-Agent: (belle-sip/1.4.2)

Proxy-Authorization: Digest realm="sip.linphone.org",
nonce="zAS12gAAAACovRTcAAB4itZZoRcAAAAA", algorithm=MD5, opaque="+GNyWA==",
username="zahersyed", uri="sip:zahersyed@sip.linphone.org",
response="118b550593cfb25b2a1a90545c3d98b8", cnonce="8bf2f770", nc=00000001, qop=auth

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 12:58:52.695722'

12:59:18.028 [1;36mINFO[1;0m: *Motion detected!*

12:59:19.035 [1;36mINFO[1;0m: channel [0xeb20]: received [493] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 407 Proxy Authentication Required

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.LOSIATPyY;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=ak2bUTsJJ

To: <sip:pidoorbell@sip.linphone.org>;tag=yr1mc40yHHZ7m

Call-ID: MzaJ5ghObS

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Proxy-Authenticate: Digest realm="sip.linphone.org",
nonce="zAS12gAAAACteWi6AABshpUOsGkAAAAA", opaque="+GNyWA==", algorithm=MD5, qop="auth"

Content-Length: 0

12:59:19.047 [1;36mINFO[1;0m: channel [0xeb20] [493] bytes parsed

12:59:19.047 [1;36mINFO[1;0m: Found transaction matching response.

12:59:19.048 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

12:59:19.049 [1;36mINFO[1;0m: channel [0xeb20]: message sent to [UDP://sip.linphone.org:5060], size: [755] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.EjWesvKor;rport

From: <sip:zahersyed@sip.linphone.org>;tag=WfNzKr2zC

To: sip:zahersyed@sip.linphone.org

CSeq: 21 MESSAGE

Call-ID: VI8SHn8YTy

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 16:58:52 GMT

User-Agent: (belle-sip/1.4.2)

Proxy-Authorization: Digest realm="sip.linphone.org",
nonce="zAS12gAAAACovRTcAAB4itZZoRcAAAAA", algorithm=MD5, opaque="+GNyWA==",
username="zahersyed", uri="sip:zahersyed@sip.linphone.org",
response="118b550593cfb25b2a1a90545c3d98b8", cnonce="8bf2f770", nc=00000001, qop=auth

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 12:58:52.695722'

12:59:19.050 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

12:59:19.051 [1;36mINFO[1;0m: channel [0xeb20]: message sent to [UDP://sip.linphone.org:5060], size: [758] bytes

MESSAGE sip:pidoorbell@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.nZL6aPAsB;rport

From: <sip:zahersyed@sip.linphone.org>;tag=ak2bUTsJJ

To: sip:pidoorbell@sip.linphone.org

CSeq: 21 MESSAGE

Call-ID: MzaJ5ghObS

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 16:58:52 GMT

User-Agent: (belle-sip/1.4.2)

Proxy-Authorization: Digest realm="sip.linphone.org",
nonce="zAS12gAAAACteWi6AABshpUOsGkAAAAA", algorithm=MD5, opaque="+GNyWA==",
username="zahersyed", uri="sip:pidoorbell@sip.linphone.org",
response="838a0dde5b9e57a0fe79ddca8fb164d2", cnonce="af67879f", nc=00000001, qop=auth

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 12:58:52.708828'

12:59:19.052 [1;36mINFO[1;0m: channel [0xebeb20]: received [310] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.EjWesvKor;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=WfNzKr2zC

To: <sip:zahersyed@sip.linphone.org>

Call-ID: VI8SHn8YTy

CSeq: 21 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

12:59:19.061 [1;36mINFO[1;0m: channel [0xebeb20] [310] bytes parsed

12:59:19.062 [1;36mINFO[1;0m: Found transaction matching response.

12:59:19.062 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf1e5a8], from state [TRYING] to [PROCEEDING]

12:59:19.064 [1;36mINFO[1;0m: channel [0xeb20]: received [588] new bytes from [UDP://sip.linphone.org:5060]:

MESSAGE sip:zahersyed@173.12.114.238:5063 SIP/2.0

Via: SIP/2.0/UDP 37.59.51.72;rport;branch=z9hG4bK.5U8myHy1N07Frr0raN2e4X71DH

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.EjWesvKor;rport=5063;received=173.12.114.238

Max-Forwards: 69

From: <sip:zahersyed@sip.linphone.org>;tag=WfNzKr2zC

To: <sip:zahersyed@sip.linphone.org>

Call-ID: VI8SHn8YTy

CSeq: 21 MESSAGE

Date: Sun, 10 Apr 2016 16:58:52 GMT

User-Agent: (belle-sip/1.4.2)

Supported: outbound

Content-Type: text/plain

Content-Length: 79

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 12:58:52.695722'

12:59:19.124 [1;36mINFO[1;0m: channel [0xeb20] [509] bytes parsed

12:59:19.125 [1;36mINFO[1;0m: channel [0xeb20] read [79] bytes of body from [sip.linphone.org:5060]

12:59:19.128 [1;36mINFO[1;0m: Changing [server] [MESSAGE] transaction [0xe613d0], from state [INIT] to [TRYING]

12:59:19.130 [1;36mINFO[1;0m: Linphone core [0xe5e120] notifying [message_received]

12:59:19.131 [1;36mINFO[1;0m: Linphone core [0xe5e120] notifying [is_composing_received]

12:59:19.131 [1;36mINFO[1;0m: Changing [server] [MESSAGE] transaction [0xe613d0], from state [TRYING] to [COMPLETED]

12:59:19.132 [1;36mINFO[1;0m: channel [0xeb20]: message sent to [UDP://sip.linphone.org:5060], size: [333] bytes

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 37.59.51.72;rport;branch=z9hG4bK.5U8myHy1N07Frr0raN2e4X71DH

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.EjWesvKor;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=WfNzKr2zC

To: <sip:zahersyed@sip.linphone.org>;tag=pGEwtC0

Call-ID: VI8SHn8YTy

CSeq: 21 MESSAGE

12:59:19.132 [1;36mINFO[1;0m: Destroying op [0xea8ca0] of type [SalOpMessage]

12:59:19.132 [1;36mINFO[1;0m: channel [0xeb20]: received [274] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.EjWesvKor;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=WfNzKr2zC

To: <sip:zahersyed@sip.linphone.org>;tag=tF2Kh10

Call-ID: VI8SHn8YTy

CSeq: 21 MESSAGE

Content-Length: 0

12:59:19.137 [1;36mINFO[1;0m: channel [0xeb20] [274] bytes parsed

12:59:19.137 [1;36mINFO[1;0m: Found transaction matching response.

12:59:19.138 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf1e5a8], from state [PROCEEDING] to [COMPLETED]

12:59:19.138 [1;36mINFO[1;0m: Chat message 0xeb5a50: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateDelivered

12:59:19.139 [1;36mINFO[1;0m: channel [0xeb20]: received [588] new bytes from [UDP://sip.linphone.org:5060]:

MESSAGE sip:zahersyed@173.12.114.238:5063 SIP/2.0

Via: SIP/2.0/UDP 37.59.51.72;rport;branch=z9hG4bK.5U8myHy1N07Frr0raN2e4X71DH

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.EjWesvKor;rport=5063;received=173.12.114.238

Max-Forwards: 69

From: <sip:zahersyed@sip.linphone.org>;tag=WfNzKr2zC

To: <sip:zahersyed@sip.linphone.org>

Call-ID: VI8SHn8YTy

CSeq: 21 MESSAGE

Date: Sun, 10 Apr 2016 16:58:52 GMT

User-Agent: (belle-sip/1.4.2)

Supported: outbound

Content-Type: text/plain

Content-Length: 79

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 12:58:52.695722'

12:59:19.148 [1;36mINFO[1;0m: channel [0xeb20] [509] bytes parsed

12:59:19.148 [1;36mINFO[1;0m: channel [0xeb20] read [79] bytes of body from [sip.linphone.org:5060]

12:59:19.148 [1;36mINFO[1;0m: Found transaction [0xe613d0] matching request.

12:59:19.149 [1;36mINFO[1;0m: channel [0xeb20]: message sent to [UDP://sip.linphone.org:5060], size: [333] bytes

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 37.59.51.72;rport;branch=z9hG4bK.5U8myHy1N07Frr0raN2e4X71DH

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.EjWesvKor;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=WfNzKr2zC

To: <sip:zahersyed@sip.linphone.org>;tag=pGEwtC0

Call-ID: VI8SHn8YTy

CSeq: 21 MESSAGE

12:59:19.150 [1;36mINFO[1;0m: channel [0xeb20]: received [311] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.nZL6aPAsB;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=ak2bUTsJJ

To: <sip:pidoorbell@sip.linphone.org>

Call-ID: MzaJ5ghObS

CSeq: 21 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

12:59:19.154 [1;36mINFO[1;0m: channel [0xeb20] [311] bytes parsed

12:59:19.155 [1;36mINFO[1;0m: Found transaction matching response.

12:59:19.155 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xeb3b08], from state [TRYING] to [PROCEEDING]

12:59:19.156 [1;36mINFO[1;0m: channel [0xeb20]: received [274] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.EjWesvKor;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=WfNzKr2zC

To: <sip:zahersyed@sip.linphone.org>;tag=tF2Kh1O

Call-ID: VI8SHn8YTy

CSeq: 21 MESSAGE

Content-Length: 0

12:59:19.160 [1;36mINFO[1;0m: channel [0xeb20] [274] bytes parsed

12:59:19.161 [1;36mINFO[1;0m: Found transaction matching response.

12:59:19.161 [1;36mINFO[1;0m: channel [0xeb20]: received [275] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.nZL6aPAsB;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=ak2bUTsJJ

To: <sip:pidoorbell@sip.linphone.org>;tag=Uxj8izh

Call-ID: MzaJ5ghObS

CSeq: 21 MESSAGE

Content-Length: 0

12:59:19.166 [1;36mINFO[1;0m: channel [0xeb20] [275] bytes parsed

12:59:19.166 [1;36mINFO[1;0m: Found transaction matching response.

12:59:19.167 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xeb3b08], from state [PROCEEDING] to [COMPLETED]

12:59:19.167 [1;36mINFO[1;0m: Chat message 0xead5e0: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateDelivered

12:59:19.167 [1;36mINFO[1;0m: channel [0xeb20]: received [588] new bytes from [UDP://sip.linphone.org:5060]:

MESSAGE sip:zahersyed@173.12.114.238:5063 SIP/2.0

Via: SIP/2.0/UDP 37.59.51.72;rport;branch=z9hG4bK.5U8myHy1N07Frr0raN2e4X71DH

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.EjWesvKor;rport=5063;received=173.12.114.238

Max-Forwards: 69

From: <sip:zahersyed@sip.linphone.org>;tag=WfNzKr2zC

To: <sip:zahersyed@sip.linphone.org>

Call-ID: VI8SHn8YTy

CSeq: 21 MESSAGE

Date: Sun, 10 Apr 2016 16:58:52 GMT

User-Agent: (belle-sip/1.4.2)

Supported: outbound

Content-Type: text/plain

Content-Length: 79

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 12:58:52.695722'

12:59:19.176 [1;36mINFO[1;0m: channel [0xeb20] [509] bytes parsed

12:59:19.177 [1;36mINFO[1;0m: channel [0xeb20] read [79] bytes of body from [sip.linphone.org:5060]

12:59:19.177 [1;36mINFO[1;0m: Found transaction [0xe613d0] matching request.

12:59:19.178 [1;36mINFO[1;0m: channel [0xeb20]: message sent to [UDP://sip.linphone.org:5060], size: [333] bytes

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 37.59.51.72;rport;branch=z9hG4bK.5U8myHy1N07Frr0raN2e4X71DH

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.EjWesvKor;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=WfNzKr2zC

To: <sip:zahersyed@sip.linphone.org>;tag=pGEwtC0

Call-ID: VI8SHn8YTy

CSeq: 21 MESSAGE

12:59:19.187 [1;36mINFO[1;0m: channel [0xeb20]: received [274] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.EjWesvKor;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=WfNzKr2zC

To: <sip:zahersyed@sip.linphone.org>;tag=tF2Kh10

Call-ID: VI8SHn8YTy

CSeq: 21 MESSAGE

Content-Length: 0

12:59:19.191 [1;36mINFO[1;0m: channel [0xeb20] [274] bytes parsed

12:59:19.192 [1;36mINFO[1;0m: Found transaction matching response.

12:59:19.193 [1;36mINFO[1;0m: channel [0xeb20]: received [275] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.nZL6aPAsB;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=ak2bUTsJJ

To: <sip:pidoorbell@sip.linphone.org>;tag=Uxj8izh

Call-ID: MzaJ5ghObS

CSeq: 21 MESSAGE

Content-Length: 0

12:59:19.197 [1;36mINFO[1;0m: channel [0xeb20] [275] bytes parsed

12:59:19.198 [1;36mINFO[1;0m: Found transaction matching response.

12:59:22.000 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xeb920], from state [COMPLETED] to [TERMINATED]

12:59:22.000 [1;36mINFO[1;0m: Client MESSAGE transaction [0xeb920] terminated

12:59:22.001 [1;36mINFO[1;0m: Unhandled transaction terminated [0xeb920]

12:59:23.025 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xebc9e0], from state [COMPLETED] to [TERMINATED]

12:59:23.025 [1;36mINFO[1;0m: Client MESSAGE transaction [0xebc9e0] terminated

12:59:23.025 [1;36mINFO[1;0m: Unhandled transaction terminated [0xebc9e0]

12:59:24.138 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf1e5a8], from state [COMPLETED] to [TERMINATED]

12:59:24.138 [1;36mINFO[1;0m: Client MESSAGE transaction [0xf1e5a8] terminated

12:59:24.138 [1;36mINFO[1;0m: Unhandled transaction terminated [0xf1e5a8]

12:59:24.167 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xeb3b08], from state [COMPLETED] to [TERMINATED]

12:59:24.167 [1;36mINFO[1;0m: Client MESSAGE transaction [0xeb3b08] terminated

12:59:24.167 [1;36mINFO[1;0m: Unhandled transaction terminated [0xeb3b08]

12:59:26.983 [1;36mINFO[1;0m: channel [0xeb20]: keep alive sent to [UDP://sip.linphone.org:5060]

12:59:27.572 [1;36mINFO[1;0m: *Motion detected!*

12:59:28.576 [1;36mINFO[1;0m: Notifying contacts...

12:59:28.576 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

12:59:28.579 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

12:59:28.579 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76c95e20>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

12:59:28.586 [1;36mINFO[1;0m: Skipping top route of initial route-set because same as request-uri.

12:59:28.586 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xecfc98], from state [INIT] to [TRYING]

12:59:28.587 [1;36mINFO[1;0m: channel [0xeb20]: message sent to [UDP://sip.linphone.org:5060], size: [476] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.iLdgnyXDC;rport

From: <sip:zahersyed@sip.linphone.org>;tag=XFNk40P91

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: w5dohR5ei6

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 16:59:28 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 12:59:28.578124'

12:59:28.588 [1;36mINFO[1;0m: Chat message 0xf68a28: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

12:59:28.589 [1;36mINFO[1;0m: Notifying pidoorbell@sip.linphone.org

12:59:28.591 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

12:59:28.592 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76c95e00>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

12:59:28.598 [1;36mINFO[1;0m: Skipping top route of initial route-set because same as request-uri.

12:59:28.599 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf1b198], from state [INIT] to [TRYING]

12:59:28.600 [1;36mINFO[1;0m: channel [0xeb20]: message sent to [UDP://sip.linphone.org:5060], size: [478] bytes

MESSAGE sip:pidoorbell@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.pG8cDMD-i;rport

From: <sip:zahersyed@sip.linphone.org>;tag=Z2froG-4j

To: sip:pidoorbell@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: AyAvWUWk1g

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 16:59:28 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 12:59:28.590592'

12:59:28.601 [1;36mINFO[1;0m: Chat message 0xf65ba0: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

12:59:32.822 [1;36mINFO[1;0m: Emailed and saved image to "/home/pi/emailedSecurityCameraImage-2016-04-10T12:59:32.820784.jpg"

12:59:52.306 [1;36mINFO[1;0m: channel [0xeb20]: received [492] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 407 Proxy Authentication Required

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.iLdgnYXDC;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=XFNk40P91

To: <sip:zahersyed@sip.linphone.org>;tag=t5NZap9eSvXQm

Call-ID: w5dohR5ei6

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Proxy-Authenticate: Digest realm="sip.linphone.org",
nonce="8AS12gAAAACg9bKrAABA7OFVPbkAAAAA", opaque="+GNyWA==", algorithm=MD5, qop="auth"

Content-Length: 0

12:59:52.318 [1;36mINFO[1;0m: channel [0xebeb20] [492] bytes parsed

12:59:52.319 [1;36mINFO[1;0m: Found transaction matching response.

12:59:52.319 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xecfc98], from state [TRYING] to [COMPLETED]

12:59:52.320 [1;36mINFO[1;0m: linphone_core_find_auth_info(): returning auth info
username=zahersyed, realm=sip.linphone.org

12:59:52.320 [1;36mINFO[1;0m: Auth info found for [zahersyed] realm [sip.linphone.org]

12:59:52.321 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf1c680], from state [INIT] to [TRYING]

12:59:52.322 [1;36mINFO[1;0m: channel [0xebeb20]: message sent to [UDP://sip.linphone.org:5060],
size: [755] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.R6DekoLL4;rport

From: <sip:zahersyed@sip.linphone.org>;tag=XFNk40P91

To: sip:zahersyed@sip.linphone.org

CSeq: 21 MESSAGE

Call-ID: w5dohR5ei6

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 16:59:28 GMT

User-Agent: (belle-sip/1.4.2)

Proxy-Authorization: Digest realm="sip.linphone.org",
nonce="8AS12gAAAACg9bKrAABA7OFVPbkAAAAA", algorithm=MD5, opaque="+GNyWA==",
username="zahersyed", uri="sip:zahersyed@sip.linphone.org",
response="e7a8c907fdf18f47e3ba58b9b68ed203", cnonce="c5984e54", nc=00000001, qop=auth

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 12:59:28.578124'

12:59:52.323 [1;36mINFO[1;0m: channel [0xeb20]: keep alive sent to [UDP://sip.linphone.org:5060]

12:59:52.324 [1;36mINFO[1;0m: Changing [server] [MESSAGE] transaction [0xe613d0], from state [COMPLETED] to [TERMINATED]

12:59:52.324 [1;36mINFO[1;0m: Server MESSAGE transaction [0xe613d0] terminated

12:59:52.325 [1;36mINFO[1;0m: Unhandled transaction terminated [0xe613d0]

12:59:52.325 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

12:59:52.326 [1;36mINFO[1;0m: channel [0xeb20]: message sent to [UDP://sip.linphone.org:5060],
size: [478] bytes

MESSAGE sip:pidoorbell@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.pG8cDMD-i;rport

From: <sip:zahersyed@sip.linphone.org>;tag=Z2froG-4j

To: sip:pidoorbell@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: AyAvWUWk1g

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 16:59:28 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 12:59:28.590592'

12:59:52.327 [1;36mINFO[1;0m: *Motion detected!*

12:59:53.334 [1;36mINFO[1;0m: channel [0xebeb20]: received [493] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 407 Proxy Authentication Required

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.pG8cDMD-i;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=Z2froG-4j

To: <sip:pidoorbell@sip.linphone.org>;tag=UeFrcHtjp5Kag

Call-ID: AyAvWUWk1g

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Proxy-Authenticate: Digest realm="sip.linphone.org",
nonce="8AS12gAAAACLsQaKAABvT7CaP1QAAAAA", opaque="+GNyWA==", algorithm=MD5, qop="auth"

Content-Length: 0

12:59:53.345 [1;36mINFO[1;0m: channel [0xebeb20] [493] bytes parsed

12:59:53.346 [1;36mINFO[1;0m: Found transaction matching response.

12:59:53.347 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf1b198], from state [TRYING] to [COMPLETED]

12:59:53.347 [1;36mINFO[1;0m: linphone_core_find_auth_info(): returning auth info
username=zahersyed, realm=sip.linphone.org

12:59:53.348 [1;36mINFO[1;0m: Auth info found for [zahersyed] realm [sip.linphone.org]

12:59:53.348 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf13088], from state [INIT] to [TRYING]

12:59:53.350 [1;36mINFO[1;0m: channel [0xebeb20]: message sent to [UDP://sip.linphone.org:5060],
size: [758] bytes

MESSAGE sip:pidoorbell@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.oSrCphio1;rport

From: <sip:zahersyed@sip.linphone.org>;tag=Z2froG-4j

To: sip:pidoorbell@sip.linphone.org

CSeq: 21 MESSAGE

Call-ID: AyAvWUWk1g

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 16:59:28 GMT

User-Agent: (belle-sip/1.4.2)

Proxy-Authorization: Digest realm="sip.linphone.org",
nonce="8AS12gAAAAClsQaKAABvT7CaP1QAAAAA", algorithm=MD5, opaque="+GNyWA==",
username="zahersyed", uri="sip:pidoorbell@sip.linphone.org",
response="06869170f4067c396c51d85ecc5633a0", cnonce="b706acd6", nc=00000001, qop=auth

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 12:59:28.590592'

12:59:53.350 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

12:59:53.351 [1;36mINFO[1;0m: channel [0xebeb20]: message sent to [UDP://sip.linphone.org:5060],
size: [755] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.R6DekoLL4;rport

From: <sip:zahersyed@sip.linphone.org>;tag=XFNk40P91

To: sip:zahersyed@sip.linphone.org

CSeq: 21 MESSAGE

Call-ID: w5dohR5ei6

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 16:59:28 GMT

User-Agent: (belle-sip/1.4.2)

Proxy-Authorization: Digest realm="sip.linphone.org",
nonce="8AS12gAAAACg9bKrAABA7OFVPbkAAAAA", algorithm=MD5, opaque="+GNyWA==",

username="zahersyed", uri="sip:zahersyed@sip.linphone.org",
response="e7a8c907fdf18f47e3ba58b9b68ed203", cnonce="c5984e54", nc=00000001, qop=auth

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 12:59:28.578124'

12:59:53.353 [1;36mINFO[1;0m: channel [0xeb20]: received [493] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 407 Proxy Authentication Required

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.pG8cDMD-i;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=Z2froG-4j

To: <sip:pidoorbell@sip.linphone.org>;tag=UeFrcHtjp5Kag

Call-ID: AyAvWUWk1g

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Proxy-Authenticate: Digest realm="sip.linphone.org",
nonce="8AS12gAAAACLsQaKAABvT7CaP1QAAAAA", opaque="+GNYwA==", algorithm=MD5, qop="auth"

Content-Length: 0

12:59:53.364 [1;36mINFO[1;0m: channel [0xeb20] [493] bytes parsed

12:59:53.365 [1;36mINFO[1;0m: Found transaction matching response.

12:59:53.366 [1;36mINFO[1;0m: channel [0xeb20]: received [310] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.R6DekoLL4;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=XFNk40P91

To: <sip:zahersyed@sip.linphone.org>

Call-ID: w5dohR5ei6

CSeq: 21 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

12:59:53.375 [1;36mINFO[1;0m: channel [0xeb20] [310] bytes parsed

12:59:53.376 [1;36mINFO[1;0m: Found transaction matching response.

12:59:53.377 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf1c680], from state [TRYING] to [PROCEEDING]

12:59:53.378 [1;36mINFO[1;0m: channel [0xeb20]: received [588] new bytes from [UDP://sip.linphone.org:5060]:

MESSAGE sip:zahersyed@173.12.114.238:5063 SIP/2.0

Via: SIP/2.0/UDP 37.59.51.72;rport;branch=z9hG4bK.mXKK1pcv5X1D2B0yKrBmmd7pja

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.R6DekoLL4;rport=5063;received=173.12.114.238

Max-Forwards: 69

From: <sip:zahersyed@sip.linphone.org>;tag=XFNk40P91

To: <sip:zahersyed@sip.linphone.org>

Call-ID: w5dohR5ei6

CSeq: 21 MESSAGE

Date: Sun, 10 Apr 2016 16:59:28 GMT

User-Agent: (belle-sip/1.4.2)

Supported: outbound

Content-Type: text/plain

Content-Length: 79

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 12:59:28.578124'

12:59:53.395 [1;36mINFO[1;0m: channel [0xeb20] [509] bytes parsed

12:59:53.396 [1;36mINFO[1;0m: channel [0xeb20] read [79] bytes of body from [sip.linphone.org:5060]

12:59:53.402 [1;36mINFO[1;0m: Changing [server] [MESSAGE] transaction [0xeb3f98], from state [INIT] to [TRYING]

12:59:53.406 [1;36mINFO[1;0m: Linphone core [0xe5e120] notifying [message_received]

12:59:53.407 [1;36mINFO[1;0m: Linphone core [0xe5e120] notifying [is_composing_received]

12:59:53.408 [1;36mINFO[1;0m: Changing [server] [MESSAGE] transaction [0xeb3f98], from state [TRYING] to [COMPLETED]

12:59:53.409 [1;36mINFO[1;0m: channel [0xebeb20]: message sent to [UDP://sip.linphone.org:5060], size: [333] bytes

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 37.59.51.72;rport;branch=z9hG4bK.mXKK1pcv5X1D2B0yKrBmmd7pja

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.R6DekoLL4;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=XFNk40P91

To: <sip:zahersyed@sip.linphone.org>;tag=ijJqMwf

Call-ID: w5dohR5ei6

CSeq: 21 MESSAGE

12:59:53.409 [1;36mINFO[1;0m: Destroying op [0xf64ad8] of type [SalOpMessage]

12:59:53.411 [1;36mINFO[1;0m: channel [0xebeb20]: received [274] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.R6DekoLL4;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=XFNk40P91

To: <sip:zahersyed@sip.linphone.org>;tag=WxHRnAg

Call-ID: w5dohR5ei6

CSeq: 21 MESSAGE

Content-Length: 0

12:59:53.416 [1;36mINFO[1;0m: channel [0xebeb20] [274] bytes parsed

12:59:53.417 [1;36mINFO[1;0m: Found transaction matching response.

12:59:53.417 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf1c680], from state [PROCEEDING] to [COMPLETED]

12:59:53.417 [1;36mINFO[1;0m: Chat message 0xf68a28: moving from state
LinphoneChatMessageStateInProgress to LinphoneChatMessageStateDelivered

12:59:53.418 [1;36mINFO[1;0m: channel [0xebeb20]: received [588] new bytes from
[UDP://sip.linphone.org:5060]:

MESSAGE sip:zahersyed@173.12.114.238:5063 SIP/2.0

Via: SIP/2.0/UDP 37.59.51.72;rport;branch=z9hG4bK.mXKK1pcv5X1D2B0yKrBmmd7pja

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.R6DekoLL4;rport=5063;received=173.12.114.238

Max-Forwards: 69

From: <sip:zahersyed@sip.linphone.org>;tag=XFNk40P91

To: <sip:zahersyed@sip.linphone.org>

Call-ID: w5dohR5ei6

CSeq: 21 MESSAGE

Date: Sun, 10 Apr 2016 16:59:28 GMT

User-Agent: (belle-sip/1.4.2)

Supported: outbound

Content-Type: text/plain

Content-Length: 79

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 12:59:28.578124'

12:59:53.427 [1;36mINFO[1;0m: channel [0xebeb20] [509] bytes parsed

12:59:53.427 [1;36mINFO[1;0m: channel [0xebeb20] read [79] bytes of body from
[sip.linphone.org:5060]

12:59:53.427 [1;36mINFO[1;0m: Found transaction [0xeb3f98] matching request.

12:59:53.428 [1;36mINFO[1;0m: channel [0xebeb20]: message sent to [UDP://sip.linphone.org:5060],
size: [333] bytes

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 37.59.51.72;rport;branch=z9hG4bK.mXKK1pcv5X1D2B0yKrBmmd7pja

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.R6DekoLL4;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=XFNk40P91

To: <sip:zahersyed@sip.linphone.org>;tag=ijJqMwf

Call-ID: w5dohR5ei6

CSeq: 21 MESSAGE

12:59:53.490 [1;36mINFO[1;0m: channel [0xeb20]: received [311] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.oSrCphio1;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=Z2froG-4j

To: <sip:pidoorbell@sip.linphone.org>

Call-ID: AyAvWUWk1g

CSeq: 21 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

12:59:53.495 [1;36mINFO[1;0m: channel [0xeb20] [311] bytes parsed

12:59:53.495 [1;36mINFO[1;0m: Found transaction matching response.

12:59:53.495 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf13088], from state [TRYING] to [PROCEEDING]

12:59:53.496 [1;36mINFO[1;0m: channel [0xeb20]: received [274] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.R6DekoLL4;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=XFNk40P91

To: <sip:zahersyed@sip.linphone.org>;tag=WxHRnAg

Call-ID: w5dohR5ei6

CSeq: 21 MESSAGE

Content-Length: 0

12:59:53.500 [1;36mINFO[1;0m: channel [0xeb20] [274] bytes parsed

12:59:53.501 [1;36mINFO[1;0m: Found transaction matching response.

12:59:53.849 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

12:59:53.849 [1;36mINFO[1;0m: channel [0xeb20]: message sent to [UDP://sip.linphone.org:5060], size: [758] bytes

MESSAGE sip:pidoorbell@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.oSrCphio1;rport

From: <sip:zahersyed@sip.linphone.org>;tag=Z2froG-4j

To: sip:pidoorbell@sip.linphone.org

CSeq: 21 MESSAGE

Call-ID: AyAvWUWk1g

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 16:59:28 GMT

User-Agent: (belle-sip/1.4.2)

Proxy-Authorization: Digest realm="sip.linphone.org",
nonce="8AS12gAAAACLsQaKAABvT7CaP1QAAAAA", algorithm=MD5, opaque="+GNyWA==",
username="zahersyed", uri="sip:pidoorbell@sip.linphone.org",
response="06869170f4067c396c51d85ecc5633a0", cnonce="b706acd6", nc=00000001, qop=auth

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 12:59:28.590592'

12:59:53.858 [1;36mINFO[1;0m: channel [0xeb20]: received [275] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.oSrCphio1;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=Z2froG-4j

To: <sip:pidoorbell@sip.linphone.org>;tag=V~Xc5ek

Call-ID: AyAvWUWk1g

CSeq: 21 MESSAGE

Content-Length: 0

12:59:53.863 [1;36mINFO[1;0m: channel [0xebeb20] [275] bytes parsed

12:59:53.863 [1;36mINFO[1;0m: Found transaction matching response.

12:59:53.864 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf13088], from state [PROCEEDING] to [COMPLETED]

12:59:53.864 [1;36mINFO[1;0m: Chat message 0xf65ba0: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateDelivered

12:59:53.989 [1;36mINFO[1;0m: channel [0xebeb20]: received [275] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.oSrCphio1;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=Z2froG-4j

To: <sip:pidoorbell@sip.linphone.org>;tag=V~Xc5ek

Call-ID: AyAvWUWk1g

CSeq: 21 MESSAGE

Content-Length: 0

12:59:53.994 [1;36mINFO[1;0m: channel [0xebeb20] [275] bytes parsed

12:59:53.994 [1;36mINFO[1;0m: Found transaction matching response.

12:59:57.323 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xecfc98], from state [COMPLETED] to [TERMINATED]

12:59:57.323 [1;36mINFO[1;0m: Client MESSAGE transaction [0xecfc98] terminated

12:59:57.323 [1;36mINFO[1;0m: Unhandled transaction terminated [0xecfc98]

12:59:58.350 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf1b198], from state [COMPLETED] to [TERMINATED]

12:59:58.350 [1;36mINFO[1;0m: Client MESSAGE transaction [0xf1b198] terminated

12:59:58.350 [1;36mINFO[1;0m: Unhandled transaction terminated [0xf1b198]

12:59:58.417 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf1c680], from state [COMPLETED] to [TERMINATED]

12:59:58.417 [1;36mINFO[1;0m: Client MESSAGE transaction [0xf1c680] terminated

12:59:58.417 [1;36mINFO[1;0m: Unhandled transaction terminated [0xf1c680]

12:59:58.864 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf13088], from state [COMPLETED] to [TERMINATED]

12:59:58.864 [1;36mINFO[1;0m: Client MESSAGE transaction [0xf13088] terminated

12:59:58.864 [1;36mINFO[1;0m: Unhandled transaction terminated [0xf13088]

12:59:59.197 [1;36mINFO[1;0m: *Motion detected!*

13:00:00.200 [1;36mINFO[1;0m: Notifying contacts...

13:00:00.201 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

13:00:00.204 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

13:00:00.204 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76c95fa0>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

13:00:00.210 [1;36mINFO[1;0m: Skipping top route of initial route-set because same as request-uri.

13:00:00.211 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf731a0], from state [INIT] to [TRYING]

13:00:00.212 [1;36mINFO[1;0m: channel [0xebeb20]: message sent to [UDP://sip.linphone.org:5060], size: [476] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.cGRPGtFMh;rport

From: <sip:zahersyed@sip.linphone.org>;tag=h2IKCZsnt

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: w9GUf6lspR

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 17:00:00 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 13:00:00.202786'

13:00:00.213 [1;36mINFO[1;0m: Chat message 0xebb8e0: moving from state
LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

13:00:00.213 [1;36mINFO[1;0m: Notifying pidoorbell@sip.linphone.org

13:00:00.216 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

13:00:00.216 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76c95f00>, ip =
None, ea = sip:linphone@10.1.10.45:5063, un = linphone

13:00:00.223 [1;36mINFO[1;0m: Skipping top route of initial route-set because same as request-uri.

13:00:00.224 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xebb530], from state [INIT]
to [TRYING]

13:00:00.224 [1;36mINFO[1;0m: channel [0xebeb20]: message sent to [UDP://sip.linphone.org:5060],
size: [478] bytes

MESSAGE sip:pidoorbell@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.jlbnKAGIE;rport

From: <sip:zahersyed@sip.linphone.org>;tag=p8UPIVJjw

To: sip:pidoorbell@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: vrGAwQo1ji

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 17:00:00 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 13:00:00.215107'

13:00:00.226 [1;36mINFO[1;0m: Chat message 0xeb9838: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

13:00:00.355 [1;36mINFO[1;0m: channel [0xebeb20]: received [492] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 407 Proxy Authentication Required

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.cGRPGtFMh;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=h2IKCZsnt

To: <sip:zahersyed@sip.linphone.org>;tag=pgrQQ4UXSDaUe

Call-ID: w9GUf6lspR

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Proxy-Authenticate: Digest realm="sip.linphone.org", nonce="EAW12gAAAADxRftzAACyp2Njib4AAAAA", opaque="+GNyWA==", algorithm=MD5, qop="auth"

Content-Length: 0

13:00:00.361 [1;36mINFO[1;0m: channel [0xebeb20] [492] bytes parsed

13:00:00.362 [1;36mINFO[1;0m: Found transaction matching response.

13:00:00.362 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf731a0], from state [TRYING] to [COMPLETED]

13:00:00.362 [1;36mINFO[1;0m: linphone_core_find_auth_info(): returning auth info username=zahersyed, realm=sip.linphone.org

13:00:00.363 [1;36mINFO[1;0m: Auth info found for [zahersyed] realm [sip.linphone.org]

13:00:00.363 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf137b0], from state [INIT] to [TRYING]

13:00:00.364 [1;36mINFO[1;0m: channel [0xebeb20]: message sent to [UDP://sip.linphone.org:5060], size: [755] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.ezGkxbF6L;rport

From: <sip:zahersyed@sip.linphone.org>;tag=h2IKCZsnt

To: sip:zahersyed@sip.linphone.org

CSeq: 21 MESSAGE

Call-ID: w9GUf6lspR

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 17:00:00 GMT

User-Agent: (belle-sip/1.4.2)

Proxy-Authorization: Digest realm="sip.linphone.org",
nonce="EAW12gAAAADxRftzAACYP2Njib4AAAAA", algorithm=MD5, opaque="+GNyWA==",
username="zahersyed", uri="sip:zahersyed@sip.linphone.org",
response="75cf76028da64208e019552e566e9d1e", cnonce="bc1af23a", nc=00000001, qop=auth

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 13:00:00.202786'

13:00:00.380 [1;36mINFO[1;0m: channel [0xebeb20]: received [493] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 407 Proxy Authentication Required

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.jlbnKAGIE;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=p8UPIVJjw

To: <sip:pidoorbelle@sip.linphone.org>;tag=SB41vNe8g8cKH

Call-ID: vrGAwQo1ji

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Proxy-Authenticate: Digest realm="sip.linphone.org",
nonce="EAW12gAAAADHvalwAACyVA81U2kAAAAA", opaque="+GNyWA==", algorithm=MD5,
qop="auth"

Content-Length: 0

13:00:00.386 [1;36mINFO[1;0m: channel [0xebeb20] [493] bytes parsed

13:00:00.387 [1;36mINFO[1;0m: Found transaction matching response.

13:00:00.387 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xebb530], from state [TRYING] to [COMPLETED]

13:00:00.387 [1;36mINFO[1;0m: linphone_core_find_auth_info(): returning auth info
username=zahersyed, realm=sip.linphone.org

13:00:00.388 [1;36mINFO[1;0m: Auth info found for [zahersyed] realm [sip.linphone.org]

13:00:00.388 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf5a190], from state [INIT] to [TRYING]

13:00:00.389 [1;36mINFO[1;0m: channel [0xebeb20]: message sent to [UDP://sip.linphone.org:5060], size: [758] bytes

MESSAGE sip:pidoorbell@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.6x~k3VPy1;rport

From: <sip:zahersyed@sip.linphone.org>;tag=p8UPIVJjw

To: sip:pidoorbell@sip.linphone.org

CSeq: 21 MESSAGE

Call-ID: vrGAwQo1ji

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 17:00:00 GMT

User-Agent: (belle-sip/1.4.2)

Proxy-Authorization: Digest realm="sip.linphone.org",
nonce="EAW12gAAAADHvalwAACyVA81U2kAAAAA", algorithm=MD5, opaque="+GNyWA==",
username="zahersyed", uri="sip:pidoorbell@sip.linphone.org",
response="fd4f488ddca90bb3742ea3c5201193dd", cnonce="1688d444", nc=00000001, qop=auth

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 13:00:00.215107'

13:00:00.502 [1;36mINFO[1;0m: channel [0xebeb20]: received [310] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.ezGkxbF6L;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=h2IKCZsnt

To: <sip:zahersyed@sip.linphone.org>

Call-ID: w9GUf6lspR

CSeq: 21 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

13:00:00.507 [1;36mINFO[1;0m: channel [0xeb20] [310] bytes parsed

13:00:00.507 [1;36mINFO[1;0m: Found transaction matching response.

13:00:00.508 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf137b0], from state [TRYING] to [PROCEEDING]

13:00:00.508 [1;36mINFO[1;0m: channel [0xeb20]: received [588] new bytes from [UDP://sip.linphone.org:5060]:

MESSAGE sip:zahersyed@173.12.114.238:5063 SIP/2.0

Via: SIP/2.0/UDP 37.59.51.72;rport;branch=z9hG4bK.Kg15FNgU89j6va0NBQaXrXgN5a

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.ezGkxbF6L;rport=5063;received=173.12.114.238

Max-Forwards: 69

From: <sip:zahersyed@sip.linphone.org>;tag=h2IKCZsnt

To: <sip:zahersyed@sip.linphone.org>

Call-ID: w9GUf6lspR

CSeq: 21 MESSAGE

Date: Sun, 10 Apr 2016 17:00:00 GMT

User-Agent: (belle-sip/1.4.2)

Supported: outbound

Content-Type: text/plain

Content-Length: 79

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 13:00:00.202786'

13:00:00.517 [1;36mINFO[1;0m: channel [0xeb20] [509] bytes parsed

13:00:00.518 [1;36mINFO[1;0m: channel [0xeb20] read [79] bytes of body from [sip.linphone.org:5060]

13:00:00.521 [1;36mINFO[1;0m: Changing [server] [MESSAGE] transaction [0xf225f8], from state [INIT] to [TRYING]

13:00:00.524 [1;36mINFO[1;0m: Linphone core [0xe5e120] notifying [message_received]

13:00:00.524 [1;36mINFO[1;0m: Linphone core [0xe5e120] notifying [is_composing_received]

13:00:00.524 [1;36mINFO[1;0m: Changing [server] [MESSAGE] transaction [0xf225f8], from state [TRYING] to [COMPLETED]

13:00:00.525 [1;36mINFO[1;0m: channel [0xeb20]: message sent to [UDP://sip.linphone.org:5060], size: [333] bytes

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 37.59.51.72;rport=branch=z9hG4bK.Kg15FNgU89j6va0NBQaXrXgN5a

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.ezGkxbF6L;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=h2IKCZsnt

To: <sip:zahersyed@sip.linphone.org>;tag=nyDhMpZ

Call-ID: w9GUf6lspR

CSeq: 21 MESSAGE

13:00:00.525 [1;36mINFO[1;0m: Destroying op [0xf36bb8] of type [SalOpMessage]

13:00:00.526 [1;36mINFO[1;0m: channel [0xeb20]: received [311] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.6x~k3VPy1;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=p8UPIVJw

To: <sip:pidoorbell@sip.linphone.org>

Call-ID: vrGAwQo1ji

CSeq: 21 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

13:00:00.531 [1;36mINFO[1;0m: channel [0xeb20] [311] bytes parsed

13:00:00.531 [1;36mINFO[1;0m: Found transaction matching response.

13:00:00.531 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf5a190], from state [TRYING] to [PROCEEDING]

13:00:00.663 [1;36mINFO[1;0m: channel [0xeb20]: received [274] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.ezGkxbF6L;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=h2IKCZsnt

To: <sip:zahersyed@sip.linphone.org>;tag=nyDhMpZ

Call-ID: w9GUf6lspR

CSeq: 21 MESSAGE

Content-Length: 0

13:00:00.668 [1;36mINFO[1;0m: channel [0xeb20] [274] bytes parsed

13:00:00.668 [1;36mINFO[1;0m: Found transaction matching response.

13:00:00.669 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf137b0], from state [PROCEEDING] to [COMPLETED]

13:00:00.669 [1;36mINFO[1;0m: Chat message 0xebb8e0: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateDelivered

13:00:00.888 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

13:00:00.889 [1;36mINFO[1;0m: channel [0xeb20]: message sent to [UDP://sip.linphone.org:5060], size: [758] bytes

MESSAGE sip:pidoorbell@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.6x~k3VPy1;rport

From: <sip:zahersyed@sip.linphone.org>;tag=p8UPIVJw

To: sip:pidoorbell@sip.linphone.org

CSeq: 21 MESSAGE

Call-ID: vrGAwQo1ji

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 17:00:00 GMT

User-Agent: (belle-sip/1.4.2)

Proxy-Authorization: Digest realm="sip.linphone.org",
nonce="EAW12gAAAADHvalWAACYvA81U2kAAAAA", algorithm=MD5, opaque="+GNyWA==",
username="zahersyed", uri="sip:pidoorbell@sip.linphone.org",
response="fd4f488ddca90bb3742ea3c5201193dd", cnonce="1688d444", nc=00000001, qop=auth

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 13:00:00.215107'

13:00:01.026 [1;36mINFO[1;0m: channel [0xeb20]: received [311] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.6x~k3VPy1;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=p8UPIVJw

To: <sip:pidoorbell@sip.linphone.org>

Call-ID: vrGAwQo1ji

CSeq: 21 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

13:00:01.030 [1;36mINFO[1;0m: channel [0xeb20] [311] bytes parsed

13:00:01.031 [1;36mINFO[1;0m: Found transaction matching response.

13:00:02.306 [1;36mINFO[1;0m: channel [0xeb20]: keep alive sent to [UDP://sip.linphone.org:5060]

13:00:04.888 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

13:00:04.888 [1;36mINFO[1;0m: channel [0xeb20]: message sent to [UDP://sip.linphone.org:5060], size: [758] bytes

MESSAGE sip:pidoorbell@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.6x~k3VPy1;rport

From: <sip:zahersyed@sip.linphone.org>;tag=p8UPIVJw

To: sip:pidoorbell@sip.linphone.org

CSeq: 21 MESSAGE

Call-ID: vrGAwQo1ji

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 17:00:00 GMT

User-Agent: (belle-sip/1.4.2)

Proxy-Authorization: Digest realm="sip.linphone.org",
nonce="EAW12gAAAADHvalwAACyVA81U2kAAAAA", algorithm=MD5, opaque="+GNyWA==",
username="zahersyed", uri="sip:pidoorbell@sip.linphone.org",
response="fd4f488ddca90bb3742ea3c5201193dd", cnonce="1688d444", nc=00000001, qop=auth

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 13:00:00.215107'

13:00:05.030 [1;36mINFO[1;0m: channel [0xeb20]: received [311] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.6x~k3VPy1;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=p8UPIVJw

To: <sip:pidoorbell@sip.linphone.org>

Call-ID: vrGAwQo1ji

CSeq: 21 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

13:00:05.035 [1;36mINFO[1;0m: channel [0xeb20] [311] bytes parsed

13:00:05.035 [1;36mINFO[1;0m: Found transaction matching response.

13:00:05.364 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf731a0], from state [COMPLETED] to [TERMINATED]

13:00:05.364 [1;36mINFO[1;0m: Client MESSAGE transaction [0xf731a0] terminated

13:00:05.364 [1;36mINFO[1;0m: Unhandled transaction terminated [0xf731a0]

13:00:05.389 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xebb530], from state [COMPLETED] to [TERMINATED]

13:00:05.389 [1;36mINFO[1;0m: Client MESSAGE transaction [0xebb530] terminated

13:00:05.389 [1;36mINFO[1;0m: Unhandled transaction terminated [0xebb530]

13:00:05.669 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf137b0], from state [COMPLETED] to [TERMINATED]

13:00:05.669 [1;36mINFO[1;0m: Client MESSAGE transaction [0xf137b0] terminated

13:00:05.669 [1;36mINFO[1;0m: Unhandled transaction terminated [0xf137b0]

13:00:08.888 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

13:00:08.888 [1;36mINFO[1;0m: channel [0xeb20]: message sent to [UDP://sip.linphone.org:5060], size: [758] bytes

MESSAGE sip:pidoorbell@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.6x~k3VPy1;rport

From: <sip:zahersyed@sip.linphone.org>;tag=p8UPIVJw

To: sip:pidoorbell@sip.linphone.org

CSeq: 21 MESSAGE

Call-ID: vrGAwQo1ji

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 17:00:00 GMT

User-Agent: (belle-sip/1.4.2)

Proxy-Authorization: Digest realm="sip.linphone.org",
nonce="EAW12gAAAADHvalwAACyVA81U2kAAAAA", algorithm=MD5, opaque="+GNyWA==",
username="zahersyed", uri="sip:pidoorbell@sip.linphone.org",
response="fd4f488ddca90bb3742ea3c5201193dd", cnonce="1688d444", nc=00000001, qop=auth

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 13:00:00.215107'

13:00:09.029 [1;36mINFO[1;0m: channel [0xeb20]: received [311] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.6x~k3VPy1;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=p8UPIVJw

To: <sip:pidoorbell@sip.linphone.org>

Call-ID: vrGAwQo1ji

CSeq: 21 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

13:00:09.034 [1;36mINFO[1;0m: channel [0xeb20] [311] bytes parsed

13:00:09.035 [1;36mINFO[1;0m: Found transaction matching response.

13:00:12.306 [1;36mINFO[1;0m: channel [0xeb20]: keep alive sent to [UDP://sip.linphone.org:5060]

13:00:12.888 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

13:00:12.888 [1;36mINFO[1;0m: channel [0xeb20]: message sent to [UDP://sip.linphone.org:5060],
size: [758] bytes

MESSAGE sip:pidoorbell@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.6x~k3VPy1;rport

From: <sip:zahersyed@sip.linphone.org>;tag=p8UPIVJw

To: sip:pidoorbell@sip.linphone.org

CSeq: 21 MESSAGE

Call-ID: vrGAwQo1ji

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 17:00:00 GMT

User-Agent: (belle-sip/1.4.2)

Proxy-Authorization: Digest realm="sip.linphone.org",
nonce="EAW12gAAAADHvalWAACYvA81U2kAAAAA", algorithm=MD5, opaque="+GNyWA==",
username="zahersyed", uri="sip:pidoorbell@sip.linphone.org",
response="fd4f488ddca90bb3742ea3c5201193dd", cnonce="1688d444", nc=00000001, qop=auth

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 13:00:00.215107'

13:00:13.027 [1;36mINFO[1;0m: channel [0xeb20]: received [311] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.6x~k3VPy1;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=p8UPIVJw

To: <sip:pidoorbell@sip.linphone.org>

Call-ID: vrGAwQo1ji

CSeq: 21 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

13:00:13.032 [1;36mINFO[1;0m: channel [0xeb20] [311] bytes parsed

13:00:13.033 [1;36mINFO[1;0m: Found transaction matching response.

13:00:14.907 [1;36mINFO[1;0m: *Motion detected!*

13:00:20.819 [1;36mINFO[1;0m: Emailed and saved image to "/home/pi/emailedSecurityCameraImage-
2016-04-10T13:00:20.812580.jpg"

13:00:40.300 [1;36mINFO[1;0m: channel [0xeb20]: received [269] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 202 Accepted

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.6x~k3VPy1;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=p8UPIVJw

To: <sip:pidoorbell@sip.linphone.org>

Call-ID: vrGAwQo1ji

CSeq: 21 MESSAGE

Content-Length: 0

13:00:40.309 [1;36mINFO[1;0m: channel [0xeb20] [269] bytes parsed

13:00:40.310 [1;36mINFO[1;0m: Found transaction matching response.

13:00:40.310 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf5a190], from state [PROCEEDING] to [COMPLETED]

13:00:40.311 [1;36mINFO[1;0m: Chat message 0xeb9838: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateDelivered

13:00:40.312 [1;36mINFO[1;0m: channel [0xeb20]: keep alive sent to [UDP://sip.linphone.org:5060]

13:00:40.312 [1;36mINFO[1;0m: Changing [server] [MESSAGE] transaction [0xeb3f98], from state [COMPLETED] to [TERMINATED]

13:00:40.313 [1;36mINFO[1;0m: Server MESSAGE transaction [0xeb3f98] terminated

13:00:40.313 [1;36mINFO[1;0m: Unhandled transaction terminated [0xeb3f98]

13:00:40.314 [1;36mINFO[1;0m: Changing [server] [MESSAGE] transaction [0xf225f8], from state [COMPLETED] to [TERMINATED]

13:00:40.314 [1;36mINFO[1;0m: Server MESSAGE transaction [0xf225f8] terminated

13:00:40.315 [1;36mINFO[1;0m: Unhandled transaction terminated [0xf225f8]

13:00:40.316 [1;36mINFO[1;0m: *Motion detected!*

13:00:41.322 [1;36mINFO[1;0m: Notifying contacts...

13:00:41.322 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

13:00:41.328 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

13:00:41.328 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x769fc040>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

13:00:41.341 [1;36mINFO[1;0m: Skipping top route of initial route-set because same as request-uri.

13:00:41.342 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf5a1f8], from state [INIT] to [TRYING]

13:00:41.344 [1;36mINFO[1;0m: channel [0xeb20]: message sent to [UDP://sip.linphone.org:5060], size: [476] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.bWZLgTGY0;rport

From: <sip:zahersyed@sip.linphone.org>;tag=MAF9I7~xn

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: u~Fvelqoh

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 17:00:41 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 13:00:41.325637'

13:00:41.346 [1;36mINFO[1;0m: Chat message 0xf6e868: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

13:00:41.347 [1;36mINFO[1;0m: Notifying pidoorbell@sip.linphone.org

13:00:41.352 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

13:00:41.352 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x769fc090>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

13:00:41.365 [1;36mINFO[1;0m: Skipping top route of initial route-set because same as request-uri.

13:00:41.366 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf12f80], from state [INIT] to [TRYING]

13:00:41.367 [1;36mINFO[1;0m: channel [0xeb20]: message sent to [UDP://sip.linphone.org:5060], size: [478] bytes

MESSAGE sip:pidoorbell@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.l1y75wlGC;rport

From: <sip:zahersyed@sip.linphone.org>;tag=jJB~vvJzk

To: sip:pidoorbell@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: m001Cr-0q3

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 17:00:41 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 13:00:41.349651'

13:00:41.370 [1;36mINFO[1;0m: Chat message 0xeb4680: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

13:00:41.485 [1;36mINFO[1;0m: channel [0xeb20]: received [492] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 407 Proxy Authentication Required

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.bWZLgTGY0;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=MAF9I7~xn

To: <sip:zahersyed@sip.linphone.org>;tag=c96ZvQNtSXm7D

Call-ID: u~Fvelqoh

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Proxy-Authenticate: Digest realm="sip.linphone.org", nonce="OQW12gAAAAB7IUMpAABLikbXFjcAAAAA", opaque="+GNyWA==", algorithm=MD5, qop="auth"

Content-Length: 0

13:00:41.491 [1;36mINFO[1;0m: channel [0xebeb20] [492] bytes parsed

13:00:41.492 [1;36mINFO[1;0m: Found transaction matching response.

13:00:41.492 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf5a1f8], from state [TRYING] to [COMPLETED]

13:00:41.492 [1;36mINFO[1;0m: linphone_core_find_auth_info(): returning auth info
username=zahersyed, realm=sip.linphone.org

13:00:41.492 [1;36mINFO[1;0m: Auth info found for [zahersyed] realm [sip.linphone.org]

13:00:41.493 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf69f40], from state [INIT] to [TRYING]

13:00:41.493 [1;36mINFO[1;0m: channel [0xebeb20]: message sent to [UDP://sip.linphone.org:5060],
size: [755] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.N4-QuM3VH;rport

From: <sip:zahersyed@sip.linphone.org>;tag=MAF9I7~xn

To: sip:zahersyed@sip.linphone.org

CSeq: 21 MESSAGE

Call-ID: u~Fvelqolh

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 17:00:41 GMT

User-Agent: (belle-sip/1.4.2)

Proxy-Authorization: Digest realm="sip.linphone.org",
nonce="OQW12gAAAAB7IUMpAABLikbXFjcAAAAA", algorithm=MD5, opaque="+GNyWA==",
username="zahersyed", uri="sip:zahersyed@sip.linphone.org",
response="0718010bc2b2d8a4dc3020f6003cd289", cnonce="22aa3196", nc=00000001, qop=auth

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 13:00:41.325637'

13:00:41.509 [1;36mINFO[1;0m: channel [0xeb20]: received [493] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 407 Proxy Authentication Required

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.l1y75wlGC;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=jJB~vvJzk

To: <sip:pidoorbell@sip.linphone.org>;tag=Dj0ryj6Xp6atS

Call-ID: m001Cr-0q3

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Proxy-Authenticate: Digest realm="sip.linphone.org",
nonce="OQW12gAAAABm3ZYHAACcMQvHUDUAAAAA", opaque="+GNyWA==", algorithm=MD5,
qop="auth"

Content-Length: 0

13:00:41.516 [1;36mINFO[1;0m: channel [0xeb20] [493] bytes parsed

13:00:41.516 [1;36mINFO[1;0m: Found transaction matching response.

13:00:41.517 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf12f80], from state [TRYING] to [COMPLETED]

13:00:41.517 [1;36mINFO[1;0m: linphone_core_find_auth_info(): returning auth info
username=zahersyed, realm=sip.linphone.org

13:00:41.517 [1;36mINFO[1;0m: Auth info found for [zahersyed] realm [sip.linphone.org]

13:00:41.518 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xeacae8], from state [INIT] to [TRYING]

13:00:41.518 [1;36mINFO[1;0m: channel [0xeb20]: message sent to [UDP://sip.linphone.org:5060], size: [758] bytes

MESSAGE sip:pidoorbell@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.Q7~GEg2Gz;rport

From: <sip:zahersyed@sip.linphone.org>;tag=jJB~vvJzk

To: sip:pidoorbell@sip.linphone.org

CSeq: 21 MESSAGE

Call-ID: m001Cr-0q3

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 17:00:41 GMT

User-Agent: (belle-sip/1.4.2)

Proxy-Authorization: Digest realm="sip.linphone.org",
nonce="OQW12gAAAABm3ZYHAACcMQvHUDUAAAAA", algorithm=MD5, opaque="+GNyWA==",
username="zahersyed", uri="sip:pidoorbell@sip.linphone.org",
response="8b85ed319cc2aaeb411b1a50775d456e", cnonce="22fdab99", nc=00000001, qop=auth

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 13:00:41.349651'

13:00:41.631 [1;36mINFO[1;0m: channel [0xeb20]: received [310] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.N4-QuM3VH;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=MAF9I7~xn

To: <sip:zahersyed@sip.linphone.org>

Call-ID: u~Fvelqoh

CSeq: 21 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

13:00:41.635 [1;36mINFO[1;0m: channel [0xeb20] [310] bytes parsed

13:00:41.636 [1;36mINFO[1;0m: Found transaction matching response.

13:00:41.636 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf69f40], from state
[TRYING] to [PROCEEDING]

13:00:41.637 [1;36mINFO[1;0m: channel [0xeb20]: received [588] new bytes from
[UDP://sip.linphone.org:5060]:

MESSAGE sip:zahersyed@173.12.114.238:5063 SIP/2.0

Via: SIP/2.0/UDP 37.59.51.72;rport;branch=z9hG4bK.82QeNZ7XgUeFQjSp08X521764D

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.N4-QuM3VH;rport=5063;received=173.12.114.238

Max-Forwards: 69

From: <sip:zahersyed@sip.linphone.org>;tag=MAF9I7~xn

To: <sip:zahersyed@sip.linphone.org>

Call-ID: u~Fvelqoh

CSeq: 21 MESSAGE

Date: Sun, 10 Apr 2016 17:00:41 GMT

User-Agent: (belle-sip/1.4.2)

Supported: outbound

Content-Type: text/plain

Content-Length: 79

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 13:00:41.325637'

13:00:41.646 [1;36mINFO[1;0m: channel [0xeb20] [509] bytes parsed

13:00:41.646 [1;36mINFO[1;0m: channel [0xeb20] read [79] bytes of body from
[sip.linphone.org:5060]

13:00:41.650 [1;36mINFO[1;0m: Changing [server] [MESSAGE] transaction [0xf8d0], from state [INIT]
to [TRYING]

13:00:41.652 [1;36mINFO[1;0m: Linphone core [0xe5e120] notifying [message_received]

13:00:41.652 [1;36mINFO[1;0m: Linphone core [0xe5e120] notifying [is_composing_received]

13:00:41.653 [1;36mINFO[1;0m: Changing [server] [MESSAGE] transaction [0xf8d0], from state
[TRYING] to [COMPLETED]

13:00:41.653 [1;36mINFO[1;0m: channel [0xeb20]: message sent to [UDP://sip.linphone.org:5060],
size: [333] bytes

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 37.59.51.72;rport;branch=z9hG4bK.82QeNZ7XgUeFQjSp08X521764D

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.N4-QuM3VH;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=MAF9I7~xn

To: <sip:zahersyed@sip.linphone.org>;tag=AykSs4u

Call-ID: u~Fvelqoh

CSeq: 21 MESSAGE

13:00:41.653 [1;36mINFO[1;0m: Destroying op [0xf584b8] of type [SalOpMessage]

13:00:41.677 [1;36mINFO[1;0m: channel [0xeb20]: received [311] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.Q7~GEg2Gz;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=jJB~vvJzk

To: <sip:pidoorbell@sip.linphone.org>

Call-ID: m001Cr-0q3

CSeq: 21 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

13:00:41.682 [1;36mINFO[1;0m: channel [0xeb20] [311] bytes parsed

13:00:41.682 [1;36mINFO[1;0m: Found transaction matching response.

13:00:41.683 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xeacae8], from state [TRYING] to [PROCEEDING]

13:00:41.794 [1;36mINFO[1;0m: channel [0xeb20]: received [274] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.N4-QuM3VH;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=MAF9I7~xn

To: <sip:zahersyed@sip.linphone.org>;tag=AykSs4u

Call-ID: u~Fvelqoh

CSeq: 21 MESSAGE

Content-Length: 0

13:00:41.799 [1;36mINFO[1;0m: channel [0xeb20] [274] bytes parsed

13:00:41.799 [1;36mINFO[1;0m: Found transaction matching response.

13:00:41.799 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf69f40], from state [PROCEEDING] to [COMPLETED]

13:00:41.800 [1;36mINFO[1;0m: Chat message 0xf6e868: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateDelivered

13:00:42.018 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

13:00:42.019 [1;36mINFO[1;0m: channel [0xeb20]: message sent to [UDP://sip.linphone.org:5060], size: [758] bytes

MESSAGE sip:pidoorbell@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.Q7~GEg2Gz;rport

From: <sip:zahersyed@sip.linphone.org>;tag=jJB~vvJzk

To: sip:pidoorbell@sip.linphone.org

CSeq: 21 MESSAGE

Call-ID: m001Cr-0q3

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 17:00:41 GMT

User-Agent: (belle-sip/1.4.2)

Proxy-Authorization: Digest realm="sip.linphone.org",
nonce="OQW12gAAAABm3ZYHAACcMQvHUDUAAAAA", algorithm=MD5, opaque="+GNyWA==",
username="zahersyed", uri="sip:pidoorbell@sip.linphone.org",
response="8b85ed319cc2aaeb411b1a50775d456e", cnonce="22fdab99", nc=00000001, qop=auth

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 13:00:41.349651'

13:00:42.158 [1;36mINFO[1;0m: channel [0xeb20]: received [311] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.Q7~GEg2Gz;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=jJB~vvJzk

To: <sip:pidoorbell@sip.linphone.org>

Call-ID: m001Cr-0q3

CSeq: 21 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

13:00:42.163 [1;36mINFO[1;0m: channel [0xeb20] [311] bytes parsed

13:00:42.163 [1;36mINFO[1;0m: Found transaction matching response.

13:00:44.710 [1;36mINFO[1;0m: *Motion detected!*

13:00:45.714 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf5a190], from state [COMPLETED] to [TERMINATED]

13:00:45.720 [1;36mINFO[1;0m: Client MESSAGE transaction [0xf5a190] terminated

13:00:45.720 [1;36mINFO[1;0m: Unhandled transaction terminated [0xf5a190]

13:00:46.018 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

13:00:46.018 [1;36mINFO[1;0m: channel [0xeb20]: message sent to [UDP://sip.linphone.org:5060], size: [758] bytes

MESSAGE sip:pidoorbell@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.Q7~GEg2Gz;rport

From: <sip:zahersyed@sip.linphone.org>;tag=jJB~vvJzk

To: sip:pidoorbell@sip.linphone.org

CSeq: 21 MESSAGE

Call-ID: m001Cr-0q3

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 17:00:41 GMT

User-Agent: (belle-sip/1.4.2)

Proxy-Authorization: Digest realm="sip.linphone.org",
nonce="OQW12gAAAABm3ZYHAACcMQvHUDUAAAAA", algorithm=MD5, opaque="+GNyWA==",
username="zahersyed", uri="sip:pidoorbell@sip.linphone.org",
response="8b85ed319cc2aaeb411b1a50775d456e", cnonce="22fdab99", nc=00000001, qop=auth

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 13:00:41.349651'

13:00:46.164 [1;36mINFO[1;0m: channel [0xeb20]: received [311] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.Q7~GEg2Gz;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=jJB~vvJzk

To: <sip:pidoorbell@sip.linphone.org>

Call-ID: m001Cr-0q3

CSeq: 21 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

13:00:46.169 [1;36mINFO[1;0m: channel [0xeb20] [311] bytes parsed

13:00:46.169 [1;36mINFO[1;0m: Found transaction matching response.

13:00:46.494 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf5a1f8], from state
[COMPLETED] to [TERMINATED]

13:00:46.494 [1;36mINFO[1;0m: Client MESSAGE transaction [0xf5a1f8] terminated

13:00:46.494 [1;36mINFO[1;0m: Unhandled transaction terminated [0xf5a1f8]

13:00:46.518 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf12f80], from state
[COMPLETED] to [TERMINATED]

13:00:46.518 [1;36mINFO[1;0m: Client MESSAGE transaction [0xf12f80] terminated

13:00:46.518 [1;36mINFO[1;0m: Unhandled transaction terminated [0xf12f80]

13:00:46.800 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf69f40], from state [COMPLETED] to [TERMINATED]

13:00:46.800 [1;36mINFO[1;0m: Client MESSAGE transaction [0xf69f40] terminated

13:00:46.800 [1;36mINFO[1;0m: Unhandled transaction terminated [0xf69f40]

13:00:48.538 [1;36mINFO[1;0m: channel [0xebeb20]: received [275] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.Q7~GEg2Gz;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=jJB~vvJzk

To: <sip:pidoorbell@sip.linphone.org>;tag=BczGdQ-

Call-ID: m001Cr-0q3

CSeq: 21 MESSAGE

Content-Length: 0

13:00:48.543 [1;36mINFO[1;0m: channel [0xebeb20] [275] bytes parsed

13:00:48.544 [1;36mINFO[1;0m: Found transaction matching response.

13:00:48.544 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xeacae8], from state [PROCEEDING] to [COMPLETED]

13:00:48.544 [1;36mINFO[1;0m: Chat message 0xeb4680: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateDelivered

13:00:50.300 [1;36mINFO[1;0m: channel [0xebeb20]: keep alive sent to [UDP://sip.linphone.org:5060]

13:00:53.544 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xeacae8], from state [COMPLETED] to [TERMINATED]

13:00:53.544 [1;36mINFO[1;0m: Client MESSAGE transaction [0xeacae8] terminated

13:00:53.544 [1;36mINFO[1;0m: Unhandled transaction terminated [0xeacae8]

13:00:56.276 [1;36mINFO[1;0m: *Motion detected!*

13:01:02.101 [1;36mINFO[1;0m: Emailed and saved image to "/home/pi/emailedSecurityCameraImage-2016-04-10T13:01:02.097637.jpg"

13:01:21.651 [1;36mINFO[1;0m: channel [0xebeb20]: keep alive sent to [UDP://sip.linphone.org:5060]

13:01:21.652 [1;36mINFO[1;0m: Changing [server] [MESSAGE] transaction [0xf0f8d0], from state [COMPLETED] to [TERMINATED]

13:01:21.652 [1;36mINFO[1;0m: Server MESSAGE transaction [0xf0f8d0] terminated

13:01:21.653 [1;36mINFO[1;0m: Unhandled transaction terminated [0xf0f8d0]

13:01:21.654 [1;36mINFO[1;0m: *Motion detected!*

13:01:22.659 [1;36mINFO[1;0m: Notifying contacts...

13:01:22.660 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

13:01:22.666 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

13:01:22.666 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x769fc150>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

13:01:22.679 [1;36mINFO[1;0m: Skipping top route of initial route-set because same as request-uri.

13:01:22.680 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf2a7f0], from state [INIT] to [TRYING]

13:01:22.681 [1;36mINFO[1;0m: channel [0xebeb20]: message sent to [UDP://sip.linphone.org:5060], size: [476] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.h3PHE5s67;rport

From: <sip:zahersyed@sip.linphone.org>;tag=SuoFUm5-P

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: 0g3z3P8bmy

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 17:01:22 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 13:01:22.663529'

13:01:22.684 [1;36mINFO[1;0m: Chat message 0xf0d940: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

13:01:22.685 [1;36mINFO[1;0m: Notifying pidoorbell@sip.linphone.org

13:01:22.690 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

13:01:22.690 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x769fc120>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

13:01:22.704 [1;36mINFO[1;0m: Skipping top route of initial route-set because same as request-uri.

13:01:22.705 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf12a48], from state [INIT] to [TRYING]

13:01:22.706 [1;36mINFO[1;0m: channel [0xebeb20]: message sent to [UDP://sip.linphone.org:5060], size: [478] bytes

MESSAGE sip:pidoorbell@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.WcoAXea9r;rport

From: <sip:zahersyed@sip.linphone.org>;tag=t1A1cURS4

To: sip:pidoorbell@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: 01jXa7Pncm

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 17:01:22 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 13:01:22.687835'

13:01:22.709 [1;36mINFO[1;0m: Chat message 0xf581d0: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

13:01:22.822 [1;36mINFO[1;0m: channel [0xebeb20]: received [492] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 407 Proxy Authentication Required

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.h3PHE5s67;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=SuoFUm5-P

To: <sip:zahersyed@sip.linphone.org>;tag=4mHKy2BFQvmFQ

Call-ID: 0g3z3P8bmy

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Proxy-Authenticate: Digest realm="sip.linphone.org",
nonce="YgW12gAAAABQNlaHAACY6dXEWwcAAAAA", opaque="+GNyWA==", algorithm=MD5,
qop="auth"

Content-Length: 0

13:01:22.828 [1;36mINFO[1;0m: channel [0xeb20] [492] bytes parsed

13:01:22.829 [1;36mINFO[1;0m: Found transaction matching response.

13:01:22.829 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf2a7f0], from state [TRYING] to [COMPLETED]

13:01:22.829 [1;36mINFO[1;0m: linphone_core_find_auth_info(): returning auth info
username=zahersyed, realm=sip.linphone.org

13:01:22.830 [1;36mINFO[1;0m: Auth info found for [zahersyed] realm [sip.linphone.org]

13:01:22.830 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf59fe0], from state [INIT] to [TRYING]

13:01:22.831 [1;36mINFO[1;0m: channel [0xeb20]: message sent to [UDP://sip.linphone.org:5060],
size: [755] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.IIQTmch14;rport

From: <sip:zahersyed@sip.linphone.org>;tag=SuoFUm5-P

To: sip:zahersyed@sip.linphone.org

CSeq: 21 MESSAGE

Call-ID: 0g3z3P8bmy

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 17:01:22 GMT

User-Agent: (belle-sip/1.4.2)

Proxy-Authorization: Digest realm="sip.linphone.org",
nonce="YgW12gAAAABQNlaHAACY6dXEWwcAAAAA", algorithm=MD5, opaque="+GNywA==",
username="zahersyed", uri="sip:zahersyed@sip.linphone.org",
response="ec2c12f95eec1319919b60e888fec554", cnonce="eb452eb0", nc=00000001, qop=auth

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 13:01:22.663529'

13:01:22.849 [1;36mINFO[1;0m: channel [0xeb20]: received [493] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 407 Proxy Authentication Required

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.WcoAXea9r;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=t1A1cURS4

To: <sip:pidoorbell@sip.linphone.org>;tag=5Xac0Xvjm5a2j

Call-ID: 01jXa7Pncm

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Proxy-Authenticate: Digest realm="sip.linphone.org",
nonce="YgW12gAAAAA78qllAAAMKjhOVFOAAAAA", opaque="+GNywA==", algorithm=MD5, qop="auth"

Content-Length: 0

13:01:22.855 [1;36mINFO[1;0m: channel [0xeb20] [493] bytes parsed

13:01:22.856 [1;36mINFO[1;0m: Found transaction matching response.

13:01:22.856 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf12a48], from state
[TRYING] to [COMPLETED]

13:01:22.857 [1;36mINFO[1;0m: linphone_core_find_auth_info(): returning auth info
username=zahersyed, realm=sip.linphone.org

13:01:22.857 [1;36mINFO[1;0m: Auth info found for [zahersyed] realm [sip.linphone.org]

13:01:22.857 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf43d00], from state [INIT]
to [TRYING]

13:01:22.858 [1;36mINFO[1;0m: channel [0xeb20]: message sent to [UDP://sip.linphone.org:5060], size: [758] bytes

MESSAGE sip:pidoorbell@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.T2ewgix~O;rport

From: <sip:zahersyed@sip.linphone.org>;tag=t1AlcURS4

To: sip:pidoorbell@sip.linphone.org

CSeq: 21 MESSAGE

Call-ID: 01jXa7Pncm

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 17:01:22 GMT

User-Agent: (belle-sip/1.4.2)

Proxy-Authorization: Digest realm="sip.linphone.org",
nonce="YgW12gAAAAA78qllAAAMKjhOVFOAAAAA", algorithm=MD5, opaque="+GNyWA==",
username="zahersyed", uri="sip:pidoorbell@sip.linphone.org",
response="28571a6b4bf217d91d05f9b3ad32968d", cnonce="28e041fe", nc=00000001, qop=auth

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 13:01:22.687835'

13:01:22.969 [1;36mINFO[1;0m: channel [0xeb20]: received [310] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.IIQTMch14;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=SuoFUm5-P

To: <sip:zahersyed@sip.linphone.org>

Call-ID: 0g3z3P8bmy

CSeq: 21 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

13:01:22.974 [1;36mINFO[1;0m: channel [0xeb20] [310] bytes parsed

13:01:22.974 [1;36mINFO[1;0m: Found transaction matching response.

13:01:22.974 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf59fe0], from state [TRYING] to [PROCEEDING]

13:01:22.975 [1;36mINFO[1;0m: channel [0xeb20]: received [588] new bytes from [UDP://sip.linphone.org:5060]:

MESSAGE sip:zahersyed@173.12.114.238:5063 SIP/2.0

Via: SIP/2.0/UDP 37.59.51.72;rport;branch=z9hG4bK.HZ91ZQ06ej914vHD1e1DXmK82e

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.IIQTMch14;rport=5063;received=173.12.114.238

Max-Forwards: 69

From: <sip:zahersyed@sip.linphone.org>;tag=SuoFUm5-P

To: <sip:zahersyed@sip.linphone.org>

Call-ID: 0g3z3P8bmy

CSeq: 21 MESSAGE

Date: Sun, 10 Apr 2016 17:01:22 GMT

User-Agent: (belle-sip/1.4.2)

Supported: outbound

Content-Type: text/plain

Content-Length: 79

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 13:01:22.663529'

13:01:22.984 [1;36mINFO[1;0m: channel [0xeb20] [509] bytes parsed

13:01:22.985 [1;36mINFO[1;0m: channel [0xeb20] read [79] bytes of body from [sip.linphone.org:5060]

13:01:22.988 [1;36mINFO[1;0m: Changing [server] [MESSAGE] transaction [0xf67b00], from state [INIT] to [TRYING]

13:01:22.990 [1;36mINFO[1;0m: Linphone core [0xe5e120] notifying [message_received]

13:01:22.991 [1;36mINFO[1;0m: Linphone core [0xe5e120] notifying [is_composing_received]

13:01:22.991 [1;36mINFO[1;0m: Changing [server] [MESSAGE] transaction [0xf67b00], from state [TRYING] to [COMPLETED]

13:01:22.991 [1;36mINFO[1;0m: channel [0xebeb20]: message sent to [UDP://sip.linphone.org:5060], size: [333] bytes

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 37.59.51.72;rport;branch=z9hG4bK.HZ91ZQ06ej914vHD1e1DXmK82e

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.IIQTMch14;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=SuoFUm5-P

To: <sip:zahersyed@sip.linphone.org>;tag=JZHecZw

Call-ID: 0g3z3P8bmy

CSeq: 21 MESSAGE

13:01:22.992 [1;36mINFO[1;0m: Destroying op [0xf2eef8] of type [SalOpMessage]

13:01:22.994 [1;36mINFO[1;0m: channel [0xebeb20]: received [311] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.T2ewgix~O;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=t1AicURS4

To: <sip:pidoorbell@sip.linphone.org>

Call-ID: 01jXa7Pncm

CSeq: 21 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

13:01:22.999 [1;36mINFO[1;0m: channel [0xebeb20] [311] bytes parsed

13:01:22.999 [1;36mINFO[1;0m: Found transaction matching response.

13:01:23.000 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf43d00], from state [TRYING] to [PROCEEDING]

13:01:23.130 [1;36mINFO[1;0m: channel [0xeb20]: received [274] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.IIQTmch14;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=SuoFUm5-P

To: <sip:zahersyed@sip.linphone.org>;tag=JZHecZw

Call-ID: 0g3z3P8bmy

CSeq: 21 MESSAGE

Content-Length: 0

13:01:23.134 [1;36mINFO[1;0m: channel [0xeb20] [274] bytes parsed

13:01:23.135 [1;36mINFO[1;0m: Found transaction matching response.

13:01:23.135 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf59fe0], from state [PROCEEDING] to [COMPLETED]

13:01:23.136 [1;36mINFO[1;0m: Chat message 0xf0d940: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateDelivered

13:01:23.312 [1;36mINFO[1;0m: channel [0xeb20]: received [275] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.T2ewgix~O;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=t1AicURS4

To: <sip:pidoorbell@sip.linphone.org>;tag=Rlenczk

Call-ID: 01jXa7Pncm

CSeq: 21 MESSAGE

Content-Length: 0

13:01:23.317 [1;36mINFO[1;0m: channel [0xeb20] [275] bytes parsed

13:01:23.317 [1;36mINFO[1;0m: Found transaction matching response.

13:01:23.317 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf43d00], from state [PROCEEDING] to [COMPLETED]

13:01:23.318 [1;36mINFO[1;0m: Chat message 0xf581d0: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateDelivered

13:01:27.831 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf2a7f0], from state [COMPLETED] to [TERMINATED]

13:01:27.831 [1;36mINFO[1;0m: Client MESSAGE transaction [0xf2a7f0] terminated

13:01:27.831 [1;36mINFO[1;0m: Unhandled transaction terminated [0xf2a7f0]

13:01:27.858 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf12a48], from state [COMPLETED] to [TERMINATED]

13:01:27.858 [1;36mINFO[1;0m: Client MESSAGE transaction [0xf12a48] terminated

13:01:27.858 [1;36mINFO[1;0m: Unhandled transaction terminated [0xf12a48]

13:01:28.136 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf59fe0], from state [COMPLETED] to [TERMINATED]

13:01:28.136 [1;36mINFO[1;0m: Client MESSAGE transaction [0xf59fe0] terminated

13:01:28.136 [1;36mINFO[1;0m: Unhandled transaction terminated [0xf59fe0]

13:01:28.318 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf43d00], from state [COMPLETED] to [TERMINATED]

13:01:28.318 [1;36mINFO[1;0m: Client MESSAGE transaction [0xf43d00] terminated

13:01:28.318 [1;36mINFO[1;0m: Unhandled transaction terminated [0xf43d00]

13:01:31.650 [1;36mINFO[1;0m: channel [0xeb20]: keep alive sent to [UDP://sip.linphone.org:5060]

13:01:41.650 [1;36mINFO[1;0m: channel [0xeb20]: keep alive sent to [UDP://sip.linphone.org:5060]

13:01:51.650 [1;36mINFO[1;0m: channel [0xeb20]: keep alive sent to [UDP://sip.linphone.org:5060]

13:01:54.479 [1;36mINFO[1;0m: *Motion detected!*

13:01:55.483 [1;36mINFO[1;0m: Notifying contacts...

13:01:55.483 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

13:01:55.486 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

13:01:55.486 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x769fc140>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

13:01:55.493 [1;36mINFO[1;0m: Skipping top route of initial route-set because same as request-uri.

13:01:55.494 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf49f78], from state [INIT] to [TRYING]

13:01:55.494 [1;36mINFO[1;0m: channel [0xeb20]: message sent to [UDP://sip.linphone.org:5060], size: [476] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.eXzWGmkCz;rport

From: <sip:zahersyed@sip.linphone.org>;tag=aw8xYo4kD

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: lkuQOsdHU0

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 17:01:55 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 13:01:55.485285'

13:01:55.496 [1;36mINFO[1;0m: Chat message 0xf9d838: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

13:01:55.496 [1;36mINFO[1;0m: Notifying pidoorbell@sip.linphone.org

13:01:55.499 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

13:01:55.499 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x769fc160>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

13:01:55.505 [1;36mINFO[1;0m: Skipping top route of initial route-set because same as request-uri.

13:01:55.506 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf201d0], from state [INIT] to [TRYING]

13:01:55.507 [1;36mINFO[1;0m: channel [0xeb20]: message sent to [UDP://sip.linphone.org:5060], size: [478] bytes

MESSAGE sip:pidoorbell@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.WwnO4gR8S;rport

From: <sip:zahersyed@sip.linphone.org>;tag=PUrHgviJT

To: sip:pidoorbell@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: ioi2gn3-62

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 17:01:55 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 13:01:55.497852'

13:01:55.508 [1;36mINFO[1;0m: Chat message 0xecf638: moving from state
LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

13:02:00.297 [1;36mINFO[1;0m: Emailed and saved image to "/home/pi/emailedSecurityCameraImage-
2016-04-10T13:02:00.293656.jpg"

13:02:19.811 [1;36mINFO[1;0m: channel [0xebeb20]: received [492] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 407 Proxy Authentication Required

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.eXzWGmkCz;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=aw8xYo4kD

To: <sip:zahersyed@sip.linphone.org>;tag=mK41NcmKt2Njp

Call-ID: lkuQOsdHU0

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Proxy-Authenticate: Digest realm="sip.linphone.org",
nonce="gwW12gAAAAGDA+MAAB4itZZoRcAAAAA", opaque="+GNyWA==", algorithm=MD5,
qop="auth"

Content-Length: 0

13:02:19.823 [1;36mINFO[1;0m: channel [0xeb20] [492] bytes parsed

13:02:19.824 [1;36mINFO[1;0m: Found transaction matching response.

13:02:19.824 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf49f78], from state [TRYING] to [COMPLETED]

13:02:19.825 [1;36mINFO[1;0m: linphone_core_find_auth_info(): returning auth info
username=zahersyed, realm=sip.linphone.org

13:02:19.825 [1;36mINFO[1;0m: Auth info found for [zahersyed] realm [sip.linphone.org]

13:02:19.826 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xfa7a30], from state [INIT] to [TRYING]

13:02:19.827 [1;36mINFO[1;0m: channel [0xeb20]: message sent to [UDP://sip.linphone.org:5060],
size: [755] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.HI7eurheK;rport

From: <sip:zahersyed@sip.linphone.org>;tag=aw8xYo4kD

To: sip:zahersyed@sip.linphone.org

CSeq: 21 MESSAGE

Call-ID: lkuQOsdHU0

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 17:01:55 GMT

User-Agent: (belle-sip/1.4.2)

Proxy-Authorization: Digest realm="sip.linphone.org",
nonce="gwW12gAAAAGDA+MAAB4itZZoRcAAAAA", algorithm=MD5, opaque="+GNyWA==",
username="zahersyed", uri="sip:zahersyed@sip.linphone.org",
response="17c29f2ed41a01d01123a43586973d39", cnonce="d4636fdf", nc=00000001, qop=auth

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 13:01:55.485285'

13:02:19.828 [1;36mINFO[1;0m: channel [0xeb20]: keep alive sent to [UDP://sip.linphone.org:5060]

13:02:19.828 [1;36mINFO[1;0m: Changing [server] [MESSAGE] transaction [0xf67b00], from state [COMPLETED] to [TERMINATED]

13:02:19.829 [1;36mINFO[1;0m: Server MESSAGE transaction [0xf67b00] terminated

13:02:19.829 [1;36mINFO[1;0m: Unhandled transaction terminated [0xf67b00]

13:02:19.830 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

13:02:19.831 [1;36mINFO[1;0m: channel [0xebeb20]: message sent to [UDP://sip.linphone.org:5060], size: [478] bytes

MESSAGE sip:pidoorbell@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.WwnO4gR8S;rport

From: <sip:zahersyed@sip.linphone.org>;tag=PUrHgviJT

To: sip:pidoorbell@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: ioi2gn3-62

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 17:01:55 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 13:01:55.497852'

13:02:19.832 [1;36mINFO[1;0m: *Motion detected!*

13:02:20.838 [1;36mINFO[1;0m: channel [0xebeb20]: received [493] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 407 Proxy Authentication Required

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.WwnO4gR8S;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=PUrHgviJT

To: <sip:pidoorbell@sip.linphone.org>;tag=NvXtQ74pQBc5H

Call-ID: ioi2gn3-62

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Proxy-Authenticate: Digest realm="sip.linphone.org",
nonce="gwW12gAAAADxx2JqAABEAS/0sCOAAAAA", opaque="+GNyWA==", algorithm=MD5, qop="auth"

Content-Length: 0

13:02:20.851 [1;36mINFO[1;0m: channel [0xebeb20] [493] bytes parsed

13:02:20.851 [1;36mINFO[1;0m: Found transaction matching response.

13:02:20.852 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf201d0], from state [TRYING] to [COMPLETED]

13:02:20.852 [1;36mINFO[1;0m: linphone_core_find_auth_info(): returning auth info
username=zahersyed, realm=sip.linphone.org

13:02:20.853 [1;36mINFO[1;0m: Auth info found for [zahersyed] realm [sip.linphone.org]

13:02:20.854 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf5a448], from state [INIT] to [TRYING]

13:02:20.855 [1;36mINFO[1;0m: channel [0xebeb20]: message sent to [UDP://sip.linphone.org:5060],
size: [758] bytes

MESSAGE sip:pidoorbell@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.VlouikZak;rport

From: <sip:zahersyed@sip.linphone.org>;tag=PUrHgviJT

To: sip:pidoorbell@sip.linphone.org

CSeq: 21 MESSAGE

Call-ID: ioi2gn3-62

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 17:01:55 GMT

User-Agent: (belle-sip/1.4.2)

Proxy-Authorization: Digest realm="sip.linphone.org",
nonce="gwW12gAAAADxx2JqAABEAS/0sCOAAAAA", algorithm=MD5, opaque="+GNyWA==",
username="zahersyed", uri="sip:pidoorbell@sip.linphone.org",
response="cd61e2c7397d48dc8b2878161f25ab37", cnonce="b264c857", nc=00000001, qop=auth

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 13:01:55.497852'

13:02:20.856 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

13:02:20.857 [1;36mINFO[1;0m: channel [0xeb20]: message sent to [UDP://sip.linphone.org:5060], size: [755] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.HI7eurheK;rport

From: <sip:zahersyed@sip.linphone.org>;tag=aw8xYo4kD

To: sip:zahersyed@sip.linphone.org

CSeq: 21 MESSAGE

Call-ID: lkuQOsdHU0

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 17:01:55 GMT

User-Agent: (belle-sip/1.4.2)

Proxy-Authorization: Digest realm="sip.linphone.org",
nonce="gwW12gAAAAAGDA+MAAB4itZZoRcAAAAA", algorithm=MD5, opaque="+GNyWA==",
username="zahersyed", uri="sip:zahersyed@sip.linphone.org",
response="17c29f2ed41a01d01123a43586973d39", cnonce="d4636fdf", nc=00000001, qop=auth

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 13:01:55.485285'

13:02:20.858 [1;36mINFO[1;0m: channel [0xeb20]: received [310] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.HI7eurheK;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=aw8xYo4kD

To: <sip:zahersyed@sip.linphone.org>

Call-ID: lkuQOsdHU0

CSeq: 21 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

13:02:20.867 [1;36mINFO[1;0m: channel [0xeb20] [310] bytes parsed

13:02:20.868 [1;36mINFO[1;0m: Found transaction matching response.

13:02:20.868 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xfa30], from state [TRYING] to [PROCEEDING]

13:02:20.869 [1;36mINFO[1;0m: channel [0xeb20]: received [588] new bytes from [UDP://sip.linphone.org:5060]:

MESSAGE sip:zahersyed@173.12.114.238:5063 SIP/2.0

Via: SIP/2.0/UDP 37.59.51.72;rport;branch=z9hG4bK.7e1QHe8D2FKpgvBmgK3mr8pgve

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.HI7eurheK;rport=5063;received=173.12.114.238

Max-Forwards: 69

From: <sip:zahersyed@sip.linphone.org>;tag=aw8xYo4kD

To: <sip:zahersyed@sip.linphone.org>

Call-ID: lkuQOsdHU0

CSeq: 21 MESSAGE

Date: Sun, 10 Apr 2016 17:01:55 GMT

User-Agent: (belle-sip/1.4.2)

Supported: outbound

Content-Type: text/plain

Content-Length: 79

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 13:01:55.485285'

13:02:20.887 [1;36mINFO[1;0m: channel [0xeb20] [509] bytes parsed

13:02:20.888 [1;36mINFO[1;0m: channel [0xeb20] read [79] bytes of body from [sip.linphone.org:5060]

13:02:20.894 [1;36mINFO[1;0m: Changing [server] [MESSAGE] transaction [0xf4ca68], from state [INIT] to [TRYING]

13:02:20.898 [1;36mINFO[1;0m: Linphone core [0xe5e120] notifying [message_received]

13:02:20.899 [1;36mINFO[1;0m: Linphone core [0xe5e120] notifying [is_composing_received]

13:02:20.899 [1;36mINFO[1;0m: Changing [server] [MESSAGE] transaction [0xf4ca68], from state [TRYING] to [COMPLETED]

13:02:20.900 [1;36mINFO[1;0m: channel [0xeb20]: message sent to [UDP://sip.linphone.org:5060], size: [333] bytes

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 37.59.51.72;rport;branch=z9hG4bK.7e1QHe8D2FKpgvBmgK3mr8pgve

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.HI7eurheK;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=aw8xYo4kD

To: <sip:zahersyed@sip.linphone.org>;tag=r5NoulN

Call-ID: lkuQOsdHU0

CSeq: 21 MESSAGE

13:02:20.901 [1;36mINFO[1;0m: Destroying op [0xf28228] of type [SalOpMessage]

13:02:20.902 [1;36mINFO[1;0m: channel [0xeb20]: received [493] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 407 Proxy Authentication Required

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.WwnO4gR8S;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=PUrHgviJT

To: <sip:pidoorbell@sip.linphone.org>;tag=NvXtQ74pQBc5H

Call-ID: ioi2gn3-62

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Proxy-Authenticate: Digest realm="sip.linphone.org",
nonce="gwW12gAAAADxx2JqAABEAS/0sC0AAAAA", opaque="+GNyWA==", algorithm=MD5, qop="auth"

Content-Length: 0

13:02:20.913 [1;36mINFO[1;0m: channel [0xeb20] [493] bytes parsed

13:02:20.914 [1;36mINFO[1;0m: Found transaction matching response.

13:02:20.914 [1;36mINFO[1;0m: channel [0xeb20]: received [274] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.HI7eurheK;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=aw8xYo4kD

To: <sip:zahersyed@sip.linphone.org>;tag=RzVEROA

Call-ID: lkuQOsdHU0

CSeq: 21 MESSAGE

Content-Length: 0

13:02:20.919 [1;36mINFO[1;0m: channel [0xeb20] [274] bytes parsed

13:02:20.919 [1;36mINFO[1;0m: Found transaction matching response.

13:02:20.920 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xfa7a30], from state [PROCEEDING] to [COMPLETED]

13:02:20.920 [1;36mINFO[1;0m: Chat message 0xf9d838: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateDelivered

13:02:20.921 [1;36mINFO[1;0m: channel [0xeb20]: received [588] new bytes from [UDP://sip.linphone.org:5060]:

MESSAGE sip:zahersyed@173.12.114.238:5063 SIP/2.0

Via: SIP/2.0/UDP 37.59.51.72;rport;branch=z9hG4bK.7e1QHe8D2FKpgvBmgK3mr8pgve

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.HI7eurheK;rport=5063;received=173.12.114.238

Max-Forwards: 69

From: <sip:zahersyed@sip.linphone.org>;tag=aw8xYo4kD

To: <sip:zahersyed@sip.linphone.org>

Call-ID: lkuQOsdHU0

CSeq: 21 MESSAGE

Date: Sun, 10 Apr 2016 17:01:55 GMT

User-Agent: (belle-sip/1.4.2)

Supported: outbound

Content-Type: text/plain

Content-Length: 79

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 13:01:55.485285'

13:02:20.930 [1;36mINFO[1;0m: channel [0xeb20] [509] bytes parsed

13:02:20.930 [1;36mINFO[1;0m: channel [0xeb20] read [79] bytes of body from [sip.linphone.org:5060]

13:02:20.931 [1;36mINFO[1;0m: Found transaction [0xf4ca68] matching request.

13:02:20.931 [1;36mINFO[1;0m: channel [0xeb20]: message sent to [UDP://sip.linphone.org:5060], size: [333] bytes

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 37.59.51.72;rport;branch=z9hG4bK.7e1QHe8D2FKpgvBmgK3mr8pgve

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.HI7eurheK;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=aw8xYo4kD

To: <sip:zahersyed@sip.linphone.org>;tag=r5NouIN

Call-ID: lkuQOsdHU0

CSeq: 21 MESSAGE

13:02:20.994 [1;36mINFO[1;0m: channel [0xeb20]: received [311] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.VlouikZak;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=PUrHgviJT

To: <sip:pidoorbell@sip.linphone.org>

Call-ID: ioi2gn3-62

CSeq: 21 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

13:02:20.999 [1;36mINFO[1;0m: channel [0xeb20] [311] bytes parsed

13:02:21.000 [1;36mINFO[1;0m: Found transaction matching response.

13:02:21.000 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf5a448], from state [TRYING] to [PROCEEDING]

13:02:21.001 [1;36mINFO[1;0m: channel [0xeb20]: received [274] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.HI7eurheK;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=aw8xYo4kD

To: <sip:zahersyed@sip.linphone.org>;tag=RzVEROA

Call-ID: lkuQOsdHU0

CSeq: 21 MESSAGE

Content-Length: 0

13:02:21.005 [1;36mINFO[1;0m: channel [0xeb20] [274] bytes parsed

13:02:21.006 [1;36mINFO[1;0m: Found transaction matching response.

13:02:21.252 [1;36mINFO[1;0m: channel [0xeb20]: received [275] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.VlouikZak;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=PUrHgviJT

To: <sip:pidoorbell@sip.linphone.org>;tag=XhpR00y

Call-ID: ioi2gn3-62

CSeq: 21 MESSAGE

Content-Length: 0

13:02:21.257 [1;36mINFO[1;0m: channel [0xeb20] [275] bytes parsed

13:02:21.257 [1;36mINFO[1;0m: Found transaction matching response.

13:02:21.258 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf5a448], from state [PROCEEDING] to [COMPLETED]

13:02:21.258 [1;36mINFO[1;0m: Chat message 0xecf638: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateDelivered

13:02:24.827 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf49f78], from state [COMPLETED] to [TERMINATED]

13:02:24.827 [1;36mINFO[1;0m: Client MESSAGE transaction [0xf49f78] terminated

13:02:24.832 [1;36mINFO[1;0m: Unhandled transaction terminated [0xf49f78]

13:02:25.430 [1;36mINFO[1;0m: *Motion detected!*

13:02:26.434 [1;36mINFO[1;0m: Notifying contacts...

13:02:26.434 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

13:02:26.437 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

13:02:26.437 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x769fc250>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

13:02:26.444 [1;36mINFO[1;0m: Skipping top route of initial route-set because same as request-uri.

13:02:26.444 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf551a0], from state [INIT] to [TRYING]

13:02:26.445 [1;36mINFO[1;0m: channel [0xeb20]: message sent to [UDP://sip.linphone.org:5060], size: [476] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.9Pm8sBORn;rport

From: <sip:zahersyed@sip.linphone.org>;tag=UbIGRa7Fz

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: UmAM3KAriJ

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 17:02:26 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 13:02:26.435940'

13:02:26.446 [1;36mINFO[1;0m: Chat message 0xf74c00: moving from state
LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

13:02:26.446 [1;36mINFO[1;0m: Notifying pidoorbell@sip.linphone.org

13:02:26.449 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

13:02:26.449 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x769fc230>, ip =
None, ea = sip:linphone@10.1.10.45:5063, un = linphone

13:02:26.456 [1;36mINFO[1;0m: Skipping top route of initial route-set because same as request-uri.

13:02:26.457 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xeceec8], from state [INIT]
to [TRYING]

13:02:26.457 [1;36mINFO[1;0m: channel [0xeb20]: message sent to [UDP://sip.linphone.org:5060],
size: [478] bytes

MESSAGE sip:pidoorbell@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.0uYceQVvB;rport

From: <sip:zahersyed@sip.linphone.org>;tag=Zij8uE5W~

To: sip:pidoorbell@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: tDEWFUPpSq

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 17:02:26 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 13:02:26.448199'

13:02:26.458 [1;36mINFO[1;0m: Chat message 0xebdef8: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

13:02:26.459 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf201d0], from state [COMPLETED] to [TERMINATED]

13:02:26.459 [1;36mINFO[1;0m: Client MESSAGE transaction [0xf201d0] terminated

13:02:26.459 [1;36mINFO[1;0m: Unhandled transaction terminated [0xf201d0]

13:02:26.460 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xfa7a30], from state [COMPLETED] to [TERMINATED]

13:02:26.460 [1;36mINFO[1;0m: Client MESSAGE transaction [0xfa7a30] terminated

13:02:26.460 [1;36mINFO[1;0m: Unhandled transaction terminated [0xfa7a30]

13:02:26.460 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf5a448], from state [COMPLETED] to [TERMINATED]

13:02:26.461 [1;36mINFO[1;0m: Client MESSAGE transaction [0xf5a448] terminated

13:02:26.461 [1;36mINFO[1;0m: Unhandled transaction terminated [0xf5a448]

13:02:26.585 [1;36mINFO[1;0m: channel [0xeb20]: received [492] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 407 Proxy Authentication Required

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.9Pm8sBORn;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=UbIGRa7Fz

To: <sip:zahersyed@sip.linphone.org>;tag=Qvepp192mN2e

Call-ID: UmAM3KAriJ

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Proxy-Authenticate: Digest realm="sip.linphone.org",
nonce="ogW12gAAAACSWW9NAADNYfvaGPsAAAAA", opaque="+GNyWA==", algorithm=MD5,
qop="auth"

Content-Length: 0

13:02:26.591 [1;36mINFO[1;0m: channel [0xeb20] [492] bytes parsed

13:02:26.592 [1;36mINFO[1;0m: Found transaction matching response.

13:02:26.592 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf551a0], from state [TRYING] to [COMPLETED]

13:02:26.592 [1;36mINFO[1;0m: linphone_core_find_auth_info(): returning auth info
username=zahersyed, realm=sip.linphone.org

13:02:26.593 [1;36mINFO[1;0m: Auth info found for [zahersyed] realm [sip.linphone.org]

13:02:26.593 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf68118], from state [INIT] to [TRYING]

13:02:26.594 [1;36mINFO[1;0m: channel [0xeb20]: message sent to [UDP://sip.linphone.org:5060],
size: [755] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.O558MEsUx;rport

From: <sip:zahersyed@sip.linphone.org>;tag=UbIGRa7Fz

To: sip:zahersyed@sip.linphone.org

CSeq: 21 MESSAGE

Call-ID: UmAM3KAriJ

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 17:02:26 GMT

User-Agent: (belle-sip/1.4.2)

Proxy-Authorization: Digest realm="sip.linphone.org",
nonce="ogW12gAAAACSWW9NAADNYfvaGPsAAAAA", algorithm=MD5, opaque="+GNywa==",
username="zahersyed", uri="sip:zahersyed@sip.linphone.org",
response="3726e2a67b42887a8ac7356429b14889", cnonce="1b8ec717", nc=00000001, qop=auth

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 13:02:26.435940'

13:02:26.596 [1;36mINFO[1;0m: channel [0xeb20]: received [493] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 407 Proxy Authentication Required

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.0uYceQVvB;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=Zij8uE5W~

To: <sip:pidoorbell@sip.linphone.org>;tag=r576QHjDOXBNa

Call-ID: tDEWFUPpSq

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Proxy-Authenticate: Digest realm="sip.linphone.org",
nonce="ogW12gAAAAB9FcMrAACcdlKscLgAAAAA", opaque="+GNyWA==", algorithm=MD5, qop="auth"

Content-Length: 0

13:02:26.603 [1;36mINFO[1;0m: channel [0xeb20] [493] bytes parsed

13:02:26.603 [1;36mINFO[1;0m: Found transaction matching response.

13:02:26.603 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xecec8], from state [TRYING] to [COMPLETED]

13:02:26.604 [1;36mINFO[1;0m: linphone_core_find_auth_info(): returning auth info
username=zahersyed, realm=sip.linphone.org

13:02:26.604 [1;36mINFO[1;0m: Auth info found for [zahersyed] realm [sip.linphone.org]

13:02:26.604 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf5d970], from state [INIT] to [TRYING]

13:02:26.605 [1;36mINFO[1;0m: channel [0xeb20]: message sent to [UDP://sip.linphone.org:5060], size: [758] bytes

MESSAGE sip:pidoorbell@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.8GfTIS3in;rport

From: <sip:zahersyed@sip.linphone.org>;tag=Zij8uE5W~

To: sip:pidoorbell@sip.linphone.org

CSeq: 21 MESSAGE

Call-ID: tDEWFUPpSq

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 17:02:26 GMT

User-Agent: (belle-sip/1.4.2)

Proxy-Authorization: Digest realm="sip.linphone.org",
nonce="ogW12gAAAAB9FcMrAACcdlKscLgAAAAA", algorithm=MD5, opaque="+GNyWA==",
username="zahersyed", uri="sip:pidoorbell@sip.linphone.org",
response="c872d2f5c046d823d8c7b3c741b193ba", cnonce="3aabf414", nc=00000001, qop=auth

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 13:02:26.448199'

13:02:26.732 [1;36mINFO[1;0m: channel [0xeb20]: received [310] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.O558MEsUx;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=UbIGRa7Fz

To: <sip:zahersyed@sip.linphone.org>

Call-ID: UmAM3KAriJ

CSeq: 21 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

13:02:26.737 [1;36mINFO[1;0m: channel [0xeb20] [310] bytes parsed

13:02:26.738 [1;36mINFO[1;0m: Found transaction matching response.

13:02:26.738 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf68118], from state
[TRYING] to [PROCEEDING]

13:02:26.739 [1;36mINFO[1;0m: channel [0xeb20]: received [588] new bytes from
[UDP://sip.linphone.org:5060]:

MESSAGE sip:zahersyed@173.12.114.238:5063 SIP/2.0

Via: SIP/2.0/UDP 37.59.51.72;rport;branch=z9hG4bK.Hmja6N6caaSyBrBv6rc21a168D

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.O558MEsUx;rport=5063;received=173.12.114.238

Max-Forwards: 69

From: <sip:zahersyed@sip.linphone.org>;tag=UblGRa7Fz

To: <sip:zahersyed@sip.linphone.org>

Call-ID: UmAM3KAriJ

CSeq: 21 MESSAGE

Date: Sun, 10 Apr 2016 17:02:26 GMT

User-Agent: (belle-sip/1.4.2)

Supported: outbound

Content-Type: text/plain

Content-Length: 79

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 13:02:26.435940'

13:02:26.748 [1;36mINFO[1;0m: channel [0xeb20] [509] bytes parsed

13:02:26.748 [1;36mINFO[1;0m: channel [0xeb20] read [79] bytes of body from [sip.linphone.org:5060]

13:02:26.751 [1;36mINFO[1;0m: Changing [server] [MESSAGE] transaction [0xf567e8], from state [INIT] to [TRYING]

13:02:26.754 [1;36mINFO[1;0m: Linphone core [0xe5e120] notifying [message_received]

13:02:26.754 [1;36mINFO[1;0m: Linphone core [0xe5e120] notifying [is_composing_received]

13:02:26.755 [1;36mINFO[1;0m: Changing [server] [MESSAGE] transaction [0xf567e8], from state [TRYING] to [COMPLETED]

13:02:26.755 [1;36mINFO[1;0m: channel [0xeb20]: message sent to [UDP://sip.linphone.org:5060], size: [333] bytes

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 37.59.51.72;rport;branch=z9hG4bK.Hmja6N6caaSyBrBv6rc21a168D

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.O558MEsUx;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=UblGRa7Fz

To: <sip:zahersyed@sip.linphone.org>;tag=PDSFQ62

Call-ID: UmAM3KAriJ

CSeq: 21 MESSAGE

13:02:26.755 [1;36mINFO[1;0m: Destroying op [0xf51c20] of type [SalOpMessage]

13:02:26.756 [1;36mINFO[1;0m: channel [0xeb20]: received [311] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.8GfTIS3in;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=Zij8uE5W~

To: <sip:pidoorbell@sip.linphone.org>

Call-ID: tDEWFUPpSq

CSeq: 21 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

13:02:26.760 [1;36mINFO[1;0m: channel [0xeb20] [311] bytes parsed

13:02:26.761 [1;36mINFO[1;0m: Found transaction matching response.

13:02:26.761 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf5d970], from state [TRYING] to [PROCEEDING]

13:02:26.899 [1;36mINFO[1;0m: channel [0xeb20]: received [274] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.O558MEsUx;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=UbiGRa7Fz

To: <sip:zahersyed@sip.linphone.org>;tag=PDSFQ62

Call-ID: UmAM3KAriJ

CSeq: 21 MESSAGE

Content-Length: 0

13:02:26.903 [1;36mINFO[1;0m: channel [0xeb20] [274] bytes parsed

13:02:26.904 [1;36mINFO[1;0m: Found transaction matching response.

13:02:26.904 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf68118], from state [PROCEEDING] to [COMPLETED]

13:02:26.905 [1;36mINFO[1;0m: Chat message 0xf74c00: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateDelivered

13:02:27.104 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

13:02:27.104 [1;36mINFO[1;0m: channel [0xeb20]: message sent to [UDP://sip.linphone.org:5060], size: [758] bytes

MESSAGE sip:pidoorbell@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.8GfTIS3in;rport

From: <sip:zahersyed@sip.linphone.org>;tag=Zij8uE5W~

To: sip:pidoorbell@sip.linphone.org

CSeq: 21 MESSAGE

Call-ID: tDEWFUPpSq

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 17:02:26 GMT

User-Agent: (belle-sip/1.4.2)

Proxy-Authorization: Digest realm="sip.linphone.org",
nonce="ogW12gAAAAB9FcMrAACcdIKscLgAAAAA", algorithm=MD5, opaque="+GNyWA==",
username="zahersyed", uri="sip:pidoorbell@sip.linphone.org",
response="c872d2f5c046d823d8c7b3c741b193ba", cnonce="3aabf414", nc=00000001, qop=auth

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 13:02:26.448199'

13:02:27.111 [1;36mINFO[1;0m: channel [0xeb20]: received [275] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.8GfTIS3in;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=Zij8uE5W~

To: <sip:pidoorbell@sip.linphone.org>;tag=OaFbLVb

Call-ID: tDEWFUPpSq

CSeq: 21 MESSAGE

Content-Length: 0

13:02:27.115 [1;36mINFO[1;0m: channel [0xeb20] [275] bytes parsed

13:02:27.116 [1;36mINFO[1;0m: Found transaction matching response.

13:02:27.116 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf5d970], from state [PROCEEDING] to [COMPLETED]

13:02:27.116 [1;36mINFO[1;0m: Chat message 0xebdef8: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateDelivered

13:02:27.245 [1;36mINFO[1;0m: channel [0xeb20]: received [275] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.8GfTIS3in;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=Zij8uE5W~

To: <sip:pidoorbell@sip.linphone.org>;tag=OaFbLVb

Call-ID: tDEWFUPpSq

CSeq: 21 MESSAGE

Content-Length: 0

13:02:27.249 [1;36mINFO[1;0m: channel [0xeb20] [275] bytes parsed

13:02:27.250 [1;36mINFO[1;0m: Found transaction matching response.

13:02:29.810 [1;36mINFO[1;0m: channel [0xeb20]: keep alive sent to [UDP://sip.linphone.org:5060]

13:02:31.594 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf551a0], from state [COMPLETED] to [TERMINATED]

13:02:31.594 [1;36mINFO[1;0m: Client MESSAGE transaction [0xf551a0] terminated

13:02:31.594 [1;36mINFO[1;0m: Unhandled transaction terminated [0xf551a0]

13:02:31.605 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xeceec8], from state [COMPLETED] to [TERMINATED]

13:02:31.605 [1;36mINFO[1;0m: Client MESSAGE transaction [0xeceec8] terminated

13:02:31.605 [1;36mINFO[1;0m: Unhandled transaction terminated [0xeceec8]

13:02:31.905 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf68118], from state [COMPLETED] to [TERMINATED]

13:02:31.905 [1;36mINFO[1;0m: Client MESSAGE transaction [0xf68118] terminated

13:02:31.905 [1;36mINFO[1;0m: Unhandled transaction terminated [0xf68118]

13:02:32.117 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf5d970], from state [COMPLETED] to [TERMINATED]

13:02:32.117 [1;36mINFO[1;0m: Client MESSAGE transaction [0xf5d970] terminated

13:02:32.117 [1;36mINFO[1;0m: Unhandled transaction terminated [0xf5d970]

13:02:39.810 [1;36mINFO[1;0m: channel [0xebeb20]: keep alive sent to [UDP://sip.linphone.org:5060]

13:02:46.876 [1;36mINFO[1;0m: *Motion detected!*

13:02:52.804 [1;36mINFO[1;0m: Emailed and saved image to "/home/pi/emailedSecurityCameraImage-2016-04-10T13:02:52.800512.jpg"

13:03:12.286 [1;36mINFO[1;0m: channel [0xebeb20]: keep alive sent to [UDP://sip.linphone.org:5060]

13:03:12.287 [1;36mINFO[1;0m: Changing [server] [MESSAGE] transaction [0xf4ca68], from state [COMPLETED] to [TERMINATED]

13:03:12.287 [1;36mINFO[1;0m: Server MESSAGE transaction [0xf4ca68] terminated

13:03:12.288 [1;36mINFO[1;0m: Unhandled transaction terminated [0xf4ca68]

13:03:12.288 [1;36mINFO[1;0m: Changing [server] [MESSAGE] transaction [0xf567e8], from state [COMPLETED] to [TERMINATED]

13:03:12.289 [1;36mINFO[1;0m: Server MESSAGE transaction [0xf567e8] terminated

13:03:12.289 [1;36mINFO[1;0m: Unhandled transaction terminated [0xf567e8]

13:03:12.291 [1;36mINFO[1;0m: *Motion detected!*

13:03:13.297 [1;36mINFO[1;0m: Notifying contacts...

13:03:13.297 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

13:03:13.303 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

13:03:13.303 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x769fc330>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

13:03:13.316 [1;36mINFO[1;0m: Skipping top route of initial route-set because same as request-uri.

13:03:13.317 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xecf840], from state [INIT] to [TRYING]

13:03:13.319 [1;36mINFO[1;0m: channel [0xeb20]: message sent to [UDP://sip.linphone.org:5060], size: [476] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.nDVGxGAoZ;rport

From: <sip:zahersyed@sip.linphone.org>;tag=UKDR838Rn

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: r0cwUhS8ps

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 17:03:13 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 13:03:13.300499'

13:03:13.321 [1;36mINFO[1;0m: Chat message 0xf9fd68: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

13:03:13.322 [1;36mINFO[1;0m: Notifying pidoorbell@sip.linphone.org

13:03:13.327 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

13:03:13.328 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x769fc200>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

13:03:13.340 [1;36mINFO[1;0m: Skipping top route of initial route-set because same as request-uri.

13:03:13.342 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf6cb90], from state [INIT] to [TRYING]

13:03:13.343 [1;36mINFO[1;0m: channel [0xeb20]: message sent to [UDP://sip.linphone.org:5060], size: [478] bytes

MESSAGE sip:pidoorbell@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.9~U21K5My;rport

From: <sip:zahersyed@sip.linphone.org>;tag=v8BqeaA9n

To: sip:pidoorbell@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: M65CXY2h3n

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 17:03:13 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 13:03:13.325096'

13:03:13.346 [1;36mINFO[1;0m: Chat message 0xf6f248: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

13:03:13.459 [1;36mINFO[1;0m: channel [0xeb20]: received [492] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 407 Proxy Authentication Required

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.nDVGxGAoZ;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=UKDR838Rn

To: <sip:zahersyed@sip.linphone.org>;tag=FaBm94D07D7pD

Call-ID: r0cwUhs8ps

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Proxy-Authenticate: Digest realm="sip.linphone.org", nonce="0QW12gAAAACIAXsKAADzadyEUykAAAAA", opaque="+GNywA==", algorithm=MD5, qop="auth"

Content-Length: 0

13:03:13.465 [1;36mINFO[1;0m: channel [0xeb20] [492] bytes parsed

13:03:13.466 [1;36mINFO[1;0m: Found transaction matching response.

13:03:13.466 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xecf840], from state [TRYING] to [COMPLETED]

13:03:13.466 [1;36mINFO[1;0m: linphone_core_find_auth_info(): returning auth info
username=zahersyed, realm=sip.linphone.org

13:03:13.466 [1;36mINFO[1;0m: Auth info found for [zahersyed] realm [sip.linphone.org]

13:03:13.467 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xfa13b8], from state [INIT] to [TRYING]

13:03:13.467 [1;36mINFO[1;0m: channel [0xeb20]: message sent to [UDP://sip.linphone.org:5060], size: [755] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.slixVI-3o;rport

From: <sip:zahersyed@sip.linphone.org>;tag=UKDR838Rn

To: sip:zahersyed@sip.linphone.org

CSeq: 21 MESSAGE

Call-ID: r0cwUhs8ps

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 17:03:13 GMT

User-Agent: (belle-sip/1.4.2)

Proxy-Authorization: Digest realm="sip.linphone.org",
nonce="0QW12gAAAACIAXsKAADzadyEUykAAAAA", algorithm=MD5, opaque="+GNyWA==",
username="zahersyed", uri="sip:zahersyed@sip.linphone.org",
response="284b19343017f84e3c5acf9847742fe2", cnonce="77e82c8c", nc=00000001, qop=auth

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 13:03:13.300499'

13:03:13.480 [1;36mINFO[1;0m: channel [0xeb20]: received [493] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 407 Proxy Authentication Required

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.9~U21K5My;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=v8BqeaA9n

To: <sip:pidoorbell@sip.linphone.org>;tag=HvX5cUF71ZKvm

Call-ID: M65CXY2h3n

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Proxy-Authenticate: Digest realm="sip.linphone.org",
nonce="0QW12gAAAAB7eSLHAACnBH4YM/MAAAAA", opaque="+GNyWA==", algorithm=MD5,
qop="auth"

Content-Length: 0

13:03:13.486 [1;36mINFO[1;0m: channel [0xeb20] [493] bytes parsed

13:03:13.487 [1;36mINFO[1;0m: Found transaction matching response.

13:03:13.487 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf6cb90], from state [TRYING] to [COMPLETED]

13:03:13.487 [1;36mINFO[1;0m: linphone_core_find_auth_info(): returning auth info
username=zahersyed, realm=sip.linphone.org

13:03:13.488 [1;36mINFO[1;0m: Auth info found for [zahersyed] realm [sip.linphone.org]

13:03:13.488 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf5eaf0], from state [INIT] to [TRYING]

13:03:13.489 [1;36mINFO[1;0m: channel [0xeb20]: message sent to [UDP://sip.linphone.org:5060],
size: [758] bytes

MESSAGE sip:pidoorbell@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.Ry~pKoNjk;rport

From: <sip:zahersyed@sip.linphone.org>;tag=v8BqeaA9n

To: sip:pidoorbell@sip.linphone.org

CSeq: 21 MESSAGE

Call-ID: M65CXY2h3n

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 17:03:13 GMT

User-Agent: (belle-sip/1.4.2)

Proxy-Authorization: Digest realm="sip.linphone.org",
nonce="0QW12gAAAAB7eSLHAACnBH4YM/MAAAAA", algorithm=MD5, opaque="+GNyWA==",
username="zahersyed", uri="sip:pidoorbell@sip.linphone.org",
response="f2bef568770907a18cd06f8707c6ad84", cnonce="2e6e7139", nc=00000001, qop=auth

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 13:03:13.325096'

13:03:13.605 [1;36mINFO[1;0m: channel [0xebeb20]: received [310] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.sIIXVI-3o;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=UKDR838Rn

To: <sip:zahersyed@sip.linphone.org>

Call-ID: r0cwUhS8ps

CSeq: 21 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

13:03:13.610 [1;36mINFO[1;0m: channel [0xebeb20] [310] bytes parsed

13:03:13.611 [1;36mINFO[1;0m: Found transaction matching response.

13:03:13.611 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xfa13b8], from state
[TRYING] to [PROCEEDING]

13:03:13.612 [1;36mINFO[1;0m: channel [0xebeb20]: received [588] new bytes from
[UDP://sip.linphone.org:5060]:

MESSAGE sip:zahersyed@173.12.114.238:5063 SIP/2.0

Via: SIP/2.0/UDP 37.59.51.72;rport;branch=z9hG4bK.5e64mF86gtmr5tm1Dae0FHH4BF

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.sIIXVI-3o;rport=5063;received=173.12.114.238

Max-Forwards: 69

From: <sip:zahersyed@sip.linphone.org>;tag=UKDR838Rn

To: <sip:zahersyed@sip.linphone.org>

Call-ID: r0cwUhS8ps

CSeq: 21 MESSAGE

Date: Sun, 10 Apr 2016 17:03:13 GMT

User-Agent: (belle-sip/1.4.2)

Supported: outbound

Content-Type: text/plain

Content-Length: 79

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 13:03:13.300499'

13:03:13.621 [1;36mINFO[1;0m: channel [0xeb20] [509] bytes parsed

13:03:13.621 [1;36mINFO[1;0m: channel [0xeb20] read [79] bytes of body from
[sip.linphone.org:5060]

13:03:13.625 [1;36mINFO[1;0m: Changing [server] [MESSAGE] transaction [0xf4c70], from state [INIT]
to [TRYING]

13:03:13.627 [1;36mINFO[1;0m: Linphone core [0xe5e120] notifying [message_received]

13:03:13.628 [1;36mINFO[1;0m: Linphone core [0xe5e120] notifying [is_composing_received]

13:03:13.628 [1;36mINFO[1;0m: Changing [server] [MESSAGE] transaction [0xf4c70], from state
[TRYING] to [COMPLETED]

13:03:13.629 [1;36mINFO[1;0m: channel [0xeb20]: message sent to [UDP://sip.linphone.org:5060],
size: [333] bytes

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 37.59.51.72;rport;branch=z9hG4bK.5e64mF86gtmr5tm1Dae0FHH4BF

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.sIIXVI-3o;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=UKDR838Rn

To: <sip:zahersyed@sip.linphone.org>;tag=7cO6sij

Call-ID: r0cwUhS8ps

CSeq: 21 MESSAGE

13:03:13.629 [1;36mINFO[1;0m: Destroying op [0xf73240] of type [SalOpMessage]

13:03:13.629 [1;36mINFO[1;0m: channel [0xeb20]: received [311] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.Ry~pKoNjk;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=v8BqeaA9n

To: <sip:pidoorbell@sip.linphone.org>

Call-ID: M65CXY2h3n

CSeq: 21 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

13:03:13.634 [1;36mINFO[1;0m: channel [0xeb20] [311] bytes parsed

13:03:13.635 [1;36mINFO[1;0m: Found transaction matching response.

13:03:13.635 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf5eaf0], from state [TRYING] to [PROCEEDING]

13:03:13.893 [1;36mINFO[1;0m: channel [0xeb20]: received [274] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.sIIXVI-3o;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=UKDR838Rn

To: <sip:zahersyed@sip.linphone.org>;tag=7cO6sij

Call-ID: r0cwUhS8ps

CSeq: 21 MESSAGE

Content-Length: 0

13:03:13.898 [1;36mINFO[1;0m: channel [0xeb20] [274] bytes parsed

13:03:13.898 [1;36mINFO[1;0m: Found transaction matching response.

13:03:13.898 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xfa13b8], from state [PROCEEDING] to [COMPLETED]

13:03:13.899 [1;36mINFO[1;0m: Chat message 0xf9fd68: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateDelivered

13:03:13.988 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

13:03:13.989 [1;36mINFO[1;0m: channel [0xeb20]: message sent to [UDP://sip.linphone.org:5060], size: [758] bytes

MESSAGE sip:pidoorbell@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.Ry~pKoNjk;rport

From: <sip:zahersyed@sip.linphone.org>;tag=v8BqeaA9n

To: sip:pidoorbell@sip.linphone.org

CSeq: 21 MESSAGE

Call-ID: M65CXY2h3n

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 17:03:13 GMT

User-Agent: (belle-sip/1.4.2)

Proxy-Authorization: Digest realm="sip.linphone.org",
nonce="0QW12gAAAAB7eSLHAACnBH4YM/MAAAAA", algorithm=MD5, opaque="+GNyWA==",
username="zahersyed", uri="sip:pidoorbell@sip.linphone.org",
response="f2bef568770907a18cd06f8707c6ad84", cnonce="2e6e7139", nc=00000001, qop=auth

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 13:03:13.325096'

13:03:14.123 [1;36mINFO[1;0m: channel [0xeb20]: received [275] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.Ry~pKoNjk;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=v8BqeaA9n

To: <sip:pidoorbell@sip.linphone.org>;tag=6v1bDLm

Call-ID: M65CXY2h3n

CSeq: 21 MESSAGE

Content-Length: 0

13:03:14.128 [1;36mINFO[1;0m: channel [0xeb20] [275] bytes parsed

13:03:14.128 [1;36mINFO[1;0m: Found transaction matching response.

13:03:14.128 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf5eaf0], from state [PROCEEDING] to [COMPLETED]

13:03:14.129 [1;36mINFO[1;0m: Chat message 0xf6f248: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateDelivered

13:03:14.129 [1;36mINFO[1;0m: channel [0xeb20]: received [275] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.Ry~pKoNjk;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=v8BqeaA9n

To: <sip:pidoorbell@sip.linphone.org>;tag=6v1bDLm

Call-ID: M65CXY2h3n

CSeq: 21 MESSAGE

Content-Length: 0

13:03:14.134 [1;36mINFO[1;0m: channel [0xeb20] [275] bytes parsed

13:03:14.134 [1;36mINFO[1;0m: Found transaction matching response.

13:03:18.231 [1;36mINFO[1;0m: *Motion detected!*

13:03:19.235 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xecf840], from state [COMPLETED] to [TERMINATED]

13:03:19.240 [1;36mINFO[1;0m: Client MESSAGE transaction [0xecf840] terminated

13:03:19.241 [1;36mINFO[1;0m: Unhandled transaction terminated [0xecf840]

13:03:19.241 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf6cb90], from state [COMPLETED] to [TERMINATED]

13:03:19.241 [1;36mINFO[1;0m: Client MESSAGE transaction [0xf6cb90] terminated

13:03:19.241 [1;36mINFO[1;0m: Unhandled transaction terminated [0xf6cb90]

13:03:19.242 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xfa13b8], from state [COMPLETED] to [TERMINATED]

13:03:19.242 [1;36mINFO[1;0m: Client MESSAGE transaction [0xfa13b8] terminated

13:03:19.242 [1;36mINFO[1;0m: Unhandled transaction terminated [0xfa13b8]

13:03:19.242 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xf5eaf0], from state [COMPLETED] to [TERMINATED]

13:03:19.243 [1;36mINFO[1;0m: Client MESSAGE transaction [0xf5eaf0] terminated

13:03:19.243 [1;36mINFO[1;0m: Unhandled transaction terminated [0xf5eaf0]

17:06:58.802 [1;36mINFO[1;0m: Initializaing jamPi System version 0.2.0...

17:07:03.819 [1;36mINFO[1;0m: Sensor online... Turning on motion sensor...

17:07:08.825 [1;36mINFO[1;0m: PIR sensor is ready.

17:07:10.122 [1;36mINFO[1;0m: Mediastreamer2 factory 2.12.0 (git: 3.9.0) initialized.

17:07:10.123 [1;36mINFO[1;0m: CPU count set to 4

17:07:10.123 [1;36mINFO[1;0m: ms_factory_init() done: platform_tags=linux,arm,embedded

17:07:10.132 [1;36mINFO[1;0m: srtp init

17:07:10.159 [1;36mINFO[1;0m: Registering all soundcard handlers

17:07:10.214 [1;36mINFO[1;0m: Card 'ALSA: default device' added

17:07:10.222 [1;36mINFO[1;0m: also error in pcm_hw.c:1557 - open '/dev/snd/pcmC0D0c' failed (-2)

17:07:10.224 [1;36mINFO[1;0m: Card 'ALSA: bcm2835 ALSA' added

17:07:10.243 [1;36mINFO[1;0m: Card 'ALSA: USB PnP Sound Device' added

17:07:10.243 [1;36mINFO[1;0m: Registering all webcam handlers

17:07:10.244 [1;36mINFO[1;0m: Webcam StaticImage: Static picture added

17:07:10.244 [1;36mINFO[1;0m: ms_factory_init_voip() done

17:07:10.244 [1;36mINFO[1;0m: Loading ms plugins from [./lib/mediastreamer/plugins]

17:07:10.245 [1;36mINFO[1;0m: Cannot open directory ./lib/mediastreamer/plugins: No such file or directory

17:07:10.245 [1;36mINFO[1;0m: Initializing LinphoneCore 3.9.0

17:07:10.250 [1;36mINFO[1;0m: Vtable [0xe1e120] registered on core [0xe40e80]

17:07:10.250 [1;36mINFO[1;0m: Linphone core [0xe1e120] notifying [global_state_changed]

17:07:10.250 [1;36mINFO[1;0m: oRTP-0.25.0 initialized.

17:07:10.251 [1;36mINFO[1;0m: Skipping ms_base_init, because [2] ref

17:07:10.251 [1;36mINFO[1;0m: Skipping ms_voip_init, because [2] ref

17:07:10.251 [1;36mINFO[1;0m: Skipping ms_plugins_init, because [2] ref

17:07:10.251 [1;36mINFO[1;0m: Codec opus/48000 fmp=[useinbandfec=1] number=-1, enabled=1) added to default capabilities.

17:07:10.252 [1;36mINFO[1;0m: Could not find encoder for SILK

17:07:10.252 [1;36mINFO[1;0m: Could not find decoder for SILK

17:07:10.252 [1;36mINFO[1;0m: Codec speex/16000 fmp=[vbr=on] number=-1, enabled=1) added to default capabilities.

17:07:10.252 [1;36mINFO[1;0m: Codec speex/8000 fmp=[vbr=on] number=-1, enabled=1) added to default capabilities.

17:07:10.253 [1;36mINFO[1;0m: Codec PCMU/8000 fmp=[] number=0, enabled=1) added to default capabilities.

17:07:10.253 [1;36mINFO[1;0m: Codec PCMA/8000 fmp=[] number=8, enabled=1) added to default capabilities.

17:07:10.253 [1;36mINFO[1;0m: Codec t140/1000 fmp=[] number=96, enabled=1) added to default capabilities.

17:07:10.253 [1;36mINFO[1;0m: Codec red/1000 fmp=[] number=97, enabled=1) added to default capabilities.

17:07:10.254 [1;36mINFO[1;0m: Codec GSM/8000 fmp=[] number=3, enabled=0) added to default capabilities.

17:07:10.254 [1;36mINFO[1;0m: Codec G722/8000 fmp=[] number=9, enabled=0) added to default capabilities.

17:07:10.254 [1;36mINFO[1;0m: Could not find encoder for iLBC

17:07:10.254 [1;36mINFO[1;0m: Could not find decoder for iLBC

17:07:10.254 [1;36mINFO[1;0m: Could not find encoder for AMR

17:07:10.255 [1;36mINFO[1;0m: Could not find decoder for AMR

17:07:10.255 [1;36mINFO[1;0m: Could not find encoder for AMR-WB

17:07:10.255 [1;36mINFO[1;0m: Could not find decoder for AMR-WB

17:07:10.255 [1;36mINFO[1;0m: Could not find encoder for G729

17:07:10.256 [1;36mINFO[1;0m: Could not find decoder for G729

17:07:10.256 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

17:07:10.256 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

17:07:10.256 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

17:07:10.257 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

17:07:10.257 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

17:07:10.257 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

17:07:10.257 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

17:07:10.257 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

17:07:10.257 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

17:07:10.257 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

17:07:10.258 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

17:07:10.258 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

17:07:10.258 [1;36mINFO[1;0m: Could not find encoder for iSAC

17:07:10.258 [1;36mINFO[1;0m: Could not find decoder for iSAC

17:07:10.259 [1;36mINFO[1;0m: Codec speex/32000 fntp=[vbr=on] number=-1, enabled=0) added to default capabilities.

17:07:10.259 [1;36mINFO[1;0m: Could not find encoder for SILK

17:07:10.259 [1;36mINFO[1;0m: Could not find decoder for SILK

17:07:10.259 [1;36mINFO[1;0m: Could not find encoder for SILK

17:07:10.260 [1;36mINFO[1;0m: Could not find decoder for SILK

17:07:10.260 [1;36mINFO[1;0m: Could not find encoder for SILK

17:07:10.260 [1;36mINFO[1;0m: Could not find decoder for SILK

17:07:10.260 [1;36mINFO[1;0m: Could not find encoder for G726-16

17:07:10.260 [1;36mINFO[1;0m: Could not find decoder for G726-16

17:07:10.261 [1;36mINFO[1;0m: Could not find encoder for G726-24

17:07:10.261 [1;36mINFO[1;0m: Could not find decoder for G726-24

17:07:10.261 [1;36mINFO[1;0m: Could not find encoder for G726-32

17:07:10.261 [1;36mINFO[1;0m: Could not find decoder for G726-32

17:07:10.262 [1;36mINFO[1;0m: Could not find encoder for G726-40

17:07:10.262 [1;36mINFO[1;0m: Could not find decoder for G726-40

17:07:10.262 [1;36mINFO[1;0m: Could not find encoder for AAL2-G726-16

17:07:10.262 [1;36mINFO[1;0m: Could not find decoder for AAL2-G726-16

17:07:10.263 [1;36mINFO[1;0m: Could not find encoder for AAL2-G726-24

17:07:10.263 [1;36mINFO[1;0m: Could not find decoder for AAL2-G726-24

17:07:10.263 [1;36mINFO[1;0m: Could not find encoder for AAL2-G726-32

17:07:10.263 [1;36mINFO[1;0m: Could not find decoder for AAL2-G726-32

17:07:10.263 [1;36mINFO[1;0m: Could not find encoder for AAL2-G726-40

17:07:10.263 [1;36mINFO[1;0m: Could not find decoder for AAL2-G726-40

17:07:10.264 [1;36mINFO[1;0m: Could not find decoder for AAL2-G726-40

17:07:10.264 [1;36mINFO[1;0m: Could not find encoder for CODEC2

17:07:10.264 [1;36mINFO[1;0m: Could not find decoder for CODEC2

17:07:10.264 [1;36mINFO[1;0m: Codec VP8/90000 fntp=[] number=-1, enabled=1) added to default capabilities.

17:07:10.265 [1;36mINFO[1;0m: Could not find encoder for H264

17:07:10.265 [1;36mINFO[1;0m: Could not find decoder for H264

17:07:10.265 [1;36mINFO[1;0m: Could not find encoder for MP4V-ES

17:07:10.265 [1;36mINFO[1;0m: Could not find encoder for H263-1998

17:07:10.266 [1;36mINFO[1;0m: Could not find encoder for H263

17:07:10.266 [1;36mINFO[1;0m: Could not find encoder for 1016

17:07:10.266 [1;36mINFO[1;0m: Could not find decoder for 1016

17:07:10.266 [1;36mINFO[1;0m: Could not find encoder for G723

17:07:10.266 [1;36mINFO[1;0m: Could not find decoder for G723

17:07:10.267 [1;36mINFO[1;0m: Could not find encoder for LPC

17:07:10.267 [1;36mINFO[1;0m: Could not find decoder for LPC

17:07:10.267 [1;36mINFO[1;0m: Codec L16/44100 fntp=[] number=10, enabled=0) added to default capabilities.

17:07:10.267 [1;36mINFO[1;0m: Codec L16/44100 fntp=[] number=11, enabled=0) added to default capabilities.

17:07:10.268 [1;36mINFO[1;0m: Could not find encoder for CN

17:07:10.268 [1;36mINFO[1;0m: Could not find decoder for CN

17:07:10.268 [1;36mINFO[1;0m: Could not find encoder for G729

17:07:10.268 [1;36mINFO[1;0m: Could not find decoder for G729

17:07:10.269 [1;36mINFO[1;0m: Could not find encoder for H261

17:07:10.269 [1;36mINFO[1;0m: Could not find decoder for H261

17:07:10.269 [1;36mINFO[1;0m: Could not find encoder for MPV

17:07:10.269 [1;36mINFO[1;0m: Could not find decoder for MPV

17:07:10.269 [1;36mINFO[1;0m: Could not find encoder for H263

17:07:10.287 [1;36mINFO[1;0m: Sal nat helper [enabled]

17:07:10.287 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

17:07:10.288 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

17:07:10.288 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

17:07:10.288 [1;36mINFO[1;0m: Linphone core [0xe1e120] notifying [configuring_status]

17:07:10.289 [1;36mINFO[1;0m: Cannot open directory ./lib/liblinphone/plugins: No such file or directory

17:07:10.289 [1;31mWARNING[1;0m: ./share/sounds/linphone/rings/oldphone.wav does not exist

17:07:10.289 [1;36mINFO[1;0m: linphone_core_set_playback_gain_db(): no active call.

17:07:10.289 [1;36mINFO[1;0m: linphone_core_set_mic_gain_db(): no active call.

17:07:10.289 [1;36mINFO[1;0m: MTU is supposed to be 1300, rtp payload max size will be 1240

17:07:10.290 [1;36mINFO[1;0m: Sal nat helper [enabled]

17:07:10.290 [1;36mINFO[1;0m: Sal use rport [enabled]

17:07:10.290 [1;36mINFO[1;0m: Supported codec opus/48000 fntp=useinbandfec=1 automatically added to codec list.

17:07:10.290 [1;36mINFO[1;0m: Supported codec speex/16000 fmp= vbr=on automatically added to codec list.

17:07:10.291 [1;36mINFO[1;0m: Supported codec speex/8000 fmp= vbr=on automatically added to codec list.

17:07:10.291 [1;36mINFO[1;0m: Supported codec PCMU/8000 fmp= automatically added to codec list.

17:07:10.291 [1;36mINFO[1;0m: Supported codec PCMA/8000 fmp= automatically added to codec list.

17:07:10.291 [1;36mINFO[1;0m: Supported codec GSM/8000 fmp= automatically added to codec list.

17:07:10.292 [1;36mINFO[1;0m: Supported codec G722/8000 fmp= automatically added to codec list.

17:07:10.292 [1;36mINFO[1;0m: Supported codec speex/32000 fmp= vbr=on automatically added to codec list.

17:07:10.292 [1;36mINFO[1;0m: Supported codec L16/44100 fmp= automatically added to codec list.

17:07:10.292 [1;36mINFO[1;0m: Supported codec L16/44100 fmp= automatically added to codec list.

17:07:10.293 [1;36mINFO[1;0m: Supported codec VP8/90000 fmp= automatically added to codec list.

17:07:10.293 [1;36mINFO[1;0m: Supported codec t140/1000 fmp= automatically added to codec list.

17:07:10.293 [1;36mINFO[1;0m: Supported codec red/1000 fmp= automatically added to codec list.

17:07:10.293 [1;36mINFO[1;0m: Sal use rport [enabled]

17:07:10.294 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

17:07:10.294 [1;36mINFO[1;0m: sal_unlisten_ports done

17:07:10.294 [1;36mINFO[1;0m: Creating listening point [0xe1de38] on [sip:0.0.0.0:5060;transport=UDP]

17:07:10.294 [1;36mINFO[1;0m: Creating listening point [0xe1e798] on [sip:0.0.0.0:5060;transport=TCP]

17:07:10.304 [1;36mINFO[1;0m: Creating listening point [0xe1e938] on [sip:0.0.0.0:-1;transport=TLS]

17:07:10.305 [1;36mINFO[1;0m: Random TCP port is 37427

17:07:10.305 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

17:07:10.305 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

17:07:10.372 [1;36mINFO[1;0m: Linphone core [0xe1e120] notifying [global_state_changed]

17:07:10.373 [1;36mINFO[1;0m: Listening point [0xe1de38] on [sip:0.0.0.0:5060;transport=UDP] destroyed

17:07:10.374 [1;36mINFO[1;0m: Listening point [0xe1e798] on [sip:0.0.0.0:5060;transport=TCP] destroyed

17:07:10.374 [1;36mINFO[1;0m: Listening point [0xe1e938] on [sip:0.0.0.0:37427;transport=TLS] destroyed

17:07:10.374 [1;36mINFO[1;0m: sal_unlisten_ports done

17:07:10.375 [1;36mINFO[1;0m: Creating listening point [0xe1dd30] on [sip:0.0.0.0:5063;transport=UDP]

17:07:10.375 [1;36mINFO[1;0m: Creating listening point [0xe1df20] on [sip:0.0.0.0:5067;transport=TCP]

17:07:10.375 [1;36mINFO[1;0m: Creating listening point [0xe1e6b0] on [sip:0.0.0.0:32737;transport=TLS]

17:07:10.376 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

17:07:10.376 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

17:07:10.381 [1;36mINFO[1;0m: Resolver is using DNS server(s):

17:07:10.381 [1;36mINFO[1;0m: 75.75.75.75

17:07:10.381 [1;36mINFO[1;0m: 75.75.76.76

17:07:10.382 [1;36mINFO[1;0m: 2001:558:feed::1

17:07:10.382 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress

17:07:10.383 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop

17:07:10.383 [1;36mINFO[1;0m: Sal nat helper [enabled]

17:07:10.383 [1;36mINFO[1;0m: Sal use rport [enabled]

17:07:10.385 [1;36mINFO[1;0m: no camera with id V4L2: /dev/video0

17:07:10.385 [1;31mWARNING[1;0m: Could not find video device V4L2: /dev/video0

17:07:10.388 [1;36mINFO[1;0m: Adding codec PCMU...

17:07:10.389 [1;36mINFO[1;0m: Adding codec PCMA...

17:07:10.390 [1;36mINFO[1;0m: Adding codec VP8...

17:07:10.395 [1;36mINFO[1;0m: auth_info.username = zahersyed,

17:07:13.449 [1;36mINFO[1;0m: stun.linphone.org resolved to 37.59.51.72

17:07:13.450 [1;36mINFO[1;0m: Stun server resolution successful.

17:07:13.451 [1;36mINFO[1;0m: New local ip address is 10.1.10.45

17:07:13.451 [1;36mINFO[1;0m: Network state is now [UP]

17:07:13.452 [1;36mINFO[1;0m: Resolver is using DNS server(s):

17:07:13.453 [1;36mINFO[1;0m: 75.75.75.75

17:07:13.453 [1;36mINFO[1;0m: 75.75.76.76

17:07:13.454 [1;36mINFO[1;0m: 2001:558:feed::1

17:07:13.455 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress

17:07:13.455 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop

17:07:13.458 [1;36mINFO[1;0m: LinphoneProxyConfig [0xe6d028] about to register (LinphoneCore version: 3.9.0)

17:07:13.474 [1;36mINFO[1;0m: belle_sip_client_transaction_send_request(): waiting channel to be ready

17:07:13.475 [1;36mINFO[1;0m: channel [0xe7eb20]: starting resolution of sip.linphone.org

17:07:13.476 [1;36mINFO[1;0m: channel 0xe7eb20: state RES_IN_PROGRESS

17:07:13.476 [1;36mINFO[1;0m: transaction [0xe6bb68] channel state changed to [RES_IN_PROGRESS]

17:07:13.477 [1;36mINFO[1;0m: Resolver is using DNS server(s):

17:07:13.478 [1;36mINFO[1;0m: 75.75.75.75

17:07:13.478 [1;36mINFO[1;0m: 75.75.76.76

17:07:13.479 [1;36mINFO[1;0m: 2001:558:feed::1

17:07:13.480 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress

17:07:13.480 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop

17:07:13.481 [1;36mINFO[1;0m: Neither Expires header nor corresponding Contact header found, checking from original request

17:07:13.481 [1;36mINFO[1;0m: Refresher [0xe6e320] takes ownership of transaction [0xe6bb68]

17:07:13.482 [1;36mINFO[1;0m: Proxy config [0xe6d028] for identity [sip:zahersyed@sip.linphone.org:5061] moving from state [LinphoneRegistrationNone] to [LinphoneRegistrationProgress]

17:07:13.482 [1;36mINFO[1;0m: Linphone core [0xe1e120] notifying [registration_state_changed]

17:07:13.483 [1;36mINFO[1;0m: Linphone core [0xe1e120] notifying [network_reachable]

17:07:13.533 [1;36mINFO[1;0m: SRV _sip._udp.sip.linphone.org resolved to [target:sip1.linphone.org. port:5060 prio:10 weight:100]

17:07:13.534 [1;36mINFO[1;0m: SRV _sip._udp.sip.linphone.org resolved to [target:sip3.linphone.org. port:5060 prio:0 weight:100]

17:07:13.534 [1;36mINFO[1;0m: Starting A/AAAA query for srv result [sip3.linphone.org.]

17:07:13.535 [1;36mINFO[1;0m: Resolver is using DNS server(s):

17:07:13.536 [1;36mINFO[1;0m: 75.75.75.75
17:07:13.536 [1;36mINFO[1;0m: 75.75.76.76
17:07:13.537 [1;36mINFO[1;0m: 2001:558:feed::1
17:07:13.538 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress
17:07:13.538 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop
17:07:13.539 [1;36mINFO[1;0m: Starting A/AAAA query for srv result [sip1.linphone.org.]
17:07:13.540 [1;36mINFO[1;0m: Resolver is using DNS server(s):
17:07:13.540 [1;36mINFO[1;0m: 75.75.75.75
17:07:13.541 [1;36mINFO[1;0m: 75.75.76.76
17:07:13.541 [1;36mINFO[1;0m: 2001:558:feed::1
17:07:13.542 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress
17:07:13.543 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop
17:07:13.567 [1;36mINFO[1;0m: stun.linphone.org resolved to 37.59.51.72
17:07:13.567 [1;36mINFO[1;0m: Stun server resolution successful.
17:07:13.619 [1;36mINFO[1;0m: sip3.linphone.org. resolved to 37.59.51.72
17:07:13.619 [1;36mINFO[1;0m: A query finished for srv result [sip3.linphone.org.]
17:07:13.621 [1;36mINFO[1;0m: sip1.linphone.org. resolved to 91.121.209.194
17:07:13.621 [1;36mINFO[1;0m: A query finished for srv result [sip1.linphone.org.]
17:07:13.621 [1;36mINFO[1;0m: All A/AAAA results for combined resolution have arrived.
17:07:13.622 [1;36mINFO[1;0m: channel 0xe7eb20: state RES_DONE
17:07:13.622 [1;36mINFO[1;0m: transaction [0xe6bb68] channel state changed to [RES_DONE]
17:07:13.622 [1;36mINFO[1;0m: channel 0xe7eb20: state CONNECTING
17:07:13.622 [1;36mINFO[1;0m: transaction [0xe6bb68] channel state changed to [CONNECTING]
17:07:13.623 [1;36mINFO[1;0m: Trying to connect to [UDP://37.59.51.72:5060]
17:07:13.623 [1;36mINFO[1;0m: belle_sip_get_src_addr_for(): af_inet6=0
17:07:13.623 [1;36mINFO[1;0m: Channel has local address 10.1.10.45:5063
17:07:13.623 [1;36mINFO[1;0m: channel 0xe7eb20: state READY
17:07:13.624 [1;36mINFO[1;0m: transaction [0xe6bb68] channel state changed to [READY]

17:07:13.624 [1;36mINFO[1;0m: Changing [client] [REGISTER] transaction [0xe6bb68], from state [INIT] to [TRYING]

17:07:13.624 [1;36mINFO[1;0m: channel [0xe7eb20]: message sent to [UDP://sip.linphone.org:5060], size: [523] bytes

REGISTER sip:sip.linphone.org:5061 SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.wFUCQDCjM;rport

From: <sip:zahersyed@sip.linphone.org>;tag=SrjAyemwU

To: sip:zahersyed@sip.linphone.org

CSeq: 20 REGISTER

Call-ID: CjbRynCzXb

Max-Forwards: 70

Supported: outbound

Accept: application/sdp

Accept: text/plain

Accept: application/vnd.gsma.rcs-ft-http+xml

Contact: <sip:zahersyed@10.1.10.45:5063>;+sip.instance="<urn:uuid:3f58f713-24cf-422d-b633-d3eaaed09484>"

Expires: 3600

User-Agent: (belle-sip/1.4.2)

17:07:13.762 [1;36mINFO[1;0m: channel [0xe7eb20]: received [474] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 401 Unauthorized

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.wFUCQDCjM;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=SrjAyemwU

To: <sip:zahersyed@sip.linphone.org>;tag=8D6HBavg779vm

Call-ID: CjbRynCzXb

CSeq: 20 REGISTER

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

WWW-Authenticate: Digest realm="sip.linphone.org",
nonce="AT+12gAAAACcFRK0AAAREVr+MIUAAAAA", opaque="+GNyWA==", algorithm=MD5, qop="auth"

Content-Length: 0

17:07:13.802 [1;36mINFO[1;0m: channel [0xe7eb20] [474] bytes parsed

17:07:13.802 [1;36mINFO[1;0m: channel [0xe7eb20]: discovered public ip and port are
[173.12.114.238:5063]

17:07:13.802 [1;36mINFO[1;0m: Found transaction matching response.

17:07:13.803 [1;36mINFO[1;0m: Changing [client] [REGISTER] transaction [0xe6bb68], from state
[TRYING] to [COMPLETED]

17:07:13.803 [1;36mINFO[1;0m: linphone_core_find_auth_info(): returning auth info
username=zahersyed, realm=

17:07:13.803 [1;36mINFO[1;0m: Auth info found for [zahersyed] realm [sip.linphone.org]

17:07:13.804 [1;36mINFO[1;0m: Changing [client] [REGISTER] transaction [0xe68a10], from state [INIT]
to [TRYING]

17:07:13.804 [1;36mINFO[1;0m: channel [0xe7eb20]: message sent to [UDP://sip.linphone.org:5060],
size: [795] bytes

REGISTER sip:sip.linphone.org:5061 SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.GTVeEZAqF;rport

From: <sip:zahersyed@sip.linphone.org>;tag=SrjAyemwU

To: sip:zahersyed@sip.linphone.org

CSeq: 21 REGISTER

Call-ID: CjbRynCzXb

Max-Forwards: 70

Supported: outbound

Accept: application/sdp

Accept: text/plain

Accept: application/vnd.gsma.rcs-ft-http+xml

Contact: <sip:zahersyed@173.12.114.238:5063>;+sip.instance="<urn:uuid:3f58f713-24cf-422d-b633-d3eaaed09484>"

Expires: 3600

User-Agent: (belle-sip/1.4.2)

Authorization: Digest realm="sip.linphone.org", nonce="AT+12gAAAACcFRK0AAAREVr+MIUAAAAA", algorithm=MD5, opaque="+GNyWA==", username="zahersyed", uri="sip:sip.linphone.org:5061", response="880ed1d4dc76ec3425ede15c8d2cb628", cnonce="8c67d513", nc=00000001, qop=auth

17:07:13.949 [1;36mINFO[1;0m: channel [0xe7eb20]: received [492] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 200 Registration successful

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.GTVeEZAqF;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=SrjAyemwU

To: <sip:zahersyed@sip.linphone.org>;tag=a0r3e0XQ1Sp2B

Call-ID: CjbRynCzXb

CSeq: 21 REGISTER

Contact: <sip:zahersyed@173.12.114.238:5063>;expires=3600;q=0.00

Contact: <sip:zahersyed@173.12.114.238:63201;transport=tls>;expires=322;q=0.00

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

17:07:13.957 [1;36mINFO[1;0m: channel [0xe7eb20] [492] bytes parsed

17:07:13.958 [1;36mINFO[1;0m: Found transaction matching response.

17:07:13.958 [1;36mINFO[1;0m: Changing [client] [REGISTER] transaction [0xe68a10], from state [TRYING] to [COMPLETED]

17:07:13.958 [1;36mINFO[1;0m: Refresher [0xe6e320]: has no contact for request [0xe21e88].

17:07:13.958 [1;36mINFO[1;0m: Refresher: scheduling next timer in 3240000 ms

17:07:13.959 [1;36mINFO[1;0m: Register refresher [200] reason [Registration successful] for proxy [sip:sip.linphone.org]

17:07:13.959 [1;36mINFO[1;0m: Proxy config [0xe6d028] for identity [sip:zahersyed@sip.linphone.org:5061] moving from state [LinphoneRegistrationProgress] to [LinphoneRegistrationOk]

17:07:13.959 [1;36mINFO[1;0m: Linphone core [0xe1e120] notifying [registration_state_changed]

17:07:18.804 [1;36mINFO[1;0m: Changing [client] [REGISTER] transaction [0xe6bb68], from state [COMPLETED] to [TERMINATED]

17:07:18.804 [1;36mINFO[1;0m: Client internal REGISTER transaction [0xe6bb68] terminated

17:07:18.959 [1;36mINFO[1;0m: Changing [client] [REGISTER] transaction [0xe68a10], from state [COMPLETED] to [TERMINATED]

17:07:18.959 [1;36mINFO[1;0m: Client internal REGISTER transaction [0xe68a10] terminated

17:07:19.843 [1;36mINFO[1;0m: *Motion detected!*

17:07:20.847 [1;36mINFO[1;0m: channel [0xe7eb20]: keep alive sent to [UDP://sip.linphone.org:5060]

17:07:30.846 [1;36mINFO[1;0m: channel [0xe7eb20]: keep alive sent to [UDP://sip.linphone.org:5060]

17:07:40.846 [1;36mINFO[1;0m: channel [0xe7eb20]: keep alive sent to [UDP://sip.linphone.org:5060]

17:07:50.846 [1;36mINFO[1;0m: channel [0xe7eb20]: keep alive sent to [UDP://sip.linphone.org:5060]

17:07:58.028 [1;36mINFO[1;0m: *Motion detected!*

17:07:59.032 [1;36mINFO[1;0m: Notifying contacts...

17:07:59.032 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

17:07:59.036 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

17:07:59.036 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76cb4d40>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

17:07:59.043 [1;36mINFO[1;0m: Skipping top route of initial route-set because same as request-uri.

17:07:59.043 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xe715f0], from state [INIT] to [TRYING]

17:07:59.044 [1;36mINFO[1;0m: channel [0xe7eb20]: message sent to [UDP://sip.linphone.org:5060], size: [476] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.Hck1tbacA;rport

From: <sip:zahersyed@sip.linphone.org>;tag=2qsK-atH4

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: DE~LoSikIZ

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 21:07:59 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 17:07:59.035132'

17:07:59.045 [1;36mINFO[1;0m: Chat message 0xe7a9f8: moving from state
LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

17:07:59.045 [1;36mINFO[1;0m: Notifying pidoorbell@sip.linphone.org

17:07:59.049 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

17:07:59.049 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76cb4d60>, ip
= None, ea = sip:linphone@10.1.10.45:5063, un = linphone

17:07:59.056 [1;36mINFO[1;0m: Skipping top route of initial route-set because same as request-uri.

17:07:59.056 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xe78f28], from state [INIT]
to [TRYING]

17:07:59.057 [1;36mINFO[1;0m: channel [0xe7eb20]: message sent to [UDP://sip.linphone.org:5060],
size: [478] bytes

MESSAGE sip:pidoorbell@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.CeKeYhGpc;rport

From: <sip:zahersyed@sip.linphone.org>;tag=X7YxgGb2z

To: sip:pidoorbell@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: B1q81ukKe2

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 21:07:59 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 17:07:59.048006'

17:07:59.058 [1;36mINFO[1;0m: Chat message 0xe71e00: moving from state
LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

17:08:04.628 [1;36mINFO[1;0m: Emailed and saved image to "/home/pi/emailedSecurityCameraImage-
2016-04-10T17:08:04.624195.jpg"

17:08:24.110 [1;36mINFO[1;0m: channel [0xe7eb20]: received [492] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 407 Proxy Authentication Required

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.Hck1tbacA;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=2qsK-atH4

To: <sip:zahersyed@sip.linphone.org>;tag=2B3pgBmcZrpaN

Call-ID: DE~LoSikIZ

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Proxy-Authenticate: Digest realm="sip.linphone.org", nonce="Lz+12gAAAABxKiUSAACTOiSpVXkAAAAA",
opaque="+GNyWA==", algorithm=MD5, qop="auth"

Content-Length: 0

17:08:24.122 [1;36mINFO[1;0m: channel [0xe7eb20] [492] bytes parsed

17:08:24.123 [1;36mINFO[1;0m: Found transaction matching response.

17:08:24.123 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xe715f0], from state
[TRYING] to [COMPLETED]

17:08:24.124 [1;36mINFO[1;0m: linphone_core_find_auth_info(): returning auth info
username=zahersyed, realm=sip.linphone.org

17:08:24.124 [1;36mINFO[1;0m: Auth info found for [zahersyed] realm [sip.linphone.org]

17:08:24.125 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xe78090], from state [INIT]
to [TRYING]

17:08:24.126 [1;36mINFO[1;0m: channel [0xe7eb20]: message sent to [UDP://sip.linphone.org:5060], size: [755] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.1JRQ2w8hV;rport

From: <sip:zahersyed@sip.linphone.org>;tag=2qsK-atH4

To: sip:zahersyed@sip.linphone.org

CSeq: 21 MESSAGE

Call-ID: DE~LoSikIZ

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 21:07:59 GMT

User-Agent: (belle-sip/1.4.2)

Proxy-Authorization: Digest realm="sip.linphone.org",
nonce="Lz+12gAAAABxKiUSAActOiSpVXkAAAAA", algorithm=MD5, opaque="+GNywA==",
username="zahersyed", uri="sip:zahersyed@sip.linphone.org",
response="91fe5e991a4b9e2ea1b9d1945f861455", cnonce="2709aed7", nc=00000001, qop=auth

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 17:07:59.035132'

17:08:24.127 [1;36mINFO[1;0m: channel [0xe7eb20]: keep alive sent to [UDP://sip.linphone.org:5060]

17:08:24.127 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

17:08:24.128 [1;36mINFO[1;0m: channel [0xe7eb20]: message sent to [UDP://sip.linphone.org:5060], size: [478] bytes

MESSAGE sip:pidoorbell@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.CeKeYhGpc;rport

From: <sip:zahersyed@sip.linphone.org>;tag=X7YxgGb2z

To: sip:pidoorbell@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: B1q81ukKe2

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 21:07:59 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 17:07:59.048006'

17:08:24.130 [1;36mINFO[1;0m: channel [0xe7eb20]: received [493] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 407 Proxy Authentication Required

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.CeKeYhGpc;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=X7YxgGb2z

To: <sip:pidoorbell@sip.linphone.org>;tag=3mvFj64Fv1cXg

Call-ID: B1q81ukKe2

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Proxy-Authenticate: Digest realm="sip.linphone.org",
nonce="Lz+12gAAAABc5njwAACRrMtMatEAAAAA", opaque="+GNyWA==", algorithm=MD5, qop="auth"

Content-Length: 0

17:08:24.141 [1;36mINFO[1;0m: channel [0xe7eb20] [493] bytes parsed

17:08:24.142 [1;36mINFO[1;0m: Found transaction matching response.

17:08:24.143 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xe78f28], from state [TRYING] to [COMPLETED]

17:08:24.143 [1;36mINFO[1;0m: linphone_core_find_auth_info(): returning auth info
username=zahersyed, realm=sip.linphone.org

17:08:24.144 [1;36mINFO[1;0m: Auth info found for [zahersyed] realm [sip.linphone.org]

17:08:24.144 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xe7e4b8], from state [INIT] to [TRYING]

17:08:24.145 [1;36mINFO[1;0m: channel [0xe7eb20]: message sent to [UDP://sip.linphone.org:5060], size: [758] bytes

MESSAGE sip:pidoorbell@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.xo1J5koo6;rport

From: <sip:zahersyed@sip.linphone.org>;tag=X7YxgGb2z

To: sip:pidoorbell@sip.linphone.org

CSeq: 21 MESSAGE

Call-ID: B1q81ukKe2

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 21:07:59 GMT

User-Agent: (belle-sip/1.4.2)

Proxy-Authorization: Digest realm="sip.linphone.org",
nonce="Lz+12gAAAABc5njwAACRrMtMatEAAAAA", algorithm=MD5, opaque="+GNyWA==",
username="zahersyed", uri="sip:pidoorbell@sip.linphone.org",
response="94615516130ea44f48a4d677bbd81b18", cnonce="ecd8bdc4", nc=00000001, qop=auth

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 17:07:59.048006'

17:08:24.269 [1;36mINFO[1;0m: channel [0xe7eb20]: received [310] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.1JRQ2w8hV;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=2qsK-atH4

To: <sip:zahersyed@sip.linphone.org>

Call-ID: DE~LoSikIZ

CSeq: 21 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

17:08:24.274 [1;36mINFO[1;0m: channel [0xe7eb20] [310] bytes parsed

17:08:24.275 [1;36mINFO[1;0m: Found transaction matching response.

17:08:24.275 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xe78090], from state [TRYING] to [PROCEEDING]

17:08:24.276 [1;36mINFO[1;0m: channel [0xe7eb20]: received [588] new bytes from [UDP://sip.linphone.org:5060]:

MESSAGE sip:zahersyed@173.12.114.238:5063 SIP/2.0

Via: SIP/2.0/UDP 37.59.51.72;rport;branch=z9hG4bK.mmBecpvZ9ScXHK7aX0gK174SXH

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.1JRQ2w8hV;rport=5063;received=173.12.114.238

Max-Forwards: 69

From: <sip:zahersyed@sip.linphone.org>;tag=2qsK-atH4

To: <sip:zahersyed@sip.linphone.org>

Call-ID: DE~LoSIkIZ

CSeq: 21 MESSAGE

Date: Sun, 10 Apr 2016 21:07:59 GMT

User-Agent: (belle-sip/1.4.2)

Supported: outbound

Content-Type: text/plain

Content-Length: 79

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 17:07:59.035132'

17:08:24.321 [1;36mINFO[1;0m: channel [0xe7eb20] [509] bytes parsed

17:08:24.322 [1;36mINFO[1;0m: channel [0xe7eb20] read [79] bytes of body from [sip.linphone.org:5060]

17:08:24.325 [1;36mINFO[1;0m: Changing [server] [MESSAGE] transaction [0xe79228], from state [INIT] to [TRYING]

17:08:24.328 [1;36mINFO[1;0m: Linphone core [0xe1e120] notifying [message_received]

17:08:24.328 [1;36mINFO[1;0m: Linphone core [0xe1e120] notifying [is_composing_received]
17:08:24.328 [1;36mINFO[1;0m: Changing [server] [MESSAGE] transaction [0xe79228], from state [TRYING] to [COMPLETED]
17:08:24.329 [1;36mINFO[1;0m: channel [0xe7eb20]: message sent to [UDP://sip.linphone.org:5060], size: [333] bytes
SIP/2.0 200 Ok
Via: SIP/2.0/UDP 37.59.51.72;rport;branch=z9hG4bK.mmBecpvZ9ScXHK7aX0gK174SXH
Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.1JRQ2w8hV;rport=5063
From: <sip:zahersyed@sip.linphone.org>;tag=2qsK-atH4
To: <sip:zahersyed@sip.linphone.org>;tag=hcaiHQ~
Call-ID: DE~LoSiklZ
CSeq: 21 MESSAGE

17:08:24.329 [1;36mINFO[1;0m: Destroying op [0xa6a368] of type [SalOpMessage]
17:08:24.330 [1;36mINFO[1;0m: channel [0xe7eb20]: received [493] new bytes from [UDP://sip.linphone.org:5060]:
SIP/2.0 407 Proxy Authentication Required
Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.CeKeYhGpc;rport=5063;received=173.12.114.238
From: <sip:zahersyed@sip.linphone.org>;tag=X7YxgGb2z
To: <sip:pidoorbell@sip.linphone.org>;tag=3mvFj64Fv1cXg
Call-ID: B1q81ukKe2
CSeq: 20 MESSAGE
Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)
Proxy-Authenticate: Digest realm="sip.linphone.org",
nonce="Lz+12gAAAABc5njwAACRrMtMatEAAAAA", opaque="+GNyWA==", algorithm=MD5, qop="auth"
Content-Length: 0

17:08:24.336 [1;36mINFO[1;0m: channel [0xe7eb20] [493] bytes parsed

17:08:24.336 [1;36mINFO[1;0m: Found transaction matching response.

17:08:24.337 [1;36mINFO[1;0m: channel [0xe7eb20]: received [311] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.xo1J5koo6;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=X7YxgGb2z

To: <sip:pidoorbell@sip.linphone.org>

Call-ID: B1q81ukKe2

CSeq: 21 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

17:08:24.341 [1;36mINFO[1;0m: channel [0xe7eb20] [311] bytes parsed

17:08:24.342 [1;36mINFO[1;0m: Found transaction matching response.

17:08:24.342 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xe7e4b8], from state [TRYING] to [PROCEEDING]

17:08:24.468 [1;36mINFO[1;0m: channel [0xe7eb20]: received [274] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.1JRQ2w8hV;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=2qsK-atH4

To: <sip:zahersyed@sip.linphone.org>;tag=hcaiHQ~

Call-ID: DE~LoSikIZ

CSeq: 21 MESSAGE

Content-Length: 0

17:08:24.473 [1;36mINFO[1;0m: channel [0xe7eb20] [274] bytes parsed

17:08:24.474 [1;36mINFO[1;0m: Found transaction matching response.

17:08:24.474 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xe78090], from state [PROCEEDING] to [COMPLETED]

17:08:24.474 [1;36mINFO[1;0m: Chat message 0xe7a9f8: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateDelivered

17:08:24.645 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

17:08:24.645 [1;36mINFO[1;0m: channel [0xe7eb20]: message sent to [UDP://sip.linphone.org:5060], size: [758] bytes

MESSAGE sip:pidoorbell@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.xo1J5koo6;rport

From: <sip:zahersyed@sip.linphone.org>;tag=X7YxgGb2z

To: sip:pidoorbell@sip.linphone.org

CSeq: 21 MESSAGE

Call-ID: B1q81ukKe2

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 21:07:59 GMT

User-Agent: (belle-sip/1.4.2)

Proxy-Authorization: Digest realm="sip.linphone.org",
nonce="Lz+12gAAAABc5njwAACRrMtMatEAAAAA", algorithm=MD5, opaque="+GNyWA==",
username="zahersyed", uri="sip:pidoorbell@sip.linphone.org",
response="94615516130ea44f48a4d677bbd81b18", cnonce="ecd8bdc4", nc=00000001, qop=auth

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 17:07:59.048006'

17:08:24.719 [1;36mINFO[1;0m: channel [0xe7eb20]: received [275] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.xo1J5koo6;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=X7YxgGb2z

To: <sip:pidoorbell@sip.linphone.org>;tag=Jj-yeot

Call-ID: B1q81ukKe2

CSeq: 21 MESSAGE

Content-Length: 0

17:08:24.724 [1;36mINFO[1;0m: channel [0xe7eb20] [275] bytes parsed

17:08:24.724 [1;36mINFO[1;0m: Found transaction matching response.

17:08:24.725 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xe7e4b8], from state [PROCEEDING] to [COMPLETED]

17:08:24.725 [1;36mINFO[1;0m: Chat message 0xe71e00: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateDelivered

17:08:24.785 [1;36mINFO[1;0m: channel [0xe7eb20]: received [275] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.xo1J5koo6;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=X7YxgGb2z

To: <sip:pidoorbell@sip.linphone.org>;tag=Jj-yeot

Call-ID: B1q81ukKe2

CSeq: 21 MESSAGE

Content-Length: 0

17:08:24.790 [1;36mINFO[1;0m: channel [0xe7eb20] [275] bytes parsed

17:08:24.790 [1;36mINFO[1;0m: Found transaction matching response.

17:08:29.127 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xe715f0], from state [COMPLETED] to [TERMINATED]

17:08:29.127 [1;36mINFO[1;0m: Client MESSAGE transaction [0xe715f0] terminated

17:08:29.127 [1;36mINFO[1;0m: Unhandled transaction terminated [0xe715f0]

17:08:29.146 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xe78f28], from state [COMPLETED] to [TERMINATED]

17:08:29.146 [1;36mINFO[1;0m: Client MESSAGE transaction [0xe78f28] terminated

17:08:29.146 [1;36mINFO[1;0m: Unhandled transaction terminated [0xe78f28]

17:08:29.474 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xe78090], from state [COMPLETED] to [TERMINATED]

17:08:29.474 [1;36mINFO[1;0m: Client MESSAGE transaction [0xe78090] terminated

17:08:29.474 [1;36mINFO[1;0m: Unhandled transaction terminated [0xe78090]

17:08:29.725 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xe7e4b8], from state [COMPLETED] to [TERMINATED]

17:08:29.725 [1;36mINFO[1;0m: Client MESSAGE transaction [0xe7e4b8] terminated

17:08:29.730 [1;36mINFO[1;0m: Unhandled transaction terminated [0xe7e4b8]

17:08:34.110 [1;36mINFO[1;0m: channel [0xe7eb20]: keep alive sent to [UDP://sip.linphone.org:5060]

17:08:44.110 [1;36mINFO[1;0m: channel [0xe7eb20]: keep alive sent to [UDP://sip.linphone.org:5060]

17:08:54.110 [1;36mINFO[1;0m: channel [0xe7eb20]: keep alive sent to [UDP://sip.linphone.org:5060]

17:08:56.328 [1;36mINFO[1;0m: Changing [server] [MESSAGE] transaction [0xe79228], from state [COMPLETED] to [TERMINATED]

17:08:56.328 [1;36mINFO[1;0m: Server MESSAGE transaction [0xe79228] terminated

17:08:56.328 [1;36mINFO[1;0m: Unhandled transaction terminated [0xe79228]

17:09:04.110 [1;36mINFO[1;0m: channel [0xe7eb20]: keep alive sent to [UDP://sip.linphone.org:5060]

17:09:04.929 [1;36mINFO[1;0m: *Motion detected!*

17:09:05.933 [1;36mINFO[1;0m: Notifying contacts...

17:09:05.933 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

17:09:05.936 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

17:09:05.936 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76cb4e50>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

17:09:05.943 [1;36mINFO[1;0m: Skipping top route of initial route-set because same as request-uri.

17:09:05.943 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xe72628], from state [INIT] to [TRYING]

17:09:05.944 [1;36mINFO[1;0m: channel [0xe7eb20]: message sent to [UDP://sip.linphone.org:5060], size: [476] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.U0TRPeAyK;rport

From: <sip:zahersyed@sip.linphone.org>;tag=QOaBn8GeR

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: OgqbN2XuNf

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 21:09:05 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 17:09:05.935008'

17:09:05.945 [1;36mINFO[1;0m: Chat message 0xe747f8: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

17:09:05.945 [1;36mINFO[1;0m: Notifying pidoorbell@sip.linphone.org

17:09:05.948 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

17:09:05.948 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76cb4de0>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

17:09:05.955 [1;36mINFO[1;0m: Skipping top route of initial route-set because same as request-uri.

17:09:05.955 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xe7b248], from state [INIT] to [TRYING]

17:09:05.956 [1;36mINFO[1;0m: channel [0xe7eb20]: message sent to [UDP://sip.linphone.org:5060], size: [478] bytes

MESSAGE sip:pidoorbell@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.cc2yb8Srl;rport

From: <sip:zahersyed@sip.linphone.org>;tag=YpN4sMYuH

To: sip:pidoorbell@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: 4sAMPejiTY

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 21:09:05 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 17:09:05.947103'

17:09:05.957 [1;36mINFO[1;0m: Chat message 0xea5130: moving from state
LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

17:09:10.744 [1;36mINFO[1;0m: Emailed and saved image to "/home/pi/emailedSecurityCameraImage-
2016-04-10T17:09:10.740580.jpg"

17:09:30.227 [1;36mINFO[1;0m: channel [0xe7eb20]: received [492] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 407 Proxy Authentication Required

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.U0TRPeAyK;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=QOaBn8GeR

To: <sip:zahersyed@sip.linphone.org>;tag=4XpHDtQeae0rj

Call-ID: OgqbN2XuNf

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Proxy-Authenticate: Digest realm="sip.linphone.org", nonce="cj+12gAAAAAWZYIAACxjdpKIUYAAAAA",
opaque="+GNyWA==", algorithm=MD5, qop="auth"

Content-Length: 0

17:09:30.239 [1;36mINFO[1;0m: channel [0xe7eb20] [492] bytes parsed

17:09:30.239 [1;36mINFO[1;0m: Found transaction matching response.

17:09:30.240 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xe72628], from state
[TRYING] to [COMPLETED]

17:09:30.241 [1;36mINFO[1;0m: linphone_core_find_auth_info(): returning auth info
username=zahersyed, realm=sip.linphone.org

17:09:30.241 [1;36mINFO[1;0m: Auth info found for [zahersyed] realm [sip.linphone.org]

17:09:30.242 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xec4e70], from state [INIT] to [TRYING]

17:09:30.243 [1;36mINFO[1;0m: channel [0xe7eb20]: message sent to [UDP://sip.linphone.org:5060], size: [755] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.DwQ4~VKJN;rport

From: <sip:zahersyed@sip.linphone.org>;tag=QOaBn8GeR

To: sip:zahersyed@sip.linphone.org

CSeq: 21 MESSAGE

Call-ID: OgqbN2XuNf

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 21:09:05 GMT

User-Agent: (belle-sip/1.4.2)

Proxy-Authorization: Digest realm="sip.linphone.org",
nonce="cj+12gAAAAAWZYIAACxjdpKIUYAAAAA", algorithm=MD5, opaque="+GNyWA==",
username="zahersyed", uri="sip:zahersyed@sip.linphone.org",
response="e5f58f9783cb305689d4f2599093ef25", cnonce="f885474b", nc=00000001, qop=auth

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 17:09:05.935008'

17:09:30.243 [1;36mINFO[1;0m: channel [0xe7eb20]: keep alive sent to [UDP://sip.linphone.org:5060]

17:09:30.244 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

17:09:30.245 [1;36mINFO[1;0m: channel [0xe7eb20]: message sent to [UDP://sip.linphone.org:5060], size: [478] bytes

MESSAGE sip:pidoorbell@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.cc2yb8Srl;rport

From: <sip:zahersyed@sip.linphone.org>;tag=YpN4sMYuH

To: sip:pidoorbell@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: 4sAMPejiTY

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 21:09:05 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 17:09:05.947103'

17:09:30.246 [1;36mINFO[1;0m: *Motion detected!*

17:09:31.252 [1;36mINFO[1;0m: channel [0xe7eb20]: received [493] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 407 Proxy Authentication Required

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.cc2yb8Srl;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=YpN4sMYuH

To: <sip:pidoorbell@sip.linphone.org>;tag=56FaFN8H7ppBe

Call-ID: 4sAMPejiTY

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Proxy-Authenticate: Digest realm="sip.linphone.org",
nonce="cj+12gAAAAABHermAACGJL46cwcAAAAA", opaque="+GNyWA==", algorithm=MD5, qop="auth"

Content-Length: 0

17:09:31.264 [1;36mINFO[1;0m: channel [0xe7eb20] [493] bytes parsed

17:09:31.264 [1;36mINFO[1;0m: Found transaction matching response.

17:09:31.265 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xe7b248], from state [TRYING] to [COMPLETED]

17:09:31.266 [1;36mINFO[1;0m: linphone_core_find_auth_info(): returning auth info
username=zahersyed, realm=sip.linphone.org

17:09:31.266 [1;36mINFO[1;0m: Auth info found for [zahersyed] realm [sip.linphone.org]

17:09:31.267 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xe71a90], from state [INIT]
to [TRYING]

17:09:31.268 [1;36mINFO[1;0m: channel [0xe7eb20]: message sent to [UDP://sip.linphone.org:5060],
size: [758] bytes

MESSAGE sip:pidoorbell@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.Vff9WAav7;rport

From: <sip:zahersyed@sip.linphone.org>;tag=YpN4sMYuH

To: sip:pidoorbell@sip.linphone.org

CSeq: 21 MESSAGE

Call-ID: 4sAMPejiTY

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 21:09:05 GMT

User-Agent: (belle-sip/1.4.2)

Proxy-Authorization: Digest realm="sip.linphone.org",
nonce="cj+12gAAAAABHermaACGJL46cwcAAAAA", algorithm=MD5, opaque="+GNyWA==",
username="zahersyed", uri="sip:pidoorbell@sip.linphone.org",
response="359c3f1459ef3232cb025c54fba3635b", cnonce="4270e636", nc=00000001, qop=auth

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 17:09:05.947103'

17:09:31.268 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

17:09:31.270 [1;36mINFO[1;0m: channel [0xe7eb20]: message sent to [UDP://sip.linphone.org:5060],
size: [755] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.DwQ4~VKJN;rport

From: <sip:zahersyed@sip.linphone.org>;tag=QOaBn8GeR

To: sip:zahersyed@sip.linphone.org

CSeq: 21 MESSAGE

Call-ID: OgqbN2XuNf

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 21:09:05 GMT

User-Agent: (belle-sip/1.4.2)

Proxy-Authorization: Digest realm="sip.linphone.org",
nonce="cj+12gAAAAAWZYIAACxjdpKIUYAAAAA", algorithm=MD5, opaque="+GNyWA==",
username="zahersyed", uri="sip:zahersyed@sip.linphone.org",
response="e5f58f9783cb305689d4f2599093ef25", cnonce="f885474b", nc=00000001, qop=auth

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 17:09:05.935008'

17:09:31.271 [1;36mINFO[1;0m: channel [0xe7eb20]: received [310] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.DwQ4~VKJN;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=QOaBn8GeR

To: <sip:zahersyed@sip.linphone.org>

Call-ID: OgqbN2XuNf

CSeq: 21 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

17:09:31.279 [1;36mINFO[1;0m: channel [0xe7eb20] [310] bytes parsed

17:09:31.280 [1;36mINFO[1;0m: Found transaction matching response.

17:09:31.281 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xec4e70], from state [TRYING] to [PROCEEDING]

17:09:31.282 [1;36mINFO[1;0m: channel [0xe7eb20]: received [588] new bytes from [UDP://sip.linphone.org:5060]:

MESSAGE sip:zahersyed@173.12.114.238:5063 SIP/2.0

Via: SIP/2.0/UDP 37.59.51.72;rport;branch=z9hG4bK.jeSSm11rp3v4ypDUUc3tgBgB1a

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.DwQ4~VKJN;rport=5063;received=173.12.114.238

Max-Forwards: 69

From: <sip:zahersyed@sip.linphone.org>;tag=QOaBn8GeR

To: <sip:zahersyed@sip.linphone.org>

Call-ID: OgqbN2XuNf

CSeq: 21 MESSAGE

Date: Sun, 10 Apr 2016 21:09:05 GMT

User-Agent: (belle-sip/1.4.2)

Supported: outbound

Content-Type: text/plain

Content-Length: 79

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 17:09:05.935008'

17:09:31.299 [1;36mINFO[1;0m: channel [0xe7eb20] [509] bytes parsed

17:09:31.300 [1;36mINFO[1;0m: channel [0xe7eb20] read [79] bytes of body from [sip.linphone.org:5060]

17:09:31.306 [1;36mINFO[1;0m: Changing [server] [MESSAGE] transaction [0xf4af18], from state [INIT] to [TRYING]

17:09:31.310 [1;36mINFO[1;0m: Linphone core [0xe1e120] notifying [message_received]

17:09:31.311 [1;36mINFO[1;0m: Linphone core [0xe1e120] notifying [is_composing_received]

17:09:31.311 [1;36mINFO[1;0m: Changing [server] [MESSAGE] transaction [0xf4af18], from state [TRYING] to [COMPLETED]

17:09:31.312 [1;36mINFO[1;0m: channel [0xe7eb20]: message sent to [UDP://sip.linphone.org:5060], size: [333] bytes

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 37.59.51.72;rport;branch=z9hG4bK.jeSSm11rp3v4ypDUUc3tgBgB1a

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.DwQ4~VKJN;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=QOaBn8GeR

To: <sip:zahersyed@sip.linphone.org>;tag=zQ5BLUk

Call-ID: OgqbN2XuNf

CSeq: 21 MESSAGE

17:09:31.313 [1;36mINFO[1;0m: Destroying op [0xebfab8] of type [SalOpMessage]

17:09:31.314 [1;36mINFO[1;0m: channel [0xe7eb20]: received [493] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 407 Proxy Authentication Required

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.cc2yb8Srl;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=YpN4sMYuH

To: <sip:pidoorbell@sip.linphone.org>;tag=56FaFN8H7ppBe

Call-ID: 4sAMPejiTY

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Proxy-Authenticate: Digest realm="sip.linphone.org",
nonce="cj+12gAAAAABHermAACGJL46cwcAAAAA", opaque="+GNyWA==", algorithm=MD5, qop="auth"

Content-Length: 0

17:09:31.325 [1;36mINFO[1;0m: channel [0xe7eb20] [493] bytes parsed

17:09:31.326 [1;36mINFO[1;0m: Found transaction matching response.

17:09:31.327 [1;36mINFO[1;0m: channel [0xe7eb20]: received [274] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.DwQ4~VKJN;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=QOaBn8GeR

To: <sip:zahersyed@sip.linphone.org>;tag=rJrjVtJ

Call-ID: OgqbN2XuNf

CSeq: 21 MESSAGE

Content-Length: 0

17:09:31.336 [1;36mINFO[1;0m: channel [0xe7eb20] [274] bytes parsed

17:09:31.337 [1;36mINFO[1;0m: Found transaction matching response.

17:09:31.337 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xec4e70], from state [PROCEEDING] to [COMPLETED]

17:09:31.338 [1;36mINFO[1;0m: Chat message 0xe747f8: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateDelivered

17:09:31.339 [1;36mINFO[1;0m: channel [0xe7eb20]: received [588] new bytes from [UDP://sip.linphone.org:5060]:

MESSAGE sip:zahersyed@173.12.114.238:5063 SIP/2.0

Via: SIP/2.0/UDP 37.59.51.72;rport;branch=z9hG4bK.jeSSm11rp3v4ypDUUc3tgBgB1a

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.DwQ4~VKJN;rport=5063;received=173.12.114.238

Max-Forwards: 69

From: <sip:zahersyed@sip.linphone.org>;tag=QOaBn8GeR

To: <sip:zahersyed@sip.linphone.org>

Call-ID: OgqbN2XuNf

CSeq: 21 MESSAGE

Date: Sun, 10 Apr 2016 21:09:05 GMT

User-Agent: (belle-sip/1.4.2)

Supported: outbound

Content-Type: text/plain

Content-Length: 79

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 17:09:05.935008'

17:09:31.355 [1;36mINFO[1;0m: channel [0xe7eb20] [509] bytes parsed

17:09:31.355 [1;36mINFO[1;0m: channel [0xe7eb20] read [79] bytes of body from [sip.linphone.org:5060]

17:09:31.355 [1;36mINFO[1;0m: Found transaction [0xf4af18] matching request.

17:09:31.356 [1;36mINFO[1;0m: channel [0xe7eb20]: message sent to [UDP://sip.linphone.org:5060], size: [333] bytes

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 37.59.51.72;rport;branch=z9hG4bK.jeSSm11rp3v4ypDUUc3tgBgB1a

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.DwQ4~VKJN;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=QOaBn8GeR

To: <sip:zahersyed@sip.linphone.org>;tag=zQ5BLUk

Call-ID: OgqbN2XuNf

CSeq: 21 MESSAGE

17:09:31.405 [1;36mINFO[1;0m: channel [0xe7eb20]: received [311] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.Vff9WAav7;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=YpN4sMYuH

To: <sip:pidoorbell@sip.linphone.org>

Call-ID: 4sAMPejiTY

CSeq: 21 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

17:09:31.410 [1;36mINFO[1;0m: channel [0xe7eb20] [311] bytes parsed

17:09:31.410 [1;36mINFO[1;0m: Found transaction matching response.

17:09:31.411 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xe71a90], from state [TRYING] to [PROCEEDING]

17:09:31.411 [1;36mINFO[1;0m: channel [0xe7eb20]: received [274] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.DwQ4~VKJN;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=QOaBn8GeR

To: <sip:zahersyed@sip.linphone.org>;tag=rJrjVtJ

Call-ID: OgqbN2XuNf

CSeq: 21 MESSAGE

Content-Length: 0

17:09:31.416 [1;36mINFO[1;0m: channel [0xe7eb20] [274] bytes parsed

17:09:31.416 [1;36mINFO[1;0m: Found transaction matching response.

17:09:31.767 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

17:09:31.767 [1;36mINFO[1;0m: channel [0xe7eb20]: message sent to [UDP://sip.linphone.org:5060], size: [758] bytes

MESSAGE sip:pidoorbell@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.Vff9WAav7;rport

From: <sip:zahersyed@sip.linphone.org>;tag=YpN4sMYuH

To: sip:pidoorbell@sip.linphone.org

CSeq: 21 MESSAGE

Call-ID: 4sAMPejiTY

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 21:09:05 GMT

User-Agent: (belle-sip/1.4.2)

Proxy-Authorization: Digest realm="sip.linphone.org",
nonce="cj+12gAAAAABHermaACGJL46cwcAAAAA", algorithm=MD5, opaque="+GNyWA==",

username="zahersyed", uri="sip:pidoorbell@sip.linphone.org",
response="359c3f1459ef3232cb025c54fba3635b", cnonce="4270e636", nc=00000001, qop=auth

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 17:09:05.947103'

17:09:31.826 [1;36mINFO[1;0m: channel [0xe7eb20]: received [275] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.Vff9WAav7;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=YpN4sMYuH

To: <sip:pidoorbell@sip.linphone.org>;tag=~g0PV3s

Call-ID: 4sAMPejiTY

CSeq: 21 MESSAGE

Content-Length: 0

17:09:31.831 [1;36mINFO[1;0m: channel [0xe7eb20] [275] bytes parsed

17:09:31.831 [1;36mINFO[1;0m: Found transaction matching response.

17:09:31.832 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xe71a90], from state
[PROCEEDING] to [COMPLETED]

17:09:31.832 [1;36mINFO[1;0m: Chat message 0xea5130: moving from state
LinphoneChatMessageStateInProgress to LinphoneChatMessageStateDelivered

17:09:31.907 [1;36mINFO[1;0m: channel [0xe7eb20]: received [275] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.Vff9WAav7;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=YpN4sMYuH

To: <sip:pidoorbell@sip.linphone.org>;tag=~g0PV3s

Call-ID: 4sAMPejiTY

CSeq: 21 MESSAGE

Content-Length: 0

17:09:31.912 [1;36mINFO[1;0m: channel [0xe7eb20] [275] bytes parsed

17:09:31.912 [1;36mINFO[1;0m: Found transaction matching response.

17:09:35.243 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xe72628], from state [COMPLETED] to [TERMINATED]

17:09:35.243 [1;36mINFO[1;0m: Client MESSAGE transaction [0xe72628] terminated

17:09:35.243 [1;36mINFO[1;0m: Unhandled transaction terminated [0xe72628]

17:09:36.268 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xe7b248], from state [COMPLETED] to [TERMINATED]

17:09:36.268 [1;36mINFO[1;0m: Client MESSAGE transaction [0xe7b248] terminated

17:09:36.268 [1;36mINFO[1;0m: Unhandled transaction terminated [0xe7b248]

17:09:36.338 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xec4e70], from state [COMPLETED] to [TERMINATED]

17:09:36.338 [1;36mINFO[1;0m: Client MESSAGE transaction [0xec4e70] terminated

17:09:36.338 [1;36mINFO[1;0m: Unhandled transaction terminated [0xec4e70]

17:09:36.832 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xe71a90], from state [COMPLETED] to [TERMINATED]

17:09:36.832 [1;36mINFO[1;0m: Client MESSAGE transaction [0xe71a90] terminated

17:09:36.832 [1;36mINFO[1;0m: Unhandled transaction terminated [0xe71a90]

17:09:40.227 [1;36mINFO[1;0m: channel [0xe7eb20]: keep alive sent to [UDP://sip.linphone.org:5060]

17:09:50.227 [1;36mINFO[1;0m: channel [0xe7eb20]: keep alive sent to [UDP://sip.linphone.org:5060]

17:10:00.227 [1;36mINFO[1;0m: channel [0xe7eb20]: keep alive sent to [UDP://sip.linphone.org:5060]

17:10:03.311 [1;36mINFO[1;0m: Changing [server] [MESSAGE] transaction [0xf4af18], from state [COMPLETED] to [TERMINATED]

17:10:03.311 [1;36mINFO[1;0m: Server MESSAGE transaction [0xf4af18] terminated

17:10:03.312 [1;36mINFO[1;0m: Unhandled transaction terminated [0xf4af18]

17:10:10.227 [1;36mINFO[1;0m: channel [0xe7eb20]: keep alive sent to [UDP://sip.linphone.org:5060]

17:10:20.227 [1;36mINFO[1;0m: channel [0xe7eb20]: keep alive sent to [UDP://sip.linphone.org:5060]

17:10:30.227 [1;36mINFO[1;0m: channel [0xe7eb20]: keep alive sent to [UDP://sip.linphone.org:5060]

17:10:40.227 [1;36mINFO[1;0m: channel [0xe7eb20]: keep alive sent to [UDP://sip.linphone.org:5060]
17:10:50.227 [1;36mINFO[1;0m: channel [0xe7eb20]: keep alive sent to [UDP://sip.linphone.org:5060]
17:11:00.227 [1;36mINFO[1;0m: channel [0xe7eb20]: keep alive sent to [UDP://sip.linphone.org:5060]
17:11:01.697 [1;36mINFO[1;0m: *Motion detected!*

17:11:02.701 [1;36mINFO[1;0m: Notifying contacts...
17:11:02.702 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org
17:11:02.704 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063
17:11:02.705 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76cb4f60>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone
17:11:02.711 [1;36mINFO[1;0m: Skipping top route of initial route-set because same as request-uri.
17:11:02.712 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xecb1d0], from state [INIT] to [TRYING]
17:11:02.713 [1;36mINFO[1;0m: channel [0xe7eb20]: message sent to [UDP://sip.linphone.org:5060], size: [476] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0
Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.oOEZJLynL;rport
From: <sip:zahersyed@sip.linphone.org>;tag=OWWKqOqwS
To: sip:zahersyed@sip.linphone.org
CSeq: 20 MESSAGE
Call-ID: lcDQC-WK6U
Max-Forwards: 70
Supported: outbound
Content-Type: text/plain
Content-Length: 79
Date: Sun, 10 Apr 2016 21:11:02 GMT
User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 17:11:02.703512'

17:11:02.714 [1;36mINFO[1;0m: Chat message 0xe23838: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

17:11:02.714 [1;36mINFO[1;0m: Notifying pidoorbell@sip.linphone.org

17:11:02.717 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

17:11:02.717 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76cb4f30>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

17:11:02.724 [1;36mINFO[1;0m: Skipping top route of initial route-set because same as request-uri.

17:11:02.725 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xea5648], from state [INIT] to [TRYING]

17:11:02.725 [1;36mINFO[1;0m: channel [0xe7eb20]: message sent to [UDP://sip.linphone.org:5060], size: [478] bytes

MESSAGE sip:pidoorbell@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.GS~XlCRqk;rport

From: <sip:zahersyed@sip.linphone.org>;tag=yTK~kvDkq

To: sip:pidoorbell@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: XWaTJJaMvh

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 21:11:02 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 17:11:02.716069'

17:11:02.726 [1;36mINFO[1;0m: Chat message 0xeb8d28: moving from state LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

17:11:07.488 [1;36mINFO[1;0m: Emailed and saved image to "/home/pi/emailedSecurityCameraImage-2016-04-10T17:11:07.485095.jpg"

17:11:27.002 [1;36mINFO[1;0m: channel [0xe7eb20]: received [492] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 407 Proxy Authentication Required

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.oOEZJLynL;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=OWWKqOqwS

To: <sip:zahersyed@sip.linphone.org>;tag=a8380rUFgDNFm

Call-ID: lcDQC-WK6U

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Proxy-Authenticate: Digest realm="sip.linphone.org",
nonce="5j+12gAAAAABn1HdAABLwBTcxKIAAAAA", opaque="+GNyWA==", algorithm=MD5, qop="auth"

Content-Length: 0

17:11:27.014 [1;36mINFO[1;0m: channel [0xe7eb20] [492] bytes parsed

17:11:27.015 [1;36mINFO[1;0m: Found transaction matching response.

17:11:27.015 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xecb1d0], from state [TRYING] to [COMPLETED]

17:11:27.016 [1;36mINFO[1;0m: linphone_core_find_auth_info(): returning auth info
username=zahersyed, realm=sip.linphone.org

17:11:27.016 [1;36mINFO[1;0m: Auth info found for [zahersyed] realm [sip.linphone.org]

17:11:27.017 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xea0458], from state [INIT] to [TRYING]

17:11:27.018 [1;36mINFO[1;0m: channel [0xe7eb20]: message sent to [UDP://sip.linphone.org:5060],
size: [755] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.h23mYq1x6;rport

From: <sip:zahersyed@sip.linphone.org>;tag=OWWKqOqwS

To: sip:zahersyed@sip.linphone.org

CSeq: 21 MESSAGE

Call-ID: lcDQC-WK6U

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 21:11:02 GMT

User-Agent: (belle-sip/1.4.2)

Proxy-Authorization: Digest realm="sip.linphone.org",
nonce="5j+12gAAAAABn1HdAABLwBTcxKIAAAAA", algorithm=MD5, opaque="+GNyWA==",
username="zahersyed", uri="sip:zahersyed@sip.linphone.org",
response="78e98cc7af123246fe913c15d9fdcca8", cnonce="9c1c5436", nc=00000001, qop=auth

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 17:11:02.703512'

17:11:27.019 [1;36mINFO[1;0m: channel [0xe7eb20]: keep alive sent to [UDP://sip.linphone.org:5060]

17:11:27.019 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

17:11:27.020 [1;36mINFO[1;0m: channel [0xe7eb20]: message sent to [UDP://sip.linphone.org:5060],
size: [478] bytes

MESSAGE sip:pidoorbell@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.GS~Xlcrqk;rport

From: <sip:zahersyed@sip.linphone.org>;tag=yTK~kvDkq

To: sip:pidoorbell@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: XWaTJJaMvh

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 21:11:02 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 17:11:02.716069'

17:11:27.021 [1;36mINFO[1;0m: *Motion detected!*

17:11:28.028 [1;36mINFO[1;0m: channel [0xe7eb20]: received [493] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 407 Proxy Authentication Required

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.GS~XlCqk;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=yTK~kvDkq

To: <sip:pidoorbell@sip.linphone.org>;tag=BHX12KcKDPB2F

Call-ID: XWaTJJaMvh

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Proxy-Authenticate: Digest realm="sip.linphone.org",
nonce="5j+12gAAAADsWqW7AADvsSn496oAAAA", opaque="+GNyWA==", algorithm=MD5,
qop="auth"

Content-Length: 0

17:11:28.040 [1;36mINFO[1;0m: channel [0xe7eb20] [493] bytes parsed

17:11:28.040 [1;36mINFO[1;0m: Found transaction matching response.

17:11:28.041 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xea5648], from state [TRYING] to [COMPLETED]

17:11:28.042 [1;36mINFO[1;0m: linphone_core_find_auth_info(): returning auth info
username=zahersyed, realm=sip.linphone.org

17:11:28.042 [1;36mINFO[1;0m: Auth info found for [zahersyed] realm [sip.linphone.org]

17:11:28.043 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xec7f18], from state [INIT] to [TRYING]

17:11:28.044 [1;36mINFO[1;0m: channel [0xe7eb20]: message sent to [UDP://sip.linphone.org:5060], size: [758] bytes

MESSAGE sip:pidoorbell@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.BsiB7mx60;rport

From: <sip:zahersyed@sip.linphone.org>;tag=yTK~kvDkq

To: sip:pidoorbell@sip.linphone.org

CSeq: 21 MESSAGE

Call-ID: XWaTJJaMvh

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 21:11:02 GMT

User-Agent: (belle-sip/1.4.2)

Proxy-Authorization: Digest realm="sip.linphone.org",
nonce="5j+12gAAAADsWqW7AADvsSn496oAAAAA", algorithm=MD5, opaque="+GNyWA==",
username="zahersyed", uri="sip:pidoorbell@sip.linphone.org",
response="d19f89bb1bd4dda194350f26ad72b7e0", cnonce="9b7c7f26", nc=00000001, qop=auth

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 17:11:02.716069'

17:11:28.045 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

17:11:28.046 [1;36mINFO[1;0m: channel [0xe7eb20]: message sent to [UDP://sip.linphone.org:5060],
size: [755] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.h23mYq1x6;rport

From: <sip:zahersyed@sip.linphone.org>;tag=OWWKqOqwS

To: sip:zahersyed@sip.linphone.org

CSeq: 21 MESSAGE

Call-ID: lcDQC-WK6U

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 21:11:02 GMT

User-Agent: (belle-sip/1.4.2)

Proxy-Authorization: Digest realm="sip.linphone.org",
nonce="5j+12gAAAAABn1HdAABLwBTcxKIAAAAA", algorithm=MD5, opaque="+GNyWA==",
username="zahersyed", uri="sip:zahersyed@sip.linphone.org",
response="78e98cc7af123246fe913c15d9fdcca8", cnonce="9c1c5436", nc=00000001, qop=auth

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 17:11:02.703512'

17:11:28.047 [1;36mINFO[1;0m: channel [0xe7eb20]: received [310] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.h23mYq1x6;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=OWWKqOqwS

To: <sip:zahersyed@sip.linphone.org>

Call-ID: lcDQC-WK6U

CSeq: 21 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

17:11:28.056 [1;36mINFO[1;0m: channel [0xe7eb20] [310] bytes parsed

17:11:28.057 [1;36mINFO[1;0m: Found transaction matching response.

17:11:28.057 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xea0458], from state [TRYING] to [PROCEEDING]

17:11:28.059 [1;36mINFO[1;0m: channel [0xe7eb20]: received [588] new bytes from [UDP://sip.linphone.org:5060]:

MESSAGE sip:zahersyed@173.12.114.238:5063 SIP/2.0

Via: SIP/2.0/UDP 37.59.51.72;rport;branch=z9hG4bK.3mgXt9D16DccmKS9Qy79t0KFQF

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.h23mYq1x6;rport=5063;received=173.12.114.238

Max-Forwards: 69

From: <sip:zahersyed@sip.linphone.org>;tag=OWWKqOqwS

To: <sip:zahersyed@sip.linphone.org>

Call-ID: lcDQC-WK6U

CSeq: 21 MESSAGE

Date: Sun, 10 Apr 2016 21:11:02 GMT

User-Agent: (belle-sip/1.4.2)

Supported: outbound

Content-Type: text/plain

Content-Length: 79

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 17:11:02.703512'

17:11:28.076 [1;36mINFO[1;0m: channel [0xe7eb20] [509] bytes parsed

17:11:28.077 [1;36mINFO[1;0m: channel [0xe7eb20] read [79] bytes of body from [sip.linphone.org:5060]

17:11:28.083 [1;36mINFO[1;0m: Changing [server] [MESSAGE] transaction [0xea6018], from state [INIT] to [TRYING]

17:11:28.087 [1;36mINFO[1;0m: Linphone core [0xe1e120] notifying [message_received]

17:11:28.088 [1;36mINFO[1;0m: Linphone core [0xe1e120] notifying [is_composing_received]

17:11:28.089 [1;36mINFO[1;0m: Changing [server] [MESSAGE] transaction [0xea6018], from state [TRYING] to [COMPLETED]

17:11:28.090 [1;36mINFO[1;0m: channel [0xe7eb20]: message sent to [UDP://sip.linphone.org:5060], size: [333] bytes

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 37.59.51.72;rport;branch=z9hG4bK.3mgXt9D16DccmKS9Qy79t0KFQF

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.h23mYq1x6;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=OWWKqOqwS

To: <sip:zahersyed@sip.linphone.org>;tag=c9BZr29

Call-ID: lcDQC-WK6U

CSeq: 21 MESSAGE

17:11:28.090 [1;36mINFO[1;0m: Destroying op [0xf3b2c0] of type [SalOpMessage]

17:11:28.092 [1;36mINFO[1;0m: channel [0xe7eb20]: received [493] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 407 Proxy Authentication Required

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.GS~Xlcrqk;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=yTK~kvDkq

To: <sip:pidoorbell@sip.linphone.org>;tag=BHX12KcKDpB2F

Call-ID: XWaTJJAMvh

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Proxy-Authenticate: Digest realm="sip.linphone.org",
nonce="5j+12gAAAADsWqW7AADvsSn496oAAAA", opaque="+GNyWA==", algorithm=MD5,
qop="auth"

Content-Length: 0

17:11:28.103 [1;36mINFO[1;0m: channel [0xe7eb20] [493] bytes parsed

17:11:28.104 [1;36mINFO[1;0m: Found transaction matching response.

17:11:28.105 [1;36mINFO[1;0m: channel [0xe7eb20]: received [274] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.h23mYq1x6;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=OWWKqOqwS

To: <sip:zahersyed@sip.linphone.org>;tag=Pzl36op

Call-ID: lcDQC-WK6U

CSeq: 21 MESSAGE

Content-Length: 0

17:11:28.114 [1;36mINFO[1;0m: channel [0xe7eb20] [274] bytes parsed

17:11:28.114 [1;36mINFO[1;0m: Found transaction matching response.

17:11:28.115 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xea0458], from state
[PROCEEDING] to [COMPLETED]

17:11:28.115 [1;36mINFO[1;0m: Chat message 0xe23838: moving from state
LinphoneChatMessageStateInProgress to LinphoneChatMessageStateDelivered

17:11:28.115 [1;36mINFO[1;0m: channel [0xe7eb20]: received [588] new bytes from
[UDP://sip.linphone.org:5060]:

MESSAGE sip:zahersyed@173.12.114.238:5063 SIP/2.0

Via: SIP/2.0/UDP 37.59.51.72;rport;branch=z9hG4bK.3mgXt9D16DccmKS9Qy79t0KFQF

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.h23mYq1x6;rport=5063;received=173.12.114.238

Max-Forwards: 69

From: <sip:zahersyed@sip.linphone.org>;tag=OWWKqOqwS

To: <sip:zahersyed@sip.linphone.org>

Call-ID: lcDQC-WK6U

CSeq: 21 MESSAGE

Date: Sun, 10 Apr 2016 21:11:02 GMT

User-Agent: (belle-sip/1.4.2)

Supported: outbound

Content-Type: text/plain

Content-Length: 79

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 17:11:02.703512'

17:11:28.124 [1;36mINFO[1;0m: channel [0xe7eb20] [509] bytes parsed

17:11:28.125 [1;36mINFO[1;0m: channel [0xe7eb20] read [79] bytes of body from [sip.linphone.org:5060]

17:11:28.125 [1;36mINFO[1;0m: Found transaction [0xea6018] matching request.

17:11:28.126 [1;36mINFO[1;0m: channel [0xe7eb20]: message sent to [UDP://sip.linphone.org:5060], size: [333] bytes

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 37.59.51.72;rport;branch=z9hG4bK.3mgXt9D16DccmKS9Qy79t0KFQF

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.h23mYq1x6;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=OWWKqOqwS

To: <sip:zahersyed@sip.linphone.org>;tag=c9BZr29

Call-ID: lcDQC-WK6U

CSeq: 21 MESSAGE

17:11:28.187 [1;36mINFO[1;0m: channel [0xe7eb20]: received [311] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.BsiB7mx60;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=yTK~kvDkq

To: <sip:pidoorbell@sip.linphone.org>

Call-ID: XWaTJJaMvh

CSeq: 21 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

17:11:28.192 [1;36mINFO[1;0m: channel [0xe7eb20] [311] bytes parsed

17:11:28.192 [1;36mINFO[1;0m: Found transaction matching response.

17:11:28.193 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xec7f18], from state [TRYING] to [PROCEEDING]

17:11:28.193 [1;36mINFO[1;0m: channel [0xe7eb20]: received [274] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.h23mYq1x6;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=OWWKqOqwS

To: <sip:zahersyed@sip.linphone.org>;tag=Pzl36op

Call-ID: lcDQC-WK6U

CSeq: 21 MESSAGE

Content-Length: 0

17:11:28.198 [1;36mINFO[1;0m: channel [0xe7eb20] [274] bytes parsed

17:11:28.198 [1;36mINFO[1;0m: Found transaction matching response.

17:11:28.543 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

17:11:28.544 [1;36mINFO[1;0m: channel [0xe7eb20]: message sent to [UDP://sip.linphone.org:5060], size: [758] bytes

MESSAGE sip:pidoorbell@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.BsiB7mx60;rport

From: <sip:zahersyed@sip.linphone.org>;tag=yTK~kvDkq

To: sip:pidoorbell@sip.linphone.org

CSeq: 21 MESSAGE

Call-ID: XWaTJJAMvh

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 21:11:02 GMT

User-Agent: (belle-sip/1.4.2)

Proxy-Authorization: Digest realm="sip.linphone.org",
nonce="5j+12gAAAADsWqW7AADvsSn496oAAAAA", algorithm=MD5, opaque="+GNyWA==",
username="zahersyed", uri="sip:pidoorbell@sip.linphone.org",
response="d19f89bb1bd4dda194350f26ad72b7e0", cnonce="9b7c7f26", nc=00000001, qop=auth

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 17:11:02.716069'

17:11:28.684 [1;36mINFO[1;0m: channel [0xe7eb20]: received [311] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.BsiB7mx60;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=yTK~kvDkq

To: <sip:pidoorbell@sip.linphone.org>

Call-ID: XWaTJJAMvh

CSeq: 21 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

17:11:28.689 [1;36mINFO[1;0m: channel [0xe7eb20] [311] bytes parsed

17:11:28.689 [1;36mINFO[1;0m: Found transaction matching response.

17:11:28.709 [1;36mINFO[1;0m: channel [0xe7eb20]: received [275] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.BsiB7mx60;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=yTK~kvDkq

To: <sip:pidoorbell@sip.linphone.org>;tag=lmjhd41

Call-ID: XWaTJJaMvh

CSeq: 21 MESSAGE

Content-Length: 0

17:11:28.713 [1;36mINFO[1;0m: channel [0xe7eb20] [275] bytes parsed

17:11:28.714 [1;36mINFO[1;0m: Found transaction matching response.

17:11:28.714 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xec7f18], from state [PROCEEDING] to [COMPLETED]

17:11:28.714 [1;36mINFO[1;0m: Chat message 0xeb8d28: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateDelivered

17:11:32.018 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xecb1d0], from state [COMPLETED] to [TERMINATED]

17:11:32.024 [1;36mINFO[1;0m: Client MESSAGE transaction [0xecb1d0] terminated

17:11:32.025 [1;36mINFO[1;0m: Unhandled transaction terminated [0xecb1d0]

17:11:33.044 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xea5648], from state [COMPLETED] to [TERMINATED]

17:11:33.044 [1;36mINFO[1;0m: Client MESSAGE transaction [0xea5648] terminated

17:11:33.045 [1;36mINFO[1;0m: Unhandled transaction terminated [0xea5648]

17:11:33.115 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xea0458], from state [COMPLETED] to [TERMINATED]

17:11:33.115 [1;36mINFO[1;0m: Client MESSAGE transaction [0xea0458] terminated

17:11:33.115 [1;36mINFO[1;0m: Unhandled transaction terminated [0xea0458]

17:11:33.715 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xec7f18], from state [COMPLETED] to [TERMINATED]

17:11:33.715 [1;36mINFO[1;0m: Client MESSAGE transaction [0xec7f18] terminated

17:11:33.715 [1;36mINFO[1;0m: Unhandled transaction terminated [0xec7f18]

17:11:37.001 [1;36mINFO[1;0m: channel [0xe7eb20]: keep alive sent to [UDP://sip.linphone.org:5060]

17:11:47.001 [1;36mINFO[1;0m: channel [0xe7eb20]: keep alive sent to [UDP://sip.linphone.org:5060]

17:11:57.001 [1;36mINFO[1;0m: channel [0xe7eb20]: keep alive sent to [UDP://sip.linphone.org:5060]

17:12:00.089 [1;36mINFO[1;0m: Changing [server] [MESSAGE] transaction [0xea6018], from state [COMPLETED] to [TERMINATED]

17:12:00.089 [1;36mINFO[1;0m: Server MESSAGE transaction [0xea6018] terminated

17:12:00.089 [1;36mINFO[1;0m: Unhandled transaction terminated [0xea6018]

17:12:01.757 [1;36mINFO[1;0m: *Motion detected!*

17:12:02.760 [1;36mINFO[1;0m: Notifying contacts...

17:12:02.761 [1;36mINFO[1;0m: Notifying zahersyed@sip.linphone.org

17:12:02.764 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

17:12:02.764 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76cb4fe0>, ip = None, ea = sip:linphone@10.1.10.45:5063, un = linphone

17:12:02.770 [1;36mINFO[1;0m: Skipping top route of initial route-set because same as request-uri.

17:12:02.771 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xe23558], from state [INIT] to [TRYING]

17:12:02.772 [1;36mINFO[1;0m: channel [0xe7eb20]: message sent to [UDP://sip.linphone.org:5060], size: [476] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.p5ciiZieJ;rport

From: <sip:zahersyed@sip.linphone.org>;tag=~wVsOttPY

To: sip:zahersyed@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: OWniap187R

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 21:12:02 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 17:12:02.762750'

17:12:02.773 [1;36mINFO[1;0m: Chat message 0xebb040: moving from state
LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

17:12:02.773 [1;36mINFO[1;0m: Notifying pidoorbell@sip.linphone.org

17:12:02.776 [1;36mINFO[1;0m: c.display_name = None, c.username = linphone, c.port = 5063

17:12:02.776 [1;36mINFO[1;0m: po = 5061, cl = None, c = <linphone.Address object at 0x76a1b080>, ip
= None, ea = sip:linphone@10.1.10.45:5063, un = linphone

17:12:02.783 [1;36mINFO[1;0m: Skipping top route of initial route-set because same as request-uri.

17:12:02.784 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xe9f7d8], from state [INIT]
to [TRYING]

17:12:02.784 [1;36mINFO[1;0m: channel [0xe7eb20]: message sent to [UDP://sip.linphone.org:5060],
size: [478] bytes

MESSAGE sip:pidoorbell@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.wEH8WQYEP;rport

From: <sip:zahersyed@sip.linphone.org>;tag=Pe-GcxWbC

To: sip:pidoorbell@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: H4rUH14OtG

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 21:12:02 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 17:12:02.775139'

17:12:02.786 [1;36mINFO[1;0m: Chat message 0xecaa50: moving from state
LinphoneChatMessageStateIdle to LinphoneChatMessageStateInProgress

17:12:07.544 [1;36mINFO[1;0m: Emailed and saved image to "/home/pi/emailedSecurityCameraImage-
2016-04-10T17:12:07.532896.jpg"

17:12:27.027 [1;36mINFO[1;0m: channel [0xe7eb20]: received [492] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 407 Proxy Authentication Required

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.p5ciiZieJ;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=~wVsOttPY

To: <sip:zahersyed@sip.linphone.org>;tag=Hy4U7yZBD9XjK

Call-ID: OWniap187R

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Proxy-Authenticate: Digest realm="sip.linphone.org", nonce="lkC12gAAAACeTC2oAABHOjE8jpkAAAAA",
opaque="+GNyWA==", algorithm=MD5, qop="auth"

Content-Length: 0

17:12:27.039 [1;36mINFO[1;0m: channel [0xe7eb20] [492] bytes parsed

17:12:27.040 [1;36mINFO[1;0m: Found transaction matching response.

17:12:27.040 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xe23558], from state
[TRYING] to [COMPLETED]

17:12:27.041 [1;36mINFO[1;0m: linphone_core_find_auth_info(): returning auth info
username=zahersyed, realm=sip.linphone.org

17:12:27.041 [1;36mINFO[1;0m: Auth info found for [zahersyed] realm [sip.linphone.org]

17:12:27.042 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xebe1c8], from state [INIT]
to [TRYING]

17:12:27.043 [1;36mINFO[1;0m: channel [0xe7eb20]: message sent to [UDP://sip.linphone.org:5060], size: [755] bytes

MESSAGE sip:zahersyed@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.vfa7NIKe2;rport

From: <sip:zahersyed@sip.linphone.org>;tag=~wVsOttPY

To: sip:zahersyed@sip.linphone.org

CSeq: 21 MESSAGE

Call-ID: OWniap187R

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 21:12:02 GMT

User-Agent: (belle-sip/1.4.2)

Proxy-Authorization: Digest realm="sip.linphone.org",
nonce="lkC12gAAAACeTC2oAABHOjE8jpkAAAAA", algorithm=MD5, opaque="+GNyWA==",
username="zahersyed", uri="sip:zahersyed@sip.linphone.org",
response="1bd9249512d5180f379dc56abb405849", cnonce="2a4bc17b", nc=00000001, qop=auth

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 17:12:02.762750'

17:12:27.044 [1;36mINFO[1;0m: channel [0xe7eb20]: keep alive sent to [UDP://sip.linphone.org:5060]

17:12:27.044 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

17:12:27.045 [1;36mINFO[1;0m: channel [0xe7eb20]: message sent to [UDP://sip.linphone.org:5060], size: [478] bytes

MESSAGE sip:pidoorbell@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.wEH8WQYEP;rport

From: <sip:zahersyed@sip.linphone.org>;tag=Pe-GcxWbC

To: sip:pidoorbell@sip.linphone.org

CSeq: 20 MESSAGE

Call-ID: H4rUH14OtG

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 21:12:02 GMT

User-Agent: (belle-sip/1.4.2)

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 17:12:02.775139'

17:12:27.047 [1;36mINFO[1;0m: channel [0xe7eb20]: received [493] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 407 Proxy Authentication Required

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.wEH8WQYEP;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=Pe-GcxWbC

To: <sip:pidoorbell@sip.linphone.org>;tag=j7Xm9SgFajm5e

Call-ID: H4rUH14OtG

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Proxy-Authenticate: Digest realm="sip.linphone.org",
nonce="lkC12gAAAACJICIGGAAeZH6nzAMAAAAA", opaque="+GNyWA==", algorithm=MD5, qop="auth"

Content-Length: 0

17:12:27.058 [1;36mINFO[1;0m: channel [0xe7eb20] [493] bytes parsed

17:12:27.059 [1;36mINFO[1;0m: Found transaction matching response.

17:12:27.060 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xe9f7d8], from state [TRYING] to [COMPLETED]

17:12:27.060 [1;36mINFO[1;0m: linphone_core_find_auth_info(): returning auth info
username=zahersyed, realm=sip.linphone.org

17:12:27.061 [1;36mINFO[1;0m: Auth info found for [zahersyed] realm [sip.linphone.org]

17:12:27.061 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xea3a58], from state [INIT] to [TRYING]

17:12:27.063 [1;36mINFO[1;0m: channel [0xe7eb20]: message sent to [UDP://sip.linphone.org:5060], size: [758] bytes

MESSAGE sip:pidoorbell@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.ajRsy3azH;rport

From: <sip:zahersyed@sip.linphone.org>;tag=Pe-GcxWbC

To: sip:pidoorbell@sip.linphone.org

CSeq: 21 MESSAGE

Call-ID: H4rUH14OtG

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 21:12:02 GMT

User-Agent: (belle-sip/1.4.2)

Proxy-Authorization: Digest realm="sip.linphone.org",
nonce="lkC12gAAAACJIGGAAeZH6nzAMAAAAA", algorithm=MD5, opaque="+GNyWA==",
username="zahersyed", uri="sip:pidoorbell@sip.linphone.org",
response="96aaea785004e9b5c62513591ecee767", cnonce="ffb6ad71", nc=00000001, qop=auth

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 17:12:02.775139'

17:12:27.191 [1;36mINFO[1;0m: channel [0xe7eb20]: received [493] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 407 Proxy Authentication Required

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.wEH8WQYEP;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=Pe-GcxWbC

To: <sip:pidoorbell@sip.linphone.org>;tag=j7Xm9SgFajm5e

Call-ID: H4rUH14OtG

CSeq: 20 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Proxy-Authenticate: Digest realm="sip.linphone.org",
nonce="IkC12gAAAACJIGGAAAEZH6nzAMAAAAA", opaque="+GNyWA==", algorithm=MD5, qop="auth"

Content-Length: 0

17:12:27.197 [1;36mINFO[1;0m: channel [0xe7eb20] [493] bytes parsed

17:12:27.198 [1;36mINFO[1;0m: Found transaction matching response.

17:12:27.198 [1;36mINFO[1;0m: channel [0xe7eb20]: received [310] new bytes from
[UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.vfa7NIKe2;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=~wVsOttPY

To: <sip:zahersyed@sip.linphone.org>

Call-ID: OWniap187R

CSeq: 21 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

17:12:27.203 [1;36mINFO[1;0m: channel [0xe7eb20] [310] bytes parsed

17:12:27.204 [1;36mINFO[1;0m: Found transaction matching response.

17:12:27.204 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xebe1c8], from state
[TRYING] to [PROCEEDING]

17:12:27.204 [1;36mINFO[1;0m: channel [0xe7eb20]: received [588] new bytes from
[UDP://sip.linphone.org:5060]:

MESSAGE sip:zahersyed@173.12.114.238:5063 SIP/2.0

Via: SIP/2.0/UDP 37.59.51.72;rport;branch=z9hG4bK.NQZaS5ZQQ1yQSU0pNrDS0t74rB

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.vfa7NIKe2;rport=5063;received=173.12.114.238

Max-Forwards: 69

From: <sip:zahersyed@sip.linphone.org>;tag=~wVsOttPY

To: <sip:zahersyed@sip.linphone.org>

Call-ID: OWniap187R

CSeq: 21 MESSAGE

Date: Sun, 10 Apr 2016 21:12:02 GMT

User-Agent: (belle-sip/1.4.2)

Supported: outbound

Content-Type: text/plain

Content-Length: 79

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 17:12:02.762750'

17:12:27.214 [1;36mINFO[1;0m: channel [0xe7eb20] [509] bytes parsed

17:12:27.214 [1;36mINFO[1;0m: channel [0xe7eb20] read [79] bytes of body from
[sip.linphone.org:5060]

17:12:27.217 [1;36mINFO[1;0m: Changing [server] [MESSAGE] transaction [0xee0ae8], from state [INIT]
to [TRYING]

17:12:27.220 [1;36mINFO[1;0m: Linphone core [0xe1e120] notifying [message_received]

17:12:27.220 [1;36mINFO[1;0m: Linphone core [0xe1e120] notifying [is_composing_received]

17:12:27.220 [1;36mINFO[1;0m: Changing [server] [MESSAGE] transaction [0xee0ae8], from state
[TRYING] to [COMPLETED]

17:12:27.221 [1;36mINFO[1;0m: channel [0xe7eb20]: message sent to [UDP://sip.linphone.org:5060],
size: [333] bytes

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 37.59.51.72;rport;branch=z9hG4bK.NQZaS5ZQQ1yQSU0pNrDS0t74rB

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.vfa7NIKe2;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=~wVsOttPY

To: <sip:zahersyed@sip.linphone.org>;tag=Xu-n-lg

Call-ID: OWniap187R

CSeq: 21 MESSAGE

17:12:27.221 [1;36mINFO[1;0m: Destroying op [0xe9d648] of type [SalOpMessage]

17:12:27.222 [1;36mINFO[1;0m: channel [0xe7eb20]: received [311] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.ajRsy3azH;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=Pe-GcxWbC

To: <sip:pidoorbell@sip.linphone.org>

Call-ID: H4rUH14OtG

CSeq: 21 MESSAGE

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

17:12:27.226 [1;36mINFO[1;0m: channel [0xe7eb20] [311] bytes parsed

17:12:27.227 [1;36mINFO[1;0m: Found transaction matching response.

17:12:27.227 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xea3a58], from state [TRYING] to [PROCEEDING]

17:12:27.357 [1;36mINFO[1;0m: channel [0xe7eb20]: received [274] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.vfa7NIKe2;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=~wVsOttPY

To: <sip:zahersyed@sip.linphone.org>;tag=Xu-n-lg

Call-ID: OWniap187R

CSeq: 21 MESSAGE

Content-Length: 0

17:12:27.361 [1;36mINFO[1;0m: channel [0xe7eb20] [274] bytes parsed

17:12:27.362 [1;36mINFO[1;0m: Found transaction matching response.

17:12:27.362 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xebe1c8], from state [PROCEEDING] to [COMPLETED]

17:12:27.362 [1;36mINFO[1;0m: Chat message 0xebb040: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateDelivered

17:12:27.562 [1;36mINFO[1;0m: nict_on_timer_E: sending retransmission

17:12:27.563 [1;36mINFO[1;0m: channel [0xe7eb20]: message sent to [UDP://sip.linphone.org:5060], size: [758] bytes

MESSAGE sip:pidoorbell@sip.linphone.org SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.ajRsy3azH;rport

From: <sip:zahersyed@sip.linphone.org>;tag=Pe-GcxWbC

To: sip:pidoorbell@sip.linphone.org

CSeq: 21 MESSAGE

Call-ID: H4rUH14OtG

Max-Forwards: 70

Supported: outbound

Content-Type: text/plain

Content-Length: 79

Date: Sun, 10 Apr 2016 21:12:02 GMT

User-Agent: (belle-sip/1.4.2)

Proxy-Authorization: Digest realm="sip.linphone.org",
nonce="lkC12gAAAACJIGGAAeZH6nzAMAAAAA", algorithm=MD5, opaque="+GNyWA==",
username="zahersyed", uri="sip:pidoorbell@sip.linphone.org",
response="96aaea785004e9b5c62513591ecee767", cnonce="ffb6ad71", nc=00000001, qop=auth

'Motion detected on sip:linphone@10.1.10.45:5063 at 2016-04-10 17:12:02.775139'

17:12:27.586 [1;36mINFO[1;0m: channel [0xe7eb20]: received [275] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.ajRsy3azH;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=Pe-GcxWbC

To: <sip:pidoorbell@sip.linphone.org>;tag=dOVDYfD

Call-ID: H4rUH14OtG

CSeq: 21 MESSAGE

Content-Length: 0

17:12:27.596 [1;36mINFO[1;0m: channel [0xe7eb20] [275] bytes parsed

17:12:27.596 [1;36mINFO[1;0m: Found transaction matching response.

17:12:27.596 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xea3a58], from state [PROCEEDING] to [COMPLETED]

17:12:27.597 [1;36mINFO[1;0m: Chat message 0xecaa50: moving from state LinphoneChatMessageStateInProgress to LinphoneChatMessageStateDelivered

17:12:27.704 [1;36mINFO[1;0m: channel [0xe7eb20]: received [275] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 200 Ok

Via: SIP/2.0/UDP 10.1.10.45:5063;received=173.12.114.238;branch=z9hG4bK.ajRsy3azH;rport=5063

From: <sip:zahersyed@sip.linphone.org>;tag=Pe-GcxWbC

To: <sip:pidoorbell@sip.linphone.org>;tag=dOVDYfD

Call-ID: H4rUH14OtG

CSeq: 21 MESSAGE

Content-Length: 0

17:12:27.708 [1;36mINFO[1;0m: channel [0xe7eb20] [275] bytes parsed

17:12:27.709 [1;36mINFO[1;0m: Found transaction matching response.

17:12:32.044 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xe23558], from state [COMPLETED] to [TERMINATED]

17:12:32.044 [1;36mINFO[1;0m: Client MESSAGE transaction [0xe23558] terminated

17:12:32.045 [1;36mINFO[1;0m: Unhandled transaction terminated [0xe23558]

17:12:32.063 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xe9f7d8], from state [COMPLETED] to [TERMINATED]

17:12:32.063 [1;36mINFO[1;0m: Client MESSAGE transaction [0xe9f7d8] terminated

17:12:32.063 [1;36mINFO[1;0m: Unhandled transaction terminated [0xe9f7d8]

17:12:32.363 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xebe1c8], from state [COMPLETED] to [TERMINATED]

17:12:32.363 [1;36mINFO[1;0m: Client MESSAGE transaction [0xebe1c8] terminated

17:12:32.363 [1;36mINFO[1;0m: Unhandled transaction terminated [0xebe1c8]

17:12:32.597 [1;36mINFO[1;0m: Changing [client] [MESSAGE] transaction [0xea3a58], from state [COMPLETED] to [TERMINATED]

17:12:32.602 [1;36mINFO[1;0m: Client MESSAGE transaction [0xea3a58] terminated

17:12:32.602 [1;36mINFO[1;0m: Unhandled transaction terminated [0xea3a58]

17:12:37.027 [1;36mINFO[1;0m: channel [0xe7eb20]: keep alive sent to [UDP://sip.linphone.org:5060]

17:12:47.027 [1;36mINFO[1;0m: channel [0xe7eb20]: keep alive sent to [UDP://sip.linphone.org:5060]

17:12:57.027 [1;36mINFO[1;0m: channel [0xe7eb20]: keep alive sent to [UDP://sip.linphone.org:5060]

17:12:59.220 [1;36mINFO[1;0m: Changing [server] [MESSAGE] transaction [0xee0ae8], from state [COMPLETED] to [TERMINATED]

17:12:59.220 [1;36mINFO[1;0m: Server MESSAGE transaction [0xee0ae8] terminated

17:12:59.220 [1;36mINFO[1;0m: Unhandled transaction terminated [0xee0ae8]

17:13:07.027 [1;36mINFO[1;0m: channel [0xe7eb20]: keep alive sent to [UDP://sip.linphone.org:5060]

17:13:17.027 [1;36mINFO[1;0m: channel [0xe7eb20]: keep alive sent to [UDP://sip.linphone.org:5060]

17:13:27.027 [1;36mINFO[1;0m: channel [0xe7eb20]: keep alive sent to [UDP://sip.linphone.org:5060]

17:13:37.027 [1;36mINFO[1;0m: channel [0xe7eb20]: keep alive sent to [UDP://sip.linphone.org:5060]

17:13:47.027 [1;36mINFO[1;0m: channel [0xe7eb20]: keep alive sent to [UDP://sip.linphone.org:5060]

17:13:57.027 [1;36mINFO[1;0m: channel [0xe7eb20]: keep alive sent to [UDP://sip.linphone.org:5060]

17:14:07.027 [1;36mINFO[1;0m: channel [0xe7eb20]: keep alive sent to [UDP://sip.linphone.org:5060]

17:14:17.027 [1;36mINFO[1;0m: channel [0xe7eb20]: keep alive sent to [UDP://sip.linphone.org:5060]

17:14:27.027 [1;36mINFO[1;0m: channel [0xe7eb20]: keep alive sent to [UDP://sip.linphone.org:5060]

17:14:37.027 [1;36mINFO[1;0m: channel [0xe7eb20]: keep alive sent to [UDP://sip.linphone.org:5060]

17:14:47.027 [1;36mINFO[1;0m: channel [0xe7eb20]: keep alive sent to [UDP://sip.linphone.org:5060]

17:55:37.993 [1;36mINFO[1;0m: Initializaing jamPi System version 0.2.0...

17:55:43.001 [1;36mINFO[1;0m: Sensor online... Turning on motion sensor...

17:55:48.007 [1;36mINFO[1;0m: PIR sensor is ready.

17:55:49.314 [1;36mINFO[1;0m: Mediastreamer2 factory 2.12.0 (git: 3.9.0) initialized.

17:55:49.314 [1;36mINFO[1;0m: CPU count set to 4

17:55:49.314 [1;36mINFO[1;0m: ms_factory_init() done: platform_tags=linux,arm,embedded

17:55:49.323 [1;36mINFO[1;0m: srtp init

17:55:49.351 [1;36mINFO[1;0m: Registering all soundcard handlers

17:55:49.412 [1;36mINFO[1;0m: Card 'ALSA: default device' added

17:55:49.421 [1;36mINFO[1;0m: also error in pcm_hw.c:1557 - open '/dev/snd/pcmC0D0c' failed (-2)

17:55:49.423 [1;36mINFO[1;0m: Card 'ALSA: bcm2835 ALSA' added

17:55:49.440 [1;36mINFO[1;0m: Card 'ALSA: USB PnP Sound Device' added

17:55:49.440 [1;36mINFO[1;0m: Registering all webcam handlers

17:55:49.441 [1;36mINFO[1;0m: Webcam StaticImage: Static picture added

17:55:49.441 [1;36mINFO[1;0m: ms_factory_init_voip() done

17:55:49.441 [1;36mINFO[1;0m: Loading ms plugins from [./lib/mediastreamer/plugins]

17:55:49.442 [1;36mINFO[1;0m: Cannot open directory ./lib/mediastreamer/plugins: No such file or directory

17:55:49.442 [1;36mINFO[1;0m: Initializing LinphoneCore 3.9.0

17:55:49.447 [1;36mINFO[1;0m: Vtable [0x1e41120] registered on core [0x1e63e80]

17:55:49.447 [1;36mINFO[1;0m: Linphone core [0x1e41120] notifying [global_state_changed]

17:55:49.448 [1;36mINFO[1;0m: oRTP-0.25.0 initialized.

17:55:49.448 [1;36mINFO[1;0m: Skipping ms_base_init, because [2] ref

17:55:49.448 [1;36mINFO[1;0m: Skipping ms_voip_init, because [2] ref

17:55:49.448 [1;36mINFO[1;0m: Skipping ms_plugins_init, because [2] ref

17:55:49.449 [1;36mINFO[1;0m: Codec opus/48000 fmp=[useinbandfec=1] number=-1, enabled=1) added to default capabilities.

17:55:49.449 [1;36mINFO[1;0m: Could not find encoder for SILK

17:55:49.449 [1;36mINFO[1;0m: Could not find decoder for SILK

17:55:49.449 [1;36mINFO[1;0m: Codec speex/16000 fmp=[vbr=on] number=-1, enabled=1) added to default capabilities.

17:55:49.449 [1;36mINFO[1;0m: Codec speex/8000 fntp=[vbr=on] number=-1, enabled=1) added to default capabilities.

17:55:49.450 [1;36mINFO[1;0m: Codec PCMU/8000 fntp=[] number=0, enabled=1) added to default capabilities.

17:55:49.450 [1;36mINFO[1;0m: Codec PCMA/8000 fntp=[] number=8, enabled=1) added to default capabilities.

17:55:49.450 [1;36mINFO[1;0m: Codec t140/1000 fntp=[] number=96, enabled=1) added to default capabilities.

17:55:49.450 [1;36mINFO[1;0m: Codec red/1000 fntp=[] number=97, enabled=1) added to default capabilities.

17:55:49.451 [1;36mINFO[1;0m: Codec GSM/8000 fntp=[] number=3, enabled=0) added to default capabilities.

17:55:49.451 [1;36mINFO[1;0m: Codec G722/8000 fntp=[] number=9, enabled=0) added to default capabilities.

17:55:49.451 [1;36mINFO[1;0m: Could not find encoder for iLBC

17:55:49.451 [1;36mINFO[1;0m: Could not find decoder for iLBC

17:55:49.452 [1;36mINFO[1;0m: Could not find encoder for AMR

17:55:49.452 [1;36mINFO[1;0m: Could not find decoder for AMR

17:55:49.452 [1;36mINFO[1;0m: Could not find encoder for AMR-WB

17:55:49.452 [1;36mINFO[1;0m: Could not find decoder for AMR-WB

17:55:49.452 [1;36mINFO[1;0m: Could not find encoder for G729

17:55:49.453 [1;36mINFO[1;0m: Could not find decoder for G729

17:55:49.453 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

17:55:49.453 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

17:55:49.453 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

17:55:49.454 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

17:55:49.454 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

17:55:49.454 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

17:55:49.454 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

17:55:49.454 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

17:55:49.455 [1;36mINFO[1;0m: Could not find encoder for mpeg4-generic

17:55:49.455 [1;36mINFO[1;0m: Could not find decoder for mpeg4-generic

17:55:49.455 [1;36mINFO[1;0m: Could not find encoder for iSAC

17:55:49.455 [1;36mINFO[1;0m: Could not find decoder for iSAC

17:55:49.456 [1;36mINFO[1;0m: Codec speex/32000 fntp=[vbr=on] number=-1, enabled=0) added to default capabilities.

17:55:49.456 [1;36mINFO[1;0m: Could not find encoder for SILK

17:55:49.456 [1;36mINFO[1;0m: Could not find decoder for SILK

17:55:49.456 [1;36mINFO[1;0m: Could not find encoder for SILK

17:55:49.457 [1;36mINFO[1;0m: Could not find decoder for SILK

17:55:49.457 [1;36mINFO[1;0m: Could not find encoder for SILK

17:55:49.457 [1;36mINFO[1;0m: Could not find decoder for SILK

17:55:49.457 [1;36mINFO[1;0m: Could not find encoder for G726-16

17:55:49.457 [1;36mINFO[1;0m: Could not find decoder for G726-16

17:55:49.458 [1;36mINFO[1;0m: Could not find encoder for G726-24

17:55:49.458 [1;36mINFO[1;0m: Could not find decoder for G726-24

17:55:49.458 [1;36mINFO[1;0m: Could not find encoder for G726-32

17:55:49.458 [1;36mINFO[1;0m: Could not find decoder for G726-32

17:55:49.459 [1;36mINFO[1;0m: Could not find encoder for G726-40

17:55:49.459 [1;36mINFO[1;0m: Could not find decoder for G726-40

17:55:49.459 [1;36mINFO[1;0m: Could not find encoder for AAL2-G726-16

17:55:49.459 [1;36mINFO[1;0m: Could not find decoder for AAL2-G726-16

17:55:49.460 [1;36mINFO[1;0m: Could not find encoder for AAL2-G726-24

17:55:49.460 [1;36mINFO[1;0m: Could not find decoder for AAL2-G726-24

17:55:49.460 [1;36mINFO[1;0m: Could not find encoder for AAL2-G726-32

17:55:49.460 [1;36mINFO[1;0m: Could not find decoder for AAL2-G726-32

17:55:49.460 [1;36mINFO[1;0m: Could not find encoder for AAL2-G726-40

17:55:49.461 [1;36mINFO[1;0m: Could not find decoder for AAL2-G726-40

17:55:49.461 [1;36mINFO[1;0m: Could not find encoder for CODEC2

17:55:49.461 [1;36mINFO[1;0m: Could not find decoder for CODEC2

17:55:49.461 [1;36mINFO[1;0m: Codec VP8/90000 fmt=[] number=-1, enabled=1) added to default capabilities.

17:55:49.462 [1;36mINFO[1;0m: Could not find encoder for H264

17:55:49.462 [1;36mINFO[1;0m: Could not find decoder for H264

17:55:49.462 [1;36mINFO[1;0m: Could not find encoder for MP4V-ES

17:55:49.462 [1;36mINFO[1;0m: Could not find encoder for H263-1998

17:55:49.463 [1;36mINFO[1;0m: Could not find encoder for H263

17:55:49.463 [1;36mINFO[1;0m: Could not find encoder for 1016

17:55:49.463 [1;36mINFO[1;0m: Could not find decoder for 1016

17:55:49.463 [1;36mINFO[1;0m: Could not find encoder for G723

17:55:49.463 [1;36mINFO[1;0m: Could not find decoder for G723

17:55:49.464 [1;36mINFO[1;0m: Could not find encoder for LPC

17:55:49.464 [1;36mINFO[1;0m: Could not find decoder for LPC

17:55:49.464 [1;36mINFO[1;0m: Codec L16/44100 fmt=[] number=10, enabled=0) added to default capabilities.

17:55:49.464 [1;36mINFO[1;0m: Codec L16/44100 fmt=[] number=11, enabled=0) added to default capabilities.

17:55:49.465 [1;36mINFO[1;0m: Could not find encoder for CN

17:55:49.465 [1;36mINFO[1;0m: Could not find decoder for CN

17:55:49.465 [1;36mINFO[1;0m: Could not find encoder for G729

17:55:49.465 [1;36mINFO[1;0m: Could not find decoder for G729

17:55:49.465 [1;36mINFO[1;0m: Could not find encoder for H261

17:55:49.466 [1;36mINFO[1;0m: Could not find decoder for H261

17:55:49.466 [1;36mINFO[1;0m: Could not find encoder for MPV

17:55:49.466 [1;36mINFO[1;0m: Could not find decoder for MPV

17:55:49.466 [1;36mINFO[1;0m: Could not find encoder for H263

17:55:49.484 [1;36mINFO[1;0m: Sal nat helper [enabled]

17:55:49.484 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

17:55:49.485 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

17:55:49.485 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

17:55:49.485 [1;36mINFO[1;0m: Linphone core [0x1e41120] notifying [configuring_status]

17:55:49.486 [1;36mINFO[1;0m: Cannot open directory ./lib/liblinphone/plugins: No such file or directory

17:55:49.486 [1;31mWARNING[1;0m: ./share/sounds/linphone/rings/oldphone.wav does not exist

17:55:49.486 [1;36mINFO[1;0m: linphone_core_set_playback_gain_db(): no active call.

17:55:49.486 [1;36mINFO[1;0m: linphone_core_set_mic_gain_db(): no active call.

17:55:49.487 [1;36mINFO[1;0m: MTU is supposed to be 1300, rtp payload max size will be 1240

17:55:49.487 [1;36mINFO[1;0m: Sal nat helper [enabled]

17:55:49.487 [1;36mINFO[1;0m: Sal use rport [enabled]

17:55:49.487 [1;36mINFO[1;0m: Supported codec opus/48000 fmp=useinbandfec=1 automatically added to codec list.

17:55:49.487 [1;36mINFO[1;0m: Supported codec speex/16000 fmp=vbr=on automatically added to codec list.

17:55:49.488 [1;36mINFO[1;0m: Supported codec speex/8000 fmp=vbr=on automatically added to codec list.

17:55:49.488 [1;36mINFO[1;0m: Supported codec PCMU/8000 fmp= automatically added to codec list.

17:55:49.488 [1;36mINFO[1;0m: Supported codec PCMA/8000 fmp= automatically added to codec list.

17:55:49.488 [1;36mINFO[1;0m: Supported codec GSM/8000 fmp= automatically added to codec list.

17:55:49.489 [1;36mINFO[1;0m: Supported codec G722/8000 fmp= automatically added to codec list.

17:55:49.489 [1;36mINFO[1;0m: Supported codec speex/32000 fmp=vbr=on automatically added to codec list.

17:55:49.489 [1;36mINFO[1;0m: Supported codec L16/44100 fmp= automatically added to codec list.

17:55:49.489 [1;36mINFO[1;0m: Supported codec L16/44100 fmp= automatically added to codec list.

17:55:49.490 [1;36mINFO[1;0m: Supported codec VP8/90000 fmp= automatically added to codec list.

17:55:49.490 [1;36mINFO[1;0m: Supported codec t140/1000 fmp= automatically added to codec list.

17:55:49.490 [1;36mINFO[1;0m: Supported codec red/1000 fmp= automatically added to codec list.

17:55:49.490 [1;36mINFO[1;0m: Sal use rport [enabled]

17:55:49.490 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

17:55:49.491 [1;36mINFO[1;0m: sal_unlisten_ports done

17:55:49.491 [1;36mINFO[1;0m: Creating listening point [0x1e40e38] on [sip:0.0.0.0:5060;transport=UDP]

17:55:49.491 [1;36mINFO[1;0m: Creating listening point [0x1e41798] on [sip:0.0.0.0:5060;transport=TCP]

17:55:49.501 [1;36mINFO[1;0m: Creating listening point [0x1e41938] on [sip:0.0.0.0:-1;transport=TLS]

17:55:49.502 [1;36mINFO[1;0m: Random TCP port is 52768

17:55:49.502 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

17:55:49.502 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

17:55:49.569 [1;36mINFO[1;0m: Linphone core [0x1e41120] notifying [global_state_changed]

17:55:49.570 [1;36mINFO[1;0m: Listening point [0x1e40e38] on [sip:0.0.0.0:5060;transport=UDP] destroyed

17:55:49.571 [1;36mINFO[1;0m: Listening point [0x1e41798] on [sip:0.0.0.0:5060;transport=TCP] destroyed

17:55:49.571 [1;36mINFO[1;0m: Listening point [0x1e41938] on [sip:0.0.0.0:52768;transport=TLS] destroyed

17:55:49.571 [1;36mINFO[1;0m: sal_unlisten_ports done

17:55:49.571 [1;36mINFO[1;0m: Creating listening point [0x1e40d30] on [sip:0.0.0.0:5063;transport=UDP]

17:55:49.572 [1;36mINFO[1;0m: Creating listening point [0x1e40f20] on [sip:0.0.0.0:5067;transport=TCP]

17:55:49.572 [1;36mINFO[1;0m: Creating listening point [0x1e416b0] on [sip:0.0.0.0:32737;transport=TLS]

17:55:49.572 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

17:55:49.573 [1;36mINFO[1;0m: Root ca path set to /etc/ssl/certs

17:55:49.577 [1;36mINFO[1;0m: Resolver is using DNS server(s):

17:55:49.578 [1;36mINFO[1;0m: 75.75.75.75

17:55:49.578 [1;36mINFO[1;0m: 75.75.76.76

17:55:49.578 [1;36mINFO[1;0m: 2001:558:feed::1

17:55:49.579 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress

17:55:49.579 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop

17:55:49.579 [1;36mINFO[1;0m: Sal nat helper [enabled]

17:55:49.580 [1;36mINFO[1;0m: Sal use rport [enabled]

17:55:49.581 [1;36mINFO[1;0m: no camera with id V4L2: /dev/video0

17:55:49.582 [1;31mWARNING[1;0m: Could not find video device V4L2: /dev/video0

17:55:49.584 [1;36mINFO[1;0m: Adding codec PCMU...

17:55:49.585 [1;36mINFO[1;0m: Adding codec PCMA...

17:55:49.586 [1;36mINFO[1;0m: Adding codec VP8...

17:55:49.591 [1;36mINFO[1;0m: auth_info.username = zahersyed,

17:55:52.645 [1;36mINFO[1;0m: stun.linphone.org resolved to 37.59.51.72

17:55:52.646 [1;36mINFO[1;0m: Stun server resolution successful.

17:55:52.646 [1;36mINFO[1;0m: New local ip address is 10.1.10.45

17:55:52.646 [1;36mINFO[1;0m: Network state is now [UP]

17:55:52.647 [1;36mINFO[1;0m: Resolver is using DNS server(s):

17:55:52.647 [1;36mINFO[1;0m: 75.75.75.75

17:55:52.647 [1;36mINFO[1;0m: 75.75.76.76

17:55:52.648 [1;36mINFO[1;0m: 2001:558:feed::1

17:55:52.648 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress

17:55:52.648 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop

17:55:52.650 [1;36mINFO[1;0m: LinphoneProxyConfig [0x1e90028] about to register (LinphoneCore version: 3.9.0)

17:55:52.658 [1;36mINFO[1;0m: belle_sip_client_transaction_send_request(): waiting channel to be ready

17:55:52.659 [1;36mINFO[1;0m: channel [0x1ea1b20]: starting resolution of sip.linphone.org

17:55:52.659 [1;36mINFO[1;0m: channel 0x1ea1b20: state RES_IN_PROGRESS

17:55:52.659 [1;36mINFO[1;0m: transaction [0x1e8eb68] channel state changed to [RES_IN_PROGRESS]

17:55:52.660 [1;36mINFO[1;0m: Resolver is using DNS server(s):

17:55:52.660 [1;36mINFO[1;0m: 75.75.75.75

17:55:52.660 [1;36mINFO[1;0m: 75.75.76.76

17:55:52.661 [1;36mINFO[1;0m: 2001:558:feed::1

17:55:52.661 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress

17:55:52.661 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop

17:55:52.662 [1;36mINFO[1;0m: Neither Expires header nor corresponding Contact header found, checking from original request

17:55:52.662 [1;36mINFO[1;0m: Refresher [0x1e91320] takes ownership of transaction [0x1e8eb68]

17:55:52.662 [1;36mINFO[1;0m: Proxy config [0x1e90028] for identity [sip:zahersyed@sip.linphone.org:5061] moving from state [LinphoneRegistrationNone] to [LinphoneRegistrationProgress]

17:55:52.662 [1;36mINFO[1;0m: Linphone core [0x1e41120] notifying [registration_state_changed]

17:55:52.663 [1;36mINFO[1;0m: Linphone core [0x1e41120] notifying [network_reachable]

17:55:52.745 [1;36mINFO[1;0m: SRV _sip._udp.sip.linphone.org resolved to [target:sip3.linphone.org. port:5060 prio:0 weight:100]

17:55:52.745 [1;36mINFO[1;0m: SRV _sip._udp.sip.linphone.org resolved to [target:sip1.linphone.org. port:5060 prio:10 weight:100]

17:55:52.746 [1;36mINFO[1;0m: Starting A/AAAA query for srv result [sip3.linphone.org.]

17:55:52.746 [1;36mINFO[1;0m: Resolver is using DNS server(s):

17:55:52.746 [1;36mINFO[1;0m: 75.75.75.75

17:55:52.747 [1;36mINFO[1;0m: 75.75.76.76

17:55:52.747 [1;36mINFO[1;0m: 2001:558:feed::1

17:55:52.747 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress

17:55:52.748 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop

17:55:52.748 [1;36mINFO[1;0m: Starting A/AAAA query for srv result [sip1.linphone.org.]

17:55:52.748 [1;36mINFO[1;0m: Resolver is using DNS server(s):

17:55:52.749 [1;36mINFO[1;0m: 75.75.75.75

17:55:52.749 [1;36mINFO[1;0m: 75.75.76.76

17:55:52.749 [1;36mINFO[1;0m: 2001:558:feed::1

17:55:52.750 [1;36mINFO[1;0m: resolver_process_data dns_res_check() in progress

17:55:52.750 [1;36mINFO[1;0m: DNS resolution awaiting response, queued to main loop

17:55:52.761 [1;36mINFO[1;0m: stun.linphone.org resolved to 37.59.51.72

17:55:52.761 [1;36mINFO[1;0m: Stun server resolution successful.

17:55:52.762 [1;36mINFO[1;0m: sip3.linphone.org. resolved to 37.59.51.72

17:55:52.763 [1;36mINFO[1;0m: A query finished for srv result [sip3.linphone.org.]

17:55:52.838 [1;36mINFO[1;0m: sip1.linphone.org. resolved to 91.121.209.194

17:55:52.839 [1;36mINFO[1;0m: A query finished for srv result [sip1.linphone.org.]

17:55:52.839 [1;36mINFO[1;0m: All A/AAAA results for combined resolution have arrived.

17:55:52.839 [1;36mINFO[1;0m: channel 0x1ea1b20: state RES_DONE

17:55:52.839 [1;36mINFO[1;0m: transaction [0x1e8eb68] channel state changed to [RES_DONE]

17:55:52.840 [1;36mINFO[1;0m: channel 0x1ea1b20: state CONNECTING

17:55:52.840 [1;36mINFO[1;0m: transaction [0x1e8eb68] channel state changed to [CONNECTING]

17:55:52.840 [1;36mINFO[1;0m: Trying to connect to [UDP://37.59.51.72:5060]

17:55:52.840 [1;36mINFO[1;0m: belle_sip_get_src_addr_for(): af_inet6=0

17:55:52.841 [1;36mINFO[1;0m: Channel has local address 10.1.10.45:5063

17:55:52.841 [1;36mINFO[1;0m: channel 0x1ea1b20: state READY

17:55:52.841 [1;36mINFO[1;0m: transaction [0x1e8eb68] channel state changed to [READY]

17:55:52.841 [1;36mINFO[1;0m: Changing [client] [REGISTER] transaction [0x1e8eb68], from state [INIT] to [TRYING]

17:55:52.842 [1;36mINFO[1;0m: channel [0x1ea1b20]: message sent to [UDP://sip.linphone.org:5060], size: [523] bytes

REGISTER sip:sip.linphone.org:5061 SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.KzhXTaomF;rport

From: <sip:zahersyed@sip.linphone.org>;tag=89~VoCpFs

To: sip:zahersyed@sip.linphone.org

CSeq: 20 REGISTER

Call-ID: QnmHUsrIrlr

Max-Forwards: 70

Supported: outbound

Accept: application/sdp

Accept: text/plain

Accept: application/vnd.gsma.rcs-ft-http+xml

Contact: <sip:zahersyed@10.1.10.45:5063>;+sip.instance="<urn:uuid:4f852a65-f60e-461e-aae7-54c17300b810>"

Expires: 3600

User-Agent: (belle-sip/1.4.2)

17:55:52.979 [1;36mINFO[1;0m: channel [0x1ea1b20]: received [474] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 401 Unauthorized

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.KzhXTaomF;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=89~VoCpFs

To: <sip:zahersyed@sip.linphone.org>;tag=p3paeedctFNQQ

Call-ID: QnmHUsrIr

CSeq: 20 REGISTER

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

WWW-Authenticate: Digest realm="sip.linphone.org",
nonce="aEq12gAAAACO8SVaAACZDrwOecQAAAAA", opaque="+GNyWA==", algorithm=MD5,
qop="auth"

Content-Length: 0

17:55:53.019 [1;36mINFO[1;0m: channel [0x1ea1b20] [474] bytes parsed

17:55:53.020 [1;36mINFO[1;0m: channel [0x1ea1b20]: discovered public ip and port are [173.12.114.238:5063]

17:55:53.022 [1;36mINFO[1;0m: Found transaction matching response.

17:55:53.023 [1;36mINFO[1;0m: Changing [client] [REGISTER] transaction [0x1e8eb68], from state [TRYING] to [COMPLETED]

17:55:53.023 [1;36mINFO[1;0m: linphone_core_find_auth_info(): returning auth info
username=zahersyed, realm=

17:55:53.023 [1;36mINFO[1;0m: Auth info found for [zahersyed] realm [sip.linphone.org]

17:55:53.024 [1;36mINFO[1;0m: Changing [client] [REGISTER] transaction [0x1e8be18], from state [INIT] to [TRYING]

17:55:53.024 [1;36mINFO[1;0m: channel [0x1ea1b20]: message sent to [UDP://sip.linphone.org:5060], size: [795] bytes

REGISTER sip:sip.linphone.org:5061 SIP/2.0

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.x0VJlv000;rport

From: <sip:zahersyed@sip.linphone.org>;tag=89~VoCpFs

To: sip:zahersyed@sip.linphone.org

CSeq: 21 REGISTER

Call-ID: QnmHUsrIr

Max-Forwards: 70

Supported: outbound

Accept: application/sdp

Accept: text/plain

Accept: application/vnd.gsma.rcs-ft-http+xml

Contact: <sip:zahersyed@173.12.114.238:5063>;+sip.instance="<urn:uuid:4f852a65-f60e-461e-aae7-54c17300b810>"

Expires: 3600

User-Agent: (belle-sip/1.4.2)

Authorization: Digest realm="sip.linphone.org", nonce="aEq12gAAAACO8SVaAACZDrwOecQAAAAA", algorithm=MD5, opaque="+GNyWA==", username="zahersyed", uri="sip:sip.linphone.org:5061", response="14f6d6c79d99e79a3be064f00a029011", cnonce="e3dab723", nc=00000001, qop=auth

17:55:53.181 [1;36mINFO[1;0m: channel [0x1ea1b20]: received [492] new bytes from [UDP://sip.linphone.org:5060]:

SIP/2.0 200 Registration successful

Via: SIP/2.0/UDP 10.1.10.45:5063;branch=z9hG4bK.x0VJlv000;rport=5063;received=173.12.114.238

From: <sip:zahersyed@sip.linphone.org>;tag=89~VoCpFs

To: <sip:zahersyed@sip.linphone.org>;tag=UgN6pN1XBv4mH

Call-ID: QnmHUsrIr

CSeq: 21 REGISTER

Contact: <sip:zahersyed@173.12.114.238:5063>;expires=3600;q=0.00

Contact: <sip:zahersyed@173.12.114.238:63201;transport=tls>;expires=103;q=0.00

Server: Flexisip/1.0.9 (sofia-sip-nta/2.0)

Content-Length: 0

17:55:53.187 [1;36mINFO[1;0m: channel [0x1ea1b20] [492] bytes parsed

17:55:53.187 [1;36mINFO[1;0m: Found transaction matching response.

17:55:53.188 [1;36mINFO[1;0m: Changing [client] [REGISTER] transaction [0x1e8be18], from state [TRYING] to [COMPLETED]

17:55:53.188 [1;36mINFO[1;0m: Refresher [0x1e91320]: has no contact for request [0x1e926b0].

17:55:53.188 [1;36mINFO[1;0m: Refresher: scheduling next timer in 3240000 ms

17:55:53.188 [1;36mINFO[1;0m: Register refresher [200] reason [Registration successful] for proxy [sip:sip.linphone.org]

17:55:53.189 [1;36mINFO[1;0m: Proxy config [0x1e90028] for identity [sip:zahersyed@sip.linphone.org:5061] moving from state [LinphoneRegistrationProgress] to [LinphoneRegistrationOk]

17:55:53.189 [1;36mINFO[1;0m: Linphone core [0x1e41120] notifying [registration_state_changed]

17:55:58.025 [1;36mINFO[1;0m: Changing [client] [REGISTER] transaction [0x1e8eb68], from state [COMPLETED] to [TERMINATED]

17:55:58.025 [1;36mINFO[1;0m: Client internal REGISTER transaction [0x1e8eb68] terminated

17:55:58.189 [1;36mINFO[1;0m: Changing [client] [REGISTER] transaction [0x1e8be18], from state [COMPLETED] to [TERMINATED]

17:55:58.189 [1;36mINFO[1;0m: Client internal REGISTER transaction [0x1e8be18] terminated

17:55:59.572 [1;36mINFO[1;0m: channel [0x1ea1b20]: keep alive sent to [UDP://sip.linphone.org:5060]

17:56:09.572 [1;36mINFO[1;0m: channel [0x1ea1b20]: keep alive sent to [UDP://sip.linphone.org:5060]

17:56:19.572 [1;36mINFO[1;0m: channel [0x1ea1b20]: keep alive sent to [UDP://sip.linphone.org:5060]

17:56:29.572 [1;36mINFO[1;0m: channel [0x1ea1b20]: keep alive sent to [UDP://sip.linphone.org:5060]

17:56:39.572 [1;36mINFO[1;0m: channel [0x1ea1b20]: keep alive sent to [UDP://sip.linphone.org:5060]

17:56:49.572 [1;36mINFO[1;0m: channel [0x1ea1b20]: keep alive sent to [UDP://sip.linphone.org:5060]

17:56:59.572 [1;36mINFO[1;0m: channel [0x1ea1b20]: keep alive sent to [UDP://sip.linphone.org:5060]

17:57:09.572 [1;36mINFO[1;0m: channel [0x1ea1b20]: keep alive sent to [UDP://sip.linphone.org:5060]

17:57:19.572 [1;36mINFO[1;0m: channel [0x1ea1b20]: keep alive sent to [UDP://sip.linphone.org:5060]