


Figure 1: Size proof only: request differences on two evaluation graphs. CiteSeer/GCN, fixed split, GIF and MEGU, three joint seeds, 5% and 33% node deletion. Points are R-point minus Random or Degree GU–Retrain disagreement differences in percentage points; error bars are sample standard deviations. The 33% direction persists, while magnitudes depend on the graph and GIF's 5% comparison with Degree reverses sign. Two selected budgets do not establish seven-budget monotonicity. GIF raw equals published and is displayed once; MEGU matched C&S changes only Original, so its unchanged GU–Retrain distance is definitional and is not an additional robustness check. Shared requests and Retrain endpoints do not create independent repetitions.




Figure 2: Size proof only: truth-aware Ret-only categories for all three strategies, both budgets, and both graphs. Each segment is a mean count divided by the same 666 test nodes, averaged equally over three seeds. The total bar covers only Ret-only nodes and is not total GU–Retrain disagreement. Ret-only denotes $O = G \neq R$ and includes Retrain corrections, losses, and both-wrong predictions; this is a descriptive partition, not causal attribution or a forgetting certificate. The large-budget R-point relation does not extend to 5% MEGU. MEGU uses the published pipeline in this plot; its raw Original and updated+C&S GU endpoints must be distinguished from the matched-Original control.




Figure 3: Size proof only: MEGU postprocessing changes and matched-Original relations. All three strategies, two budgets, and both graphs are retained; points are three-seed means and bars are sample standard deviations. Raw-to-C&S changes can be nonzero, including a +0.501 pp GU–Retrain difference change for Random at 33% on the retained graph. Matched C&S changes Original to Original+C&S while holding GU and Retrain fixed; identical GU–Retrain distance is therefore definitional. The two panel axes may use different ranges; compare percentage-point ticks, not pixel lengths. These graph and postprocessing controls do not establish Retrain training quality, causal mechanisms, population generality, or the paper's writing gate.