

20 SELECT

record-id,
machine-id,

COALESCE (issue, 'Unknown Issue') AS

issue-log,

COALESCE (technician, 'Not Assigned') AS

technician-name

FROM maintenance;

record-id	machine-id	issue-log	technician-name
1	M101	Overheating	Not Assigned
2	M102	Unknown Issue	Not Assigned
3	M103	Jammed	Alex

review-id	product-id	comment-display	rating-display
1	S01	Great product	4
2	S02	No comment	0
3	S03	Works fine	3

18. SELECT

Supplier-id,
name,

COALESCE(phone, alt-phone, 'No Contact') AS

contact-number

FROM suppliers;

Supplier-id	name	contact-number
1	Global Goods	123456789
2	Best Supplies	987654321
3	ValueScore	No Contact

19. SELECT

user-id,

COALESCE(theme, 'Light') AS theme-set,

COALESCE(language, 'English') AS language-set,

COALESCE(timezone, 'UTC') AS timezone-set,

FROM user-settings;

user-id	theme-set	language-set	timezone-set
1	Light	English	UTC
2	Dark	English	UTC+1
3	Light	English	UTC

15. SELECT

```

account-id,
COALESCE (account-type, 'Unknown') AS
type-display,
COALESCE (balance, 0) AS balance-checked
FROM bank-accounts;

```

account-id	type-display	balance-checked
A1	Savings	0
A2	Current	5000
A3	Unknown	2000

16. SELECT

```

project-id,
title,
COALESCE (start-date, 'TBD') AS start-display
FROM projects;

```

project-id	title	start-display
1	Website revamp	2025-01-10
2	Mobile App	TBD
3	Data Migration	TBD

17. SELECT

```

review-id,
product-id,
COALESCE (comment, 'No Comment') AS
comment-display,
COALESCE (rating, 0) AS rating-display
FROM reviews;

```


12. SELECT

emp-id,
COALESCE (bonus, commission) AS
first-available-reward
FROM employees-extra;

emp-id	first-available-reward
1	300
2	100
3	NULL

13. SELECT

COUNT(*) AS nb-room-count
FROM classes
WHERE room IS NULL;

nb-room-count
2.

14. SELECT

student-id,
date,
COALESCE (status, 'Not Marked') AS
attendance-status
FROM attendance;

Student-id	date	attendance-status
1	2025-04-01	Not Marked
2	2025-04-01	Present
3	2025-04-01	Absent

customer-id	name	email-display
1	Linda	No Email
2	Joseph	joseph@mail.com
3	Nia	No Email

10. SELECT

```

    payment-id,
    COALESCE (method, 'Unknown') AS
    method-display,
    Status
FROM payments;
```

payment-id	method-display	status
301	Credit	NULL
302	PayPal	Success
303	Unknown	Failed

11. SELECT

```

    item-id,
    item-name,
    COALESCE (quantity, 0) AS quantity-checked
FROM inventory;
```

item-id	item-name	quantity-checked
1	Pen	0
2	Notebook	150
3	Eraser	0

~~product-id~~
 not-graded-count
 1

7. SELECT

product-id,

name,

price - COALESCE (discount, 0) AS

final-price

FROM products;

product-id name final-price

S01

Keyboard

25

S02

Mouse

10

S03

Monitor

100

8. SELECT

COUNT(*) AS missing-email-count

FROM customers

WHERE email IS NULL;

missing-email-count

2

9. SELECT

customer-id,

name,

COALESCE (email, 'NO Email') AS email-display

FROM customers;

order-id
103

customer-id
NULL

4. SELECT

order-id,
customer-id,
COALESCE (delivery-date, 'Pending')
AS delivery-status

FROM orders;

Order-id	customer-id	delivery-status
101	201	2024-12-01
102	202	Pending
103	NULL	2024-12-03

5. SELECT

Student-id,
name,

COALESCE (grade, 0) AS final-grade

FROM students;

Student-id	name	final-grade
1	Ethan	85
2	Maya	0
3	Olivia	90

6. SELECT

COUNT (*) AS not-graded-count

FROM students

WHERE grade IS NULL;

Advanced SQL - NULL Functions Exercise

1. SELECT

employee-id,

name,

COALESCE (salary, 0) AS salary-with-default

FROM employees;

employee-id	name	salary-with-default
1	Alice	5000
2	Bob	0
3	Charlie	7000
4	Dana	0

2. SELECT

employee-id,

name,

COALESCE (department, 'Not Assigned')

AS department-name

FROM employees;

employee-id	name	department-name
1	Alice	HR
2	Bob	IT
3	Charlie	Not Assigned
4	Dana	Finance

3. SELECT

order-id,

customer-id

FROM orders

WHERE customer-id IS NULL;