

# Determinants of National Health Insurance Membership among Indonesian Women with Live Births

*by Similarity Check*

---

**Submission date:** 04-Dec-2023 09:50AM (UTC+0700)

**Submission ID:** 2246739996

**File name:** B\_Lely\_Jurnal\_April.docx (168.36K)

**Word count:** 3785

**Character count:** 22242

## Determinants of National Health Insurance Membership among Indonesian Women with Live Births

Lely Khulafa'ur Rosidah<sup>1</sup>, Rahma Novita Asdary<sup>1\*</sup>, Siti Komariyah<sup>1</sup>, Widya Kusumawati<sup>1</sup>

<sup>1</sup>Akademi Kebidanan Dharma Husada Kediri, Kediri, Jawa Timur

email: [iffatyakta@gmail.com](mailto:iffatyakta@gmail.com), [asdary@akbiddharmahusadakdr.ac.id](mailto:asdary@akbiddharmahusadakdr.ac.id)

### INFO ARTIKEL

#### Sejarah artikel:

Menerima : 25 Februari 2023

Revisi : Maret 2023

Diterima : April 2023

Online : April 2023

**Kata kunci:** National Health Insurance Membership, maternal healthcare

**Keywords:** National Health Insurance Membership, maternal healthcare

### ABSTRACT

**Background:** According to WHO statistics, the maternal mortality rate (MMR) in developed countries is estimated at 12/100,000 live births, while in Low and Middle-income countries (LMICs) is 239/100,000 live births. Whilst 99% of all maternal deaths were estimated to occur in LMICs, even though the causes of death can be prevented with the right policies considering that one of the goals of the Sustainable Development Goals is to reduce MMR. Access to the maternal health care (MHC) is the main technique to reduce maternal morbidity and mortality. The study evaluated the factors that influence Indonesia's national health insurance ownership, Jaminan Kesehatan Nasional (JKN), among women who utilize MHC in Indonesia.

**Methods:** We used data from the 2017 Indonesia Demographic and Health Survey (IDHS) on women with live births (n=5429) in 2016-2017. We conducted analyses at the national level using descriptive statistics and logistic regression through RStudio software

**Results:** Out of 5717 samples, 61.4% were insured by JKN and 38.6% were uninsured. Women in white-collar employment were 2.37 times (95% CI = 1.77-2.59) more likely to be insured by JKN, and those living in urban areas had a 1.39 (95% CI = 1.18-1.44) higher chance of being enrolled in JKN.

**Conclusion:** The study concluded that employment status and place of residence were significant determinants of health insurance ownership in Indonesia.

**Keyword:** Health Insurance membership, maternal healthcare

### Introduction

Despite declines in maternal, newborn, and child mortality since implementation of the Millennium Development Goals in 1990,

these burdens remain disproportionately high among disadvantaged groups in low- and middle-income countries (LMICs). Achieving equitable access to high quality



essential maternal health service has been identified as an important instrument for countries to reduce maternal and neonatal mortality and attain Sustainable Development Goals (SDGs) 3.1 and 3.2. Indonesia, a lower-middle income country, has one of the highest maternal mortality ratios (MMRs) in the South-East Asia Region at 305 maternal deaths per 100,000 live births, with a substantially higher MMR of 489 in Eastern Indonesia. Aside from the direct loss of life, a maternal death can result in profound negative health consequences for neonates and other children in the household, can lead to household economic deprivation, and productivity losses to society. Indonesia, as of 2021, has made progress towards achieving the Sustainable Development Goal (SDG) target related to maternal health, but more work is needed to ensure that all women in the country have access to high-quality maternal health care. The MMR in Indonesia was 102 deaths per 100,000 live births in 2019, down from 162 deaths per 100,000 live births in 2015, according to the latest data from the Indonesian Ministry of Health. Although this represents a significant decline, the MMR in Indonesia is still high compared to other countries in the region, and there are significant disparities in maternal health outcomes between different regions and socioeconomic groups [1], [2]. Indonesia is a rapidly growing middle-income country with a population of 262 million people, comprising more than 300 ethnic groups and speaking over 730 languages, spread across 17,744 islands. This presents unique challenges for achieving universal health coverage (UHC) and a robust health system. Achieving equitable access to high quality essential maternal health services has been identified as an important instrument for countries to reduce maternal and neonatal mortality and attain SDGs 3.1 and 3.2, which relate to good health and well-being. Inequality in access to health care can contribute to disparities in maternal health outcomes, which is why efforts to improve health care access and

reduce inequality are crucial for achieving SDG targets in maternal health [3][2][4].

Indonesia has made substantial progress in expanding access to health services and financial protection for its people. The country under Badan Penyelenggara Jaminan Sosial - BPJS (Social Security Administration Body), which is the government agency responsible for managing several social security programs, including Jaminan Kesehatan Nasional (JKN) or National Health Insurance launched its national health insurance system JKN, in 2014, with the goal of achieving UHC by providing comprehensive coverage for all Indonesians [4][5].

The development of Indonesia's national health insurance system required careful consideration of the diverse health and social conditions across the country. The aim was to create a system that could adapt to the highly variable and heterogeneous conditions and enable healthcare access and impact beyond what was achievable under previous one-size-fits-all systems. This innovative approach recognized the need for a resilient UHC, even in the face of rapidly changing health and development conditions and unexpected events such as natural disasters and economic crises[1], [3].

A high burden of maternal death is often linked to inequality in access to maternal health services. Women from disadvantaged groups, including the poor and those living in rural and remote areas, often face increased financial barriers and limited access to high quality health services, resulting in lower coverage of essential maternal health care services. Numerous studies have demonstrated the positive correlation between insurance ownership and increased access to Antenatal Care (ANC) services [7], [8]. Research conducted in Ghana, Indonesia, and Rwanda revealed that health insurance increases ANC access by 8%, 3%, and 11%, respectively [9]. Despite these findings, disparities in the utilization of National Health Insurance programs persist. Geographic factors such as distance and transportation costs may contribute to these

disparities. For instance, there is a higher concentration of healthcare facilities in the western regions of Indonesia compared to the eastern regions. Additionally, low levels of education associated with poverty may also

## Method

### Dataset

This study utilized cross-sectional data from the 2012 and 2017 Indonesia Demographic and Health Survey (IDHS) to measure maternal service utilization. Together with the National Population and Family Planning Board and the Ministry of Health, Statistics Indonesia conducted the survey. The sample was drawn from all 34 provinces of Indonesia using a multi-stage stratified method. The 2012 IDHS was utilized to examine the temporal trend of service between 2012 and 2017, and the 2017 IDHS was used for the primary study. The sample size for women aged 15-49 who completed the interview was 45,607 in the 2012 IDHS and 49,627 in the 2017 IDHS, with response rates of 95.9% and 97.8%, respectively. The DHS applied standardized instruments to ensure the validity and comparability of results across countries[10][11].

We adjusted for the multi-stage structure of the DHS dataset by applying sampling weights. The IDHS only captured complete information on maternal health service utilization for the most recent live birth, and in cases of multiple births, only the last birth was considered, thus each respondent was analyzed only once. After eliminating participants with missing data on the outcome and independent variables, the final sample size was 5,717. The unit of analysis in the study is individual women aged 15-49 years who were included in the 2017 IDHS dataset.

### Result

According to the findings of the study, which analyzed a total of 5717 samples of women who had given live birth in Indonesia, it was revealed that 61.4% of the women were insured under the JKN or the National Health Insurance scheme, while

the remaining 38.6% did not have any form of health insurance coverage. This data suggests that a significant portion of women in Indonesia, almost 2 out of 5, are currently without health insurance, and may therefore face challenges accessing healthcare services.

### Variables

This study analyzed health insurance ownership as the dependent variable, categorized as having or not having health insurance. Health insurance includes all types managed by the central government, local governments, and private sector. Independent variables included place of residence (urban or rural), age group (divided into seven 5-year intervals), education level (no education, primary, secondary, higher), employment status (unemployed or employed), marital status (never in a union, married/living with a partner, widowed/divorced), wealth status (based on a wealth index calculation), and parity. The wealth index was calculated using data on household ownership of selected assets, housing construction materials, and water/sanitation facilities.

### Analyses

We conducted analyses at the national level using descriptive statistics and logistic regression through RStudio software. To control for confounding effects, adjusted odds ratios (aOR) were calculated. The aORs were adjusted for sociodemographic factors such as age, marital status, parity, wealth status, media exposure, education and place of residence. By considering potential confounding factors, the use of aORs provides a more accurate estimate of the relationship between health insurance ownership and other factors.



particularly in the event of any pregnancy-related complications.

The determinants of health insurance ownership among women with live births in Indonesia are shown in Table 1. The objective of the analysis is to identify the factors associated with health insurance ownership among this population. Each category is compared to its respective reference group, such as 15-24 years old for the age category, 1 for the parity category, incomplete for the education category, unmarried for the marital status category, unemployed for the employment status category, no exposure for the media exposure category, very poor for the wealth status category, and rural for the area of residency category. The results indicate that two variables are significant determinants of health insurance ownership among pregnant women in Indonesia.

For employment status, the aOR of 2.37 means that women who work in white-

collar jobs have 2.37 times higher odds of being insured by JKN compared to women who had no occupation, after adjusting for other variables in the model such as age, marital status, birth order, education, and exposure to internet. For residency, the aOR of 1.39 means that women who live in urban areas have 1.39 times higher odds of being insured by JKN compared to rural groups, after adjusting for other variables in the model. The confidence intervals (95% CI) for employment status ranges from 1.77 to 2.59, which means that we can be reasonably confident that the true effect lies somewhere between these values. In both cases, since the p-values are less than 0.05, we can conclude that there is statistically significant evidence of an association between employment status and residency with JKN enrollment after adjusting for other variables in the model.



Table 1 Contributing Factors to 2017 Enrollment in Jaminan Kesehatan Nasional (JKN)

Variables	aOR	95% CI		P-Value
		Lower	Upper	
<b>AGE</b>				
15-24yo	Ref.			
25-34yo	1.15	0.95	1.2	0.248
35-42yo	1.34	1.03	1.45	0.054
42-49yo	1.79	0.98	2.48	0.073
<b>PARITY</b>				
1	Ref.			
2	0.99	0.82	1.03	0.695
3	1.09	0.86	1.16	0.655
4	1.05	0.77	1.14	0.915
>5	1.28	0.86	1.48	0.284
<b>EDUCATION</b>				
Incomplete	Ref.			
complete primary	0.97	0.73	1.06	0.684
Incomplete Secondary	0.92	0.69	1	0.461
Complete Secondary	1	0.74	1.1	0.855
Higher/Vocational	1.28	0.89	1.44	0.238
<b>MARITAL STATUS</b>				
Unmarried	Ref.			
Married	1.4	0.89	1.7	0.187
<b>EMPLOYMENT</b>				
None	Ref.			
Blue Collar	1.2	1.02	1.25	0.073
White Collar	2.37	1.77	2.59	<0.001
<b>MEDIA EXPOSURE</b>				
not at all	Ref.			
<1 a week	1.29	1.1	1.31	0.615
>1 a week	1.49	1.12	1.63	0.781
<b>WEALTH STATUS</b>				
Very Poor	Ref.			
Poor	0.88	0.7	0.93	0.173
Middle	0.92	0.71	0.97	0.365

Variables	aOR	95% CI		P-Value
		Lower	Upper	
Rich	0.85	0.65	0.91	0.15
Very Rich	1.07	0.78	1.18	0.812
<b>AREA OF RESIDENCY</b>				
Rural	Ref.			
Urban	1.39	1.18	1.44	<0.001

## Discussion

This study examined the determinants of health insurance ownership among women with live births in Indonesia. The results of the study indicate that two variables emerged as significant determinants of health insurance ownership among pregnant women in Indonesia. These findings are consistent with previous research on health insurance coverage and access to healthcare in Indonesia. Specifically, the study found that urban residence and formal white collar employment status were significant predictors of health insurance coverage and access to healthcare services among live birth women.

The results of this study support previous research that has established the urban-rural divide as a significant factor in health insurance coverage and access to healthcare in Indonesia. Urban residents generally have better access to healthcare services due to factors such as proximity to healthcare facilities, transportation infrastructure, and greater availability of healthcare resources. Meanwhile, rural residents face greater challenges in accessing healthcare, which is reflected in their lower rates of health insurance coverage. Moreover, the study found that formal employment status is an important predictor of health insurance coverage among pregnant women in Indonesia. Women employed in the formal sector are more likely to have access to health insurance through their employers or government programs such as the National Health Insurance Program (JKN). This



finding highlights the importance of employment status in ensuring access to healthcare services in Indonesia and underscores the need for targeted policies that address the healthcare needs of the informal sector workforce, who are less likely to have access to health insurance [12]–[15].

A significant disparity exists between urban and rural areas regarding insurance ownership among women in five countries (Burkina Faso, DR Congo, Cameroon, Gabon, and Kenya). Rural participants consistently demonstrated a lower percentage of insurance ownership, aligning with previous research indicating that rural populations face greater obstacles in accessing healthcare. Thus, place of residency is a significant factor associated with insurance ownership among women in these countries[16].

Health insurance has been linked to better health outcomes due to improved access to healthcare services, while a lack of coverage can result in delayed or foregone care, leading to poorer health outcomes. The COVID-19 pandemic has had a significant impact on health insurance coverage, particularly among low-income adults who lost their jobs and subsequently lost their insurance coverage. As a result, these individuals were more likely to delay or forgo healthcare services due to cost. This emphasizes the crucial role of ensuring affordable healthcare access for all individuals, especially those who are economically vulnerable[17].

The study conducted an investigation on the association between health insurance ownership and cancer screening behavior among Indian women. The results demonstrated that women who had health insurance were more likely to undergo cervical, breast, and oral cancer screenings. This observation indicates that access to healthcare services facilitated by insurance may play a crucial role in promoting preventive health behaviors, including cancer screening. Furthermore, the study discovered that employment status was also a significant

factor in cancer screening behavior. Specifically, employed women exhibited higher odds of taking all three cancer screenings compared to those without employment. This finding suggests that employment status may also contribute to the promotion of preventive health behaviors. In summary, the study highlights the positive association between employment status, health insurance ownership, and cancer screening rates among Indian women[18]

The outcomes of this study can offer valuable insights for policymakers to develop strategies aimed at augmenting the number of participants in the Jaminan Kesehatan Nasional (JKN) program, particularly among women who intend to become pregnant and give birth. The research findings provide policymakers with a specific target group: rural mothers who are giving birth and unemployed. By targeting this particular demographic, policymakers can take proactive measures to provide accessible and affordable health insurance coverage to this vulnerable group. Since JKN is Indonesia's national health insurance system with the aim of achieving Universal Health Coverage (UHC) by providing comprehensive coverage for all Indonesians. Therefore, JKN is a key component of Indonesia's strategy to achieve UHC. The review highlights that while JKN has expanded access to health services and financial protection for many Indonesians, there are still challenges to achieving UHC in Indonesia due to its unique health system challenges and diverse population. The review also suggests that further improvements are needed to strengthen the implementation of JKN and achieve UHC in Indonesia[4].

Furthermore, the study's results suggest that there may be underlying socio-economic factors that contribute to the lower participation rates in the JKN program among this particular demographic. Policymakers could explore and address these underlying factors to develop more effective strategies to encourage JKN participation. By conducting further research,

40 policymakers can gain a more in-depth understanding of the unique challenges faced by rural mothers who are giving birth and unemployed and use this information to develop tailored interventions that can better meet their specific needs.

Overall, this study provides useful insights that can inform policy development and implementation to increase JKN participation among women who are planning to give birth in rural areas and are unemployed. By developing and implementing effective policies, policymakers can ensure that vulnerable populations have access to the necessary healthcare services, which can ultimately contribute to improved health outcomes and better quality of life.

### Conclusion

In conclusion, this study investigated the determinants of health insurance ownership among women with live births in Indonesia. The findings revealed that formal employment status and urban residency were significant predictors of health insurance coverage and access to healthcare services among women with live births. Some supporting study also highlighted the significant role of health insurance in promoting preventive health behaviors, such as cancer screenings. Moreover, the study findings offered valuable insights to policymakers by identifying a specific target group - rural mothers who are giving birth and unemployed - for measures aimed at augmenting the number of participants in the JKN program. Policymakers could explore the underlying socio-economic factors contributing to lower JKN participation rates among this group to develop more effective strategies to encourage JKN enrollment.

The study also contributes to the broader literature on health insurance coverage and access to healthcare in Indonesia and highlights the significant urban-rural divide in healthcare access. Policymakers could use this information to develop targeted policies that address the healthcare needs of the rural population, who face greater challenges in accessing healthcare services. Additionally,

the study highlights the importance of employment status in ensuring access to healthcare services in Indonesia and underscores the need for policies that address the healthcare needs of the informal sector workforce, who are less likely to have access to health insurance.

### Conflict of interest

The authors declare that there are no competing interests.

### Ethics approval

The 2017 IDHS survey secondary data used in this study. The ICF International Institutional Review Board (IRB) assessed and granted approval for the survey's procedures and questions in 2017. For the safety of human subjects, the ICF IRB, the Indonesian Ministry of Health, and the BKKBN all reviewed the survey's protocols.

### Funding

This research received financial support from the Directorate of Research and Community Service, Directorate General of Higher Education, Ministry of Research and Technology Indonesia 2021, number: 068/E4.1/AK.04.PT/2021.062/AMD-SP2H/LT-MONO-PDPK/LL7/2021

### Acknowledgments

We express our deepest gratitude to the Directorate of Research and Community Service of Ministry of Higher Education; the Director of the Dharma Husada Kediri Academy of Midwifery and the LPPM of the Dharma Husada Kediri Midwifery Academy who have supported both morally and materially in this research, the MEASURE/ICF DHS project for their support and for access to the original data, Statistical Indonesia for assisting the statistical consultation.

### Reference

- [1] World Health Organization and The World Bank, "Tracking Universal Health Coverage: 2017 Global Monitoring Report," Switzerland, 2017. doi: 10.1596/978-92-4-151355-5.





- [2] United Nations Development Programme, "Sustainable Development Goals," 2021. <https://www.undp.org/content/undp/en/home/sustainable-development-goals.html>
- [3] Ministry of Health Republic of Indonesia, "Health Insurance for All Indonesians: Jaminan Kesehatan Nasional (JKN)," 2014. <https://www.searo.who.int/indonesia/documents/health-insurance-for-all-indonesians-jaminan-kesehatan-nasional-jkn/en/>
- [4] R. Agustina *et al.*, "Universal Health Coverage in Indonesia: Concept, Progress, and Challenges," *Lancet*, vol. 393, no. 10166, pp. 75–102, 2019, doi: 10.1016/S0140-6736(18)31647-7.
- [5] L. Teplitzskaya and A. Dutta, "Has Indonesia's national health insurance scheme improved access to maternal and newborn health services," *Washington, DC Heal. Policy Plus*, vol. 2017, no. 2017, 2018.
- [6] J. Y. S. Ng, R. V. Ramadani, D. Hendrawan, D. T. Duc, and P. H. T. Kiet, "National Health Insurance Databases in Indonesia, Vietnam and the Philippines," *PharmacoEconomics - Open*, vol. 3, no. 4, pp. 517–526, 2019, doi: 10.1007/s41669-019-0127-2.
- [7] W. P. Nugraheni, R. Mubasyiroh, and R. K. Hartono, "The influence of Jaminan Kesehatan Nasional (JKN) on the cost of delivery services in Indonesia," *PLoS One*, vol. 15, no. 7, p. e0235176, Jul. 2020, [Online]. Available: <https://doi.org/10.1371/journal.pone.0235176>
- [8] Y. Mahendradhata *et al.*, *The Republic of Indonesia health system review*, vol. 7, no. 1. New Delhi PP - New Delhi: WHO Regional Office for South-East Asia, 2017. [Online]. Available: <https://apps.who.int/iris/handle/10665/254716>
- [9] N. A. Sanogo and S. Yaya, "Wealth Status, Health Insurance, and Maternal Health Care Utilization in Africa: Evidence from Gabon," *Biomed Res. Int.*, vol. 2020, p. 4036830, 2020, doi: 10.1155/2020/4036830.
- [10] N. P. and F. P. B.- BKKBN/Indonesia, K. K.-K.-M. of Health/Indonesia, and I. C. F. International, "Indonesia Demographic and Health Survey 2012." BPS, BKKBN, Kemenkes, and ICF International, Jakarta, Indonesia, 2013. [Online]. Available: <http://dhsprogram.com/pubs/pdf/FR275/FR275.pdf>
- [11] National Population and Family Planning Board, Statistical Indonesia, Ministry of Health, and ICF, "Indonesia Demographic and Health Survey 2017," BKKBN, BPS, Kemenkes, and ICF, Jakarta, Indonesia, 2018. [Online]. Available: <http://dhsprogram.com/pubs/pdf/FR342/FR342.pdf>
- [12] R. Fauzi *et al.*, "Factors affecting optimal antenatal care utilization in Indonesia: implications for policies and practices.," *J. Public Health Policy*, vol. 42, no. 4, pp. 559–573, Dec. 2021, doi: 10.1057/s41271-021-00307-9.
- [13] C. L. Cesar and G. J. Walker, "Diversity in provision and utilization of maternal and child health care in an urban area of Brazil.," *Ann. Trop. Paediatr.*, vol. 6, no. 3, pp. 167–174, Sep. 1986, doi: 10.1080/02724936.1986.11748432.
- [14] D. Romero, W. Chavkin, P. H. Wise, L. A. Smith, and P. R. Wood, "Welfare to work? Impact of maternal health on employment.," *Am. J. Public Health*, vol. 92, no. 9, pp. 1462–1468,

- Sep. 2002, doi:  
10.2105/ajph.92.9.1462.
- [15] C. M. E. Reynolds, L. E. McMahon, E. G. O'Malley, O. O'Brien, S. R. Sheehan, and M. J. Turner, "Maternal employment and pregnancy outcomes in a large European maternity hospital," *Eur. J. Obstet. Gynecol. Reprod. Biol.*, vol. 250, pp. 86–92, Jul. 2020, doi: 10.1016/j.ejogrb.2020.04.005.
- [16] L. Shao, Y. Wang, X. Wang, L. Ji, and R. Huang, "Factors associated with health insurance ownership among women of reproductive age: A multicountry study in sub-Saharan Africa," *PLoS One*, vol. 17, no. 4, p. e0264377, 2022, doi: 10.1371/journal.pone.0264377.
- [17] J. F. Figueroa, M. Tosin-Oni, J. Phelan, E. J. Orav, and A. M. Epstein, "Changes in Employment Status and Access to Care During COVID-19 Pandemic Among Low-Income Adults in 4 Southern States," *J. Gen. Intern. Med.*, vol. 37, no. 11, pp. 2795–2802, Aug. 2022, doi: 10.1007/s11606-022-07547-9.
- [18] Z. Changkun, G. Bishwajit, L. Ji, and S. Tang, "Sociodemographic correlates of cervix, breast and oral cancer screening among Indian women," *PLoS One*, vol. 17, no. 5, p. e0265881, May 2022, doi: 10.1371/journal.pone.0265881.

# Determinants of National Health Insurance Membership among Indonesian Women with Live Births

## ORIGINALITY REPORT

19%  
SIMILARITY INDEX

%  
INTERNET SOURCES

19%  
PUBLICATIONS

%  
STUDENT PAPERS

## PRIMARY SOURCES

- 1 Agung Dwi Laksono, Wahyu Pudji Nugraheni, Nikmatur Rohmah, Ratna Dwi Wulandari. "Health insurance ownership among female workers in Indonesia: does socioeconomic status matter?", BMC Public Health, 2022  
Publication 1%
- 2 Ziba Barati, Ratna Chrismiari Purwestri, Nia Novita Wirawan, Damaris Elisabeth Beitze et al. "Breastfeeding and complementary feeding practices among children living in a rice surplus area, Central Java, Indonesia", Nutrition & Food Science, 2018  
Publication 1%
- 3 Betristasia Puspitasari. "Hubungan Pengetahuan dengan Tingkat Kecemasan Wanita Premenopause dalam Menghadapi Masa Menopause", JURNAL KEBIDANAN, 2020  
Publication 1%

4

Alebachew Taye Belay, Setegn Muche Fenta, Hailegebrael Birhan Biresaw, Yikeber Abebaw Moyehodie et al. "The Magnitude of Optimal Antenatal Care Utilization and Its Associated Factors among Pregnant Women in South Gondar Zone, Northwest Ethiopia: A Cross-Sectional Study", International Journal of Reproductive Medicine, 2022

Publication

1 %

5

Bruno Kusznir Vitturi, Alborz Rahmani, Alfredo Montecucco, Guglielmo Dini, Paolo Durando. "Occupational outcomes of people with multiple sclerosis during the COVID-19 pandemic: a systematic review with meta-analysis", Frontiers in Public Health, 2023

Publication

1 %

6

Aliya Karim, Don de de Savigny. "Effective Coverage in Health Systems: Evolution of a Concept", Diseases, 2023

Publication

1 %

7

Rico Kurniawan, Ryza Jazid Baharuddin Nur, Sayekti Yuliyanti, Dion Zein Nuridzin, Neng Tine Kartinah. "Healthy family index assessment through community-based health information system approach", International Journal of Public Health Science (IJPHS), 2021

Publication

1 %



8

Huy Tuan Kiet Pham, Thi Tuyet Mai Kieu, Tuan Duc Duong, Khoa Dieu Van Nguyen, Nam Quang Tran, Tien Hung Tran, Junice Yi Siu Ng. "Direct medical costs of diabetes and its complications in Vietnam: A national health insurance database study", Diabetes Research and Clinical Practice, 2020

Publication

1 %

9

Khoirunurrofik Khoirunurrofik, Giani Raras. "HEALTH SERVICES PROVISION AND DECISION TO BUY JAMINAN KESEHATAN NASIONAL (JKN) IN INDONESIA", Health Policy OPEN, 2021

Publication

1 %

10

Shahbaa I. Khaleel, Lumia Faiz Salih. "A survey of predicting software reliability using machine learning methods", IAES International Journal of Artificial Intelligence (IJ-AI), 2024

Publication

1 %

11

Francis Appiah, Bernard Afriyie Owusu, Josephine Akua Ackah, Patience Ansomah Ayerakwah et al. "Individual and community-level factors associated with home birth: a mixed effects regression analysis of 2017–2018 Benin demographic and health survey", BMC Pregnancy and Childbirth, 2021

Publication

1 %

12

Sulaimon T. Adedokun, Sanni Yaya.

"Correlates of antenatal care utilization among women of reproductive age in sub-Saharan Africa: evidence from multinomial analysis of demographic and health surveys (2010–2018) from 31 countries", Archives of Public Health, 2020

Publication

1 %

13

Denny Anggoro Prakoso, Wahyudi Istiono, Yodi Mahendradhata, Merita Arini.

"Acceptability and feasibility of tuberculosis-diabetes mellitus screening implementation in private primary care clinics in Yogyakarta, Indonesia: a qualitative study", BMC Public Health, 2023

Publication

1 %

14

Sarah Neal, Andrew Amos Channon, Jesman Chintsanya. "The impact of young maternal age at birth on neonatal mortality: Evidence from 45 low and middle income countries", PLOS ONE, 2018

Publication

1 %

15

Betristasia Puspitasari. "Gambaran Perkembangan Motorik Halus Anak Pada Usia 3-5 Tahun Di Posyandu 1 Kelurahan Botoran, Kecamatan Tulungagung Kabupaten Tulungagung", JURNAL KEBIDANAN, 2019

Publication

<1 %

- |       |  |      |
|-------|--|------|
| 16    | Madeleine Jones, Sujha Subramanian, Regi Jose. "Cancer Screening Behaviors and Preferences Among Women in Southern India", Journal of Cancer Policy, 2023<br><small>Publication</small>  | <1 % |
| <hr/> |  |      |
| 17    | Romero, D.. "US Fertility Prevention as Poverty Prevention", Women's Health Issues, 200911/12<br><small>Publication</small>  | <1 % |
| <hr/> |  |      |
| 18    | Haerawati Idris, Indah Purnama Sari, Heru Heru. "Long-Term Contraceptive Method Use among Married Women of Reproductive Age: Cross Sectional Study in South Sumatra", Open Access Macedonian Journal of Medical Sciences, 2022<br><small>Publication</small>                 | <1 % |
| <hr/> |  |      |
| 19    | Akram Hernández-Vásquez, Horacio Chacón-Torrico, Guido Bendezu-Quispe. "Prevalence of home birth among 880,345 women in 67 low- and middle-income countries: A meta-analysis of Demographic and Health Surveys", SSM - Population Health, 2021<br><small>Publication</small> | <1 % |
| <hr/> |  |      |
| 20    | Chatila Maharani, Hanevi Djasri, Andreasta Meliala, Mohamed Lamine Dramé, Michael Marx, Svetla Loukanova. "A scoping analysis of the aspects of primary healthcare physician job satisfaction: facets relevant to  | <1 % |

# the Indonesian system", Human Resources for Health, 2019

Publication

21

Mary Ndu, Gail Teachman, Janet Martin, Elysee Nouvet. "Unveiling Women's Experiences Amidst the COVID-19 Pandemic in Nigeria: An Interpretive phenomenological analysis.", Cold Spring Harbor Laboratory, 2023

Publication

<1 %

22

Jee Hyun Kim, Seyoung Kim, Ki-Jin Ryu, Hyuntae Park, Yong-Jin Kim, Seung-Ah Choe. "Socioeconomic Factors and Abortive Outcomes of Clinical Pregnancy After Embryo Transfer in the Setting of Universal Health Insurance Coverage of IVF", Journal of Korean Medical Science, 2023

Publication

<1 %

23

Gottwald, Mary, Lansdown, Gail. "Ebook: Clinical Governance: Improving the quality of healthcare for patients and service users", Ebook: Clinical Governance: Improving the quality of healthcare for patients and service users, 2021

Publication

<1 %

24

Ilari Kuitunen, Tuomas T Huttunen, Ville T Ponkilainen, Maiju Kekki. "Incidence of obese parturients and the outcomes of their

<1 %



pregnancies: A nationwide register study in Finland", European Journal of Obstetrics & Gynecology and Reproductive Biology, 2022

Publication

---

25

Sandra Hakiem Afrizal, Achmad Nizar Hidayanto, Nashrul Hakiem, Arief Sartono, Seno Priyambodo, Tris Eryando. "Design of mHealth Application for Integrating Antenatal Care Service in Primary Health Care: A User-Centered Approach", 2019 Fourth International Conference on Informatics and Computing (ICIC), 2019

Publication

---

26

Erfiani Mail. "Pregnant Mother Of Trimester II And III Pregnant To Change Physiological", JURNAL KEBIDANAN, 2020

Publication

---

27

Jose F. Figueroa, Motunrayo Tosin-Oni, Jessica Phelan, E. John Orav, Arnold M. Epstein. "Changes in Employment Status and Access to Care During COVID-19 Pandemic Among Low-Income Adults in 4 Southern States", Journal of General Internal Medicine, 2022

Publication

---

28

Edson Serván-Mori, Evelyn Fuentes-Rivera, Amado D. Quezada, Carlos Pineda-Antunez et al. "Early neurological development and

<1 %

<1 %

<1 %

<1 %

## nutritional status in Mexican socially deprived contexts", PLOS ONE, 2022

Publication

- 
- |   |  |                |
|---|--|----------------|
| <div style="background-color: #008000; color: white; display: inline-block; width: 40px; height: 40px; text-align: center; line-height: 40px;">29</div> | <p>Muhammad Hardhantyo, Ying-Chih Chuang. "Urban-Rural Differences in Factors Associated with Incomplete Basic Immunization among Children in Indonesia: a Nationwide Multilevel Study", <i>Pediatrics &amp; Neonatology</i>, 2020</p>                 | <p>&lt;1 %</p> |
| <hr/>   |  |                |
| <div style="background-color: #8B4513; color: white; display: inline-block; width: 40px; height: 40px; text-align: center; line-height: 40px;">30</div> | <p>"Public health", Salem Press Encyclopedia of Health, 2014</p>   | <p>&lt;1 %</p> |
| <hr/>   |  |                |
| <div style="background-color: #8B4513; color: white; display: inline-block; width: 40px; height: 40px; text-align: center; line-height: 40px;">31</div> | <p>Agung Dwi Laksono, Ratna Dwi Wulandari, Ratu Matahari. "The Association between Recent Sexual Activity and the Use of Modern Contraceptive Methods among Married/Cohabiting Women in Indonesia", <i>Journal of Public Health Research</i>, 2022</p> | <p>&lt;1 %</p> |
| <hr/>   |  |                |
| <div style="background-color: #000080; color: white; display: inline-block; width: 40px; height: 40px; text-align: center; line-height: 40px;">32</div> | <p>Farrell, Anne-Maree, Dove, Edward S.. "Mason and McCall Smith's Law and Medical Ethics", <i>Mason and McCall Smith's Law and Medical Ethics</i>, 2023</p>   | <p>&lt;1 %</p> |
| <hr/>   |  |                |
| <div style="background-color: #800080; color: white; display: inline-block; width: 40px; height: 40px; text-align: center; line-height: 40px;">33</div> | <p>Herwansyah Herwansyah, Katarzyna Czabanowska, Stavroula Kalaitzi, Peter Schröder-Bäck. "Exploring the Influence of</p>  | <p>&lt;1 %</p> |

Sociodemographic Characteristics on the Utilization of Maternal Health Services: A Study on Community Health Centers Setting in Province of Jambi, Indonesia", International Journal of Environmental Research and Public Health, 2022

Publication

---

34

Betristasia Puspitasari. "SIKAP IBU HAMIL DALAM PEMENUHAN GIZI SEIMBANG DI BPM NY. LELY KECAMATAN BOYOLANGU KABUPATEN TULUNGAGUNG", JURNAL KEBIDANAN, 2019

Publication

---

35

Mira L. Katz. "Influence of Church Attendance and Spirituality in a Randomized Controlled Trial to Increase Mammography Use Among a Low-Income, Tri-Racial, Rural Community", Journal of Religion and Health, 06/2008

Publication

---

36

Siswanto Agus Wilopo, Althaf Setyawan, Anggriyani Wahyu Pinandari, Titut Prihyugiarto, Flourisa Juliaan, Robert J. Magnani. "Levels, trends and correlates of unmet need for family planning among postpartum women in Indonesia: 2007–2015", BMC Women's Health, 2017

Publication

---

<1 %

<1 %

<1 %

37 Ciara M.E. Reynolds, Léan E. McMahon, Eimer G. O'Malley, Oliver O'Brien, Sharon R. Sheehan, Michael J. Turner. "Maternal employment and pregnancy outcomes in a large European maternity hospital", European Journal of Obstetrics & Gynecology and Reproductive Biology, 2020

Publication

---

38 Els Duysburgh, Birgit Kerstens, Melissa Diaz, Vini Fardhdiani et al. "Newborn care in Indonesia, Lao People's Democratic Republic and the Philippines: a comprehensive needs assessment", BMC Pediatrics, 2014

Publication

---

39 T.T. Tamir, K.A. Atallel. "Spatial variations and determinants of optimal antenatal care service utilisation in Ethiopia: spatial and survey regression analysis", Public Health, 2023

Publication

---

40 Yan Li, Hao Li, Yi Jiang. "Factors influencing maternal healthcare utilization in Papua New Guinea: Andersen's behaviour model", BMC Women's Health, 2023

Publication

---

41 Agung Dwi Laksono, Ratna Dwi Wulandari, Rukmini Rukmini. "The Determinant of Healthcare Childbirth among Young People in



42

Theodore H. Tulchinsky, Elena A. Varavikova,  
Matan J. Cohen. "Expanding the concept of  
public health", Elsevier BV, 2023

Publication

<1 %

43

Dalhar Susanto, Tria Amalia Ningsih, Rizka  
Felly, Annisa Permata Sari, Deynanti  
Primalaila. "The Minimum Space Standard:  
Proposing New House Floorplan on Dwelling  
Activities in Greater Jakarta Region,  
Indonesia", Urban, Planning and Transport  
Research, 2022

Publication

<1 %

Exclude quotes Off

Exclude matches Off

Exclude bibliography Off

# Determinants of National Health Insurance Membership among Indonesian Women with Live Births

GRADEMARK REPORT

FINAL GRADE

GENERAL COMMENTS

/0

PAGE 1

PAGE 2

PAGE 3

PAGE 4

PAGE 5

PAGE 6

PAGE 7

PAGE 8

PAGE 9