



Journal of Maternal and Child Health

JMCH

Associations between Smoking, Intrauterine Device Uptake, and Ectopic Pregnancy: A Meta Analysis

Ridha Rossela Yanuari, Eti Poncorini Pamungkasari, Vitri Widyaningsih

Influence of Body Mass Index, Waist Circumference, and Physical Activity on Age of Menarche in Female Adolescent

Ulfa Puspita Rachma, Annang Giri Moelyo, Imasari Aryani

Meta-Analysis the Effect of Obesity on Polycystic Ovary Syndrome and Anemia in Women of Reproductive Age

Nabila Aulia Tsaqifah, Rita Benya Adriani, Bhisma Murti

Meta-Analysis the Effect of Obesity and Stress on Menstrual Cycle Disorder

Lutfi Annarahayu, Yulia Lanti Retno Dewi, Rita Benya Adriyani

Exclusive Breastfeeding Practice and Its Association with Breastfeeding Self-Efficacy among Mothers Giving Birth during the COVID-19 Pandemic in Indonesia: A Brief Report

Angelina, Alicya Lesmanadjaja, Fransisca Handy Agung, Gilbert Sterling Octavius

Socioeconomic Determinants of Diarrhea among Under-Five Children in Bangladesh: Do Education and Wealth Matter?

Sharlene Alauddin, M. Ershadul Haque

Postnatal care service utilization and associated factors among women in Goba woreda, Bale zone, Ethiopia: A community based cross-sectional study

Debebe Wordofa, Asfaw Hailu, Yonas Lamore, Abate Lette

Pineapple Juice for Uterine Fundal Height Reduction in Postpartum Mothers

Jesica Mulyadi, Mariati, Lusi Andriani, Rachmawati

Correlation between Child Behavior and Depression in Mother with Autism Spectrum Disorders Child

Kumiko Kido, Kumi Fujita

The Effectiveness of Hypnobreastfeeding and Marmet Techniques in Improving Breast Milk Production

Rusmilawaty, Hapisah, Rafidah

The Effect of Low Birth Weight on Stunting in Children Under Five: A Meta Analysis

Tyas Aisyah Putri, Dinda Anindita Salsabilla, Rizki Kurniawan Saputra

National Health Insurance Membership and Economic Status as Determinants of Accessibility of Antenatal Care Service

Lely Khulafa'ur Rosidah, Rahma Novita Asdary

 Submit an Article

([https://thejmch.com/index.php?
journal=thejmch&page=about&op=submit](https://thejmch.com/index.php?journal=thejmch&page=about&op=submit))

About JMCH

» [Aims and Scope \(/index.php?](#)

journal=thejmch&page=about&op=editorial

» [Editorial Team \(/index.php?](#)

journal=thejmch&page=about&op=editorial

» [Publication Ethics \(/index.php?](#)

journal=thejmch&page=about&op=editorial

0)

» [Visitor Statistics \(/index.php?](#)

journal=thejmch&page=pages&op=view&statistics)

» [Sponsorship and Partnership](#)

(/index.php?

journal=thejmch&page=about&op=journal

Information for Author

» [Author Guidelines](#)

([https://drive.google.com/file/d/1XTKAvTF
GbkLi-iV/view?usp=sharing](https://drive.google.com/file/d/1XTKAvTFGbkLi-iV/view?usp=sharing))

» [Template for Author](https://drive.google.com/open?id=1u0CzBPazQoHqYa7sDe8uuUuvli1Ru)
[https://drive.google.com/open?](https://drive.google.com/open?id=1u0CzBPazQoHqYa7sDe8uuUuvli1Ru)
[id=1u0CzBPazQoHqYa7sDe8uuUuvli1Ru](https://drive.google.com/open?id=1u0CzBPazQoHqYa7sDe8uuUuvli1Ru)

» Originality Publication Statement
(https://drive.google.com/file/d/1cnAJGFP usp=sharing)

Information for Reviewer

» Reviewer Guidelines

(<https://drive.google.com/open?id=1Xsz5rtXrjOJPGLSJZs2GgR0MhhxbQY>)

» **Reviewer Agreement Statement**
([https://drive.google.com/open?](https://drive.google.com/open?id=1OcCFhDVkLA2pQciibTM4n0dBzs8V2)
id=1OcCFhDVkLA2pQciibTM4n0dBzs8V2

» [Reviewer Assesment Form](https://drive.google.com/open?id=1iAGVIA0BRWYfVsKncBFp1oZ0-Gzt31ch)

Partners





(<https://www.base-search.net/Search/Results?type=all&lookfor=dccoll%3Aftjmch&ling=1&>



(<https://www.researchgate.net/topic/Web-Search>)



(<https://search.crossref.org/?q=10.26911%2Fthejmch>)



(https://scholar.google.co.id/citations?view_op=list_works&hl=en&authuser=4&user=F7yE6V1_HP8tDWBQbP64ueNENfhKhgY6EVO2OOz_iaTdJ7LhLyoXBMvApcANlvOfbiDF7Vwm_j1f1_l0g-K9_qcSPAeC7x3FLKRaJhl8CvVJhjeoA56mYJ024tYQMB7zixlluS3gCfqphm_c&sciund=F5nk8jQnQuKxdNpJfxf6280IQazrXHn_QY8e1gZovVyNLurNwruQQJN4lyEdkcWgym7hXF53ezTPZQm1bzleNOHbTyRu19EXqhkoPxp93Szb6y_VtjsqrTY_9fv1g_zA5CIsNzclDQk6y6M&sciund=12027401853072014448&gmlaF4SxB05nC1ZICTInok8XIwNkwnm5Kq8xuQF4fuoAxfMHzN9GiAAyXSkuWOmsKxQoo8F5hCxpiWhTVs28U4TI0WEQA8auLpyWruAn7X6WhephPo5rGxlhiD_zkFR_puHDu5mabF4yPm9oSwmfCfHMI9blsHEeFwohZbgNrWF6IR02yAjAZT3EpxHV_arpXAJNuRfT5JyeW59XrjRElgqGSzO3Hr2EqScAw3wghysPsRHaelMzUN-wacYICtLm4WxA82apzzUp5tm6jOHxIY&sciund=F5NBAGUHxYIzYs0hIPnxN6GGoKLrbGSapF5p3fKwyTancZMgYf_16tvYMfcDDdYGSa5F4FFSzwmN45VS84rPFEyxL4lhKeclrnW0

F7hZqhEcDMvmCht2TbfKSz-
3v6FEo_p0-5ku45ziCJCGCghvvq--
U9c0xvz7NCPjmK856UtKto-
VHv1HAoNPq6G_BVsbd3VXO5mWNqVRbzc
F7bkDkWbLSVO2WP-
somRys6EjTDeuxj60I-wrS-
pMJWqZ4DPtY8MZ22U-
OS8vCYeekjSiMUvL15H4lbBSH9iuO9mXeyI



(<http://sinta2.ristekdikti.go.id/journals/detailpage=3&id=3492>).

Journal Content

Search

Search Scope

Browse

» By Issue

(<https://thejmch.com/index.php?journal=thejmch&page=issue&op=archive>)

» By Author

(<https://thejmch.com/index.php?journal=thejmch&page=search&op=author>)

» By Title

(<https://thejmch.com/index.php?journal=thejmch&page=search&op=titles>)

User

Username

lelykhulafaurr

Password

••••••••

Remember me

Login

Announcement



(<https://drive.google.com/file/d/1NdPMwD5iusp=sharing>)

Download Accreditation Status

(<https://drive.google.com/file/d/1NdPMwD5iusp=sharing>)



(<https://drive.google.com/file/d/1Woy5KBIQusp=sharing>)

Download Poster The 7th ICPH 2020

(<https://drive.google.com/file/d/1Woy5KBIQusp=sharing>)

Current Issue

ATOM 1.0

(<https://thejmch.com/index.php?>

[Home](https://thejmch.com/index.php?journal=thejmch&page=index) / [About the Journal](https://thejmch.com/index.php?journal=thejmch&page=index)

[Home](https://thejmch.com/index.php?journal=thejmch&page=about) / [Editorial Team](https://thejmch.com/index.php?journal=thejmch&page=about)

[Home](https://thejmch.com/index.php?journal=thejmch&page=about&op=editorialTeam) / [Editorial Team](https://thejmch.com/index.php?journal=thejmch&page=about&op=editorialTeam)

Editorial Team

Editor in Chief:

[Prof. Harsono Salimo](https://scholar.google.co.id/citations?user=qUzXt0QAAAAJ&hl=id) (<https://scholar.google.co.id/citations?user=qUzXt0QAAAAJ&hl=id>)
SCOPUS ID [57205023539](https://www.scopus.com/authid/detail.uri?authorId=57205023539) (https://www.scopus.com/authid/detail.uri?authorId=57205023539&featureToggles=FEATURE_AUTHOR_DETAILS_BOTOX:1&at_feature)
Department of Pediatrics, Dr. Moewardi Hospital/ Universitas Sebelas Maret, Surakarta, Indonesia

Editorial Board:

1. [Prof. Bhisma Murti](https://scholar.google.co.id/citations?hl=id&user=kw7iAtEAAAJ) (<https://scholar.google.co.id/citations?hl=id&user=kw7iAtEAAAJ>)
SCOPUS ID [6504417137](https://www.scopus.com/authid/detail.uri?authorId=6504417137) (<https://www.scopus.com/authid/detail.uri?authorId=6504417137>), SINTA ID [6650750](https://sinta2.ristekdikti.go.id/authors/detail?id=6650750) (<http://sinta2.ristekdikti.go.id/authors/detail?id=6650750&view=overview>), ORCID ID [0000-0001-9405-3872](https://orcid.org/0000-0001-9405-3872) (<https://orcid.org/0000-0001-9405-3872>), Web of Science ID O-5759-2019, Universitas Sebelas Maret, Indonesia
2. [Professor Adrian Schoo](http://www.flinders.edu.au/people/adrian.schoo) (<http://www.flinders.edu.au/people/adrian.schoo>)
SCOPUS ID [56153437300](https://www.scopus.com/authid/detail.uri?authorId=56153437300) (<https://www.scopus.com/authid/detail.uri?authorId=56153437300>), ORCID ID [0000-0001-9368-0778](https://orcid.org/0000-0001-9368-0778) (<https://orcid.org/0000-0001-9368-0778>), Prideaux Centre for Research in Health Professions Education, Flinders University, Adelaide, South Australia, Australia. Fellow of the Australian and New Zealand
3. [Dr. Jenny Ruducha](https://www.researchgate.net/profile/Jenny_Ruducha) (https://www.researchgate.net/profile/Jenny_Ruducha)
SCOPUS ID [56497113500](https://www.scopus.com/authid/detail.uri?authorId=56497113500) (<https://www.scopus.com/authid/detail.uri?authorId=56497113500>), ORCID ID [0000-0001-7745-9002](https://orcid.org/0000-0001-7745-9002) (<https://orcid.org/0000-0001-7745-9002>), Lead Partner, Braintree Global Health, Cambridge, MA
4. [Professor Linda S. Adair](https://sph.unc.edu/adv_profile/linda-adair-phd/) (https://sph.unc.edu/adv_profile/linda-adair-phd/)
SCOPUS ID [7005651928](https://www.scopus.com/authid/detail.uri?authorId=7005651928) (<https://www.scopus.com/authid/detail.uri?authorId=7005651928>)

[authorId=7005651928](#)), Department of Nutrition, University of North Carolina School of Public Health, Chapel Hill

5. [Sandra Liliana Lopez Arana, Ph.D](#) (<https://scholar.google.com/citations?user=hQCJJ5MAAAAJ&hl=es>)

ORCID ID [0000-000 2-4312-1318](http://orcid.org/0000-0002-4312-1318) (<http://orcid.org/0000-0002-4312-1318>), Department of nutrition, University of Chile

6. [Professor Ashir Ahmed](#) (<http://hyoka.ofc.kyushu-u.ac.jp/search/details/K003912/english.html>)

SCOPUS ID [6602913465](https://www.scopus.com/authid/detail.uri?authorId=6602913465) (<https://www.scopus.com/authid/detail.uri?authorId=6602913465>), ORCID ID [0000-0002-8125-471X](http://orcid.org/0000-0002-8125-471X) ([https://orcid.org/0000-0002-8125-471X](http://orcid.org/0000-0002-8125-471X)), Department of Advanced Information Technology, Kyushu University, Japan. Director, Global Communication Centre Project, Grameen Communications, Dhaka, Bangladesh

7. [Dr. Rita Benya Adriani](#) (<https://scholar.google.co.id/citations?hl=id&user=fIaJGukAAAAJ>)

SINTA ID [5995045](http://sinta2.ristekdikti.go.id/authors/detail?id=5995045&view=overview) (<http://sinta2.ristekdikti.go.id/authors/detail?id=5995045&view=overview>), School of Health Polytechnics, Surakarta, Indonesia

8. [Ika Yuli Ayuningrum](#) (<https://scholar.google.co.id/citations?hl=id&user=LG9zYXcAAAAJ>)

ORCID ID [0000-0003-0851-1131](http://orcid.org/0000-0003-0851-1131) ([https://orcid.org/0000-0003-0851-1131](http://orcid.org/0000-0003-0851-1131)), Universitas Sebelas Maret, Surakarta Indonesia

Board of Reviewers:

1. [Prof. Ana Diez Roux](#)

(<http://drexel.edu/dornsife/academics/faculty/Ana%20Diez%20Roux/>)

SCOPUS ID [7004701264](https://www.scopus.com/authid/detail.uri?authorId=7004701264) (<https://www.scopus.com/authid/detail.uri?authorId=7004701264>), Dornsife School of Public Health, Drexel University, Philadelphia, PA, USA

2. [Prof. Maria Emmelin](#)

(https://www.med.lu.se/english/klinvetmalmo/social_medicine_and_global_health/sta)

SCOPUS ID [6603039299](https://www.scopus.com/authid/detail.uri?authorId=6603039299) (<https://www.scopus.com/authid/detail.uri?authorId=6603039299>), ORCID ID [0000-0001-7512-6159](http://orcid.org/0000-0001-7512-6159) ([https://orcid.org/0000-0001-7512-6159](http://orcid.org/0000-0001-7512-6159)), Social Medicine and Global Health, Department of Clinical Sciences, Lund University, Malmo, Sweden

3. [Prof. Malin Eriksson](#) (<https://scholar.google.co.id/citations?hl=id&user=PMrnVZkAAAAJ>)

SCOPUS ID [35086100000](https://www.scopus.com/authid/detail.uri?authorId=35086100000) (<https://www.scopus.com/authid/detail.uri?authorId=35086100000>), ORCID ID [0000-0002-0885-0136](http://orcid.org/0000-0002-0885-0136) ([https://orcid.org/0000-0002-0885-0136](http://orcid.org/0000-0002-0885-0136)), Epidemiology and Global Health Unit,

Department of Public Health and Clinical Medicine, Umea University, Umea, Sweden

4. **Dr. Vitri Widyaningsih** (<https://scholar.google.com/citations?user=6z25m9IAAAAJ&hl=en>), ORCID ID **0000-0003-0116-7120** (<https://orcid.org/0000-0003-0116-7120>), SCOPUS ID **57193676707** (<https://www.scopus.com/authid/detail.uri?authorId=57193676707>), Faculty of Medicine, Universitas Sebelas Maret
5. **Dr. Eti Poncorini Pamungkasari** (<https://scholar.google.co.id/citations?user=t2dowvMAAAAJ&hl=en>), SCOPUS ID **57195310832** (<https://www.scopus.com/authid/detail.uri?authorId=57195310832>), Faculty of Medicine, Universitas Sebelas Maret
6. **Dr. Uki Retno Budihastuti** (https://www.researchgate.net/profile/Uki_Budihastuti) Department of Obstetrics and Gynecology, Dr. Moewardi Hospital; Universitas Sebelas Maret, Surakarta, Indonesia
7. **Prof. Endang Sutisna Sulaeman** (<https://scholar.google.co.id/citations?hl=id&user=bx4BkZoAAAAJ>)
SCOPUS ID **57193344825** (<https://www.scopus.com/authid/detail.uri?authorId=57193344825>), SINTA ID **6105356** (<http://sinta2.ristekdikti.go.id/authors/detail?id=6105356&view=overview>), ORCID ID **0000-0002-3009-9529** (<https://orcid.org/0000-0002-3009-9529>), Department of Public Health, Faculty of Medicine, Universitas Sebelas Maret, Surakarta, Indonesia
8. **Prof. Yulia Lanti Retno Dewi** (<https://scholar.google.co.id/citations?user=tzHzgeUAAA AJ&hl=en>)
SCOPUS ID **57189632932** (<https://www.scopus.com/authid/detail.uri?authorId=57189632932>), SINTA ID **5980189** (<http://sinta.ristekbrin.go.id/authors/detail?id=5980189&view=overview>), Department of Public Health, Faculty of Medicine, Universitas Sebelas Maret, Surakarta, Indonesia
9. **Dr. Hanung Prasetya** (<http://sinergymindhealth.com/hanung-prasetya-profil/>)
SINTA ID **5998501** (<https://scholar.google.co.id/citations?hl=id&user=IEF8GUsAAA AJ>), School of Health Polytechnics, Surakarta, Indonesia
10. **Dr. CSP. Wekadigunawan** (<https://scholar.google.co.id/citations?hl=en&user=-YGCZpwAAA AJ>)
SINTA ID **6680156** (<http://sinta.ristekbrin.go.id/authors/detail?id=6680156&view=overview>), Health Sciences Faculty, Universitas Esa Unggul, Jakarta, Indonesia
11. **dr. Ignatius Loyola Sukamto, SpAn Asne**
(<https://digilib.uns.ac.id/dokumen/detail/59382/Pengaruh-Heat-Shock-Protein-70->

pada-Penanggulangan-Sepsis-Multi-Organ-Disfunction-Syndrome)

Dr Moewardi Hospital

12. [Harrys Bachtiar, S.Kep., Ns., M.K.M](http://thejmch.com/index.php?journal=thejmch&page=article&op=view&path%5B%5D=94) (<http://thejmch.com/index.php?journal=thejmch&page=article&op=view&path%5B%5D=94>)

School of Health Sciences Widya Cipta Husada, Malang, Indonesia

13. [Vera, SST, MKM](https://orcid.org/0000-0002-3175-9592) (<https://orcid.org/0000-0002-3175-9592>)

ORCID ID [0000-0002-3175-9592](https://orcid.org/0000-0002-3175-9592) (<https://orcid.org/0000-0002-3175-9592>), Bali Dwipa University, Bali, Indonesia

Managing Editor:

[Aris Widiyanto](https://scholar.google.co.id/citations?hl=id&user=-_NxD3gAAAAJ) (https://scholar.google.co.id/citations?hl=id&user=-_NxD3gAAAAJ)

ORCID ID [0000-0002-3234-3265](https://orcid.org/0000-0002-3234-3265) (<https://orcid.org/0000-0002-3234-3265>), SINTA ID [6673181](http://sinta2.ristekdikti.go.id/authors/detail?id=6673181&view=overview) (<http://sinta2.ristekdikti.go.id/authors/detail?id=6673181&view=overview>)

Assistant Editors:

1. Siti Mar'atul Munawaroh
2. Nindita Arum Veibiani
3. Ganis Tyas Amartani, Indonesia

Web Designer:

Abdush Shomad

Editorial Office:

Journal of Maternal and Child Health

[Masters Program in Public Health](http://pasca.uns.ac.id/s2ikm/) (<http://pasca.uns.ac.id/s2ikm/>),

Graduate School, Universitas Sebelas Maret,

Jl. Ir. Sutami 36A, Surakarta 57126, Indonesia.

Telephone: (62 271) 632450 ext 208.

Email: journals2ikm@gmail.com

Website: www.thejmch.com.

Share:



(<http://creativecommons.org/licenses/by-nc-sa/4.0/>)

Journal of Maternal and Child Health by [Masters Program in Public Health, Universitas Sebelas Maret](#) (<http://thejmch.com/index.php?journal=thejmch&page=about&op=contact>) is licensed under a [Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License](#) (<http://creativecommons.org/licenses/by-nc-sa/4.0/>). Based on a work at <http://thejmch.com/> (<http://thejmch.com/>). Permissions beyond the scope of this license may be available at <http://thejmch.com/index.php?journal=thejmch&page=about&op=contact> (<http://thejmch.com/index.php?journal=thejmch&page=about&op=contact>).



9 772549 025004

Pages 499 462 ([http://www.histats.com/viewstats/?
Online 2
Vis. today 37](http://www.histats.com/viewstats/?sid=3975133&ccid=605)

[sid=3975133&ccid=605\)](http://www.histats.com/viewstats/?sid=3975133&ccid=605)

Family Approach Model in Affecting Cognitive and Psychomotor of Women of Reproductive Age to Use Long-term Contraceptive Method

Widya Kusumawati, Lely Khulafa'ur Rosidah

Academy of Midwifery Dharma Husada, Kediri, East Java

ABSTRACT

Background: Family planning and birth control is a program launched by the government to overcome population problems. Based on the Indonesian health profile in 2016, the new and active family planning participants mostly preferred injections and tablets (short-term contraception). The use of short-term contraception tends to decrease the continuity of contraceptive use. It may affect the fertility rate. The family approach model was expected to be able to contribute in overcoming population problems, especially in making decisions for the use of the Long-term Contraceptive Method. This study aimed to determine the family approach model in affecting cognitive and psychomotor of women of reproductive age to use long-term contraceptive method.

Subjects and Method: This was a quasi experimental study with pre and post designs. This study was conducted at the Ngampel village, Majoroto District, Kediri City, East Java, from June to July 2019. This study population was all women of reproductive age. A sample of 30 women of reproductive age was selected by purposive sampling. The dependent variable were the cognitive and psychomotor

aspects. The independent variable was the family approach. The data was collected by questionnaire. The data were analyzed with Mann Whitney.

Results: The cognitive and psychomotor aspects after giving a family approach model to the treatment group (Mean= 6.60) were higher than the control group (Mean= 6.00). The result was statistically significant ($p<0.001$).

Conclusion: Family approach model can be used as an alternative solution to population problems. The family approach model can affect cognitive and psychomotor aspects. It can contribute to the decision making for the use of the Long-term Contraceptive Method.

Keywords: family approach model, long-term contraceptive method

Correspondence:

Widya Kusumawati. Academy of Midwifery Dharma Husada. Jl. Penanggungan 41A, Kediri, East Java, Indonesia. Email: widya.koesoemawati@gmail.com. Mobile: 085722223910.

Cite this as:

Kusumawati W, Rosidah LK (2020). Family Approach Model in Affecting Cognitive and Psychomotor of Women of Reproductive Age to Use Long-term Contraceptive Method. J Matern Child Health. 05(04): 346-351. <https://doi.org/10.26911/thejmch.2020.05.04.01>.



Journal of Maternal and Child Health is licensed under a Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License.

BACKGROUND

Indonesia is the fourth most populous country in the world. According to the Central Bureau of Statistics (BPS) projection, the Indonesia population in 2017 was 261 million (Ministry of Health RI, 2018). Family Planning (KB) is a program launched by the government to overcome

population problems, and families who participate in the KB programs are one of the twelve main indicators as the markers of a family's health status (Ministry of Health RI, 2016a). One of the breakthroughs set by the Ministry of Health RI to improve the success of health development was the "Healthy Indonesia Program with a

Family Approach model". The targets have been set out in the 2015-2019 National Medium Term Development Plan (RPJMN) (Ferdiansyah, 2016). The family approach was used by the Community Health Center to increase the target and to get closer or increase access to health care in the working area by visiting the family. (Ministry of Health RI, 2016b).

Based on the Indonesia health profile, the new and active KB participants mostly preferred injections and tablets (short-term contraception) as contraception. The use of the Long-term Contraceptive Method for the new KB participants were 20.51% and for the active KB participants were 25.99% (Ministry of Health RI, 2016). Long-term Contraceptive Method is a modern family planning method consisting of implants, Intrauterine Device (IUD), tubectomy, and vasectomy. Besides, the non-Long-term Contraceptive Method consisted of injections, pills, diaphragms, and condoms (Mahmudah and Indrawati, 2015). The use of short-term contraception caused a decrease in the continuity of the use of contraception, thus increasing fertility rate (Manurung, 2015). The low use of Long-term Contraceptive Method was affected by many factors, including age, a number of children, education level, residence, family stages, purposes, and reasons for having KB (Christiani, Diah, and Bambang, 2013).

The family approach model as a health development was expected to overcome basic health problems. Family was the smallest unit of society that has a significant role in determining the degree of public health (Ferdiansyah, 2016). The family approach was expected to be able to contribute in overcoming population problems, especially in making decisions for the use of Long-term Contraceptive Method. Based on the description above, this study aimed to determine the family

approach model in affecting cognitive and psychomotor of women of reproductive age to use long-term contraceptive method.

SUBJECTS AND METHOD

1. Study Design

This study was a quasi-experimental study with pre and post design. This study was conducted at the Ngampel village, Majoroto District, Kediri, East Java, Indonesia, from June to July 2019.

2. Population and Sample

The population of the study was all women of reproductive age in Ngampel Village, Majoroto District, Kediri, East Java, Indonesia. The sample was some of women of reproductive age who met the inclusion criteria. There were 30 respondents as the sample; 15 respondents in the treatment group and 15 respondents in the control group. The inclusion criteria were women of reproductive age who were willing to become respondents, used KB with non-Long-term Contraceptive Method, physically and mentally healthy. The exclusion criteria were women of reproductive age who were pregnant, had a history of infectious diseases, had hereditary diseases such as diabetes mellitus, hypertension, heart disease, or asthma.

3. Study Variables

The independent variable was the family approach. The dependent variables were the cognitive and psychomotor aspects.

4. Operational Definition of Variables

Family approach model was one of the strategies used by health workers to provide health services by visiting families. The health workers officers used the Long-term Contraceptive Method booklet. Cognitive aspects were all things that were known by the women of reproductive age about Long-term Contraceptive Method. Psychomotor aspects were responses that could be assessed by direct intervention or by

instruments that indicated willingness and efforts that have been conducted.

5. Study Instruments

This study used a set of questionnaires to measure cognitive and psychomotor aspects.

6. Data analysis

The data were analyzed by Whitney test with a significance level of $\alpha=0.05$.

7. Research Ethics

This study was conducted based on the study ethics which consisted of an informed consent form, anonymity, confidentiality by giving a code to each respondent. The ethics

Table 1. Sample Characteristics

Characteristic	Category	n	Percentage
Age	20-30 years	8	26.7%
	31-40 years	9	30.0%
	≥ 40 years	13	43.3%
Education	Elementary School	1	3.3%
	Junior High School	8	26.7%
	Senior High School	18	60.0%
Family Income	College	3	10.0%
	< Rp 500,000	10	33.3%
	Rp 500,000 to Rp 2,000,000	14	46.7%
	\geq Rp 2,000,000	6	20.0%

2. Bivariate Analysis

Table 2 shows the differences in cognitive and psychomotor aspects between the control and treatment groups after giving a family approach model. Table 3 shows that cognitive and psychomotor aspects after

Table 2. The differences in the cognitive and psychomotor aspects between the control and treatment groups using long-term contraceptive method after giving a family approach model

Cognitive and Psychomotor Aspects	N	Mean	p
Pre			
Control	15	5.50	<0.001
Treatment	15	6.83	
Post			
Control	15	6.00	<0.001
Treatment	15	6.60	

DISCUSSION

Based on the result of the study, the family approach model could improve cognitive and psychomotor aspects of women of

test was conducted at the Academy of Midwifery Dharma Husada, Kediri, on 24 June 2019, with Reg. No:003/KEPK-DHARMA HUSADA/2019.

RESULTS

1. Sample Characteristics

Table 1 shows the characteristics of the respondents. Table 1 shows that most of the respondents aged more than 40 years old (43.3%), had high school education level (60.0%), and had a family income of Rp 500, 000 to Rp 2,000,000 (46.7%).

giving a family approach model to the treatment group (Mean=6.60) were higher than the control group (Mean=6.00). The results were statistically significant ($p <0.001$).

reproductive age to use Long-term Contraceptive Method. Family was the smallest unit of society that had a significant role in determining the degree of public health

(Ferdiansyah, 2016). The family approach model was considered to be more effective in overcoming various health problems, including problems in the area of the population through the KB program with Long-term Contraceptive Method. It was different with the counseling. The families were visited directly. This model involved family, especially the husband in making decisions. Besides, counseling was an educational process carried out on a particular group that was assembled at the same time (Majid, 2017).

The implementation of the family approach model could further affect the cognitive aspects of the respondents. Besides the educational process, this model was able to filter out various misinformation that the respondents most likely had, which they received from their relatives, friends, or the mass media which incidentally raised negative issues from the Long-term Contraceptive Method. The family involvement in the educational process, especially husband, would lead to a better understanding because there would be a discussion between husband and wife as a family that would make choices. The educational process was easier because it was supported by the majority of the knowledge level of the respondents that graduated from college. This would facilitate the researchers in the process of facilitating discussion. Increasing cognitive aspects of Long-term Contraceptive Method with a family approach would bring positive changes in determining the use of Long-term Contraceptive Method and increasing participation from husbands as a family in decision making

The psychomotor aspects in Simpon's taxonomy came from the observational findings which included perception, set, guided response, mechanism, complex overt response, adaptation and origination

(Nurtanto and Sofyan, 2015). The psychomotor aspects assessed in this study consisted of the status of contraceptive use, the activeness in finding information about Long-term Contraceptive Methods, the desire to turn to the Long-term Contraceptive Method, and the efforts if the respondents would or have used Long-term Contraceptive Method. The participation level of Couples of Reproductive Age in using Long-term Contraceptive Method was still very low. There were still many couples who did not want to turn from the non-Long-term Contraceptive Method to the Long-term Contraceptive Method. Based on the result, the majority of the respondents aged more than 40 years (43.33%).

Besides, non-hormonal Long-term Contraceptive Methods such as the IUD, tubectomy, and vasectomy were highly recommended in high-risk groups; aged more than 35 years. The family approach model could facilitate the husbands and wives in sharing opinions because it required active participation not only by the health workers but also from the prospective acceptors. By visiting the family, it would educate the families to make decisions after going through discussion. As the head of the family, the husbands would always be involved. The implementation of the family approach model was able to overcome the issue of expensive costs from the use of Long-term Contraceptive Method due to the family income of the majority of respondents between Rp 500,000 to Rp 2,000,000 (46.7%). There were free facilities to implant the Long-term Contraceptive Method through KB safari programs that were routinely organized by Women Empowerment and Family Planning Agency (BPPKB). Besides the expensive issue, the family approach model would dismiss the issue of the low participation of men in family planning, because they did

not understand the benefits of Long-term Contraceptive Method (especially Male Fertilization) (Maziyyah, 2015). According to Lubis and Lubis (2017), beliefs, hopes, and perceptions motivated husbands to participate in the vasectomy programs. The implementation of the family approach model would further strengthen the cognitive aspects which lead to better understanding. Therefore, the prospective acceptor would consciously make choices (psychomotor aspects) that have been carefully considered. Psychomotor aspects that came from careful and planned considerations would lead to the sustainable use of KB with Long-term Contraceptive Method.

AUTHOR CONTRIBUTION

All authors took participation in writing the manuscript, running data analysis, and suggesting the discussion based on their competencies. All authors read and approved the final version of the manuscript.

CONFLICT OF INTEREST

This study did not have any conflicts of interest.

FUNDING AND SPONSORSHIP

This study received funding from the Directorate of Research and Community Service (DRPM) in the 2019 fiscal year.

ACKNOWLEDGEMENT

We give the best gratitude to the Directorate of Research and Community Service (DRPM), the Director of Akbid Dharma Husada Kediri and LPPM of Akbid Dharma Husada Kediri for providing moral support and funding towards this study.

REFERENCE

- Christiani C, Diah C, Bambang M (2013). Faktor-faktor yang mempengaruhi pemakaian metode jenis-jenis kontrasepsi. Serat Acitya-Jurnal Ilmiah. 74–84. <http://203.89.29.50/index.php/-sa/article/viewFile/133/192>.
- Ferdiansyah D (2016). Metode pendekatan keluarga, terobosan baru dalam pembangunan kesehatan di Indonesia. Majalah Farmasetika, 1(4): 5–8.
- Kemenkes RI (2016a). Permenkes No. 39 Tahun 2016 Tentang Pedoman Penyeleenggaraan Program Indonesia Sehat dengan Pendekatan Keluarga.
- Kemenkes RI (2016b) Program Indonesia Sehat dengan Pendekatan Keluarga, Kemenkes RI. doi: <http://pispk.kemkes.go.id/id/>.
- Kementerian Kesehatan Republik Indonesia (2016) Profil Kesehatan Indonesia, Profil Kesehatan Provinsi Bali.
- Kementerian Kesehatan RI (2018) Profil Kesehatan Republik Indonesia Tahun 2017.
- Mahmudah LTN, Indrawati F (2015). Analisis faktor yang berhubungan dengan pemilihan metode kontrasepsi jangka panjang (MKJP) pada akseptor KB wanita di Kecamatan Banyubiru Kabupaten Semarang. Unnes Journal of Public Health, 2(2): 76–85. doi: [10.1177/1403494814549494](https://doi.org/10.1177/1403494814549494).
- Lubis NL, Lubis B (2017). The influence of belief, expectation, and perception on husband participation in vasectomy in Sekip Village, Lubuk Pakam Subdistrict, Deli Serdang. Advances in Social Science, Education and Humanities Research (ASSEHR). 81: 180–187. <http://repository.usu.ac.id/bitstream/handle/123456789/70952/Fulltext.pdf?sequence=1&isAllowed=y>
- Majid M (2017). Pengembangan metode penyuluhan meningkatkan pemakaian alat kontrasepsi. Media Kesehatan Masyarakat Indonesia Universitas Hasanuddin, 13(1): 91–96.
- Nurtanto M, Sofyan H (2015). Implementasi. Serat Acitya-Jurnal Ilmiah. 74–84. <http://203.89.29.50/index.php/-sa/article/viewFile/133/192>.

tasi problem-based learning untuk meningkatkan hasil belajar kognitif, psikomotor, dan afektif siswa di SMK.

Jurnal Pendidikan Vokasi. 5(3): 352.
doi: 10.21831/jpv.v5i3.6489.

 Submit an Article

(<https://thejmch.com/index.php?journal=thejmch&page=about&op=submit>)

About JMCH

» [Aims and Scope \(/index.php?journal=thejmch&page=about&op=editorial\)](https://thejmch.com/index.php?journal=thejmch&page=about&op=editorial)» [Editorial Team \(/index.php?journal=thejmch&page=about&op=editorialteam\)](https://thejmch.com/index.php?journal=thejmch&page=about&op=editorialteam)» [Publication Ethics \(/index.php?journal=thejmch&page=about&op=editorialethics\)](https://thejmch.com/index.php?journal=thejmch&page=about&op=editorialethics)» [Visitor Statistics \(/index.php?journal=thejmch&page=pages&op=view&statistics\)](https://thejmch.com/index.php?journal=thejmch&page=pages&op=view&statistics)» [Sponsorship and Partnership \(/index.php?journal=thejmch&page=about&op=journal\)](https://thejmch.com/index.php?journal=thejmch&page=about&op=journal)

Information for Author

» [Author Guidelines](#)

(<https://drive.google.com/file/d/1XTKAvTFGbLi-iV/view?usp=sharing>)

» [Template for Author](https://drive.google.com/open?id=1u0CzBPazQoHqYa7sDe8uuUuvli1Run)
[\(https://drive.google.com/open?](https://drive.google.com/open?id=1u0CzBPazQoHqYa7sDe8uuUuvli1Run)
[id=1u0CzBPazQoHqYa7sDe8uuUuvli1Run\)](https://drive.google.com/open?id=1u0CzBPazQoHqYa7sDe8uuUuvli1Run)

» Originality Publication Statement
(<https://drive.google.com/file/d/1cnAJGFPusp=sharing>)

Information for Reviewer

» [Reviewer Guidelines](https://drive.google.com/open?id=1Xsz5rtJrQJPGLSJZs2GgR0MhhxbQY)

» **Reviewer Agreement Statement**
([https://drive.google.com/open?](https://drive.google.com/open?id=1OcCFhDVkLA2pQciibTM4n0dBzsV2)
id=1OcCFhDVkLA2pQciibTM4n0dBzsV2

» **Reviewer Assessment Form**
(<https://drive.google.com/open?id=1iAGVIA0BRWyfVsKncBFp1oZ0-Gzt31ch>)

Partners





(<https://www.base-search.net/Search/Results?type=all&lookfor=dccoll%3Aftjmch&ling=1&>



(<https://www.researchgate.net/topic/Web-Search>)



(<https://search.crossref.org/?q=10.26911%2Fthejmch>)



(https://scholar.google.co.id/citations?view_op=list_works&hl=en&authuser=4&user=F7yE6V1_HP8tDWBQbP64ueNENfhKhgY6EVO2OOz_iaTdJ7LhLyoXBMvApcANlvOfbiDF7Vwm_j1f1_l0g-K9_qcSPAeC7x3FLKRaJhl8CvVJhjeoA56mYJ024tYQMB7zixlluS3gCfqphm_c&sciund=F5nk8jQnQuKxdNpJfxf6280IQazrXHn_QY8e1gZovVyNLurNwruQQJN4lyEdkcWgym7hXF53ezTPZQm1bzleNOHbTyRu19EXqhkoPxp93Szb6y_VtjsqrTY_9fv1g_zA5CIsNzclDQk6y6M&sciund=12027401853072014448&gmlaF4SxB05nC1ZICTInok8XIwNkwnm5Kq8xuQF4fuoAxfMHzN9GiAAyXSkuWOmsKxQoo8F5hCxpiWhTVs28U4TI0WEQA8auLpyWruAn7X6WhephPo5rGxlhiD_zkFR_puHDu5mabF4yPm9oSwmwfCfHMI9blsHEeFwohZbgNrWF6IR02yAjAZT3EpxHV_arpXAJNuRfT5JyeW59XrjRElgqGSzO3Hr2EqScAw3wghysPsRHaelMzUN-wacYICtLm4WxA82apzzUp5tm6jOHxIY&sciF5NBAGUHxYIzYs0hIPnxN6GGoKLrbGSapF5p3fKwyTancZMgYf_16tvYMfcDDdYGSa5F4FFSzwmN45VS84rPFEyxL4lhKeclrnW0

F7hZqhEcDMvmCht2TbfKSz-
3v6FEo_p0-5ku45ziCJCGCghvvq--
U9c0xvz7NCPjmK856UtKto-
VHv1HAoNPq6G_BVsbd3VXO5mWNqVRbzc
F7bkDkWbLSVO2WP-
somRys6EjTDeuxj60I-wrS-
pMJWqZ4DPtY8MZ22U-
OS8vCYeekjSiMUvL15H4lbBSH9iuO9mXey!



(<http://sinta2.ristekdikti.go.id/journals/detailpage=3&id=3492>).

Journal Content

Search

Search Scope

▼

Browse

» By Issue

(<https://thejmch.com/index.php?journal=thejmch&page=issue&op=archive>)

» By Author

(<https://thejmch.com/index.php?journal=thejmch&page=search&op=author>)

» By Title

(<https://thejmch.com/index.php?journal=thejmch&page=search&op=titles>)

User

Username

lelykhulafaurr

Password

••••••••

 Remember me

Login

Announcement



(<https://drive.google.com/file/d/1NdPMwD5iusp=sharing>)

Download Accreditation Status

(<https://drive.google.com/file/d/1NdPMwD5iusp=sharing>)



(<https://drive.google.com/file/d/1Woy5KBIQusp=sharing>)

Download Poster The 7th ICPH 2020

(<https://drive.google.com/file/d/1Woy5KBIQusp=sharing>)

Current Issue

ATOM 1.0

(<https://thejmch.com/index.php?>

[journal=thejmch&page=gateway&op=plugin](https://thejmch.com/index.php?journal=thejmch&page=gateway&op=plugin)

RSS 2.0

[\(https://thejmch.com/index.php?journal=thejmch&page=gateway&op=plugin\)](https://thejmch.com/index.php?journal=thejmch&page=gateway&op=plugin)

RSS 1.0

[\(https://thejmch.com/index.php?journal=thejmch&page=gateway&op=plugin\)](https://thejmch.com/index.php?journal=thejmch&page=gateway&op=plugin)

[\(https://thejmch.com/index.php?journal=thejmch&page=gateway&op=plugin\)](https://thejmch.com/index.php?journal=thejmch&page=gateway&op=plugin)

[Home \(https://thejmch.com/index.php?journal=thejmch&page=index\)](https://thejmch.com/index.php?journal=thejmch&page=index) / [Archives](#)

[\(https://thejmch.com/index.php?journal=thejmch&page=issue&op=archive\)](https://thejmch.com/index.php?journal=thejmch&page=issue&op=archive) / [Vol 6, No 4 \(2021\)](#)

[\(https://thejmch.com/index.php?journal=thejmch&page=issue&op=view&path%5B%5D=31\)](https://thejmch.com/index.php?journal=thejmch&page=issue&op=view&path%5B%5D=31)

Vol 6, No 4 (2021)



[\(https://thejmch.com/index.php?journal=thejmch&page=issue&op=view&path%5B%5D=31\)](https://thejmch.com/index.php?journal=thejmch&page=issue&op=view&path%5B%5D=31)

Vol 6, No 4 (2021)
[\(https://thejmch.com/index.php?journal=thejmch&page=issue&op=view&path%5B%5D=31\)](https://thejmch.com/index.php?journal=thejmch&page=issue&op=view&path%5B%5D=31)

Table of Contents

Articles

Associations between Smoking, Intrauterine Device Uptake, and Ectopic Pregnancy: A Meta Analysis

[\(https://thejmch.com/index.php?journal=thejmch&page=article&op=view&path%5B%5D=610\)](https://thejmch.com/index.php?journal=thejmch&page=article&op=view&path%5B%5D=610)

Ridha Rossela Yanuari, Eti Poncorini Pamungkasari,
Vitri Widyaningsih

[journal=thejmch&page=article&op=view&path%5B%5D=610](https://thejmch.com/index.php?journal=thejmch&page=article&op=view&path%5B%5D=610)

Influence of Body Mass Index, Waist Circumference, and Physical Activity on Age of Menarche in Female Adolescent

[\(https://thejmch.com/index.php?journal=thejmch&page=article&op=view&path%5B%5D=456\)](https://thejmch.com/index.php?journal=thejmch&page=article&op=view&path%5B%5D=456)

[journal=thejmch&page=article&op=view&path%5B%5D=456](https://thejmch.com/index.php?journal=thejmch&page=article&op=view&path%5B%5D=456)

Ulfa Puspita Rachma, Annang Giri Moelyo, Imasari Aryani

[Meta-Analysis the Effect of Obesity on Polycystic Ovary Syndrome and Anemia in Women of Reproductive Age](https://thejmch.com/index.php?journal=thejmch&page=article&op=view&path%5B%5D=618) (<https://thejmch.com/index.php?journal=thejmch&page=article&op=view&path%5B%5D=618>)

[journal=thejmch&page=article&op=view&path%5B%5D=618](https://thejmch.com/index.php?journal=thejmch&page=article&op=view&path%5B%5D=618)

Nabila Aulia Tsaqifah, Rita Benya Adriani, Bhisma Murti

[Meta-Analysis the Effect of Obesity and Stress on Menstrual Cycle Disorder](https://thejmch.com/index.php?journal=thejmch&page=article&op=view&path%5B%5D=619) (<https://thejmch.com/index.php?journal=thejmch&page=article&op=view&path%5B%5D=619>)

[journal=thejmch&page=article&op=view&path%5B%5D=619](https://thejmch.com/index.php?journal=thejmch&page=article&op=view&path%5B%5D=619)

Lutfi Annarahayu, Yulia Lanti Retno Dewi, Rita Benya Adriyani

[Exclusive breastfeeding practice and its association with breastfeeding self-efficacy among mothers giving birth during the COVID-19 pandemic in Indonesia : A Brief Report](https://thejmch.com/index.php?journal=thejmch&page=article&op=view&path%5B%5D=535) (<https://thejmch.com/index.php?journal=thejmch&page=article&op=view&path%5B%5D=535>)

[journal=thejmch&page=article&op=view&path%5B%5D=535](https://thejmch.com/index.php?journal=thejmch&page=article&op=view&path%5B%5D=535)

Angelina Angelina, Alicya Lesmanadjaja, Fransisca Handy Agung, Gilbert Sterling Octavius

[Socioeconomic Determinants of Diarrhea among Under-Five Children in Bangladesh: Do Education and Wealth Matter?](https://thejmch.com/index.php?journal=thejmch&page=article&op=view&path%5B%5D=571) (<https://thejmch.com/index.php?journal=thejmch&page=article&op=view&path%5B%5D=571>)

[journal=thejmch&page=article&op=view&path%5B%5D=571](https://thejmch.com/index.php?journal=thejmch&page=article&op=view&path%5B%5D=571)

Sharlene Alauddin, M. Ershadul Haque

[Postnatal care service utilization and associated factors among women in Goba woreda, Bale zone, Ethiopia: A community based cross-sectional study](https://thejmch.com/index.php?journal=thejmch&page=article&op=view&path%5B%5D=583) (<https://thejmch.com/index.php?journal=thejmch&page=article&op=view&path%5B%5D=583>)

[journal=thejmch&page=article&op=view&path%5B%5D=583](https://thejmch.com/index.php?journal=thejmch&page=article&op=view&path%5B%5D=583)

Debebe Wordofa, Asfaw Hail, Yonas Lamore, Abate Lette

[Pineapple Juice for Uterine Fundal Height Reduction in Postpartum Mothers](https://thejmch.com/index.php?journal=thejmch&page=article&op=view&path%5B%5D=466) (<https://thejmch.com/index.php?journal=thejmch&page=article&op=view&path%5B%5D=466>)

[journal=thejmch&page=article&op=view&path%5B%5D=466](https://thejmch.com/index.php?journal=thejmch&page=article&op=view&path%5B%5D=466)

Jesica Mulyadi, Lusi Andriani, Lusi Andriani, Rachmawati Rachmawati, Rachmawati Rachmawati

[Correlation between Child Behavior and Depression in Mother with Autism Spectrum Disorders Child](#)

(<https://thejmch.com/index.php?journal=thejmch&page=article&op=view&path%5B%5D=555>)

[journal=thejmch&page=article&op=view&path%5B%5D=555](https://thejmch.com/index.php?journal=thejmch&page=article&op=view&path%5B%5D=555)

Kumiko Kido, Kumi Fujita

The Effectiveness of Hypnobreastfeeding and Marmet Techniques in Improving Breast Milk Production

(<https://thejmch.com/index.php?journal=thejmch&page=article&op=view&path%5B%5D=551>)

[journal=thejmch&page=article&op=view&path%5B%5D=551](https://thejmch.com/index.php?journal=thejmch&page=article&op=view&path%5B%5D=551)

Rusmilawaty Rusmilawaty, Hapisah Hapisah, Rafidah
Rafidah

The Effect of Low Birth Weight on Stunting in Children Under Five: A Meta Analysis

(<https://thejmch.com/index.php?journal=thejmch&page=article&op=view&path%5B%5D=639>)

[journal=thejmch&page=article&op=view&path%5B%5D=639](https://thejmch.com/index.php?journal=thejmch&page=article&op=view&path%5B%5D=639)

Tyas Aisyah Putri, Dinda Anindita Salsabilla, Rizki
Kurniawan Saputra

National Health Insurance Membership and Economic Status as Determinants of Accessibility of Antenatal Care Service (<https://thejmch.com/index.php?journal=thejmch&page=article&op=view&path%5B%5D=640>)

[journal=thejmch&page=article&op=view&path%5B%5D=640](https://thejmch.com/index.php?journal=thejmch&page=article&op=view&path%5B%5D=640)

Lely Khulafa'ur Rosidah, Rahma Novita Asdary

Share:



(<http://creativecommons.org/licenses/by-nc-sa/4.0/>)

Journal of Maternal and Child Health by Masters Program in Public Health, Universitas Sebelas Maret (<http://thejmch.com/index.php?journal=thejmch&page=about&op=contact>) is licensed under a Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License (<http://creativecommons.org/licenses/by-nc-sa/4.0/>). Based on a work at <http://thejmch.com/> (<http://thejmch.com/>). Permissions beyond the scope of this license may be available at <http://thejmch.com/index.php?journal=thejmch&page=about&op=contact> (<http://thejmch.com/index.php?journal=thejmch&page=about&op=contact>).

JMCH Journal of Maternal and Child Health
e-ISSN: 2549-0257 (online)



9 772549 025004

National Health Insurance Membership and Economic Status as Determinants of Accessibility of Antenatal Care Service

Lely Khulafa'ur Rosidah, Rahma Novita Asdary

Academy of Midwivery Dharma Husada Kediri, East Java, Indonesia

ABSTRACT

Background: According to WHO statistics, the maternal mortality rate (MMR) in developed countries is estimated at 12/100,000 live births, while in developing and low-income countries it is 239/100,000 live births. 99% of all maternal deaths are estimated to occur in developing countries, even though the causes of death can be prevented with the right policies considering that one of the goals of the Sustainable Development Goals is to reduce MMR. Antenatal Care (ANC) is the main technique to reduce maternal morbidity and mortality. This study evaluates JKN membership and economic status affecting ANC service coverage.

Subjects and Method: This study is a cross-sectional study using data from the 2017 Indonesian Demographic and Health Survey (IDHS). This data is used to assess the proportion of economic status and national health insurance (JKN) membership and to measure the relationship between the two with ANC coverage. Analysis using Logistic Regression with R software version 3.6.3. and perform Propensity Score Matching (PSM) to reduce self-selection bias by balancing the observed variables between groups of respondents based on economic status with and without JKN.

Results: Of the 5429 respondents, 20.2% were very poor, 20.9% poor, 19.9% middle class, 20.8% rich, and 18.2% very rich. Among these residents, 61.4% have JKN membership and 38.3% do not. The substantial gap in the utilization of maternal health services, especially in ANC4x services, is 30.7 points between the very poor (48.2%) and the very rich (86.9). Respondents who worked as employees were more likely to have JKN membership than those who did not have a job (AOR=2.34; 95% CI = 1.74 to 3.16). Respondents who were exposed to the internet at least once a week were more likely to have JKN membership than those who were not exposed to the internet (AOR=1.46; 95% CI= 1.09 to 1.97).

Conclusion: JKN membership and economic status affect ANC 4x service coverage.

Keyword: Socio-economic, National Health Insurance, ANC . Coverage

Correspondence:

Lely Khulafa'ur Rosidah. Academy of Midwivery Dharma Husada Kediri, East Java, Indonesia.
Email: lely_khulafaur@akbiddharmahusadakdr.ac.id

Cite this as:

Rosidah LK, Asdary RN (2021). National Health Insurance Membership and Economic Status as Determinants of Accessibility of Antenatal Care Service. *J Matern Child Health*. 06(04): 507-515. <https://doi.org/10.26911/thejmch.2021.06.04.12>.



Journal of Maternal and Child Health is licensed under a Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License.

BACKGROUND

In 2015 the Sustainable Development Goals (SDGs) as the agenda of countries around the world were initiated with development targets and will last until 2030. Some of the achievement targets that have been set in order to improve the health and nutrition

status of the community include the Maternal Mortality Rate (MMR) 306/ 100,000 births. life, the Infant Mortality Rate (IMR) is 24/1,000 live births, the prevalence of malnutrition in children under five years of age is 17/100,000, and the prevalence of stunting in children under the age of two is

28/100,000. MMR has decreased by 346 deaths to 305 maternal deaths per 100,000 live births, but is still far from the MDGs target of 102/100,000 live births set in 2015. Indonesia, on the other hand, must strive to exceed the SDG goals by reducing the MMR to below 70 per 100,000 live births, reducing the neonatal mortality rate to 12 per 1000 live births, and reducing the under-five mortality rate to 25 per 1000 live births. Compared to other ASEAN countries, Indonesia's MMR is still 9 times that of Malaysia, 5 times of Vietnam, and almost 2 times of Cambodia. According to WHO statistics, the MMR in developed countries is estimated at 12/100,000 live births, while in underdeveloped countries it is 239/100,000 live births. 99% of all maternal deaths are estimated to occur in developing countries, even though the causes of death can be prevented with the right policies (Laksono et al., 2016; United Nations, 2021; WHO, 2016)

Maternal death, defined as the death of a woman while pregnant or within 42 days of termination of pregnancy. Since one in three pregnancy-related deaths occur from one week to one year of birth, it is very important to pay attention to maternal deaths that occur not only within six weeks, but also one year (WHO, 2021). Maternal mortality is not only caused by emergencies related to pregnancy and childbirth, but also by poor quality of health services, which can be influenced by socioeconomic status and geographic location. The high MMR occurs in a population that faces socio-economic inequality. Several studies have shown that socioeconomic status is a risk factor for maternal mortality (Lindquist et al., 2013; Novignon et al., 2019).

One of the risk factors for maternal death is socioeconomic status. Pre-eclampsia/ eclampsia, anesthetic-related side effects, obstetric complications, or difficult

caesarean section (C-section) cause more than 100 times the maternal mortality ratio in some low-income countries (LICs) than in high-income countries (HICs). Income Countries - HICs). In addition, inequality in the use of maternal health services, such as antenatal care (ANC) services in health facilities or facility-based deliveries, affects the poor quality of maternal health in rural areas. Although maternal mortality in HICs has decreased substantially in recent decades, it still occurs at around 10 per 100,000 births (Ghulmiyyah and Sibai, 2012; Patel et al., 2020).

ANC services are the main technique for reducing maternal morbidity and mortality. The purpose of ANC is to monitor and maintain the health and safety of the mother and fetus, recognize and treat all pregnancy problems, respond to complaints, prepare for delivery, and encourage a healthy lifestyle. ANC visits are very important to detect and prevent pregnancy complications. There has been an increase in the use of maternal health services in underdeveloped countries, but there are still disparities between demographic groups. Geographic, demographic, social and cultural factors can all contribute to these inequalities (Ali and Chauhan, 2020; Lawn et al., 2016; Zhou et al., 2020)

The high risk of multiple AKI occurs in districts/cities with low coverage of ANC visits, low coverage of deliveries by health workers, low coverage of post-natal care (PNC) visits, high average number of children, average length of schooling, low for women of childbearing age, and high poverty. Equitable and adequate access to maternal health services is an important instrument for countries to achieve the SDGs targets (Patel et al., 2020).

To reduce preventable pregnancy/delivery related deaths, factors that may contribute to maternal mortality, such as

socioeconomic status related to health facility selection, should be identified. Knowing about critical environmental risk factors is expected to help reduce maternal mortality. Therefore, our study aims to further examine the relationship between socioeconomic status and the choice of location for maternal health services.

SUBJECTS AND METHOD

1. Study Design

This study is a cross-sectional study because it uses cross-sectional data from the 2017 Indonesian Demographic and Health Survey (IDHS), which was conducted by the Central Statistics Agency in collaboration with the National Population and Family Planning Agency and the National Population and Family Planning Agency.

2. Population and Sample

The IDHS uses standardized instruments to measure the primary utilization of maternal services to ensure validity and comparability of results within a country. In Indonesia, the survey used a stratified multi-stage design to produce a representative sample of 34 provinces. The 2017 IDHS data was used for the main analysis, with the 2012 IDHS used to determine the use of JKN services in 201. The IDHS data were used to assess the proportion of economic status and JKN membership and to measure the relationship between them with ANC4x coverage and ANC4x with comprehensive services. This main result was chosen because it represents the main intervention that helps reduce MMR (National Population and Family Planning Board, Statistical Indonesia, Ministry of Health, & ICF, 2018)

The sample of female respondents in the 2017 IDHS was 49,627 people. The criteria in this study were women aged 15-49 years, pregnant or postpartum (<6 months), filling out a complete questionnaire. The

sampling technique used is convenient sampling.

3. Study Variables

Independent Variables namely JKN membership status, Dependent Variables consist of Antenatal Care (ANC) from skilled providers and ANC with complete services

4. Operational Definition of Variables

The main independent variable is JKN membership status. The respondent's membership in JKN is determined by the question "Are you covered by health insurance?" and "What form of health insurance do you have?"

Economic status used in this study as an independent variable based on Information on the Poverty Index of the IDHS which describes the socioeconomic status of the household and is used to calculate the household wealth index.

Antenatal care (ANC) from skilled providers is defined as antenatal care received from skilled personnel, such as doctors (general practitioners and/or obstetricians), midwives, and nurses. The next variable is antenatal care at the first visit (K1) which is defined as pregnancy health services received at least once from skilled workers regardless of the time of visit. Antenatal care of at least four visits (ANC 4x) is a pregnancy health service of at least four visits, once in the first trimester, once in the second trimester, and twice in the third trimester. Meanwhile, the other variable is ANC with complete services which the Ministry of Health recommends that pregnant women receive service standards such as height, weight, upper middle arm, blood pressure measurement, fundal height measurement, fetal heart rate examination, and monitoring of fetal presentation (National Population and Family Planning Board, Statistical Indonesia, Ministry of Health, & ICF, 2018).

5. Study Instruments

Data Survei Demografi dan Kesehatan Indonesia (SDKI) 2017 (Indonesia Demographic and Health Survey Data).

6. Data analysis

For data analysis, we used Logistic Regression with R software version 3.6.3. Because health insurance ownership is not a random process and depends on individual characteristics, we used Propensity Score Matching (PSM) to reduce self-selection bias by balancing the observed covariates between groups of women based on economic status with and without JKN. We used the absolute standard mean difference as the most common measure to ensure balance in the treatment and control groups with respect to the independent variables. Next, we apply multiple hypothesis testing using the Bonferroni and Holm procedures to control for inflation type 1 error (probability of rejecting the true null hypothesis) due to simultaneous null hypothesis testing for the three main outcomes.

The determination of the Poverty Index is calculated using easily collected data on household ownership of certain assets, such as televisions and bicycles; materials used for housing construction; and types of access to water and sanitation facilities. Households are scored based on the number and types of consumer goods they own, from televisions to bicycles or cars, and housing characteristics such as sources of drinking water, toilet facilities, and flooring materials. This score is derived using principal component analysis. National wealth quintiles are constructed by assigning a household score to each member of the common household (de jure), ranking each person in the household population according to their score, and then dividing the distribution into five equal categories, each with 20% of the population. (National Population and Family Planning Board,

Statistical Indonesia, Ministry of Health, & ICF, 2018).

7. Research Ethics

The 2017 IDHS survey procedures and questionnaires have been reviewed and approved by the ICF International Institutional Review Board (IRB), and the survey protocol has been reviewed by the ICF IRB, the Indonesian Ministry of Health, and the BKKBN for human protection.

RESULTS

1. Sample Characteristics

The characteristics of our research sample can be seen in. Overall, 61% of new mothers had JKN insurance in 2017. The majority of respondents were less than 35 years old, married, with two children or less, had completed secondary education, did not have a job, were not exposed to the internet and newspapers, and lived in the Java-Bali region.

Although the poor and near-poor are eligible for full or partial subsidies through JKN, there is little difference in the distribution of respondents across wealth segments in the insured and uninsured population, with the exception of fewer respondents in the highest wealth quintiles among the uninsured group. The proportion of samples that received maternal health services was higher in the samples included in the JKN program compared to those who were not included in the JKN program (do not have insurance). In the ANC 4+ visit category, there were 78.6% of the sample who had JKN membership and of course the sample who did not have JKN membership had a lower percentage of 71.0%. Meanwhile, in the category of ANC 4+ visits and receiving the ANC clinical component, 23.4% of the sample had JKN membership, while 19.8% who were ANC4+ and received the ANC clinical component did not have JKN membership.

Table 1 Sample Characteristics

Variable	All		JKN		Without JKN	
	N	%	N	%	N	%
Overall Sample Outcomes variables:						
ANC 4+	4107	75.6	2618	78.6	1489	71.0
ANC 4+ and get comprehensive services	1194	22.0	780	23.4	414	19.8
Delivery by skilled personnel	5045	92.9	2892	94.4	1900	90.6
Delivery at Health Care Facilities	4531	83.5	3145	86.8	1639	78.1
PNC	4795	88.4	3004	90.2	1791	85.4
PNC by skilled personnel	4729	87.1	2097	89.3	1756	83.7
Control Variable						
Age (year):						
15-24	1364	25.1	764	22.9	600	28.6
25-34	2819	51.9	1745	52.4	1074	51.2
35-42	1140	21.0	747	22.4	392	18.7
42-49	107	2.0	76	2.3	31	1.5
Marital Status						
Unmarried	104	1.9	54	1.6	50	2.4
Married	5325	98.1	3277	98.4	2047	97.6
Parity						
1	1776	32.7	1081	32.4	695	33.2
2	1918	35.3	1139	34.2	778	37.1
3	1027	18.9	648	19.5	379	18.1
4	437	8.0	279	8.4	158	7.5
>5	271	5.0	184	5.5	87	4.2
Education						
<Primary school	352	6.5	212	6.4	140	6.7
Primary Education (graduate)	979	18.0	562	16.9	417	19.9
Junior high school (not graduate)	1535	28.3	852	25.6	683	32.6
Junior high school (graduate)	1684	31.0	1029	30.9	655	31.2
≥Senior high school	879	16.2	677	20.3	202	9.6
Occupation						
Unemployment	3076	56.7	1755	52.7	1320	63
Farmer	367	6.8	206	6.2	160	7.6
Labor	1352	24.9	849	25.5	503	24
Employee	634	11.7	520	15.6	114	5.4
Exposure to internet						
Not at all	3351	61.7	1916	57.5	1435	68.4
<1x a week	1645	30.3	1090	32.7	556	26.5
>1x a week	433	8.0	326	9.8	107	5.1
Reading newspaper:						
Not at all	220	4.1	128	3.8	92	4.4
<1x a week	702	12.9	443	13.3	259	12.3
>1x a week	4506	83.0	2760	82.9	1746	83.3
Poverty index						
Very poor	1098	20.2	650	19.5	448	21.4
Poor	1135	20.9	640	19.2	495	23.6
Middle	1079	19.9	640	19.2	439	20.9
Rich	1129	20.8	688	20.6	442	21.1
Very Rich	987	18.2	714	21.4	273	13.0
Residence						
Rural	2818	51.9	1610	48.3	1208	57.6
Urban	2611	48.1	1721	51.7	890	42.4
Residential Area:						
East Indonesia	192	3.5	131	3.9	62	2.9
Sulawesi	402	7.4	297	8.9	105	5
Kalimantan	326	6.0	174	5.2	152	7.2
Nusa Tenggara	263	4.9	151	4.5	113	5.4
Sumatra	1235	22.7	765	22.9	470	22.4
Java & Bali	3010	55.4	1814	54.4	1196	57

2. Bivariate analysis

Table 2. shows that the type of work and internet access are the most important predictors of participation status in JKN. Respondents who worked as employees were more likely to have JKN membership than women who did not have a job ($AOR= 2.34$; 95% CI= 1.74 to 3.16). Respondents

who were exposed to the internet at least once a week were more likely to have JKN membership than women who were not exposed to the internet ($AOR= 1.46$; 95% CI= 1.09 to 1.97). However, there is no significant difference in JKN membership status based on the poverty index (the poorest group as a reference).

Table 2 Factors related to membership in the 2017 National Health Insurance (JKN)

Variable	AOR	95% CI		p
		Lower Limit	Upper Limit	
Occupation				
Unemployee (references)				
Farmer	0.96	0.74	1.27	0.794
Labor	1.17	0.99	1.40	0.073
Employee	2.34	1.74	3.16	<0.001
Internet Access				
Not at all (references)				
<1x a week	1.26	1.07	1.47	0.004
>1x a week	1.46	1.09	1.97	0.012
Poverty index				
Very poor (references)				
Poor	0.85	0.67	1.08	0.173
Middle	0.89	0.68	1.15	0.365
Rich	0.82	0.62	1.08	0.150
Very rich	1.04	0.75	1.44	0.812

AOR – adjusted odds ratio, CI – confidence interval

Table 3 Maternal Health Services by Economic Status

Group	JKN %	Without JKN %	ATT	95% CI		p
				Upper Limit	Lower Limit	
ANC4x						
Very poor (references)	56.2	46.2	10.0	4.4	15.6	<0.001
Poor	70.2	61.6	8.7	2.2	15.1	0.009
Middle	78.4	71.0	7.4	1.4	13.4	0.072
Rich	80.6	78.1	2.4	-3.8	8.8	0.426
Very Rich	86.9	83.2	3.7	-3.8	11.3	0.508
ANC with Comprehensive Examination						
Very poor (references)	10.3	7.6	2.7	0.0	5.4	0.059
Poor	18.8	13.3	5.5	0.8	10.1	0.02
Middle	20.8	17.6	3.2	-2.5	8.9	0.268
Rich	32.0	20.6	11.4	4.8	17.9	0.001
Very Rich	28.0	19.8	8.2	-0.1	16.5	0.052

ATT: average treatment effect on the treated

Based on economic sub-groups, it shows that the difference in outcomes associated with JKN enrollment is greater for the very poor compared to the very rich. At the

national level, Table 3 shows the differences in the utilization of maternal health services between respondents who have JKN membership and those who do not, as evaluated

by the average treatment effect in the treatment group (Average Treatment Effect on the Treated - ATT). Substantial disparities in the utilization of maternal health services between the very poor and the very rich still exist, especially in the ANC 4x coverage which is much lower for the very poor (48.2%) compared to the very rich (86.9%) for women with JKN membership.

DISCUSSION

Ministerial Regulation No. 97/2014 mandates that women receive quality and comprehensive antenatal care (ANC) services to ensure a healthy and safe delivery. The government recommends at least four ANC visits during pregnancy, one during the first trimester, one during the second trimester, and two during the third trimester. Key indicators of maternal health services in an effort to reduce maternal and newborn mortality include ANC, deliveries in health facilities, and deliveries by skilled birth attendants (Ministry of Health, 2014).

In 2018, the proportion of ANC visits for women aged 10 to 54 years, namely the first visit increased to 96.1% from 95.2% in 2013, while the fourth ANC visit increased to 74.1% from 70.0% in 2013, but still far from the 76.0% target set out in the 2017 Strategic Plan (Ministry of Health, 2019). However, the quality of services to ensure early detection and adequate care for pregnant women should be improved. Midwives lead the task of prenatal care, identify difficulties or indicators of complications, assist with delivery, and conduct postpartum evaluations. If the midwife sees indicators of difficulties that cannot be overcome, she must immediately make a referral for the mother to a health center that offers Basic Emergency Neonatal Obstetric Services. According to 2018 Ministry of Health data, midwives supported 62.7% of deliveries carried out in independent practice midwives

(29%), but many were still carried out at home (16%) (Ministry of Health, 2019).

ANC coverage data is dominated by female respondents who have JKN membership. On the other hand, female respondents who do not have JKN membership have lower ANC utilization. This finding is in line with the goal of JKN issued by the Indonesian government to provide universal access to health care facilities (Agustina et al., 2019). Social insurance policies to improve public access to health care facilities have also been adopted by other countries. The results of other studies that have evaluated this show positive results, although there are still some obstacles encountered in its implementation (Laksono et al., 2016; Miraldo et al., 2018).

The possibility of accessibility as another major obstacle that arises, including issues such as distance to health facilities, poor referral system, and expenses that may arise should be considered. Previous study has shown that proximity to health facilities is a major factor for pregnant women in choosing delivery services (Franchi et al., 2020; Ganchimeg et al., 2014). Problems such as lack of transport options and poor transport infrastructure can result in increased costs of health care visits. For families who fall into the category of poor with limited financial capacity, distance problems are a commonly noted reason for not using health services properly. This is interesting to be investigated in the next research. Health insurance programs should encourage women to travel to health facilities by providing coverage for referral transportation and hospitalization, especially for households with limited financial capacity. The quality of maternal health services to ensure early detection and adequate care for pregnant women should be improved. This study shows that the JKN membership scheme in Indonesia and

economic status are closely related to ANC coverage. This finding adds to the growing body of data that health insurance ownership is related to ANC service coverage.

AUTHOR CONTRIBUTION

All authors play a role in writing the manuscript, the second author plays a role in analyzing the data, All authors provide input on the manuscript according to their respective competencies. And all authors read and approve the submitted manuscript.

FUNDING AND SPONSORSHIP

This research received financial support from the Directorate of Research and Community Service, Higher Education in 2021.

ACKNOWLEDGEMENT

We express our deepest gratitude to the Directorate of Research and Community Service of DIKTI, the Director of the Dharma Husada Kediri Academy of Midwifery and the LPPM of the Dharma Husada Kediri Midwifery Academy who have supported both morally and materially in this research.

CONFLICT OF INTEREST

There is no conflict of interest in this study.

REFERENCE

- Agustina R, Dartanto T, Sitompul R, Susiloretni KA, Suparmi, et al. (2019). Universal Health Coverage in Indonesia: Concept, Progress, and Challenges. *Lancet.* 393(10166). 75–102. DOI:10.1016/S0140-6736(18)31647-7
- Ali B, Chauhan S. (2020). Inequalities in The Utilisation of Maternal Health Care in Rural India: Evidences from National Family Health Survey III & IV. *BMC Public Health.* 20(1). 369. DOI:10.1186/s12889-020-08480-4

- Franchi JV de O, Peloso SM, Ferrari RAP, Cardelli AAM. (2020). Access to Care During Labor and Delivery and Safety to Maternal Health. *Rev Lat Am Enfermagem.* 28. e3292. DOI: 10.15-90/1518-8345.3470.3292
- Ganchimeg T, Ota E, Morisaki N, Laopai-boon M, Lumbiganon P, et al. (2014). Pregnancy and Childbirth Outcomes among Adolescent Mothers: a World Health Organization Multicountry Study. *BJOG.* 121 Suppl. 40–48. DOI: 10.1111/1471-0528.12630
- Ghulmiyyah L, Sibai B (2012). Maternal Mortality from Preeclampsia/ Eclampsia. *Semin Perinatol.* 36(1): 56–59. DOI:10.1053/j.semperi.2011.09.011.
- Kementerian Kesehatan RI. (2014). Pelayanan Kesehatan Masa Sebelum Hamil, Masa Hamil, Persalinan, dan Masa Sesudah Melahirkan, Penyelenggaraan Pelayanan Kontrasepsi, serta Pelayanan Kesehatan Seksual (Health Services for Pre-pregnancy, Pregnancy, Childbirth, and Postnatal Periods, Implementation of Contraceptive Services, and Sexual Health Services). Kemenkes RI. https://kesga.kemkes.go.id/assets/file/pedoman/PMK_No_97_ttg_Pelayanan_Kesehatan_Kehamilan.pdf
- Kementerian Kesehatan RI. (2019). Laporan Nasional Riset Kesehatan Dasar (Risikesdas). (National Report on Basic Health Research (Riskesdas). Lemba Penerbit Badan Penelitian dan Pengembangan Kesehatan. DOI:978-602-373-118-3
- Laksono AD, Rukmini R, Wulandari RD. (2016). Regional Disparities in Antenatal Care Utilization in Indonesia. *PLoS One.* 15(2). 1–13. DOI:10.1371/journal.pone.0224006
- Lawn JE, Blencowe H, Waiswa P, Amouzou A, Mathers C, et al. (2016). Stillbirths:

- Rates, Risk Factors, and Acceleration Towards 2030. 387(10018). 587–603. DOI:10.1016/S0140-6736(15)00837-5
- Lindquist A, Knight M, Kurinczuk JJ. (2013). Variation in Severe Maternal Morbidity According to Socioeconomic Position: a UK National Case-control Study. *BMJ Open.* 3(6). e002742.
- Miraldo M, Propper C, Williams RI (2018). The Impact of Publicly Subsidised Health Insurance on Access, Behavioural Risk Factors and Disease Management. *Soc Sci Med.* 217: 135–151. DOI: 10.1016/j.socscimed.2018.09.028.
- National Population and Family Planning Board, Statistical Indonesia, Ministry of Health, ICF. (2018). Indonesia Demographic and Health Survey 2017. BKKBN, BPS, Kemenkes, and ICF. <http://dhsprogram.com/pubs/pdf/FR342/FR342.pdf>
- Novignon J, Ofori B, Tabiri KG, Pulok MH (2019). Socioeconomic Inequalities in Maternal Health Care Utilization in Ghana. *Int J Equity Health.* 18(1): 1–11.
- Patel AB, Bann CM, Garces AL, Krebs NF, Lokangaka A, et al. (2020). Development of the Global Network for Women's and Children's Health Research's socioeconomic status index for use in the network's sites in low and lower middle-income countries. *Reprod. Health.* 17(3): 193. DOI: 10.1186/s12978-020-01034-2
- United Nation (2021). The Sustainable Development Goals Report 2021. In The sustainable development goals report 2020. DOI:10.29171/azu_acku_pamphlet_k3240_s878_2016
- WHO. (2016). Trends in Maternal Mortality: 1990 to 2015: Estimates by WHO, UNICEF, UNFPA, World Bank Group and the United Nations Population Division. In WHO Library Cataloguing-in-Publication Data.
- WHO (2021). The Global Health Observatory- Explore a world of health data. <https://www.who.int/data/gho/indicator-metadata-registry/imr-details-/26>
- Zhou D, Zhou Z, Yang C, Ji L, Ghose B, Tang S (2020). Sociodemographic Characteristics Associated with The Utilization of Maternal Health Services in Cambodia. *BMC Health Serv. Res.* 20(1). 781. DOI:10.1186/s12913-020-05652-1.