

AT0708 - Serialização e desserialização de objetos

Aluno: João Victor Lemes Faria - 202302614

Entidade utilizada

```
@XmlElement(name = "course")
@XmlAccessorType(XmlAccessType.FIELD)
public class Course {
    public Course() {
        super();
    }

    public Course(
        String name,
        String professorName,
        int hourLoad,
        Date beginDate,
        Date endDate) {
        this.name = name;
        this.professorName = professorName;
        this.hourLoad = hourLoad;
        this.beginDate = beginDate;
        this.endDate = endDate;
    }

    @DatabaseField(generatedId = true)
    private int id;

    @DatabaseField
    private String name;

    @DatabaseField
    private String professorName;

    @DatabaseField
    public int hourLoad;

    @DatabaseField(dataType = DataType.DATE)
    public Date beginDate;

    @DatabaseField(dataType = DataType.DATE)
    public Date endDate;

    // Getters e setters omitidos no documento

    @Override
    public String toString() {
        return "Course [id=" + id + ", name=" + name + ", professorName=" +
        professorName + ", hourLoad=" + hourLoad
```

```
        + ", beginDate=" + beginDate + ", endDate=" + endDate +  
    "]" ;  
    }  
}
```

Classe de repositório

```
public class CourseRepository {  
    private static Database database;  
    private static Dao<Course, Integer> dao;  
    private List<Course> loadedCourses;  
    private Course loadedCourse;  
    private CourseSerializerHelper serializerHelper;  
  
    public CourseRepository(Database database, CourseSerializerHelper  
courseSerializerHelper) {  
        CourseRepository  
            .setDatabase(database);  
        this.serializerHelper = courseSerializerHelper;  
        loadedCourses = new ArrayList<Course>();  
    }  
  
    public static void setDatabase(Database database) {  
        CourseRepository.database = database;  
        try {  
            dao = DaoManager.createDao(database.getConnection(),  
Course.class);  
            TableUtils.createTableIfNotExists(database.getConnection(),  
Course.class);  
        } catch (SQLException e) {  
            System.out.println(e);  
        }  
    }  
  
    public Course create(Course Course) {  
        int nRows = 0;  
        try {  
            nRows = dao.create(Course);  
            if ( nRows == 0 )  
                throw new SQLException("Error: object not saved");  
            this.loadedCourse = Course;  
            loadedCourses.add(Course);  
        } catch (SQLException e) {  
            System.out.println(e);  
        }  
        return Course;  
    }  
  
    public Course update(Course Course) {  
        int nRows = 0;
```

```
        try {
            nrows = dao.update(Course);
            if ( nrows == 0 )
                throw new SQLException("Error: object not updated");
            this.loadedCourse = Course;
        } catch (SQLException e) {
            System.out.println(e);
        }
        return Course;
    }

    public void delete(Course Course) {
        int nrows = 0;
        try {
            nrows = dao.delete(Course);
            if ( nrows == 0 )
                throw new SQLException("Error: object not deleted");
            loadedCourses.remove(Course);
        } catch (SQLException e) {
            System.out.println(e);
        }
    }

    public Course loadFromId(int id) {
        try {
            this.loadedCourse = dao.queryForId(id);
            if (this.loadedCourse != null)
                this.loadedCourses.add(this.loadedCourse);
        } catch (SQLException e) {
            System.out.println(e);
        }
        return this.loadedCourse;
    }

    public List<Course> loadAll() {
        try {
            this.loadedCourses = dao.queryForAll();
            if (this.loadedCourses.size() != 0)
                this.loadedCourse = this.loadedCourses.get(0);
        } catch (SQLException e) {
            System.out.println(e);
        }
        return this.loadedCourses;
    }

    public String dumpData(String format) throws JAXBException {
        var allCourses = loadAll();

        if (format.equalsIgnoreCase("json")) {
            return serializerHelper.toJson(allCourses);
        }

        if (format.equalsIgnoreCase("xml")) {
            return serializerHelper.toXml(allCourses);
        }
    }
}
```

```
    }

    return null;
}

public boolean dumpFile(String format, File file) {
    try {
        String data = dumpData(format);
        if (data == null) {
            return false;
        }
        try (FileWriter writer = new FileWriter(file)) {
            writer.write(data);
        }
        return true;
    } catch (IOException | JAXBException e) {
        System.out.println(e);
        return false;
    }
}

public Course createFromJSON(String json) {
    Course course = serializerHelper.fromJson(json);
    return create(course);
}

public Course createFromXML(String xml) throws JAXBException {
    Course course = serializerHelper.fromXml(xml);
    return create(course);
}

public int importData(String format, String data) throws JAXBException
{
    List<Course> courses;

    if (format.equalsIgnoreCase("json")) {
        courses = serializerHelper.fromJsonList(data);
    } else if (format.equalsIgnoreCase("xml")) {
        courses = serializerHelper.fromXmlList(data);
    } else {
        return 0;
    }

    if (courses == null) {
        return 0;
    }

    int imported = 0;
    for (Course course : courses) {
        course.setId(0);
        if (create(course) != null) {
            imported++;
        }
    }
}
```

```
        return imported;
    }

    public int importFile(String format, File file) throws JAXBException,
IOException {
        String data = Files.readString(file.toPath());
        return importData(format, data);
    }
}
```

Classe helper de serialização

```
public class CourseSerializerHelper{
    private Gson gson;
    private JAXBContext jaxbContext;

    public CourseSerializerHelper() throws JAXBException {
        gson = new GsonBuilder()
            .setDateFormat("yyyy-MM-dd")
            .setPrettyPrinting()
            .create();

        jaxbContext = JAXBContext.newInstance(Course.class, CourseList.class);
    }

    public String toJson(Course course){
        return gson.toJson(course);
    }

    public String toJson(List<Course> courses){
        return gson.toJson(courses);
    }

    public Course fromJson(String json){
        return gson.fromJson(json, Course.class);
    }

    public List<Course> fromJsonList(String json){
        Type listType = new TypeToken<ArrayList<Course>>().getType();
        return gson.fromJson(json, listType);
    }

    public String toXml(Course course) throws JAXBException {
        Marshaller marshaller = jaxbContext.createMarshaller();
        marshaller.setProperty(Marshaller.JAXB_FORMATTED_OUTPUT, Boolean.TRUE);
        StringWriter sw = new StringWriter();
        marshaller.marshal(course, sw);
        return sw.toString();
    }

    public String toXml(List<Course> courses) throws JAXBException {
```

```

    Marshaller marshaller = jaxbContext.createMarshaller();
    marshaller.setProperty(Marshaller.JAXB_FORMATTED_OUTPUT, Boolean.TRUE);
    StringWriter sw = new StringWriter();
    marshaller.marshal(new CourseList(courses), sw);
    return sw.toString();
}

public Course fromXml(String xml) throws JAXBException {
    Unmarshaller unmarshaller = jaxbContext.createUnmarshaller();
    StringReader sr = new StringReader(xml);
    return (Course) unmarshaller.unmarshal(sr);
}

public List<Course> fromXmlList(String xml) throws JAXBException {
    Unmarshaller unmarshaller = jaxbContext.createUnmarshaller();
    StringReader sr = new StringReader(xml);
    CourseList courseList = (CourseList) unmarshaller.unmarshal(sr);
    return courseList.getCourses();
}
}

```

Classe de execução main

```

public class App
{
    public static void main( String[] args )
    {
        var database = new Database("school.db");

        try {
            var serializerHelper = new CourseSerializerHelper();
            var courseRepository = new CourseRepository(database,
serializerHelper);

            Date startDate = new SimpleDateFormat("yyyy-MM-
dd").parse("2026-08-12");
            Date endDate = new SimpleDateFormat("yyyy-MM-dd").parse("2026-
12-02");

            var class1 = new Course(
                "Software para persistência de dados",
                "Marcelo Akira",
                64,
                startDate,
                endDate
            );

            var createdEntity = courseRepository.create(class1);
            System.out.println("Entidade criada (CREATE):" +
createdEntity.toString());

```

```
        var retrievedEntity =
courseRepository.loadFromId(createdEntity.getId());
        System.out.println("Entidade lida (READ):" +
retrievedEntity.toString());

        retrievedEntity.setHourLoad(128);
        var updatedEntity = courseRepository.update(retrievedEntity);
        System.out.println("Entidade atualizada (UPDATE):" +
updatedEntity.toString());

        System.out.println("dumpData(json):");
        String json = courseRepository.dumpData("json");
        System.out.println(json);

        System.out.println("dumpData(xml):");
        String xml = courseRepository.dumpData("xml");
        System.out.println(xml);

        System.out.println("dumpFile:");
        boolean savedJson = courseRepository.dumpFile("json", new
File("courses.json"));
        boolean savedXml = courseRepository.dumpFile("xml", new
File("courses.xml"));
        System.out.println("courses.json salvo: " + savedJson);
        System.out.println("courses.xml salvo: " + savedXml);

        System.out.println("createFromJSON:");
        String singleJson = serializerHelper.toJson(new Course(
        "Teste de Software", "Edmundo Spoto", 64, startDate,
endDate));
        System.out.println("JSON a ser criado:" + singleJson);
        var fromJson = courseRepository.createFromJSON(singleJson);
        System.out.println("Criado a partir de JSON: " + fromJson);

        System.out.println("createFromXML:");
        String singleXml = serializerHelper.toXml(new Course(
        "Computação Ubíqua", "Otávio Calaça", 64, startDate,
endDate));
        System.out.println("XML a ser criado:" + singleXml);
        var fromXml = courseRepository.createFromXML(singleXml);
        System.out.println("Criado a partir de XML: " + fromXml);

        System.out.println("importData / importFile:");
        int importedFromString = courseRepository.importData("json",
json);
        System.out.println("Objetos importados de String JSON: " +
importedFromString);

        int importedFromFile = courseRepository.importFile("xml", new
File("courses.xml"));
        System.out.println("Objetos importados do arquivo XML: " +
importedFromFile);
    }
    catch (Exception ex) {
```

```
        System.err.println("Erro: " + ex.getMessage());
    }
    finally {
        database.close();
    }
}
}
```

Logs da aplicação

```
Entidade criada (CREATE):Course [id=1, name=Software para persistência de
dados, professorName=Marcelo Akira, hourLoad=64, beginDate=Wed Aug 12
00:00:00 GMT-03:00 2026, endDate=Wed Dec 02 00:00:00 GMT-03:00 2026]
Entidade lida (READ):Course [id=1, name=Software para persistência de
dados, professorName=Marcelo Akira, hourLoad=64, beginDate=Wed Aug 12
00:00:00 GMT-03:00 2026, endDate=Wed Dec 02 00:00:00 GMT-03:00 2026]
Entidade atualizada (UPDATE):Course [id=1, name=Software para persistência
de dados, professorName=Marcelo Akira, hourLoad=128, beginDate=Wed Aug 12
00:00:00 GMT-03:00 2026, endDate=Wed Dec 02 00:00:00 GMT-03:00 2026]
dumpData(json):
[
  {
    "id": 1,
    "name": "Software para persistência de dados",
    "professorName": "Marcelo Akira",
    "hourLoad": 128,
    "beginDate": "2026-08-12",
    "endDate": "2026-12-02"
  }
]
dumpData(xml):
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<courses>
  <course>
    <id>1</id>
    <name>Software para persistência de dados</name>
    <professorName>Marcelo Akira</professorName>
    <hourLoad>128</hourLoad>
    <beginDate>2026-08-12T00:00:00-03:00</beginDate>
    <endDate>2026-12-02T00:00:00-03:00</endDate>
  </course>
</courses>

dumpFile:
courses.json salvo: true
courses.xml salvo: true
createFromJSON:
JSON a ser criado:{
  "id": 0,
  "name": "Teste de Software",
```



```
"professorName": "Edmundo Spoto",
"hourLoad": 64,
"beginDate": "2026-08-12",
"endDate": "2026-12-02"
}
Criado a partir de JSON: Course [id=2, name=Teste de Software,
professorName=Edmundo Spoto, hourLoad=64, beginDate=Wed Aug 12 00:00:00
GMT-03:00 2026, endDate=Wed Dec 02 00:00:00 GMT-03:00 2026]
createFromXML:
XML a ser criado:<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<course>
  <id>0</id>
  <name>Computação Ubíqua</name>
  <professorName>Otávio Calaça</professorName>
  <hourLoad>64</hourLoad>
  <beginDate>2026-08-12T00:00:00-03:00</beginDate>
  <endDate>2026-12-02T00:00:00-03:00</endDate>
</course>

Criado a partir de XML: Course [id=3, name=Computação Ubíqua,
professorName=Otávio Calaça, hourLoad=64, beginDate=Wed Aug 12 00:00:00
GMT-03:00 2026, endDate=Wed Dec 02 00:00:00 GMT-03:00 2026]
importData / importFile:
Objetos importados de String JSON: 1
Objetos importados do arquivo XML: 1
```

Screenshots dos arquivos criados

EXPLORER

AT0708-SERIALIZACAO-DES...
src/main/java/at0708
App.java
Course.java
CourseList.java
CourseRepository.java
CourseSerializerHelper.java
Database.java
target
pom.xml
courses.json
courses.xml
README.md
README.pdf
school.db
Screenshot-2026-08-25at20-11-17.png

1

2

3

4

5

6

7

8

9

10

[

{

"id": 1,

"name": "Software para persistência de dados",

"professorName": "Marcelo Akira",

"hourLoad": 128,

"beginDate": "2026-08-12",

"endDate": "2026-12-02"

}

]

EXPLORER

AT0708-SERIALIZACAO-DES...
src/main/java/at0708
App.java
Course.java
CourseList.java
CourseRepository.java
CourseSerializerHelper.java
Database.java
target
pom.xml
courses.json
courses.xml
README.md
README.pdf
school.db

1

2

3

4

5

6

7

8

9

10

11

12

<?xml version="1.0" encoding="UTF-8" standalone="yes"?>

<courses>

<course>

<id>1</id>

<name>Software para persistência de dados</name>

<professorName>Marcelo Akira</professorName>

<hourLoad>128</hourLoad>

<beginDate>2026-08-12T00:00:00-03:00</beginDate>

<endDate>2026-12-02T00:00:00-03:00</endDate>

</course>

</courses>