

The screenshot shows the Jenkins configuration interface for the 'Zephyr For JIRA - Test Management Configuration' section. It includes fields for 'JIRA Server URL' (https://dummy url), 'User Name' (R), and 'Password'. There are two sections for 'JIRA Server URL' with identical configurations. Buttons for 'Test Configuration' and 'Delete JIRA Server URL' are visible. At the bottom are 'Save' and 'Apply' buttons.

The screenshot shows the Jenkins configuration interface for the 'Katalon' job's 'TroubleshootZephyr' configuration. The 'Build' tab is selected, showing a list of post-build actions. The 'Aggregate downstream test results' action is highlighted. Other actions listed include 'Archive the artifacts', 'Build other projects', 'Cleanup maven repository for unused artifacts', 'HPE Octane Cucumber test reporter', 'HPE Octane UFT Tests Scanner', 'JIRA Issue Results Updater', 'JIRA: Update relevant issues', 'Link to maven deployments', 'Maven invoker Plugin Results', 'Publish HPE SRF Test Results', 'Publish HPE tests result', 'Publish HTML reports', 'Publish JUnit test result report', 'Publish Javadoc', 'Publish Maven Artifacts', 'Publish Selenium HTML Report', 'Record fingerprints of files to track usage', 'Upload test result to ALM', 'Git Publisher', 'Update JIRA Issues (jira-ext-plugin)', and 'E-mail Notification'. A note about setting the workspace root is present. At the bottom are 'Save' and 'Apply' buttons.