Jenkins

- New Item
- People
- Build History
- Manage Jenkins
- Credentials

Build Queue   −

No builds in the queue.

Build Executor Status   −

🖥 **master**

1 Idle
2 Idle

LB107289   **(offline)**

db030421   **(offline)**

System Properties

Name ↓	Value
awt.toolkit	sun.awt.X11.XToolkit
catalina.base	/usr/share/tomcat
catalina.home	/usr/share/tomcat
catalina.useNaming	true
common.loader	${catalina.base}/lib ,${catalina.base}/lib/*.jar ,${catalina.home}/lib ,${catalina.home}/lib/*.jar
file.encoding	UTF-8
file.encoding.pkg	sun.io
file.separator	/
java.awt.graphicsenv	sun.awt .X11GraphicsEnvironment
java.awt.printerjob	sun.print.PSPrinterJob
java.class.path	/usr/share/tomcat/bin /bootstrap.jar:/usr/share /tomcat/bin/tomcat-juli.jar :/usr/share/java/commons -daemon.jar
java.class.version	52.0
java.endorsed.dirs	
java.ext.dirs	/usr/lib/jvm/java-1.8.0 -openjdk-1.8.0.71-2.b15 .el7_2.x86_64/jre/lib/ext :/usr/java/packages/lib/ext
java.home	/usr/lib/jvm/java-1.8.0 -openjdk-1.8.0.71-2.b15 .el7_2.x86_64/jre
java.io.tmpdir	/var/cache/tomcat/temp
java.library.path	/usr/java/packages/lib /amd64:/usr/lib64:/lib64:/lib :/usr/lib
java.naming.factory.initial	org.apache.naming.java .javaURLContextFactory
java.naming.factory.url.pkgs	org.apache.naming
java.runtime.name	OpenJDK Runtime Environment
java.runtime.version	1.8.0_71-b15
java.specification.name	Java Platform API Specification
java.specification.vendor	Oracle Corporation
java.specification.version	1.8
java.util.logging.config.file	/usr/share/tomcat/conf /logging.properties

Help us localize this page

Page generated: Oct 27, 2016 5:21:53 PM   REST API   Jenkins ver. 1.625.3

Jenkins

java.vendor.url	http://java.oracle.com/
java.vendor.url.bug	http://bugreport.sun.com/bugreport/
java.version	1.8.0_71
java.vm.info	mixed mode
java.vm.name	OpenJDK 64-Bit Server VM
java.vm.specification.name	Java Virtual Machine Specification
java.vm.specification.vendor	Oracle Corporation
java.vm.specification.version	1.8
java.vm.vendor	Oracle Corporation
java.vm.version	25.71-b15
jna.platform.library.path	/usr/lib64:/lib64:/usr/lib:/lib
jnidispatch.path	/var/cache/tomcat/temp/jna--868129468/jna3936619512086719387.tmp
line.separator	
mail.smtp.sendpartial	true
mail.smtps.sendpartial	true
org.apache.catalina.startup.ContextConfig.jarsToSkip	
org.apache.catalina.startup.TldConfig.jarsToSkip	tomcat7-websocket.jar
os.arch	amd64
os.name	Linux
os.version	3.10.0-327.10.1.el7.x86_64
package.access	sun.,org.apache.catalina.,org.apache.coyote.,org.apache.jasper.,org.apache.naming.resources.,org.apache.tomcat.
package.definition	sun.,java.,org.apache.catalina.,org.apache.coyote.,org.apache.jasper.,org.apache.naming.,org.apache.tomcat.
path.separator	:
server.loader	
shared.loader	
sun.arch.data.model	64
sun.boot.class.path	/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.71-2.b15.el7_2.x86_64/jre/lib/resources.jar:/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.71-2.b15.el7_2.x86_64/jre/lib/rt.jar:/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.71-2.b15.el7_2.x86_64/jre/lib/sunrsasign.jar:/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.71-2.b15.el7_2.x86_64/jre/lib/jsse.jar:/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.71-2.b15.el7_2.x86_64/jre/lib

Jenkins

	.0-openjdk-1.8.0.71-2.b15 .el7_2.x86_64/jre/lib /charsets.jar:/usr/lib/jvm /java-1.8.0-openjdk-1.8.0 .71-2.b15.el7_2.x86_64/jre /lib/jfr.jar:/usr/lib/jvm/java-1 .8.0-openjdk-1.8.0.71-2 .b15.el7_2.x86_64/jre /classes
sun.boot.library.path	/usr/lib/jvm/java-1.8.0 -openjdk-1.8.0.71-2.b15 .el7_2.x86_64/jre/lib /amd64
sun.cpu.endian	little
sun.cpu.isalist	
sun.font.fontmanager	sun.awt.X11FontManager
sun.io.unicode.encoding	UnicodeLittle
sun.java.command	org.apache.catalina.startup .Bootstrap start
sun.java.launcher	SUN_STANDARD
sun.jnu.encoding	UTF-8
sun.management.compiler	HotSpot 64-Bit Tiered Compilers
sun.os.patch.level	unknown
svnkit.http.methods	Digest,Basic,NTLM ,Negotiate
svnkit.ssh2.persistent	false
tomcat.util.buf.StringCache.byte.enabled	true
tomcat.util.scan.DefaultJarScanner.jarsToSkip	bootstrap.jar,commons -daemon.jar,tomcat-juli.jar ,annotations-api.jar,el-api .jar,jsp-api.jar,servlet-api .jar,websocket-api.jar ,catalina.jar,catalina-ant.jar ,catalina-ha.jar,catalina -tribes.jar,jasper.jar,jasper -el.jar,ecj-*.jar,tomcat-api .jar,tomcat-util.jar,tomcat -coyote.jar,tomcat-dbcp.jar ,tomcat-jni.jar,tomcat-spdy .jar,tomcat-i18n-en.jar ,tomcat-i18n-es.jar,tomcat -i18n-fr.jar,tomcat-i18n-ja .jar,tomcat-juli-adapters.jar ,catalina-jmx-remote.jar ,catalina-ws.jar,tomcat-jdbc .jar,tools.jar,commons -beanutils*.jar,commons -codec*.jar,commons -collections*.jar,commons -dbcp*.jar,commons -digester*.jar,commons -fileupload*.jar,commons -httpclient*.jar,commons-io *.jar,commons-lang*.jar ,commons-logging*.jar ,commons-math*.jar ,commons-pool*.jar,jstl.jar ,geronimo-spec-jaxrpc*.jar ,wsdl4j*.jar,ant.jar,ant-junit

	.jar,nibernate*.jar,httpclient*.jar,jmx-tools.jar,jta*.jar,log4j.jar,log4j-1*.jar,mail*.jar,slf4j*.jar,xercesImpl.jar,xmlParserAPIs.jar,xml-apis.jar,junit.jar,junit-*.jar,hamcrest*.jar,org.hamcrest*.jar,ant-launcher.jar,cobertura-*.jar,asm-*.jar,dom4j-*.jar,icu4j-*.jar,jaxen-*.jar,jdom-*.jar,jetty-*.jar,oro-*.jar,servlet-api-*.jar,tagsoup-*.jar,xmlParserAPIs-*.jar,xom-*.jar
user.country	US
user.dir	/usr/share/tomcat
user.home	/usr/share/tomcat
user.language	en
user.name	tomcat
user.timezone	America/New_York

Environment Variables

Name ↓	Value
CATALINA_HOME	/usr/share/tomcat
CATALINA_TMPDIR	/var/cache/tomcat/temp
HOME	/usr/share/tomcat
JAVA_HOME	/usr/lib/jvm/jre
LANG	en_US.UTF-8
LOGNAME	tomcat
NAME	
NLSPATH	/usr/dt/lib/nls/msg/%L/%N.cat
OLDPWD	/
PATH	/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin
PWD	/usr/share/tomcat
SECURITY_MANAGER	false
SHELL	/bin/nologin
SHLVL	0
TOMCAT_CFG_LOADED	1
TOMCATS_BASE	/var/lib/tomcats/
USER	tomcat
XFILESEARCHPATH	/usr/dt/app-defaults/%L/Dt

Plugins

Name ↓	Version	Enabled	Pinned
ace-editor	1.1	true	false
ant	1.2	true	false
antisamy-markup-formatter	1.1	true	false

Jenkins

branch-api	1.10	true	false
build-pipeline-plugin	1.5.4	true	false
cloudbees-folder	5.12	true	false
conditional-buildstep	1.3.5	true	false
credentials	2.1.4	true	true
cvs	2.11	false	false
durable-task	1.12	true	false
external-monitor-job	1.4	true	false
ghprb	1.33.1	true	false
git	2.5.3	true	false
git-client	1.19.7	true	false
git-server	1.7	true	false
github	1.20.0	true	false
github-api	1.77	true	false
github-oauth	0.24	true	false
github-pullrequest	0.1.0-rc7	true	false
handlebars	1.1.1	true	false
hp-application-automation-tools-plugin	4.5.0	true	false
htmlpublisher	1.11	true	false
javadoc	1.1	true	false
jquery	1.11.2-0	true	false
jquery-detached	1.2.1	true	false
junit	1.18	true	true
ldap	1.11	true	false
mailer	1.17	true	true
mapdb-api	1.0.9.0	true	false
matrix-auth	1.1	true	false
matrix-project	1.7.1	true	true
maven-plugin	2.7.1	true	false
momentjs	1.1.1	true	false
pam-auth	1.1	true	false
parameterized-trigger	2.32	true	false
pipeline-rest-api	1.7	true	false
pipeline-stage-view	1.7	true	false
plain-credentials	1.2	true	false
run-condition	1.0	true	false
scm-api	1.2	true	false
script-security	1.21	true	true
ssh-agent	1.13	true	false
ssh-credentials	1.12	true	true
ssh-slaves	1.9	true	false
structs	1.3	true	false
subversion	2.6	true	true
token-macro	1.12.1	true	false
translation	1.10	true	false
windows-slaves	1.0	true	false

Jenkins

workflow-api	1.14.2	true	false
workflow-basic-steps	1.14.2	true	false
workflow-cps	1.14.2	true	false
workflow-cps-global-lib	1.14.2	true	false
workflow-durable-task-step	1.14.2	true	false
workflow-job	1.14.2	true	false
workflow-multibranch	1.14.2	true	false
workflow-remote-loader	1.2	true	false
workflow-scm-step	1.14.2	true	false
workflow-step-api	1.14.2	true	false
workflow-support	1.14.2	true	false

Thread Dumps

Visit this page for master and slave thread dumps.