Jenkins   Git--NOT--GitHub

⬆ Up

🔍 Status

🔧 **Configure**

Scan Multibranch Pipeline Now

Scan Multibranch Pipeline Log

Multibranch Pipeline Events

🚫 Delete Multibranch Pipeline

👥 People

📝 Build History

🔍 Project Relationship

Check File Fingerprint

Open Blue Ocean

Pipeline Syntax

Credentials

Build Queue	➖
No builds in the queue.	

Build Executor Status	➖
1 Idle	
2 Idle	

Name	Git--NOT--GitHub

Display Name [   ] ❓

Description
```


```
[Plain text] Preview

Branch Sources

Git

Project Repository   [https://github.com/kshultzCB/quality-assurance.git] ❓

Credentials   [kshultzCB/****** (kshultzCB on GH with Token) ▼] 🔑 Add   ❓

Ignore on push notifications ☐   ❓

Repository browser   [(Auto)   ▼] ❓

Additional Behaviours

Advanced checkout behaviours

Timeout (in minutes) for checkout operation [   ]

[Save]   [Apply]

Advanced clone behaviours

Shallow clone   ☐   ❓

Jenkins   Git--NOT--GitHub

Do not fetch tags ☑

Honor refspec on initial clone ☑

Path of the reference repo to use during clone [   ]

Timeout (in minutes) for clone and fetch operations [   ]

[Delete]

Check out to specific local branch

Branch name [FANCY]

[Delete]

Strategy for choosing what to build

Choosing strategy [Ancestry ▼]

The maximum age of a commit (in days) for it to be built. This uses the GIT_COMMITTER_DATE, not GIT_AUTHOR_DATE.

Maximum Age of Commit [10]

If an ancestor commit (sha1) is provided, only branches with this commit in their history will be built.

Commit in Ancestry [   ]

[Delete]

Wipe out repository & force clone

[Delete]

Force polling using workspace

[Delete]

Check out to a sub-directory

Local subdirectory for repo [CheckOutToASubdirectory]

[Delete]

[Add]

[Advanced...]

Property strategy [Named branches get different properties ▼]

Exceptions

[Add exception]

Defaults

[Add property]

[Delete source]

[Add source]   [Save]   [Apply]

Build Configuration

Mode [by Jenkinsfile ▼]

Script Path

Scan Multibranch Pipeline Triggers

☐ Periodically if not otherwise run   ⓘ

Orphaned Item Strategy

☑ Discard old items

Days to keep old items

```
0
```

if not empty, old items are only kept up to this number of days

Max # of old items to keep

```
0
```

if not empty, only up to this number of old items are kept

Health metrics

Health metrics...

Properties

Pipeline Libraries

Sharable libraries available to any Pipeline jobs inside this folder. These libraries will be untrusted, meaning their code runs in the Groovy sandbox.

Add

Pipeline Model Definition

Docker Label

Docker registry URL

Registry credentials   - none - ▼   🔌 Add

Save   Apply