

2.3.7 Assisted Live Lab: Using Set To Perform Social Engineering

MD ABU SAYED (sayedmdabu22@yahoo.com)

Date: 12:05:10 PM 08/07/2026

Time Spent: 01:10:04

Score: 100%

Passing Score: 80%



Question 1

✓ Correct

Which of the following attack types is NOT supported by SET?

- ☐ A Arduino-based
- ☐ B Wireless
- ☐ C Spear phishing
- ☒ D SQL Injection ✓ Correct
- ☐ E Powershell

Task: Use a script to confirm the existence of /root/.set/payload.exe on Kali

✓ Correct

Task: Use a script to confirm the existence of /var/www/html/acctupd.zip on Kali

✓ Correct

Task: Check sendmail

✓ Correct

Task: Verify listener connection

✓ Correct

Question 2

✓ Correct

What is the Computer name displayed by this meterpreter command in the box below?

**Question 3**

✓ Correct

What is the primary defense against the attack that you performed in this lab?

☒ A Do not execute files from email ✓ Correct

☐ B Updating malware scanners

☐ C Implement biometrics

☐ D Update the SPAM filter

Question 4

✓ Correct

Which security framework does SET use to set up listeners?

☐ A Arachni

☒ B Metasploit ✓ Correct

☐ C SMTP binder

☐ D Maltego

Question 5

✓ Correct

The most commonly used features of SET are spear phishing, website spoofing, payload delivery, and mass mailer attacks. True or False?

☒ A True ✓ Correct

☐ B False

Question 6

✓ Correct

What is the primary limitation or restriction in compromising a victim through a SET-crafted email and related exploit script/payload?

- ☒ **A** Client-side security blocking execution ✓ Correct
- ☐ **B** Server keyword filtering
- ☐ **C** Firewall blocking email messages with attachments
- ☐ **D** NAT traversal

Question 7

✓ Correct

Which of the following are true in regard to using SET? (Select all that apply)

- ☒ **A** SET emails can use spoofed source addresses ✓ Correct
- ☐ **B** SET emails must be from a trusted email domain
- ☐ **C** SET payloads are allow-listed in most security filters
- ☒ **D** SET can send messages to a single address or a large group of addresses ✓ Correct
- ☒ **E** SET can send attachments or hyperlinks to malicious scripts or payloads ✓ Correct
- ☒ **F** SET demonstrates the power of combining technology with social engineering ✓ Correct