



Online Judge	Problem Set	Authors	Online Contests	User
<a href="#">Web Board</a> <a href="#">Home Page</a> <a href="#">F.A.Qs</a> <a href="#">Statistical Charts</a>	<a href="#">Problems</a> <a href="#">Submit Problem</a> <a href="#">Online Status</a> Prob.ID: <input type="text"/> <input type="button" value="Go"/>	<a href="#">Register</a> <a href="#">Update your info</a> <a href="#">Authors ranklist</a> <input type="text"/> <input type="button" value="Search"/>	<a href="#">Current Contest</a> <a href="#">Past Contests</a> <a href="#">Scheduled Contests</a> <a href="#">Award Contest</a>	<a href="#">lydliyudong</a> <a href="#">Log Out</a> <a href="#">Mail:5(0)</a> <a href="#">Login Log</a> <a href="#">Archive</a>

## Going Home

Language:  ▾

**Time Limit:** 1000MS

**Memory Limit:** 65536K


**Total Submissions:** 23734

**Accepted:** 11932

## Description

On a grid map there are  $n$  little men and  $n$  houses. In each unit time, every little man can move one unit step, either horizontally, or vertically, to an adjacent point. For each little man, you need to pay a \$1 travel fee for every step he moves, until he enters a house. The task is complicated with the restriction that each house can accommodate only one little man.

Your task is to compute the minimum amount of money you need to pay in order to send these  $n$  little men into those  $n$  different houses. The input is a map of the scenario, a '.' means an empty space, an 'H' represents a house on that point, and an 'm' indicates there is a little man on that point.



You can think of each point on the grid map as a quite large square, so it can hold  $n$  little men at the same time; also, it is okay if a little man steps on a grid with a house without entering that house.

## Input

There are one or more test cases in the input. Each case starts with a line giving two integers N and M, where N is the number of rows of the map, and M is the number of columns. The rest of the input will be N lines describing the map. You may assume both N and M are between 2 and 100, inclusive. There will be the same number of 'H's and 'm's on the map; and there will be at most 100 houses. Input will terminate with 0 0 for N and M.

## Output

For each test case, output one line with the single integer, which is the minimum amount, in dollars, you need to pay.

## Sample Input

```
2 2
.m
H.
5 5
HH..m
.....
.....
.....
mm..H
7 8
...H....
...H....
...H....
mmmHmmm
...H....
...H....
...H....
0 0
```

## Sample Output

```
2
10
28
```

## Source

Pacific Northwest 2004

[\[Submit\]](#) [\[Go Back\]](#) [\[Status\]](#) [\[Discuss\]](#)



[Home Page](#)



[Go Back](#)



[To top](#)

---

All Rights Reserved 2003-2013 Ying Fuchen,Xu Pengcheng,Xie Di  
Any problem, Please [Contact Administrator](#)