Online Judge

F.A.Q Hand In Hand Online Acmers Forum | Discuss Statistical Charts

Online Exercise

Problem Archive
Realtime Judge Status
Authors Ranklist
Search

Online Teaching

C/C++/Java Exams ACM Steps Go to Job Contest LiveCast ICPC@China

Online Contests

Best Coder

VIP | STD Contests

Virtual Contests

DIY | Web-DIY beta

Recent Contests

Exercise Author		
8	用QQ帐号登录	
Author	,	
ID		
Passwor	d	
Sian In	Register new ID	

233 Matrix

Time Limit: 10000/5000 MS (Java/Others) Memory Limit: 65536/65536 K (Java/Others)
Total Submission(s): 2571 Accepted Submission(s): 1503

Problem Description

In our daily life we often use 233 to express our feelings. Actually, we may say 2333, 23333, or 233333... in the same meaning. And here is the question: Suppose we have a matrix called 233 matrix. In the first line, it would be 233, 2333, 23333... (it means $a_{0,1}=233, a_{0,2}=2333, a_{0,3}=23333...$) Besides, in 233 matrix, we got $a_{i,j}=a_{i-1,j}+a_{i,j-1}(i,j\neq 0)$. Now you have known $a_{1,0},a_{2,0},...,a_{n,0}$, could you tell me $a_{n,m}$ in the 233 matrix?

Input

There are multiple test cases. Please process till EOF.

For each case, the first line contains two postive integers $n_1m(n \le 10, m \le 10^9)$. The second line contains $n_1m(n \le 10, n \le 10^9)$.

Output

For each case, output $a_{n,m} \bmod 10000007$.

Sample Input

1 1

2 2

0 0 3 7

23 47 16

Sample Output

234 2799

2799 72937

Hint

Sample Explanations

Case #1:

 $\begin{pmatrix} 0 & 233 \\ 1 & 234 \end{pmatrix}$

Case #2:

 $\begin{pmatrix} 0 & 233 & 2333 \\ 0 & 233 & 2566 \\ 0 & 233 & 2799 \end{pmatrix}$

Source

Recommend

Home | Top

hujie

Statistic | Submit | Discuss | Note

Hangzhou Dianzi University Online Judge 3.0
Copyright © 2005-2017 HDU ACM Team. All Rights Reserved.
Designer & Developer: Wang Rongtao LinLe GaoJie GanLu
Total 0.00000(s) query 1, Server time: 2017-09-17 00:45:22, Gzip enabled

Administration