



PEKING UNIVERSITY

JUNGE ՍՈԼԱՄԲ FUR ACIP/ICPC

Problem Set		
Problems		
Submit Problem		
Online Status		
Prob.ID:	Go	

Author	rs
Register	
Update your info	
Authors ranklist	
	Search

Online Contests
Current Contest
Past Contests
Scheduled Contests
Award Contest

lydliyudong Log Out Mail:5(**0**)
Login Log Archive

User

Language: Default ∨

SOLDIERS

Time Limit: 1000MS Memory Limit: 10000K

Description

N soldiers of the land Gridland are randomly scattered around the country.

A position in Gridland is given by a pair (x,y) of integer coordinates. Soldiers can move - in one move, one soldier can go one unit up, down, left or right (hence, he can change either his x or his y coordinate by 1 or -1).

The soldiers want to get into a horizontal line next to each other (so that their final positions are (x,y), (x+1,y), ..., (x+N-1,y), for some x and y). Integers x and y, as well as the final order of soldiers along the horizontal line is arbitrary.

The goal is to minimise the total number of moves of all the soldiers that takes them into such configuration.

Two or more soldiers must never occupy the same position at the same time.

Input

The first line of the input contains the integer N, $1 \le N \le 10000$, the number of soldiers.

The following N lines of the input contain initial positions of the soldiers: for each i, $1 \le i \le N$, the $(i+1)^{st}$ line of the input file contains a pair of integers x[i] and y[i] separated by a single blank character, representing the coordinates of the ith soldier, $-10000 \le x[i]$, $y[i] \le 10000$.

Output

The first and the only line of the output should contain the minimum total number of moves that takes the soldiers into a horizontal line next to each other.

Sample Input

5

1 2 2 2

1 3

3 -2

3 3

Sample Output

8

Source

CEOI 1998

[Submit] [Go Back] [Status] [Discuss]





All Rights Reserved 2003-2013 Ying Fuchen, Xu Pengcheng, Xie Di Any problem, Please Contact Administrator