uNet Sandbox - exraction filter verification

File outside the Library, Build and .vs Folder that will NOT be extracted….

```
SELECT * FROM DB_RAR_Content WHERE
cflag_will_be_extracted == "0" AND
rar_filename not like "uNet Sandbox\Library%" AND
rar_filename not like "uNet Sandbox\Build%"  AND
rar_filename not like "uNet Sandbox\.vs%"
```

0 elements, perfect.

```
SQL 1 ☒
1    SELECT * FROM DB_RAR_Content WHERE
2    cflag_will_be_extracted == "0" AND
3    rar_filename not like "uNet Sandbox\Library%" AND
4    rar_filename not like "uNet Sandbox\Build%"  AND
5    rar_filename not like "uNet Sandbox\.vs%"
```

```
Ausführung wurde ohne Fehler beendet.
Ergebnis: 0 Zeilen in 36ms zurückgegeben
In Zeile 1:
SELECT * FROM DB_RAR_Content WHERE
cflag_will_be_extracted == "0" AND
rar_filename not like "uNet Sandbox\Library%" AND
rar_filename not like "uNet Sandbox\Build%"  AND
rar_filename not like "uNet Sandbox\.vs%"
```

File inside the Library, Build or .vs Folder that will be extracted….

```
SELECT * FROM DB_RAR_Content WHERE
cflag_will_be_extracted == "1" AND (
rar_filename like "uNet Sandbox\Library%" OR
rar_filename like "uNet Sandbox\Build%"  OR
rar_filename like "uNet Sandbox\.vs%" )
```

0 elements. perfect.

```sql
SELECT * FROM DB_RAR_Content WHERE
cflag_will_be_extracted == "1" AND (
rar_filename like "uNet Sandbox\Library%" OR
rar_filename like "uNet Sandbox\Build%"  OR
rar_filename like "uNet Sandbox\.vs%" )
```

Ausführung wurde ohne Fehler beendet.
Ergebnis: 0 Zeilen in 36ms zurückgegeben
In Zeile 1:
SELECT * FROM DB_RAR_Content WHERE
cflag_will_be_extracted == "1" AND (
rar_filename like "uNet Sandbox\Library%" OR
rar_filename like "uNet Sandbox\Build%" OR
rar_filename like "uNet Sandbox\.vs%")