CS 344: Design and Analysis of Computer Algorithms

Instructor: Kangning Wang

Homework 5: Due on May 3, 2025

Acknowledgment: Our team members are Alexander Lin (al1655), Pranav Tikkawar (pt422), and Ivan Zheng (iz72)

Problem 1

There are n children forming a circle. The i-th child currently has a_i apples. Let $\bar{a} = \frac{\sum_{i=1}^n a_i}{n}$ be the average number of apples that a child has, and we assume that it is an integer.

In one move, we can take one apple from a child and give it to an *adjacent* child. What is the minimum number of moves we have to make to make every child have exactly \bar{a} apples? Model this problem by a flow network with costs, and therefore show that this problem can be solved in polynomial time.

Solution. Here is my solution.

Problem 2

Explicitly construct a bijection between each of the following pairs of sets and therefore show that they have the same cardinality.

- 1. Natural numbers and perfect squares.
- 2. (0,1) and $(1,+\infty)$.
- 3. (-1,1) and \mathbb{R} .
- 4. [0,1] and [0,1).

Solution.

- 1. Here is my solution.
- 2.
- 3.
- 4.

Problem 3

Review the halting problem, and prove that the following problem is also undecidable: Given a Turing machine, decide whether it always correctly decides the set cover problem. (Note that the given Turing machine may not halt on a valid input, in which case it does not correctly decide the set cover problem.)

Solution. Here is my solution.

Problem 4

Prove that the following problem is NP-complete: Given n positive integers that sum to 2W, decide whether we can partition the integers into two parts with equal sum (W each).

Solution. Here is my solution.

Problem 5

Prove that the following problem is NP-complete: Given a weighted directed graph with n vertices and m edges, decide whether the graph has a simple cycle with sum of weights equal to 344. The weight of each edge must be an integer, but can be positive, negative, or zero.

Solution. Here is my solution.