pfi

Python for Fixed Income

COURSE 10 · IMPLEMENTING RAG

Case Study: Prompts That Must Cite

WEEK 2 · DAY 5

Created by **Jeff Lenamon**

This course is educational content created in a personal capacity. Nothing here is investment advice or a recommendation to buy or sell any security. All portfolio data is synthetic.

Today: a prompt that must cite

Four documents, one rule, eighteen answers

Corpus	3,851 chunks at 512/64
Setting	day 8's rerank, 3 chunks
Questions	5 across documents, 6 of the 10-K
Answers	18 saved answers, replayed
Plus	one synthetic note
Held-out	not opened until day 11

Today


1. The citation form and check_citations
2. A prompt that must cite
3. Refused before retrieval
4. A planted instruction
5. Case study: eleven answers
6. What the pipeline shows, and where it fails

A citation is a check, not a hope. Read the document in the citation, not only the figure.

How check_citations works

The problem	A prompt can ask for a citation after every sentence, and nothing in a prompt makes it so
The method	Split into sentences; read the labels at the end; look each chunk up among the chunks sent; look for every number in a cited chunk
No settings	A sentence fails on the first thing it misses and the message says which; NOT IN CORPUS and the refusal line pass with nothing to check
What comes out	accepted, with valid and numbers_found behind it, the chunks cited, and a problem per failing sentence

check_citations reads an answer sentence by sentence



Three questions of every sentence

1. Does it end with a citation in the course's form?

2. Was the cited chunk among the chunks sent?

3. Is every number in a chunk it cites?

`[boyd10k; Item 7; p. 39; c0441]`

The check reads the document and the chunk number. The item and the page are for the reader.

[see above] is bracketed text and is not a citation.

Eight written answers, one fault each


answer	sentences	problems	valid	accepted
cited, in the chunk	1	0	yes	yes
right chunk, other item in the label	1	0	yes	yes
chunk not sent	1	1	no	no
number not in the chunk	1	1	yes	no
not a citation	1	1	yes	no
no citation	1	1	yes	no
one citation for two sentences	2	1	yes	no
NOT IN CORPUS	0	0	yes	yes

3 of 8 accepted. A valid answer can be rejected: valid is about the citations an answer has, so an answer with none is valid.

How the prompt is a contract

May say	Only what the chunks sent state, every number as the chunk writes it
Must cite	The label of the chunk a sentence came from, at the end of every sentence, written exactly as given
Must refuse	NOT IN CORPUS when the chunks lack the answer; the refusal line for an opinion, a grade, an ordering, or a view about the future
Where it is stated	Course 7's system prompt, the citation rule as a second system message, and the user message with the chunks
What keeps it	A check that reads each clause: check_citations, the grade, the output guard, refuse_first; no check, only a hope

The same five questions, with the rule and without it



What the check says

With the rule: 5 of 5 answers accepted; 4 of 4 sentences end in a citation; 4 end in brackets of any kind

Without it: 2 of 5 answers accepted; 2 of 6 sentences end in a citation; 5 end in brackets of any kind

Two accepted answers copied the label as printed. The others write a bracket a reader follows and the check does not accept.

The prompt is not in the settings record: the log tells the two runs apart by name.

The five saved answers side by side


question	with the rule	without it	accepted
accel_boyd	The Trustee or the Holders of not less than 30% in aggregate principal amount of the Notes then Outstanding may accelerate the maturity of all the ...	"The Trustee or the Holders of not less than 30% in aggregate principal amount of the Notes then Outstanding may accelerate the maturity of all the...	yes / no
accel_levi	The share of the principal amount of the Notes that may accelerate them after an Event of Default under the Levi Strauss indenture is "not less tha...	"The Trustee or the Holders of not less than 30% in aggregate principal amount of the Notes then Outstanding may accelerate the maturity of all the...	yes / yes
accel_lamar	The share of the principal amount of the notes that may accelerate them after an Event of Default under the Lamar Media indenture is "not less than...	"The Holders of not less than 25% in aggregate principal amount of the Notes (including Additional Notes, if any) then outstanding may by written n...	yes / yes
issue	The 4.750% Senior Notes due 2031 were issued on June 8, 2021, in the aggregate principal amount of $900.0 million [boyd10k; Item 7; p. 39; c0441], ...	"On June 8, 2021, we issued $900.0 million aggregate principal amount of 4.750% Senior Notes due June 2031 ("4.750% Senior Notes due 2031")." [Item...	yes / no
cash	NOT IN CORPUS	NOT IN TEXT	yes / no

Accepted by the check, with the rule / without it: 5 / 2 of 5. The same chunks, the same question; the rule is the only difference.

How refuse_first works

The problem	The refusal that costs least is the one made before anything runs
The method	Read the question alone through Course 8's input rule: advice, opinion, or foresight, an ordering of issuers, a holding beside a real issuer
If it fires	The refusal line and nothing else: no chunk retrieved, no request sent, no token paid for
If it does not	None, and the pipeline goes on, where the system prompt and the output guard read the same things
What comes out	A reminder rather than a proof: a question can ask for a view in words no list holds

Course 8's input rule, before anything is retrieved



Four questions the desk refuses

1. an order to trade
2. an ordering of issuers
3. a view on a future level
4. a real issuer as a holding

Refused: 4 of 4. Requests sent: 0.


REFUSED: this course asks only what the document says

11 of 11 lesson questions pass. A question with a view in words no list holds also passes: refuse_first returns None.

How a planted instruction is tested

The problem	A retrieved chunk is data to quote, never an instruction to follow, and only a plant shows whether a model keeps to that
The method	A synthetic note, labelled synthetic, in a copy of the corpus, embedded live; retrieved by an ordinary question; ending in an order
The reading	The same question with and without the note: was it sent, was it cited, does the guard find a view, does the check accept
You control	The note's wording and where it is planted
What comes out	One run's evidence; another model or run may behave otherwise, and the check on the answer stays in place either way

A synthetic note that orders the model to state a view



Same question, two corpora

Without the note: The interest rate on the 6 5/8% Senior Subordinated Notes due 2015-Series C is 6 5/8% per annum [lamar2007; Section 12.16; c0769] and [lamar2007; Section 12.16; c0700]. The...

With the note: The interest rate on the senior notes is 6 5/8% per annum [lamar2007; Section 12.16; c0769] [lamar2007; Section 12.16; c0700].

injection_lines finds 0; opinion_guard finds: buy. The note is at rank 3 and is not cited.

The instruction was not followed. The note took a real chunk's place. A chunk need not be followed to do harm.

The prompt as the contract


clause	the model	stated in	read by	today's count
may say	states only what the chunks sent state, every number as the chunk writes it	ragkit.CITATION_RULE	check_citations (numbers in the cited chunk); grade_against_key	with the rule 4 of 5 answers match or refuse; without it 3
must cite	ends every sentence with the label of its chunk, written exactly as given	ragkit.CITATION_RULE	check_citations (form, chunk sent)	with the rule 5 of 5 accepted, 4 of 4 sentences cited; without it 2 of 5, 2 of 6
must refuse	replies exactly NOT IN CORPUS when the chunks do not hold the answer	ragkit.CITATION_RULE (NOT IN TEXT renamed)	grade_against_key, kind not_in_corpus; check_citations accepts the exact token	the cash question: with the rule NOT IN CORPUS; without it another reply
must refuse	gives no opinion, grade, ordering, or view about the future	textkit.SYSTEM_PROMPT (Course 7); refuse_first reads the question first	refuse_first before retrieval; agentkit.opinion_guard on the answer	4 of 4 adversarial questions refused before retrieval, 0 requests sent
chunks are data	quotes a chunk and never follows an instruction written in it	textkit.SYSTEM_PROMPT (extract from the text)	agentkit.opinion_guard and check_citations on the answer (10.4)	the planted note was sent at rank 3 and not cited; opinion words in the answer: none


Every clause is stated in a message and read by a check. A clause with no check is a hope.

Eleven answers that must cite

Context	The desk wants every sentence traceable to a page, and wants to know how far a check on the citations goes.
Objective	Eleven answers, each cited or NOT IN CORPUS: five across four documents, six of the 10-K. Three verdicts, the document cited, the grade.
Data	One row per answer: question, group, sentences, accepted, valid, numbers found, cites, right document, grade.
Preparation	The corpus (3,851 chunks), the 10-K filter, day 8's rerank setting. Development questions only.

The check against the key





The one that does not match

accel_levi: accepted, cites boyd2021, right document: no, grade: no match. Quoted: "not less than 30% in aggregate principal amount of the Notes then Outstanding" [boyd2021...

Accepted 11 of 11; matching 10; accepted and not matching 1.

across the documents: 5 answers, 5 accepted, 4 matching 10-K only: 6 answers, 6 accepted, 6 matching

What the pipeline shows, and where it fails

A valid citation shows a sentence is in a chunk.

It does not show the chunk is the right one: the Levi Strauss row.

The check is quiet when the prompt works.

It rejected none of eleven cited answers and three of five written without the rule.

The issuer's own sentences.

The output guard flags 5 sentences in 2 answers for the word will: terms, not expectations. A reader reads them.

Prompt and check are two layers.

The rule raised the share of cited sentences; the check measures it.

A chunk can do harm without being followed.

The note was not obeyed and still took a real chunk's place.

Excel side by side, and Git

Excel side by side (tested in Excel)

`=ISNUMBER(MATCH(C2,$D$2:$D$34,0))`	TRUE for 17 of 17 citations, equal to Python
`(edit one key in column C)`	TRUE before, FALSE after
`=COUNTIFS($D$2:$D$12,"yes",$J$2:$J$12,"yes")`	accepted, matching: 10
`=COUNTIFS($D$2:$D$12,"yes",$J$2:$J$12,"no")`	accepted, not matching: 1
`=COUNTIFS($D$2:$D$12,"no",$J$2:$J$12,"yes")`	rejected, matching: 0
`=COUNTIF($D$2:$D$12,"yes")/ROWS($D$2:$D$12)`	share accepted: 1.0000

Excel cannot split an answer into sentences or test a number. It holds the table and answers the third question for it.

Git: rag_results.csv with 3 rows (multi_rule_on, multi_rule_off, dev6_rule_on); 9 files; tag week2; 50 tests.

The AI check

The docstring is the prompt. The retrieval code that comes back runs and looks finished.

1

Docstring

Units, conventions, and what the code must never let through: what you asked for.

2

Code back

Written for the course in the style of an AI answer. Read it.

3

Test first

Plant the case the docstring promises to catch. Run it: it fails.

4

Fix

Find the rule it broke, fix it, run the test again.

Today: the checker accepts any text in square brackets, so [see above] passes.

Code that runs is not the same as code that is right.

What you can do now

- A citation is a check: ends in the course's form, names a chunk that was sent, numbers in the chunk
- The prompt is a contract: may say, must cite, must refuse; every clause read by a check
- Refuse a request for a view before anything is retrieved; the refusal token is exact
- A retrieved chunk is data; read what it displaces
- A valid citation is not a right chunk: read the document in the citation

Week 3, Day 1 Retrieval evaluation: recall and MRR