Codebook for UCI HAR average of means/std measurements tidydata

The dataset contains information regarding all 30 UCI HAR subjects, 6 activities performed by each subject, and 79 mean and standard deviation categories of smartphone measurements captured and processed by the UCI HAR team.

Subject: 1:30, subjects in the experiment as assigned by UCI HAR team. Subjects # 2, 4, 9, 10, 12, 13, 18, 20, and 24 were test subjects (randomly assigned) Subjects # 1, 3, 5, 6, 7, 8, 11, 14, 15, 16, 17, 19, 21, 22, 23, 25, 26, 27, 28, 29, 30 were training subjects (randomly assigned)

Activity: 6 activities performed

- Walking
- Walking upstairs
- Walking downstairs
- Sitting
- Standing
- Laying

For each subject and activity, there is a mean calculation of the following measurements:

- "tBodyAcc-mean-X"
- "tBodyAcc-mean-Y"
- "tBodyAcc-mean-Z"
- "tBodyAcc-std-X"
- "tBodyAcc-std-Y"
- "tBodyAcc-std-Z"
- "tGravityAcc-mean-X"
- "tGravityAcc-mean-Y"
- "tGravityAcc-mean-Z"
- "tGravityAcc-std-X"
- "tGravityAcc-std-Y"
- "tGravityAcc-std-Z"

- "tBodyAccJerk-mean-X"
- "tBodyAccJerk-mean-Y"
- "tBodyAccJerk-mean-Z"
- "tBodyAccJerk-std-X"
- "tBodyAccJerk-std-Y"
- "tBodyAccJerk-std-Z"
- "tBodyGyro-mean-X"
- "tBodyGyro-mean-Y"
- "tBodyGyro-mean-Z"
- "tBodyGyro-std-X"
- "tBodyGyro-std-Y"
- "tBodyGyro-std-Z"
- "tBodyGyroJerk-mean-X"
- "tBodyGyroJerk-mean-Y"
- "tBodyGyroJerk-mean-Z"
- "tBodyGyroJerk-std-X"
- "tBodyGyroJerk-std-Y"
- "tBodyGyroJerk-std-Z"
- "tBodyAccMag-mean"
- "tBodyAccMag-std"
- "tGravityAccMag-mean"
- "tGravityAccMag-std"
- "tBodyAccJerkMag-mean"
- "tBodyAccJerkMag-std"
- "tBodyGyroMag-mean"
- \bullet "tBodyGyroMag-std"
- "tBodyGyroJerkMag-mean"
- "tBodyGyroJerkMag-std"

- "fBodyAcc-mean-X"
- "fBodyAcc-mean-Y"
- "fBodyAcc-mean-Z"
- "fBodyAcc-std-X"
- "fBodyAcc-std-Y"
- "fBodyAcc-std-Z"
- "fBodyAcc-meanFreq-X"
- "fBodyAcc-meanFreq-Y"
- "fBodyAcc-meanFreq-Z"
- "fBodyAccJerk-mean-X"
- "fBodyAccJerk-mean-Y"
- "fBodyAccJerk-mean-Z"
- "fBodyAccJerk-std-X"
- "fBodyAccJerk-std-Y"
- "fBodyAccJerk-std-Z"
- "fBodyAccJerk-meanFreq-X"
- "fBodyAccJerk-meanFreq-Y"
- "fBodyAccJerk-meanFreq-Z"
- "fBodyGyro-mean-X"
- "fBodyGyro-mean-Y"
- "fBodyGyro-mean-Z"
- \bullet "fBodyGyro-std-X"
- "fBodyGyro-std-Y"
- "fBodyGyro-std-Z"
- "fBodyGyro-meanFreq-X"
- "fBodyGyro-meanFreq-Y"
- "fBodyGyro-meanFreq-Z"
- "fBodyAccMag-mean"

- \bullet "fBodyAccMag-std"
- $\bullet \ \ "fBodyAccMag-meanFreq" \\$
- "fBodyBodyAccJerkMag-mean"
- $\bullet \ \ "fBodyBodyAccJerkMag-std"$
- $\bullet \ \ "fBodyBodyAccJerkMag-meanFreq"$
- \bullet "fBodyBodyGyroMag-mean"
- $\bullet \ "fBodyBodyGyroMag-std"$
- $\bullet \ \ "fBodyBodyGyroMag-meanFreq"$
- $\bullet \ \ "fBodyBodyGyroJerkMag-mean"$
- $\bullet \ \ "fBodyBodyGyroJerkMag-std"$
- "fBodyBodyGyroJerkMag-meanFreq"