MATH 3100 SPRING 2022. LECTURE SUMMARIES

LEONID PETROV

LECTURE 1. JANUARY 19

Introductory lecture, just saying hello to the students.

LECTURE 2. NO DEADLINE

Section 1.1

A recording of an in-class piece, explaining the definition of the probability space Ω, events $\mathcal{F}$, and probability measure $P(A)$.

LECTURE 3. JANUARY 21

Sections 1.1–1.2.

- Recalling $(\Omega, \mathcal{F}, P)$.
- Finite sample spaces, when it is enough to specify $P(\{\omega\})$ for each singleton $\omega \in \Omega$. We only need to have $P(\{\omega\}) \geq 0$ and $\sum_{\omega \in \Omega} P(\{\omega\}) = 1$
- Biased coin, 2 flips — example
- Equally likely outcomes, $P(A) = \frac{\#A}{\#\Omega}$.
- Example with urns.

LECTURE 4. JANUARY 24

Section 1.2. Discussing 3 settings, when we sample k times from n objects. This is an instance of equally likely outcomes. Recall the factorial:

$$\begin{cases} n! = 1 \cdot 2 \cdot 3 \cdot \ldots \cdot n, & n \geq 1 \\ 0! = 1. \end{cases}$$

So, $0! = 1$, $1! = 1$, $2! = 2$, $3! = 6$, $4! = 24$, and so on.

- Sampling with replacement, order matters: $\#\Omega_k = n^k$.
- Sampling without replacement, order matters: $\#\Omega_k = n(n-1)\ldots(n-k+1) = \dfrac{n!}{(n-k)!}$.
- Sampling without replacement, order does not matter:

$$\#\Omega_k = \frac{n(n-1)\ldots(n-k+1)}{k!} = \frac{n!}{k!\,(n-k!)} = \binom{n}{k}.$$

The quantity $\binom{n}{k}$ has a special name, "binomial coefficient".

LECTURE 5. JANUARY 26

Section 1.3.

- Probability space for rolling a die until you see a "6"
- How to sum the geometric progression
- Continuous sample spaces, $[0, 1]$ with length measure
- How to draw a random line in the plane (one example)

LECTURE 6. JANUARY 28

Section 1.4. Rules of probability (theory only).

- Venn diagrams. Probability "behaves like the area of a Venn diagram"
- Decomposing an event
- Complements, also $P(A) = P(AB) + P(AB^c)$
- Monotonicity of probability
- Inclusion-exclusion

LECTURE 7. JANUARY 31

Section 1.4. Examples on rules of probability — inclusion/exclusion principle; helpful passing to the complement event A^c.

A first look on random variables: if we flip a fair coin 5 times, and let Y be the number of Heads, what is the probability distribution of Y? This is described in terms of the probability mass function, which in this case takes the form

$$P(Y = 0) = \frac{1}{32}, \quad P(Y = 1) = \frac{5}{32}, \quad P(Y = 2) = \frac{10}{32}, \quad P(Y = 3) = \frac{10}{32}, \quad P(Y = 4) = \frac{5}{32}, \quad P(Y = 5) = \frac{1}{32}.$$

LECTURE 8. FEB 2

Section 1.5. Random variables.

- Definition of a random variable
- Splitting of Ω into level sets
- Discrete, continuous, and other random variables
- Examples of discrete random variables
- Probability mass function (pmf)
- Distribution of a random variable, example of two random variables with the same distribution which are not the same.

LECTURE 9. FEBRUARY 4

Sections 2.1, 2.2. Conditional probabilities, Bayes rule.

- Conditional probability — motivating example
- Definition of $P(A \mid B)$
- Chain product of conditional probabilities
- Total probability formula (averaged conditional probabilities)
- Bayes rule
- An example, testing for rare diseases

Lecture 10. February 7

Section 2.3. Independence.
- Recall Bayes rule. One more example.
- Independence of two events.
- Independence of A, B is equivalent to the independence of A^c, B and of A^c, B^c.
- Examples 2.18, 2.21
- Independence of multiple events means we need lots of product rules.
- Independence of random variables. Coin flips. Digits in uniformly random $\omega \in [0, 1]$.

Lecture 11. February 11

Sections 3.1, 3.2.
- Discrete random variables. They are determined through pmf. Pmf properties (2) - non-negativity, sum to one. Probability through pmf as a sum.
- Continuous random variables, in the same fashion. Probability density function. Properties of pdf (2); Probability through integrals.
- Cumulative distribution function (cdf).
    - definition
    - how it looks for continuous r.v.; connection to pdf
    - how it looks for discrete r.v.
    Some examples.

Lecture 11.1. February 11

This is an example of finding cdfs of random variables (X, Y) which are coordinates of a uniformly random point thrown into some figure in the plane.

Lecture 12. February 14

Section 3.3. Expectation.
- Expectation - discrete rv
- Expectation - continuous rv
- Example - Bernoulli; binomial without proof
- Example - geometric
- Derivative technique
- Use derivatives to get expectation of geometric
- Application to binomial distribution.
- One more example of the computation of expectation for a continuous random variable.

Lecture 13. February 21

Sections 3.1–3.4. Expectation, variance, derivative method.
- Expectation of a function of a random variable. Discussion and definitions for discrete and continuous cases.
- Variance. Definition, discussion.
- Two formulas for the variance. If $E(X) = \mu$, then

$$Var(X) = E\left((X - \mu)^2\right) = E\left(X^2\right) - \mu^2.$$

The first formula explains why variance is nonnegative, and the second formula is more practical for computation of the variance.

- Discussion of the derivative method. Application to compute

$$E(X), \qquad E\left(\frac{1}{1+X}\right)$$

for the Poisson random variable, where $p_X(k) = e^{-\lambda}\dfrac{\lambda^k}{k!}$, $k = 0, 1, 2, \ldots$.

Lecture 14. February 25

Sections 3.5, 4.1. Normal (= Gaussian) distribution, normal approximation.
- (neat thing) Expectation through cdf $F_X(x)$
- Linearity of E, transformations of Var
- Normal distribution (standard)
- Normal table
- Normalization, general normal distribution
- Approximation of the binomial distribution — Central Limit Theorem (CLT)
- On the proof of CLT

Lecture 15 part 1. March 2

Sections 4.1, 4.2.
- Recall Central Limit Theorem.
- Law of Large Numbers. Discussion: frequency interpretation of probability.
- Law of Large Numbers. Proof from Central Limit Theorem.

Lecture 15 part 2. March 2

Section 4.4 (beginning). Poisson approximation of the binomial distribution — computation of the limit of $P(S_n = k)$ as $n \to +\infty$, $p \to 0$, $np \to \lambda$ (where $\lambda > 0$ is a fixed real number), and k is fixed.

Lecture 16. March 4

Section 4.4 and 4.5. Poisson random variable, exponential random variable. Their pmf (Poisson) and pdf (exponential); expectation, and variance.
If $X \sim \text{Poiss}(\lambda)$ and $T \sim \text{Exp}(\lambda)$, then

$$E(X) = Var(X) = \lambda, \qquad E(T) = \frac{1}{\lambda}, \qquad Var(T) = \frac{1}{\lambda^2}.$$

Lecture 17. March 14

Sections 4.4–4.6. Poisson process from coin flipping.
- Two descriptions of the coin-flipping process: through number of heads having binomial distribution; and through inter-heads intervals which have geometric distribution.
- Limit as $n \to \infty$ and $p = \lambda/n$. Geometric distribution becomes exponential, and binomial distribution becomes Poisson.
- The whole coin-flipping process in the scaling limit turns into a new device, the Poisson process. Poisson process is a random collection of points on the nonnegative real line, with Poisson and exponential distributions built into its definition.