


Lab 8 Submission

Question 1




```
1/1 + [ ] [ ] Tilix: lenjrg@cis106: ~/lab8
1: lenjrg@cis106: ~/lab8
All files in my home directory
lenjrg@cis106:~$ cd lab8/
lenjrg@cis106:~/lab8$ echo "All files in my home directory" > file_report.txt
lenjrg@cis106:~/lab8$ ls -Am ~ file_report.txt
file_report.txt

/home/lenjrg:
.bash_aliases, .bash_history, .bash_logout, .bashrc, bastet, .cache, cis106, code, .config, Desktop,
Documents, .dotnet, Downloads, essentials.sh, .face, .face.icon, .fonts, .gitconfig, .gnupg, inClassActivity,
lab5files, lab6-challenge1, lab6-challenge2, lab8, .local, .mozilla, Music, Pictures, .pki, .profile, Public,
q, scripts, snap, snapshots, .ssh, .sudo_as_admin_successful, Templates,
.vboxclient-clipboard-tty2-control.pid, .vboxclient-clipboard-tty2-service.pid,
.vboxclient-draganddrop-tty2-control.pid, .vboxclient-hostversion-tty2-control.pid,
.vboxclient-seamless-tty2-control.pid, .vboxclient-vmsvga-session-tty2-control.pid,
.vboxclient-vmsvga-session-tty2-service.pid, Videos, .vscode, vscode.sh, website, .wget-hsts,
wildcardpractice, wildcardcards-in-class-activity-instructions.html
lenjrg@cis106:~/lab8$ cat file_report.txt
All files in my home directory
lenjrg@cis106:~/lab8$ ls -Am ~ >> file_report.txt
lenjrg@cis106:~/lab8$ cat file_report.txt
All files in my home directory
.bash_aliases, .bash_history, .bash_logout, .bashrc, bastet, .cache, cis106,
code, .config, Desktop, Documents, .dotnet, Downloads, essentials.sh, .face,
.face.icon, .fonts, .gitconfig, .gnupg, inClassActivity, lab5files,
lab6-challenge1, lab6-challenge2, lab8, .local, .mozilla, Music, Pictures, .pki,
.profile, Public, q, scripts, snap, snapshots, .ssh, .sudo_as_admin_successful,
Templates, .vboxclient-clipboard-tty2-control.pid,
.vboxclient-clipboard-tty2-service.pid,
.vboxclient-draganddrop-tty2-control.pid,
.vboxclient-hostversion-tty2-control.pid, .vboxclient-seamless-tty2-control.pid,
.vboxclient-vmsvga-session-tty2-control.pid,
.vboxclient-vmsvga-session-tty2-service.pid, Videos, .vscode, vscode.sh,
website, .wget-hsts, wildcardpractice,
wildcardcards-in-class-activity-instructions.html
lenjrg@cis106:~/lab8$
```

Question 2

Practice 1



```
1/1 + [ ] [ ] TiliX: lenjrg@cis106: ~/lab8
1: lenjrg@cis106: ~/lab8
lenjrg@cis106:~/lab8$ rm file_report.txt
lenjrg@cis106:~/lab8$ echo "Total number of files in my home directory" >> file_report.txt
lenjrg@cis106:~/lab8$ ls -lA
total 4
-rw-rw-r-- 1 lenjrg lenjrg 43 Dec  3 13:21 file_report.txt
lenjrg@cis106:~/lab8$ ls -lA ~ | grep "^_" | wc -l
21
lenjrg@cis106:~/lab8$ ls -lA ~ | grep "^_" | wc -l >> file_report.txt
lenjrg@cis106:~/lab8$ ls -lA ~ | grep "^d" | wc -l >> file_report.txt
lenjrg@cis106:~/lab8$ tail file_report.txt
Total number of files in my home directory
21
30
lenjrg@cis106:~/lab8$
```

Practice 2

```

1/1 + [ ] [ ]
Tilix: lenjrg@cis106: ~/lab8
1: lenjrg@cis106: ~/lab8
lenjrg@cis106:~/lab8$ rm file_report.txt
lenjrg@cis106:~/lab8$ echo "Total number of files in my home directory" >> file_report.txt
lenjrg@cis106:~/lab8$ ls -lA
total 4
-rw-rw-r-- 1 lenjrg lenjrg 43 Dec  3 13:21 file_report.txt
lenjrg@cis106:~/lab8$ ls -lA ~ | grep "^-" | wc -l
21
lenjrg@cis106:~/lab8$ ls -lA ~ | grep "^-" | wc -l >> file_report.txt
lenjrg@cis106:~/lab8$ ls -lA ~ | grep "^d" | wc -l >> file_report.txt
lenjrg@cis106:~/lab8$ tail file_report.txt
Total number of files in my home directory
21
30
lenjrg@cis106:~/lab8$

```

```

gnome-remote-desktop /usr/sbin/nologin
saned /usr/sbin/nologin
polkitd /usr/sbin/nologin
rtkit /usr/sbin/nologin
colord /usr/sbin/nologin
Debian-gdm /bin/false
lenjrg /bin/bash
_flatpak /usr/sbin/nologin
vboxadd /bin/false
lenjrg@cis106:~$ awk -F":" '{print $1,$NF}' /etc/passwd

```

Practice 3

```

twupd-refresh /usr/sbin/nologin /var/lib/twupd
geoclue /usr/sbin/nologin /var/lib/geoclue
gnome-remote-desktop /usr/sbin/nologin /var/lib/gnome-remote-deskt
saned /usr/sbin/nologin /var/lib/saned
polkitd /usr/sbin/nologin /
rtkit /usr/sbin/nologin /proc
colord /usr/sbin/nologin /var/lib/colord
Debian-gdm /bin/false /var/lib/gdm3
lenjrg /bin/bash /home/lenjrg
_flatpak /usr/sbin/nologin /nonexistent
vboxadd /bin/false /var/run/vboxadd
lenjrg@cis106:~$ awk -F":" '{print $1,$NF,$6}' /etc/passwd

```

```

The user cups-pk-helper logs in with:/usr/sbin/nologin and its home dir is:/nonexistent
The user fwupd-refresh logs in with:/usr/sbin/nologin and its home dir is:/var/lib/fwupd
The user geoclue logs in with:/usr/sbin/nologin and its home dir is:/var/lib/geoclue
The user gnome-remote-desktop logs in with:/usr/sbin/nologin and its home dir is:/var/lib/gnome-remote-desktop
The user saned logs in with:/usr/sbin/nologin and its home dir is:/var/lib/saned
The user polkitd logs in with:/usr/sbin/nologin and its home dir is:/
The user rtkit logs in with:/usr/sbin/nologin and its home dir is:/proc
The user colord logs in with:/usr/sbin/nologin and its home dir is:/var/lib/colord
The user Debian-gdm logs in with:/bin/false and its home dir is:/var/lib/gdm3
The user lenjrg logs in with:/bin/bash and its home dir is:/home/lenjrg
The user _flatpak logs in with:/usr/sbin/nologin and its home dir is:/nonexistent
The user vboxadd logs in with:/bin/false and its home dir is:/var/run/vboxadd
lenjrg@cis106:~$ awk -F":" '{print "The user "$1,"logs in with:" $NF,"and its home dir is:" $6}' /etc/passwd

geoclue = /usr/sbin/nologin
gnome-remote-desktop = /usr/sbin/nologin
saned = /usr/sbin/nologin
polkitd = /usr/sbin/nologin
rtkit = /usr/sbin/nologin
colord = /usr/sbin/nologin
Debian-gdm = /bin/false
lenjrg = /bin/bash
_flatpak = /usr/sbin/nologin
vboxadd = /bin/false
lenjrg@cis106:~$ awk -F":" '{print $1" = "$NF}' /etc/passwd | grep "/bin/bash"
root = /bin/bash
lenjrg = /bin/bash
lenjrg@cis106:~$ awk -F":" '{print $1" = "$NF}' /etc/passwd | grep "/bin/bash" >> report_users.txt
lenjrg@cis106:~$

```

Practice 4

```
lenjrg@cis106:~/Documents/sample_files/Csv$ cat ~/lab8/honda1.csv
==> /home/lenjrg/Documents/sample_files/Csv/cars.csv <==
Car;MPG;Cylinders;Displacement;Horsepower;Weight;Acceleration;Model;Origin
Honda Civic;24.0;4;120.0;97.00;2489.;15.0;74;Japan
Honda Civic CVCC;33.0;4;91.00;53.00;1795.;17.5;75;Japan
Honda Civic;33.0;4;91.00;53.00;1795.;17.4;76;Japan
Honda Accord CVCC;31.5;4;98.00;68.00;2045.;18.5;77;Japan
Honda Civic CVCC;36.1;4;91.00;60.00;1800.;16.4;78;Japan
Honda Accord LX;29.5;4;98.00;68.00;2135.;16.6;78;Japan
Honda Civic 1500 gl;44.6;4;91.00;67.00;1850.;13.8;80;Japan
Honda Accord;32.4;4;107.0;72.00;2290.;17.0;80;Japan
Honda Civic 1300;35.1;4;81.00;60.00;1760.;16.1;81;Japan
Honda Prelude;33.7;4;107.0;75.00;2210.;14.4;81;Japan
Honda Accord;36.0;4;107.0;75.00;2205.;14.5;82;Japan
Honda Civic;38.0;4;91.00;67.00;1965.;15.0;82;Japan
Honda Civic (auto);32.0;4;91.00;67.00;1965.;15.7;82;Japan
lenjrg@cis106:~/Documents/sample_files/Csv$

==> /home/lenjrg/Documents/sample_files/Csv/cars.csv <==
Car,MPG,Cylinders,Displacement,Horsepower,Weight,Acceleration,Model,Origin
Honda Civic,24.0,4,120.0,97.00,2489.,15.0,74,Japan
Honda Civic CVCC,33.0,4,91.00,53.00,1795.,17.5,75,Japan
Honda Civic,33.0,4,91.00,53.00,1795.,17.4,76,Japan
Honda Accord CVCC,31.5,4,98.00,68.00,2045.,18.5,77,Japan
Honda Civic CVCC,36.1,4,91.00,60.00,1800.,16.4,78,Japan
Honda Accord LX,29.5,4,98.00,68.00,2135.,16.6,78,Japan
Honda Civic 1500 gl,44.6,4,91.00,67.00,1850.,13.8,80,Japan
Honda Accord,32.4,4,107.0,72.00,2290.,17.0,80,Japan
Honda Civic 1300,35.1,4,81.00,60.00,1760.,16.1,81,Japan
Honda Prelude,33.7,4,107.0,75.00,2210.,14.4,81,Japan
Honda Accord,36.0,4,107.0,75.00,2205.,14.5,82,Japan
Honda Civic,38.0,4,91.00,67.00,1965.,15.0,82,Japan
Honda Civic (auto),32.0,4,91.00,67.00,1965.,15.7,82,Japan
lenjrg@cis106:~/lab8$ sed 's/;/,/g' honda1.csv > honda2.csv
lenjrg@cis106:~/lab8$
```

2: lenjrg@cis106: ~/lab8

Honda_Accord LX,4,68.00
Honda_Civic 1500 gl,4,67.00
Honda_Accord,4,72.00
Honda_Civic 1300,4,60.00
Honda_Prelude,4,75.00
Honda_Accord,4,75.00
Honda_Civic,4,67.00
Honda_Civic (auto),4,67.00
lenjrg@cis106:~/lab8\$ awk -F",", " 'NR > 2 {print \$1,"",\$3,"",\$5}' honda2.csv | s
ed 's/ , /,/g' | sed 's/Honda /Honda_/g' >> honda3.csv
lenjrg@cis106:~/lab8\$ batcat honda3.csv

	File: honda3.csv
1	Honda_Civic,4,97.00
2	Honda_Civic CVCC,4,53.00
3	Honda_Civic,4,53.00
4	Honda_Accord CVCC,4,68.00
5	Honda_Civic CVCC,4,60.00
6	Honda_Accord LX,4,68.00
7	Honda_Civic 1500 gl,4,67.00
8	Honda_Accord,4,72.00
9	Honda_Civic 1300,4,60.00
10	Honda_Prelude,4,75.00
11	Honda_Accord,4,75.00
12	Honda_Civic,4,67.00
13	Honda_Civic (auto),4,67.00


Challenge Question 3

```
lenjrg@cis106:~/lab8/broken/broken/assets$ cd ..
lenjrg@cis106:~/lab8/broken/broken$ ls
assets  contact.html  index.html  js  projects.html  resume.html  styles.css
lenjrg@cis106:~/lab8/broken/broken$ ls -lX
assets
js
styles.css
contact.html
index.html
projects.html
resume.html
lenjrg@cis106:~/lab8/broken/broken$ mkdir css
lenjrg@cis106:~/lab8/broken/broken$ mv styles.css css/
lenjrg@cis106:~/lab8/broken/broken$ mv styles.css css/
```

```
lenjrg@cis106:~/lab8/broken/broken$ batcat index.html
lenjrg@cis106:~/lab8/broken/broken$ batcat index.html
lenjrg@cis106:~/lab8/broken/broken$ firefox index.html
lenjrg@cis106:~/lab8/broken/broken$
```

```
lenjrg@cis106:~/lab8/broken/broken$ grep "contact.html" index.html
<li class="nav-item"><a class="nav-link" href="contact.html">Con
tact</a></li>
lenjrg@cis106:~/lab8/broken/broken$ grep "src" index.html

<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/js/bootstrap.bundle.m
in.js"></script>
<script src="js/scripts.js"></script>
lenjrg@cis106:~/lab8/broken/broken$ mkdir js
```



Start Bootstrap

Home Resume Projects Contact

DESIGN · DEVELOPMENT · MARKETING

I can help your business to

Get online and
grow fast



```
lenjrg@cis106:~/lab8/broken/broken$ firefox index.html
lenjrg@cis106:~/lab8/broken/broken$ cd lab
lab5files/  lab6-challenge1/ lab8/
lenjrg@cis106:~/lab8$ cd lab8/
lenjrg@cis106:~/lab8$ cd broken/broken/
lenjrg@cis106:~/lab8/broken/broken$ firefox index.html
lenjrg@cis106:~/lab8/broken/broken$
```