



# React and Node workshop

Making a full-stack web app with Spotify API



# React+Node

localhost:4000

## Music Hub

Filter... [+] [+ from Spotify]



Love Like This  
Kodaline  
In A Perfect World



Castle on the Hill  
Ed Sheeran  
Deluxe



Girls Like You  
(feat. Cardi B)  
Maroon 5  
Girls Like You  
(feat. Cardi B)



Madness  
Muse  
The 2nd Law

# Preview

# me



Lenny

(Lenmor Larroza Dimanalata)

Web Developer at Autodesk



I love hackathons and coding  
projects



lenmorld

Github, Linkedin, lenmorld@live.com



# you

- You have an interest in web dev
- You may have heard of React, Node and curious about it
- You have some knowledge (or interest) in HTML, CSS, JS, web stuff



# What is this about?

Full-stack web app development with:

- React: UI (frontend) JS framework
- Node: server (backend) JS framework
- Important JS stuff for web app dev

We will discuss passively:

- Webpack
- Npm
- ES6

Depending on time, we may not touch on:

- CSS
- Advanced JS stuff



# Prerequisites

For Windows users:

Check out this doc if having problems with Node,  
npm installation

<https://goo.gl/WN3LmA>

Please do the following to take advantage of this workshop:

1. Join the Slack **reactnoderworkshop** <https://goo.gl/buZF71>
2. Install Git and Sign up to Github (if you don't have one yet)
  - You'll need this to fork the Github Repo
3. Install Chrome/Firefox
4. Install node - install **latest LTS version**
  - Download and install from <https://nodejs.org/en/download/>
  - To test: <https://nodejs.org/en/docs/guides/getting-started-guide/>
5. Install mongodb (we will use mLab but local DB is good to have)
  - Follow <https://docs.mongodb.com/manual/installation/>
6. Check out the cheat sheet <https://goo.gl/m8i2qc> for some supplementary guides



# Git setup

1. Log-in to github
2. Go to <https://github.com/lenworld/rnw>

3. In github, fork branch



1

- You'll be asked to login to your github account

4. On local terminal, clone the repo

```
$ git clone https://github.com/<username>/rnw.git
```

or use SSH if you'd like

5. Checkout dev branch (which should be an empty slate)

```
$ cd rnw
```

```
$ git checkout dev
```

6. Open code editor with **rnw** as the root directory

7. **We're ready!**



# Exploring workshop code

1. Each chapter/step is numbered, corresponding to a github branch
2. See diff at any step, e.g. to see code in step c1.6

[https://github.com/<user\\_name>/rnw/compare/c1.5...c1.6](https://github.com/<user_name>/rnw/compare/c1.5...c1.6)

Or use



3. Checkout code at any step, e.g:

```
$ git stash                                // (or push in a new branch)
$ git checkout <chapter>      // e.g.      git checkout c4.1
$ npm install                               // very important to make code work
```

4. Try your best to catch up. Material could go fast
5. Code is all yours after (MIT License)

*\*\* The git stuff is also in the cheat sheet <https://goo.gl/m8i2gc>*

# Have these links handy (or open in your browser)!

- RNW Repo: <https://github.com/<username>/rnw/>
  - Either your username or mine: **lenmorld**
- RNW extra files: [https://github.com/lenmorld/rnw\\_files/](https://github.com/lenmorld/rnw_files/)
- Cheat sheet: <https://goo.gl/m8i2gc>
- Slack
- RNW compare branches: e.g.  
<https://github.com/<username>/rnw/compare/c3.3...c3.4>
- Codesandbox - testing/understanding a piece of code separate from app:  
<https://codesandbox.io/u/lenmorld/sandboxes>

# Node Basics

# c1.0 Hello World console.log()

Execute *node server.js*

```
$ node server.js  
>> Hello World!
```

Sample directory structure:


```
react_node_workshop/  
    server.js  
    README.md  
    ...
```



# c1.1 - Hello World! server

```
# to run server  
$ node server.js  
>> Starting server at 4000  
  
# CRTL+C to stop server
```

```
// server.js  
  
// import built-in Node package  
var http = require('http');  
var port = 4000;  
  
var server = http.createServer(function (req, res) {    // Callback function  
    // Response header  
    res.writeHead(200, { "Content-Type": "text/plain" });  
    // send response  
    res.end("Hello World\n");  
});  
  
server.listen(port, function () {    // Callback function  
    console.log("Starting server at " + port);  
});
```



# C1.2 - Hello World - JSON

```
// server.js


// import built-in Node package
var http = require('http');
var port = 4000;

var server = http.createServer(function (req, res) { // Callback function
    // Response header
    res.writeHead(200, { "Content-Type": "application/json" });

    // JSON object
    var song = {
        id: 12345,
        favorite: false,
        title: "Hello World",
        artist: "Node programmer",
        album: "Node EP"
    };

    // send JSON response to client
    res.end(JSON.stringify(song));      // JSON.stringify({a: 1}) -> '{"a":1}'
});

server.listen(port, function () { // Callback function
    console.log("Starting server at " + port);
});
```



```
# to restart server
# CRTL+C to stop server
$ node server.js
>> Starting server at 4000
```


# C1.3 - Hello World - HTML

```
// import built-in Node package
var http = require('http');
var port = 4000;

var server = http.createServer(function (req, res) { // Callback function
    // Response header
    res.writeHead(200, { "Content-Type": "text/html" });

    // send HTML response to client
    res.end("<h1>Hello World</h1>");
});

server.listen(port, function () { // Callback function
    console.log("Starting server at " + port);
});
```




```
# to restart server
# CRTL+C to stop server
$ node server.js
>> Starting server at 4000
```

# c1.4 - Using express middleware

Express simplifies web server stuff in Node

But first, to install any package (dependency, library) in Node, we need **npm**

```
$ npm init  
# Leave defaults; press Enter  
until it finishes  
  
$ npm install express
```



```
1  {  
2    "name": "rnw",  
3    "version": "1.0.0",  
4    "description": "",  
5    "main": "server.js",  
6    "scripts": {  
7      "test": "echo \\"Error: no test specified\\" && exit 1",  
8      "start": "node server.js"  
9    },  
10   "repository": {  
11     "type": "git",  
12     "url": "git+https://github.com/lenmworld/rnw.git"  
13   },  
14   "author": "",  
15   "license": "ISC",  
16   "bugs": {  
17     "url": "https://github.com/lenmworld/rnw/issues"  
18   },  
19   "homepage": "https://github.com/lenmworld/rnw#readme",  
20   "dependencies": {  
21     "express": "^4.16.3"  
22   }  
23 }  
24
```

Examine **package.json**

- installed dependency: express
- Npm scripts

# Sidenote: Npm, package.json, node\_modules

**Node\_modules** contains all the packages locally

- add to **.gitignore** !!!


```
❶ .gitignore ✘  
1   node_modules/|
```

Directory structure:

```
react_node_workshop/  
.gitignore  
node_modules/  
server.js  
package.json  
package-lock.json
```

\*include **package-lock.json** in the files you check in to git  
This is useful in *semvar*

## The secret behind Thor's hammer



# c1.5 - Using express middleware

Now we can serve **index.html** using Express

```
// server.js

var http = require('http');
var express = require('express'); // import express
var server = express();

var port = 4000;

server.get("/", function(req, res) {
  res.sendFile(__dirname + '/index.html');
});

server.get("/json", function(req, res) {
  res.send(JSON.stringify({ name: "Lenny" }));
});
...
...
```

Directory structure:

```
react_node_workshop/
  server.js
  index.html
  ...
  ...
```

Create **index.html** in project root

```
<!-- index.html -->

<!DOCTYPE html>
<html lang="en">
  <head>
    <title>React+Node</title>
  </head>
  <body>
    <h1>Express: HELLO WORLD</h1>
  </body>
</html>
```


# c1.5 Running server and testing

Since we have npm now,

Instead of *node server.js*, we can do this to run server

```
# to restart server  
# CRTL+C to stop server  
$ npm start
```

To test:



```
# in another terminal tab/window  
$ curl localhost:4000/json  
>> {"name": "Lenny"}
```


# c1.6 auto restart server.js on changes

```
# install nodemon globally, sudo might be needed  
$ npm install -g nodemon  
  
# in package.json, change start script to  
# nodemon server.js  
  
$ npm start
```

```
// package.json  
...  
"scripts": {  
  "test": "...,  
  "start": "nodemon server.js"  
}  
...
```



# Browser dev tools



Watch out for errors in **Console** tab

# React and webpack setup

# c2.1 Install webpack and react deps

- Create file `webpack.config.js`, from template
  - Copy from **RNW files:** [webpack.config.js](#)
  - Quick walkthrough of webpack
- Install webpack and other needed plugins

```
$ npm install --save-dev webpack webpack-cli babel-cli @babel/core @babel/preset-react  
babel-loader style-loader css-loader babel-preset-env  
  
$ npm install react react-dom
```

OR, copy deps in **RNW files:** [package.json](#)

then do

```
$ npm install
```

- Add a **dev** entry in npm scripts

```
// package.json  
...  
"scripts": {  
  ...  
  "dev": "webpack --watch"  
}
```

# c2.1 React root file at app/index.jsx

- Create folder **app/** and inside it, create file **index.jsx**
  - **app/** folder will hold all of the front-end code

Directory structure after:

```
react_node_workshop/
...
webpack.config.js
app/
    index.jsx
```

# running npm and webpack together

## 1st terminal tab/window - BACKEND

```
# to restart server  
# CRTL+C to stop server  
$ npm start
```

## 2nd terminal tab/window - FRONTEND

```
# to start webpack in watch mode  
  
$ npm run dev
```

## 3rd terminal tab/window also useful for git, cURL, npm install, etc

```
# other stuff  
$ curl http://localhost:4000
```

## c2.2 React setup

- In `server.js`, serve `public/` dir
- Write React code in `app/index.jsx`

```
// server.js
...
server.use(express.static('public'));

server.get("/", function(req, res) {
    ...
});
```

```
// app/index.jsx

import React from 'react';
import ReactDOM from 'react-dom';

class App extends React.Component {
    render() {
        return (
            <div>React: Hello World!</div>
        );
    }
};


ReactDOM.render(<App />, document.getElementById('app'));
```

## c2.2 React setup

- Include React app in `index.html`
- We can also comment out the other HTML in the page for now

```
<!-- index.html -->

<!DOCTYPE html>
<html lang="en">
  <head>
    <title>React+Node</title>
  </head>
  <body>
    <!--h1>Express: HELLO WORLD</h1-->
    <div id="app"></div>
    <script src="./bundle.js"></script>
  </body>
</html>
```



## C2.3 CSS files setup

1. create css file inside public  
**public/styles.css**

Copy styles from this link:

[https://github.com/lenmorld/rnw\\_files/  
blob/master/styles.css](https://github.com/lenmorld/rnw_files/blob/master/styles.css)

2. Set viewport for better responsive mobile viewing
3. include styles file from HTML head

Directory structure after:

```
react_node_workshop/
  ...
  public/
    styles.css
    bundles.js
  ...
  ...
```

```
<!-- index.html -->

<!DOCTYPE html>
<html lang="en">
  <head>
    <meta content="width=device-width,
initial-scale=1" name="viewport" />
    <link rel="stylesheet" href=".//styles.css" />
    <title>React+Node</title>
  </head>
  <body>
    ...
  </body>
</html>
```


# React Basics

# 5 minute React Intro

Codesandbox: **react\_basics\_1**

<https://codesandbox.io/s/2znz40687p>

**Please fork before editing**



# Frontend Design

## What are we building?

Music playlist web app, where user can  
“CRUD” songs

## What components do we need?


**App** (index.jsx) - loads React tree into DOM

**UIManager.jsx** - manages entire app, provides  
access to data (e.g. facade, API)

**Header.jsx** - HTML header

**List.jsx** - contain/manage the list of items

**Item.jsx** - display/manage an item



### Component tree

App

  UIManager

    Header

    List

      Item

...

# c3.1 Spotify Data

- Create file **app/data.js**
  - Copy from **RNW files**: [data.js](#)
- List and Item data objects (model)
  - Maps to List and Item React components

```
// app/data.js

var data = {
  "list": [
    {
      "id": "0c4IEciLCDdXEhhKxj4ThA",
      "artist": "Muse",
      "title": "Madness",
      "album": "The 2nd Law",
    },
    {
      "id": "2QAHN4C4M8D8E8eiQvQW6a",
      "artist": "One Republic",
      "title": "I Lived",
      "album": "Native",
    },
    ...
  ]
}

export default data;
```

# c3.2 UIManager.jsx

- Create a new file **app/UIManager.jsx**
- Import and render **UIManager** component inside **App** component

```
// app/index.jsx

import React from 'react';
import ReactDOM from 'react-dom';
import UIManager from './Manager';

...

render() {
  return (
    <UIManager />
  );
}

...
```

```
// app/Manager.jsx

import React from 'react';
import data from './data';

console.log(data);

class UIManager extends React.Component {
  render() {
    return(
      <div>List goes here...</div>
    );
  }
}

export default UIManager;
```

# c3.3 Header.jsx

- Create a new file **app/Header.jsx**
  - Copy from **RNW files** [Header.jsx](#)
- Import and render **Header** component inside **UIManager** component
  - *\*\* Notice that we have to enclose return JSX in a <div> \*\**

```
// app/UIManager.jsx
...
return(
  <div>
    <Header />
    <div>List goes here...</div>
  </div>
);
...
```



## Different ways to style your components:

- Regular CSS stylesheets (we're using this), inline (used only in Header.jsx), etc

## c3.4 List.jsx and Item.jsx

- Create new files
  - app/
    - List.jsx
    - Item.jsx
- Import and render **List** in **UIManager**
- Import and render **Item** in **List**

**Component tree**  
App  
  UIManager  
    Header  
    List  
      Item  
      ...

# State

## What and why?

State is where data lives. Any change of data in state results to a re-render. This is the reason why we use React.

## How?

- Include **constructor()** and define *this.state* inside
  - State is initialized when an instance of this component is created
- To read data, use ***this.state.<obj>***
- Only the component has access to its state, but it can pass **props** downwards for child components to render or modify the data

# Props

## What and why?

Props is a data object passed from a parent component to a child component.

## How?

- Props can only be passed downwards: parent → child
  - One hierarchy at a time: cannot pass grandparent to child without passing parent
- Functions can also be passed (discussed later) as **function props**

# State and Props analogy


- Parent and Child



Codesandbox: [state\\_props\\_analogy\\_1](#)

<https://codesandbox.io/s/xp7zv30934>

Please fork before editing



Component\_tree:  
Parent  
Child

Props passing:  
Parent → \$100 → Child


# c3.5 Add state to UIManager, pass list object as props to List

```
// app/UIManager.jsx
...
class UIManager extends React.Component {
  constructor() {
    super();
    this.state = {
      list: data.list
    };
  }
  render() {
    ...
    <List list={this.state.list} />
    ...
  }
}
```

```
// app/List.jsx
...
  render() {
    var list = this.props.list;
    console.log(list);
    return(
      <div>
        <Item />
      </div>
    );
  }
  ...
}
```

## c3.6 Using map() to render list

```
// app>List.jsx
...
return(
  <div>
    {
      list.map(function(item) {
        return (
          <Item
            item={item}
            key={item.id}>
          />
        );
      })
    }
  </div>
);
...
```




# Map, filter, reduce

Codesandbox: **map\_filter\_reduce**

<https://codesandbox.io/s/4z684jjzxw>

**Please fork before editing**




# c3.7 rendering Item

\*\*\* Item can be called a **dumb / pure presentation component**

Since it's only job is to render the `item` object into JSX / HTML elements

```
{item.title}, {item.artist},  
{item.album}
```

Dumb components can be transformed into a *stateless/functional component*



## c3.8 List CSS

```
// app>List.jsx
...
return(
  <div className="items_grid">
    {
      list.map(function(item) {
        ...
      })
    }
  
```

Apply `items_grid` class to List main div

# React CRUD

# Searching

## c Hub

Filter...

[+] [+ from Spotify]



**Love Like This**  
Kodaline  
In A Perfect World



**Castle on the Hill**  
Ed Sheeran  
Deluxe



**Girls Like You**  
(feat. Cardi B)  
Maroon 5  
Girls Like You  
(feat. Cardi B)



**Madness**  
Muse  
The 2nd Law



# Events and event handlers

TL; DR - HTML elements, esp. inputs generate events, which is processed by an event handler function

HTML elements (e.g. inputs, buttons) generate events (onClick, onChange, etc), which is processed by an **event handler** function. This is where we can define what to do with the event

Codesandbox: **js\_event\_handler**

<https://codesandbox.io/s/l2mw8wrj5z>




# c4.1 search input and onChange event handler

```
// app/UIManager.jsx
...
  searchList(event) {
    var search_term = event.target.value;
    console.log(search_term);
  }

  render() {
    return(
      <div>
        <Header />
        <div className="options">
          <input type="text"
            placeholder="Filter..."
            onChange={this.searchList} />
        </div>
        <List list={this.state.list}/>
      </div>
    );
  }
  ...
}
```

\*event parameter is automatically passed here as the default argument of a HTML element



## c4.2 modifying state

For us to filter the list based on current input:

- We have to track user's input by putting it in state
  - `this.state.search_term`
- To modify state, we use `setState()`
  - **Never do `this.state.obj = new_obj`**
  - **Why? Setting state must be async**




`this.state`  
`= {obj}`

`this.setState(`  
`{obj: obj} )`

```
class UIManager extends React.Component {  
  
  constructor() {  
    super();  
    this.state = {  
      search_term: '',  
      list: data.list  
    }  
  }  
  
  searchList(event) {  
    var search_term = event.target.value;  
    // console.log(search term);  
    console.log("current search term: ", this.state.search_term);  
    this.setState({  
      search_term: search_term  
    });  
  }  
}
```

Y U DO DIS

# But we're getting an error!



The screenshot shows a browser window with a dark blue header. The title bar says "localhost:4000". Below it is a "Music Hub" logo with a smiling emoji and the text "'Hub' your music". A search bar contains the text "mad". To the right is a developer tools panel with the "Console" tab selected. The console output shows an error message:

```
react-dom.development.js:18239
Download the React DevTools for a better
development experience: https://fb.me/react-devtools
▶ {list: Array(3)}           UIManager.jsx:11
✖ ▶ Uncaught TypeError: UIManager.jsx:25
  Cannot read property 'state' of undefined
    at searchList (UIManager.jsx:25)
    at HTMLUnknownElement.callCall
      react-dom.development.js:145
        at Object.invokeGuardedCallback
          react-dom.development.js:195)
```

The code snippet in the error message is:

```
searchList(event) {
  event = SyntheticEvent {dispatchConfig,
    var search_term = event.target.value; // console.log(se
      debugger;
      console.log("current search term: ", this.state.search_
        this.setState({
```

A callout bubble points from the word "undefined" in the error message to the line "var search\_term = event.target.value;" in the code.

- **Cannot read 'state' of undefined! why?**
- **'This'** is undefined inside the event handler
- We don't have access to `this.state`, `this.setState`
- We need to bind the function to the object instance, to make sure `this` is defined inside a nested function (i.e. a function inside a function)

# c4.3 using state inside event handler

```
// app/UIManager.jsx
...
    <div className="options">
        <input type="text"
            placeholder="Filter..."
            onChange={ (event) => this.searchList(event) } />
    </div>
...

```

Alternatives:

- Bind in constructor (better performance)
- Class properties (need ES6 stage 3 features enabled)

Codesandbox: **react\_basics\_3** <https://codesandbox.io/s/3x3z1rm365>  
*Explore the issue and solutions here*





## c4.4 filtering list based on `state.search_term`

1. Create temp variables for `this.state.list`, `this.state.search_term`
2. If `search_term` empty, return full list
3. Else -> `filter()`: go through each item, and include in list if item's title in lowercase matches the `search_term` in lowercase

This is a rather expensive way of doing this,  
i.e. each character typed -> full re-render of App  
A nice fix is discussed in **Chapter 8 Improvements**



# Create / Add new Item

React+Node   localhost:4000

## 🎵 Music Hub

Filter... [+] [+ from Spotify]



**Love Like This**  
Kodaline  
In A Perfect World



**Castle on the Hill**  
Ed Sheeran  
Deluxe




**Girls Like You**  
(feat. Cardi B)  
Maroon 5  
Girls Like You  
(feat. Cardi B)



**Madness**  
Muse  
The 2nd Law

gifs.com

## c4.5 ItemForm.jsx



We'll create a component that has an HTML form for creating, editing an item

- Create new file **app/ItemForm.jsx**
  - Copy from **RNW files** [ItemForm.jsx](#)

### In UIManager

- add `this.state.form_fields` initializing item fields to empty string
- Import and render **ItemForm** same level as **List**
  - And pass `this.state.form_fields` as props



# Function props

Remember that **Child** component cannot modify **Parent** state directly. However, **Parent** can pass a function to **Child** that it can call whenever it wants to change Parent's state. e.g:

In Parent render():

```
<Child earnMoney={ (money) => this.increaseMoney(money) }>
```

In Child render():

```
<button onClick={() => this.props.earnMoney(100)}>
```

Codesandbox: **state\_props\_analogy\_2**  
<https://codesandbox.io/s/6jormxo65n>



# c4.6 events and event handlers

## In **UIManager.jsx**

1. Define *onChangeFormInput()*
  - a. Pass this to **ItemForm** as a function prop

## **ItemForm.jsx** - define these event and event handlers

1. When changing any of the 4 inputs
  - a. *onChange* → invoke `this.props.onChangeFormInput(event)` function prop, passing the event
2. When hiding the form ([X])
  - a. *onClick* → `this.hideForm`
3. When submitting form (CREATE)
  - a. *onClick* → `this.onSubmitForm(event)`

```
<UIManager>
  <ItemForm>
```

```
Props passing:
<UIManager> ---- onChangeFormInput(event) ---> <ItemForm>
```

## c4.7 onChangeFormInput

Whenever user types into either ID, artist, title, album field:

1. From **ItemForm.jsx**, we are forwarding the event to **UIManager.jsx**, using function prop *onChangeFormInput*

In **UIManager.jsx** *onChangeFormInput()*

1. Copy values of *this.state.fields* (don't copy reference!) - use `Object.assign`
2. Modify state copy depending on which input was changed

```
// e.g. current_list_fields['artist'] = 'Artist1'  
current_list_fields[event.target.name] = event.target.value;
```

3. Apply changes to state using *this.setState*

Now we are successfully tracking the input values in state

# c4.8 createlitem()

```
<UIManager>
  <ItemForm>
```

Props passing:

```
<UIManager> → createlitem(item) → <ItemForm>
```

## In UIManager

- define **createlitem()**
  1. Get Item data from state
  2. Copy List values (not reference), using ES6 spread operator
  3. Add new item to copy
  4. Apply changes to state using *this.setState*
  5. Empty form fields
- Pass as function props to **ItemForm**

```
<ItemForm item={this.state.form_fields } 
          onChangeFormInput={(event) => this.onChangeFormInput(event)} 
          createItem={this.createItem} />
```

## In ItemForm, on **onSubmitForm()** event handler

1. Forward request to function props

# c4.9 show and hide ItemForm

## **UIManager:**

Add [+] button beside search box, add *onClick* and set to *showForm()*  
*showForm()*

Invoke when clicking [+] -> set style to 'block'

## **ItemForm:**

Set CSS class to "modal"

### **hideForm()**

Invoke when clicking [X] on modal -> set style to 'hidden'

Optional: invoke after adding a new item

# TEST IT!

Add a song or two to your playlist  
(Not a lot since it will be gone on page refresh!)

- Google “<Artist> <song> spotify”
- Get the ID in **track/ID**
- Use ID to Create new Item



muse madness spotify

All Images News Videos Shopping More Settings Tools

About 374,000 results (0.48 seconds)

Madness, a song by Muse on Spotify - Open Spotify  
https://open.spotify.com/track/0c41EcLCDdXEhhKxj4ThA

Madness. By Muse. 2012 • 1 song, 4:41. Play on Spotify. 1. Madness. 4:41:0:30. Featured ... More by Muse. Simulation ... Listen to Muse in full in the Spotify app.

get ID

# Delete and Update item



## c4.11 Delete and Edit

```
<UIManager>
  <List>
    <Item>
      Props passing:
        <UIManager> -- deleteItem() ---> <List> -- deleteItem() ---> <Item>
                                                editItem()           editItem()
```

Delete and Update button icons will be inside **Item** as icons that appear on hover

1. **UIManager.jsx** - define *deleteItem* and *editItem* and pass down to List as function props
2. **List.jsx** - pass function props down to Item as a middleman
3. **Item.jsx** - invoke function props with required parameter on onClick event handler

**NOTE:** the use of arrow functions to be able to use **this**



## c4.12 deleteItem() method

1. Copy list values, not reference
2. Filter copy using *filter()*, by excluding item to delete
3. *setState()*

**NOTE:** notice the current pattern in CRUD methods

**1 ) Copy list   2 ) do operation on copy   3 ) setState**



## c4.13 editItem() - form mode

When user clicks edit, we have to show ItemForm, but let it know that we want to EDIT, not CREATE. We do this by adding a **mode** in state, and passing the item to be edited so the form fields would be populated.

### UIManager.jsx

- add `this.state.form_mode`, init to 'CREATE'
- pass to **ItemForm** as props, alias **mode**
  - This is to show props is just a name

```
<ItemForm ...  
          mode={this.state.form_mode} />
```

### ItemForm.jsx

- use `this.props.mode` to set labels correctly



# c4.14 editItem() - show ItemForm on edit mode

UIManager must get correct item to be edited, before passing to **ItemForm**

In **editItem()**

1. Copy list values, not reference
2. Filter copy using `filter()`, get the one matching item
3. `setState()` - set mode to 'EDIT', set `form_fields` to the item
4. Show **ItemForm**

Now, we are getting the item values in the form fields



## c4.15 editItem() - saveUpdatedItem

When form is saved, we need a CRUD method that will apply changes to our data  
UIManager ***saveUpdatedItem()***:


1. Copy list values, not reference
2. Init a new empty array and copy all values here, except the updated item
3. `setState()`
4. Hide **ItemForm**

Pass ***saveUpdatedItem*** to **ItemForm** as function props

**ItemForm:**

- Based on `this.props.mode`, invoke either `this.props.create` OR  
`this.props.saveUpdatedItem`

## c4.16 set ItemForm fields on [+] too



✿ BUG ✿: Notice that after Edit, clicking Create [+] sets the item fields to previous item incorrectly in **ItemForm**

**UIManager:**

1. Define `onAddItem()` function that will set mode to 'CREATE' and fields to empty
2. Replace event handler on [+] with `onAddItem()`
  - Note the use of arrow function

# TEST IT!

Create, Edit, Delete, Filter (Search)

## Questions so far??

Recap?

Break?


# But... the changes do not apply to data.js?

In frontend, we were able to manipulate the in-memory data


- **But when we reload the page, the changes are gone**

We will persist the changes in a data file using Node in the backend

- NOTE: Frontend read/write of local data files is usually not the way to go, because of security reasons



# Node CRUD



# c5 Overview of REST API

- Notice that the CRUD operations are working, but changes not applied to the **data.json** file.
- Instead of applying the changes to in-memory state in frontend, we need to persist the changes to backend, through a REST API.
- We need backend to read/write into files, databases, and external APIs
- First, we would move data file in the backend, which would be the data source of our HTTP REST API
  - Read **data.json** using **fs**

# c5.1 Reading file from server-side



Directory structure after:

```
react_node_workshop/
  ...
  server/
    data.json
    utils.js
  ...
  ...
```

- Make new directory **server/** in application root
- Move data from **app/data.js (frontend)** to **server/data.json (backend)**
- Create a new file **server/utils.js**
  - This will be used for file-reading, etc
- Define **readJSON()** in **utils.js** using **fs.readFile**
- In **server.js**, enclose server functionality inside function **runServer()**, then call **readJSON()** and pass callback



**UI will break, but no worries 🍒. We'll fix it as we go**

# c5.2 READ routes

Establish routes for fetching data

- Fetch list - gets all list items


- server.get("/list", function(req, res))

- Fetch one

- server.get("/list/:id", function(req, res))

```
// fetch all
server.get("/list", function(req, res) {
  res.send(json_data['list']);
});

// fetch one
server.get("/list/:id", function(req, res) {
  console.log(`GET Item ID ${req.params.id}`);
});
```



```
[{"id": "0c4IEciLCDdXEhhKxj4ThA", "artist": "Muse", "title": "Madness", "album": "The 2nd Law"}, {"id": "2QAHN4C4M8D8E8eiQvQW6a", "artist": "One Republic", "title": "I Lived", "album": "Native"}, {"id": "5VnDkUNyX6u5Sk0yZip8XB", "artist": "Imagine Dragons", "title": "Thunder", "album": "Evolve"}]
```



```
{"id": "0c4IEciLCDdXEhhKxj4ThA", "artist": "Muse", "title": "Madness", "album": "The 2nd Law"}
```

GET Item ID 0c4IEciLCDdXEhhKxj4ThA

# Promises



I promise there will be stuff here...

...

... (after some time)

...

... here it is ----->

```
function fetchData() {  
  return new Promise(function(resolve, reject) {  
    // do something that takes indeterminate time (aka  
    // asynchronous) resulting to either error or data  
    if (error) {  
      reject(error);  
    } else {  
      resolve(data);  
    }  
  });  
}  
  
//ES5  
fetchData().then(function(result){  
  doSomething(result);  
}).catch(function(error) {  
  throw error;  
});  
  
// ES6  
fetchData().then(result => {  
  doSomething(result);  
}).catch(error => {  
  throw error;  
});
```

# c5.3 Updating frontend to fetch list from backend

## UIManager.jsx

- Install and import `axios`
- Fetch data from backend before page is rendered. How?
  - `componentDidMount()` - React lifecycle method that runs after component mounted; good place to put network fetch requests

## `componentWillMount()`

- `Axios.get('/list').then()` is executed when async request comes back (**promise is resolved**)
- Note the use of arrow function here since `this.setState` needs access to real `this` object
- Initialize `state.list` to `[ ]`, to show a Loading page if results are not back yet
  - Why? **in cases of slow network**, we would show Loading instead of a blank page

```
# axios is a promise-based HTTP Library  
$ npm install axios
```

# componentDidMount, and other React lifecycle methods

The screenshot shows a browser window displaying the React.js documentation. The URL in the address bar is <https://reactjs.org/docs/react-component.html#componentdidmount>. The page title is "componentDidMount()". The navigation bar includes links for "Docs" (which is underlined in blue), "Tutorial", "Community", and "Blog". Below the title, there is a heading "componentDidMount()". A callout box highlights the text: "componentDidMount() is invoked immediately after a component is mounted (inserted into the tree). Initialization that requires DOM nodes should go here. If you need to load data from a remote endpoint, this is a good place to instantiate the network request." Another callout box at the bottom states: "This method is a good place to set up any subscriptions. If you do that, don't forget to unsubscribe in componentWillMount()."

componentDidMount()

componentDidMount() is invoked immediately after a component is mounted (inserted into the tree). Initialization that requires DOM nodes should go here. If you need to load data from a remote endpoint, this is a good place to instantiate the network request.

This method is a good place to set up any subscriptions. If you do that, don't forget to unsubscribe in componentWillMount().

# Understanding HTTP requests, URL params and Request Body

Sample commands:

```
$ curl https://jsonplaceholder.typicode.com/posts/1
$ curl https://jsonplaceholder.typicode.com/posts
$ curl -X POST -H "Content-Type: application/json" --data '{"title": "foo", "body": "bar", "userId": 1}' https://jsonplaceholder.typicode.com/posts/
$ curl -X PUT -H "Content-Type: application/json" --data '{"title": "foo", "body": "bar", "userId": 2}' https://jsonplaceholder.typicode.com/posts/1
$ curl -X DELETE https://jsonplaceholder.typicode.com/posts/1
```

Sample requests cheat sheet: RNW files <http.md>

# Designing routes with HTTP methods

Designing: what are the methods and parameters we need for REST API

Operation	Method	URL	URL params	Request body	example
Create	POST	/list		body: {id, title, artist, album}	POST /list body: {...song details}
Read one	GET	/list/:id	:id (item ID)		GET /list/12345
Read all	GET	/list			GET /list
Update	PUT	/list/:id	:id (item ID)	body: {id, title, artist, album}	PUT /list/12345 body: {...song details}
Delete	DELETE	/list/:id	:id (item ID)		DELETE /list/12345

# c5.4 Adding CRUD routes in backend

## server.js

- Install and use body-parser
- Implement following routes:
  - CREATE: server.post("/list")
  - UPDATE: server.put("/list/:id")
  - DELETE: server.delete("list/:id")

We will use sample responses, since we will tackle file writing afterwards

Sample requests cheat sheet: RNW files  
<http://md>

```
# for parsing request body
$ npm install body-parser
```

```
// server.js
...
var path = require('path');
var body_parser = require('body-parser');
...
server.use(express.static('public'));
server.use(bodyParser.json());
server.use(bodyParser.urlencoded({ extended: true }));
```

# Testing the backend routes using cURL

## Client commands and results

```
lenny@hp:~/rnw$ curl http://localhost:4000/list/
[{"id": "0c4IEciLCDdX Eh hKxj4ThA", "artist": "Muse", "title": "Madness", "album": "The 2nd Law"}, {"id": "2QAHN4C4M8D8E8eiQvQW6a", "artist": "One
lic", "title": "I Lived", "album": "Native"}, {"id": "5VnDkUNyX6u5Sk0yZiP8XB", "artist": "Imagine Dragons", "title": "Thunder", "album": "Evolve"
y@hp:~/rnw$ curl http://localhost:4000/list/0c4IEciLCDdX Eh hKxj4ThA
{"id": "0c4IEciLCDdX Eh hKxj4ThA", "artist": "Muse", "title": "Madness", "album": "The 2nd Law"} lenny@hp:~/rnw$
lenny@hp:~/rnw$ lenny@hp:~/rnw$ curl http://localhost:4000/list/something_that_doesnt_exist
{"error": "Item with ID something_that_doesnt_exist not found"} lenny@hp:~/rnw$ lenny@hp:~/rnw$ curl -X POST http://localhost:4000/list -H "Content-Type: application/json" --data '{"title": "My Song", "album": "My A
"id": "daskdal2dasdk2dasd"}'
{"created": {"title": "My Song", "album": "My Album", "id": "daskdal2dasdk2dasd"} } lenny@hp:~/rnw$ lenny@hp:~/rnw$ lenny@hp:~/rnw$ curl -X PUT http://localhost:4000/list/dasdsad123da -H "Content-Type: application/json" --data '{"title": "My Song", "al
bum": "My Album", "id": "daskdal2dasdk2dasd"}'
{"updated": {"title": "My Song", "album": "My Album", "id": "daskdal2dasdk2dasd"} } lenny@hp:~/rnw$ lenny@hp:~/rnw$ lenny@hp:~/rnw$ curl -X DELETE http://localhost:4000/list/dasdsad123da
{"deleted": "dasdsad123da"} lenny@hp:~/rnw$ lenny@hp:~/rnw$
```

## Backend logs

```
GET Item ID 0c4IEciLCDdX Eh hKxj4ThA
GET Item ID something_that_doesnt_exist
GET Item ID something_that_doesnt_exist
Create item with details: {"title": "My Song", "album": "My Album", "id": "daskdal2dasdk2dasd"}
Edit item with id: dasdsad123da, change to {"title": "My Song", "album": "My Album", "id": "daskdal2dasdk2dasd"}
Delete item with id: dasdsad123da
```



# c5.5 Apply CRUD operations to data.json

- **server/utils.js**
  - Define **writeJSON()** - callback passes json\_data written to file
- **Server.js**
  - Define **writeToFileAndSendResponse()**
    - Invoke **writeJSON()** passing updated list to write to file, and a callback that takes the result of write
    - Callback then sends the results to client as a response

# c5.6 Implement CRUD operations

- **Server.js**
  - All Create, Update, and Delete have similar algorithms to the one in frontend (C4 React) so we can apply the logic here, replacing UI state operations with file operations
- **TESTING**
  - Use same commands as before: **RNW files** [http.md](#)
  - But this time, changes must be reflected in the **data.json**

# c5.7 Apply changes to front-end

## UIManager.jsx

- For each Create, Update, Delete in frontend, call corresponding backend route.
  - `axios.post(url, {json_obj})`
  - `axios.delete(url)`
  - `axios.put(url, {json_obj})`
- Effectively, we can also remove some CRUD logic in the frontend, since we moved all of these to backend. However, we still need to `setState`, etc. We must do `setState` inside callback of axios calls. **Why?**

# TESTING

- App should work exactly as before, but changes are persisted now in `data.json`

# Node CRUD + MongoDB

# noSQL databases

## What and why?

- Document-based (e.g. MongoDB) database
- Represents programming objects closer than relational databases
- Speed and flexibility (think of them as  $O(1)$ ) hash maps/ JSON)
- Why not? Not good for ACID compliant purposes, joins

```
// a document record sample in mLab
{
  "_id": {
    "$oid": "5bafebc0c5fcacf59fed82980"
  },
  "id": "5VnDkUNyX6u5Sk0yZiP8XB",
  "title": "Thunder",
  "artist": "Imagine Dragons",
  "album": "Evolve"
}
```



# Setting up mLab and MongoDB

mLab is the quickest way to setup a MongoDB instance  
Free up to 0.5 GB

For this workshop:

- we'll use my db instance, with an initial user and some data  
*I'll send the credentials through Slack*
- Install mongodb to our project

```
# install mongodb to our project
$ npm install mongodb
```

\*\* If you want to setup your own:

<https://docs.mlab.com/>

# Test DB connection

***\*\* This only works if you installed mongodb in your local machine as defined here***

***<https://docs.mongodb.com/manual/administration/install-community/>***

```
# --- mongoDB CLIENT ---
# on another terminal, connect to db

# Linux
$ mongo <mongodb_connection_link>
# macOS
$ mongo --host <mongodb_connection_link>
# Windows
$ "C:\Program Files\MongoDB\Server\4.0\bin\mongo.exe"

# use db and start running mongodb commands
> use spot_db

> db.items.find()
# should see some JSON-Like objects here with song details
```

# Optional: if mLab fails - MongoDB setup

***\*\* This only works if you installed mongodb in your local machine as defined here  
<https://docs.mongodb.com/manual/administration/install-community/>***

1. On another terminal, start local mongodb server on your machine
  - Ubuntu: sudo service mongod start
  - Mac: mongod
  - Windows: "C:\Program Files\MongoDB\Server\4.0\bin\mongod.exe" --dbpath="c:\data\db"
2. On another terminal, start mongo client as described in previous slide

```
# after starting Local mongodb server and
# after connecting to server using a mongodb client

# use db and start running mongodb commands
> use spot_db

> db.items.insertOne( { id:"some_song_id", artist:"The Artist", "title": "Song
song", "album": "The Album" } )

> db.items.find()
# should see fake song we just added
```

# c6.1 Server code for mongodb

1. Create a new file **server/mongo\_db.js** for mongodb connection
2. **server/mongo\_db.js**
  - Define **init\_db()** - this function returns a **Promise**, which will
    - i. **resolve** - if connection successful, resolve value is a db instance caught by **.then()** of calling function
    - ii. **reject** - if connection error, reject value is error and must be caught by calling function in a **.catch()**
  - Export file using **module.exports**
3. **server.js**
  - Import and use **mongodb.MongoClient**
  - Import **server/mongo\_db.js** file
  - Replace file read call with **mongo\_db.init()** and define the **then()** and **catch()** functions
  - \*\*\* If using local mongodb, use the *localhost* version of **db\_connection\_url**



**App will break, but no worries ☕. We'll fix it as we go**

# c6.2 db\_collection.find()

**FRONTEND IS BROKEN!** (/list route not returning anything yet)

To fix frontend, our first DB operation is to fetch all data on first load of app, which is in the route `server.get("/list")`

## server.js

Use `db.collection.find()` to fetch all

**NOTE** that result is an array

This data structure must match the  
Expectations of

**UIManager.componentWillMount()**

```
// fetch all
server.get("/list", function(req, res) {
  // res.send(json_data['list']);
  db_collection.find().toArray(function(err, result) {
    if (err) throw err;
    res.send(result);
  });
});
```

- ✓ Route `http://localhost:4000/list/` should now return all items from mLab

# MongoDB operations

Operation	Method	URL	mongoDB method	Examples:
Create	POST	/list	collection.insertOne(obj, callback)	<pre>obj {   id: "blah20",   artist: "Artist",   title: "Title",   album: "Album" }</pre>
Read one	GET	/list/:id	collection.findOne( query, callback)	
Read all	GET	/list	collection.find( query ).toArray(callback)	<pre>query { id: "blah20" }</pre>
Update	PUT	/list/:id	collection.updateOne( query, { \$set: obj }, callback)	<pre>callback function (err, result) {   // process result }</pre>
Delete	DELETE	/list/:id	collection.deleteOne( query, callback)	

# c6.3 Move all File CRUD calls to DB version

## **server.js**

For simplicity, we send entire list after each operation, to maintain consistency of data between backend and frontend

## **UIManager.jsx**

Update all `this.setState()` to match the data returned

- all instances of `response.data.list` to `response.data`
- `onChangeFormInput()` must get all item fields except `_id` (we can't change since this is used internally by mongo)

# TESTING

- App should work exactly as before, but changes are persisted now in the DB
  - Verify that UI list is synced up with mLab items

# Integrating with Spotify API



# Spotify search API

Music Hub

Filter... [+] [+ from Spotify] [x]

search Spotify

[despacito] Search [x]

**Despacito - Remix**  
Luis Fonsi  
Despacito Feat.  
Justin Bieber

**Despacito**  
Luis Fonsi  
Shut Up Lets  
Dance

**Despacito**  
Madilyn Bailey  
Despacito

gifs.com

# Intro to API Oauth2




Spotify uses **OAuth2**, which requires an application to send an initial “access token request”, containing encoded user credentials (Spotify dev account). The access token (aka “bearer” access token) is good for a period of time.

The app can then attach the “bearer” access token for each request (e.g search, get album, artist, track), to prove its identity to the Spotify server, without sending credentials.

# Setting up Spotify API

1. For simplicity, we will use the free Spotify developer account I setup before
  - a. You could also setup your own developer account  
<https://developer.spotify.com/dashboard>
2. Authentication flow is using Client Credentials  
<https://developer.spotify.com/documentation/general/guides/authorization-guide/#client-credentials-flow>



\* For those using my credentials, I will send the Base-64 string (composed of Client ID, Client secret) needed for authentication through SLACK

# Testing out spotify credentials

Test in Terminal / Postman

```
$ curl -X "POST" -H "Authorization: Basic <base64_string>" -d  
grant_type=client_credentials https://accounts.spotify.com/api/token  
> {"access_token":".....","token_type":"Bearer","expires_in":3600,"scope":""}
```

We then use this access\_token to do requests like

```
$ curl -H "Authorization: Bearer <access_token>"  
"https://api.spotify.com/v1/search?query=gangnam%20style&type=track"  
> { literally tons of data }
```

Our webapp server's job:

1. Prepare the **request**, including **encoding query params**
2. Process the **response**, which includes **filtering, preparing data for render in React**

# c7.1 setup spotify API backend

```
# qs allow proper data encoding for HTTP
$ npm install qs
```

It's better to separate API specific code, which we import in our server file.

Create folder **api** and file **api/spotify.js**

**api/spotify.js**

Define **spotify\_routes()** - this will contain all spotify -specific routes we need

Serve a GET route `'/spotify/search/:query'`

**server.js**

- Import axios, qs
- Import and use **api/spotify.js**
  - We have to pass server and db\_connection object



# c7.2 requesting for an access\_token


## spotify.js

Define `getAccessToken()` which returns a Promise

- Prepare request config containing the base-64 encoded credentials in the header
- Send request and resolve Promise with `access_token` returned by Spotify

Invoke inside route `'/spotify/search/:query'`

- Define `.then()`, send `access_token` for now to test



```
localhost:4000/spotify/search/asdasd
```

```
{  
  "search": "asdasd",  
  "access_token": "BQAMHbUET0y7LMzKhZqozaAPCWNzV_sVy5gft4PRHlIF3URJemZ_lvSCvH-PBGH9gKxD3qjvWjxwL9WNKwk"  
}
```


```
Starting server at 4000  
[SPOTIFY] : searching asdasd...  
[SPOTIFY] Requesting a new access token...  
[SPOTIFY] Access token: BQDfHsFvwB4QRwBiG2gPs0fkTZTaG1DDmb2LlAuT5fyJoC052U_X4Fbi6jevZ2eICYsYpCSeNnlSNmOsRnk
```

# c7.3 GET request to search query string

We could now use the access\_token to make a request

```
axios({
  method: 'GET',
  url: _url,
  headers: {
    "Authorization": `Bearer ${access_token}`,
    "Accept": "application/json"
  }
}).then(function(_res) {
  // inspect response data
  console.log(`search response: ${JSON.stringify(_res.data)}`);
  res.send(_res.data.tracks.items);
})
```

```
Starting server at 4000
[SPOTIFY] : searching asdasd...
[SPOTIFY] Requesting a new access token...
[SPOTIFY] Access token: BQAwgQci3TPoGMGLrljAgRLTM--fwo
search response: {"tracks": {"href": "https://api.spotify.com/v1/search?query=asdasd&type=track&limit=20", "items": [{"id": "7rWz5hrtloVu09emujAeJh", "name": "qwe - Bonus Track", "uri": "spotify:track:7AZmx0oEZj36SPFyC2gJ1l", "track_number": 1, "duration_ms": 8498, "popularity": 0, "external_ids": {"uri": "https://api.spotify.com/v1/tracks/7AZmx0oEZj36SPFyC2gJ1l"}, "external_urls": {"uri": "https://p.scdn.co/mp3-preview/42144f2ccdff945472adf5c99c4fc"}, "artists": [{"id": "5KuLkDwvXGZBzHnV0OOG", "name": "qwe", "type": "Artist", "uri": "spotify:artist:5KuLkDwvXGZBzHnV0OOG"}], "available_markets": ["AD", "AR", "AT", "AU", "BE", "BG", "BO", "BR", "CA", "CL", "CO", "CY", "DE", "DK", "ES", "FI", "GB", "HK", "HU", "ID", "IL", "MX", "NL", "NO", "PE", "PT", "RO", "SE", "SI", "TR", "US", "VE"]}], "total": 13, "disc_number": 1, "type": "track"}}
```



# c7.4 Spotify.jsx - frontend

Now that our Spotify API backend is working, we would have a Spotify component in the frontend React side that would allow us to search for Spotify tracks.

This React component utilizes our Spotify API backend.

Create new file **app/Spotify.jsx**


## Spotify.jsx

Get from **RNW files** [Spotify.jsx](#)

Notice 3 event handlers that we have to implement

## UIManager.jsx

- Import Spotify.jsx
- Add ***showSpotify()* and *hideSpotify()*** event handlers , similar to what we have before for show|hideForm() but use `.spotify_modal` as the selector
- Add button **[+ from Spotify]** and its event handler ***showSpotify()***
- Render `<Spotify />` component and pass ***hideSpotify*** as function props



# c7.5 trackSearchTerm() and searchSpotify()

Similar to how we track ItemForm fields before, we need to track search Spotify input, so when Spotify search is clicked, the search string will be in state and ready to be sent in an axios request.

**Spotify.jsx** - define **constructor()**, **trackSearchTerm()** and **searchSpotify()**

**constructor()** - add `this.state.search_term`, init to empty string

**trackSearchTerm(event)** - `setState search_term` to `event.target.value`

**searchSpotify()** - axios get request to our backend route

``spotify/search/:query``

using `this.state.search_term` as the query

**render()** - add `onChange` event handler to search input: `trackSearchTerm()`

# Search results in the debugger console

# c7.6 transforming API's response data into UI data

So far, this is the item format we have been using:

The object returned by Spotify is too big. We only need: **id, artist, title, album**.

*res.data* array can be mapped into a new array that contains only the track attributes we need.

```
{  
  "id": "0c4IEciLCDdXEhhKxj4ThA"  
  "artist": "Muse",  
  "title": "Madness",  
  "album": "The 2nd Law",  
}
```

```
14 app/Spotify.jsx  
@@ -24,7 +24,19 @@ class Spotify extends React.Component {  
  24    24    axios.get(`/spotify/search/${this.state.search_term}`)  
  25    25    .then(res) => {  
  26    26      // debugger;  
  27    -      console.log(res.data);  
  27    +      // console.log(res.data);  
  28    +  
  29    +      var search_results = res.data;  
  30    +      var squashed_results = search_results.map(function(track) {  
  31    +        return {  
  32    +          id: track.id,  
  33    +          artist: track.artists[0].name,  
  34    +          album: track.album.name,  
  35    +          title: track.name  
  36    +        };  
  37    +      });  
  38    +  
  39    +      console.log(squashed_results);  
  40    +    })  
  ..  ..
```

# That's more like it! Now we have to put it in our UI

The screenshot shows a web browser window with the URL `localhost:4000`. On the left, there is a dark-themed user interface for a "Music Hub" application. It features a search bar with the placeholder "search Spotify" and a text input field containing "girls like you". Next to the input is a green rounded rectangle button labeled "Search". Below this, there is a card for a song by Imagine Dragons titled "Thunder" from the album "Evolve". On the right side of the browser, the developer tools are open, specifically the "Sources" tab which is currently active. The "Spotify.jsx" file is selected. The code editor shows several lines of JSX and JavaScript. In the bottom right corner of the code editor, there is a message: "Spotify.jsx:39". Below the code editor, the "Console" tab is active, displaying a list of 20 search results. The first two results are expanded:

```
(20) [{}]
  ▼ 0:
    album: "Girls Like You (feat. Cardi B)"
    artist: "Maroon 5"
    id: "6FRLCM05TUHTexlWo8ym1W"
    title: "Girls Like You (feat. Cardi B)"
    ▶ __proto__: Object
  ▼ 1:
    album: "Red Pill Blues (Deluxe)"
    artist: "Maroon 5"
    id: "6V1bu6o1Yo5ZXnsCJU80vk"
    title: "Girls Like You (feat. Cardi B)"
    ▶ __proto__: Object
  ▶ 2: {id: "6OFHi11vdkk11nAn0A7dvz", artist: "Maroon 5", album: "Red Pill Blues (Deluxe)", title: "Gi...
```

# c7.7 We need a List and Item component...

**But wait! We already have one!** 🤪  
**Hooray for reusable components!** 🎉

Only thing we have to do here is:

## Spotify.jsx

- Import List and Item
- Add `this.state.search_results`, init to empty array
- `setState squashed_results`
- Render `<List>` passing `search_results` as *list* props

\*\*\* Now we have two instances of *List*, one is Spotify's *List* and the old one is UIManager's *List*

Nice! Last thing is to add the controls in each item to add them to our playlist

A screenshot of the Spotify mobile app interface. At the top, there is a search bar with the text "search Spotify" and a magnifying glass icon. Below the search bar is a green button labeled "[X]". In the center, there is a search input field containing the text "girls like you" and a green "Search" button to its right. The main area displays six search results cards arranged in two rows of three. Each card features a play button icon in the center.

Result Type	Artist / Album / Song	Play Button
Song	Girls Like You (feat. Cardi B) - Maroon 5	Play
Song	Girls Like You (feat. Cardi B) - Maroon 5	Play
Album	Red Pill Blues (Deluxe) - Maroon 5	Play
Song	More Girls Like You - Kip Moore	Play
Song	Girls Like You (feat. Cardi B) - Maroon 5	Play
Album	The Naked And Famous - Passive Me, Aggressive You	Play

# c7.8 [X] and [+] buttons on Item

To implement adding/removing items from Spotify List, we introduce the following props:

```
<UIManager>
  <Spotify>
    <List>
      <Item>
```

Props passing:

```
<UIManager> toggleItemFromSpotify() ---> <Spotify> ---display_type---> <List> ---display_type---> <Item>
                                                toggleItem()           toggleItem()
```

**display\_type** - allows us to customize Item to have [+] instead of [X] and [Edit] (home list)  
**toggleItem...** - when Item's [+] is clicked, item object will be passed upwards all the way to UIManager, who can add the item to our state

# c7.9 implement toggleItemFromSpotify()

When an Item is clicked, UIManager can either add the item if it doesn't exist yet, or delete it if it exists already.

## UIManager.jsx

- `toggleItemFromSpotify()`
  - use `list.some()` to determine if list contains item already
  - `createItem(item)` if exists, else `deleteItem()`
- `createItem(item)`
  - add item parameter, and change logic such that if null, it would get it from `state.form_fields` instead
  - I.e. the item that will be POSTed by axios (aka Create request), could be either item from Spotify's `toggleItem`, OR (if null), it means the call is from ItemForm and get item from `form_fields` instead

# c7.10 Denote Item X instead of + if already in playlist

```
<UIManager>
  <Spotify>
    <List>
      <Item>
```

## Props passing:

```
<UIManager> --isInStateList()---> <Spotify> --isInStateList()---> <List> --isInStateList---> <Item>
```

## UIManager.jsx

**isInStateList()** - checks if passed *item\_id* is already in UIManager's *this.state.list*

Implementation using `some()`, similar to logic in `toggleItemFromSpotify()`

## Item.jsx

display [X] instead of [+]

if *isInStateList()* returns true

```
...
<div className="add_remove">
  <span onClick={() => this.props.toggleItem(item)}>
    { this.props.isInStateList(item.id) ? 'X' : '+' }
  </span>
</div>
...
```

# Some final testing:

Test [+]. Here's a few sample songs

4uLU6hMCjMI75M1A2tKUQC

7Ghlk7Il098yCjg4BQjzvb

0FutrWIUM5Mg3434asiwkp

Test [+ from Spotify].

Try searching and adding; removing already added items in Spotify List

**Note:** Performance could be a bit slow, since mLab database and Spotify API depend on network. A few performance hacks are discussed in **Improvements**.

[+] [+ from Spotify]

Done!  

Project at this point is at branch **/release**

Branch **/master** contains fixes and experiments from **chapter 8 Improvements**

**What should we do with the  
remaining time?**


# Shameless Plug!



We're always hiring interns and full-time employees.

If you're interested, DM me in Slack!

SORRY FOR  
LONG  
WORKSHOP!  
Here's a nerdy  
potato



<https://www.redbubble.com/people/teeandmee/works/24804048-potato-e-moji-noob-nerd-glasses?p=metal-print>

Thank you!!!

