



LaTeX Template For Dissertations, Master Theses, Bachelor Theses, Student Projects, And Other Reports at the Institute of Energy Efficient Mobility

Dissertation

to obtain the academic degree

Doctor rerum naturalium
(Dr. rer. nat.)

at the Institute of Energy Efficient Mobility
Faculty of Mechanical Engineering and Mechatronics
Karlsruhe University of Applied Sciences

Tony Template
from Karlsruhe

March 1, 2024

First Examiner: Prof. Dr.-Ing. Reiner Kriesten
Institute of Energy Efficient Mobility
Karlsruhe University of Applied Sciences

Second Examiner: Prof. Dr.-Ing. Philipp Nenninger
Institute of Energy Efficient Mobility
Karlsruhe University of Applied Sciences

Third Examiner: Florian Sommer, M. Sc.
Institute of Energy Efficient Mobility
Karlsruhe University of Applied Sciences

© 2024 Tony Template

Issued: March 1, 2024



This work is licensed under a Creative Commons Attribution License.

To view a copy of this license, visit

<https://creativecommons.org/licenses/by/4.0/> or send a letter to
Creative Commons, PO Box 1866, Mountain View, CA 94042, USA.

Declaration of Independence

I hereby declare that this thesis titled:

LaTeX Template For Dissertations, Master Theses, Bachelor Theses, Student Projects, And Other Reports at the Institute of Energy Efficient Mobility

was written independently, that I have listed all resources completely and accurately, and that I have indicated everything that has been adopted unchanged or modified from the work of others.

Karlsruhe, March 1, 2024

Tony Template, student number 12345

Acknowledgments

Example: I would like to take this opportunity to thank all those who accompanied and supported me in the preparation of this Master's thesis. I would like to thank Prof. ...

This section is used to thank people who have supported the author during the work. These may be supervising professors or doctoral students. In the case of work that took place in industry, the company or the supervisors can also be thanked. Furthermore, family and friends can be thanked.

The acknowledgements are optional. For project work, an acknowledgement is rather unusual. For theses and dissertations in particular, it makes sense to thank the supervisors etc. involved.

Abstract

A short summary of the work should be given. This should not exceed one page. The relevant aspects that should be addressed are:

1. What is the problem/motivation addressed in this work?
2. Why is the problem relevant?
3. What is the current state of the art / why has the problem not been addressed so far?
4. What is your solution?
5. What are the main results and contributions of your work that addressed the original problem

To get an orientation how an abstract can look like, you can take a look into published scientific papers or dissertations.

Zusammenfassung

This is a translation of the abstract into another language. In case your work is written in German, this page is usually in English and vice versa.

Publications

This page is only relevant for dissertations! Here, you can list the primary publications **in which you are an author or co-author** and that are a part of your work or contribute to it. For example:

- Patrick Rebling, Anna-Lena Marmein, Magdalena Kugler, Yannick Rauch, and Florian Sommer. “Development and Testing of Driver Assistance Systems with Unity”. In: *Reports on Energy Efficient Mobility* 1 (2020), pp. 51–55. DOI: [10.5281/zenodo.4569339](https://doi.org/10.5281/zenodo.4569339)
- Frank Kargl, Natasa Trkulja, Artur Hermann, Florian Sommer, Anderson Ramon Ferraz de Lucena, Alexander Kiening, and Sergej Japs. “Securing Cooperative Intersection Management through Subjective Trust Networks”. In: *2023 IEEE 97th Vehicular Technology Conference (VTC2023-Spring), Florence, Italy*. IEEE, 2023, pp. 1–7. ISBN: 979-8-3503-1114-3. DOI: [10.1109/VTC2023-Spring57618.2023.10200789](https://doi.org/10.1109/VTC2023-Spring57618.2023.10200789)
- Florian Sommer and Jürgen Dürrwang. *IEEM-HsKA/AAD: Automotive Attack Database (AAD)*. 2019. URL: <https://github.com/IEEM-HsKA/AAD> (visited on Dec. 3, 2023)

Further Publications

Here, you can additional publications **in which you are an author or co-author**, but are not primarily relevant for your dissertation.

Contents

Acknowledgments	v
Abstract	vii
Zusammenfassung	ix
Publications	xi
Further Publications	xiii
Contents	xvi
1 Introduction	1
1.1 Comments on the Format	2
2 Background	7
3 Concept	9
4 Implementation	11
5 Evaluation	13
6 Conclusion	15
Appendix	
A Headline of Appendix A	17
B Headline of Appendix B	19
List of Figures	21
List of Tables	23
List of Algorithms	25
List of Program Codes	27
List of Abbrevations	29
List of Symbols	31

Bibliography

33

1 Introduction

This template provides a LaTeX environment that can be used for the preparation of project papers, theses and dissertations.

This document only provides the basic structure. For content suggestions, please refer to the following documents:

- *Hinweise Abschlussarbeiten doppelseitig 2019-09-23* by Prof. Dr.-Ing. Michael Arnemann. This document is a university-wide guideline¹. **Attention:** The formal structure of this template (e.g. page formats, cover page, etc.) already largely follows Mr. Arnemann's guidelines and is adapted to the requirements of the IEEM. You therefore do not need to change the report format. However, Mr. Arnemann's guidelines provide valuable advice on content such as the presentation of figures, tables, equations, etc. and their labels. In addition, advice is given on citation, the structure and content of chapters and other aspects of the work.
- *Leitfaden: Wissenschaftliches Arbeiten (Schwerpunkt: Ablauf der Arbeit, Schreiben des Berichts, Halten einer Präsentation)* by Florian Sommer. This document is related to the IEEM and gives advice on how to organize a project and final thesis, how to prepare the written report and how to give the final presentation. It primarily provides tips on content, such as the recommended length of the thesis, the best way to start, what content should be included in the thesis or presentation, etc. In particular, tips are given on the structure and implementation of individual report chapters and presentation slides, as well as an overview of correct citation and the use of illustrations.

We recommend that you read both documents thoroughly and consider them in your work. Experience has shown that this leads to better reports and final presentations and subsequently to better grades for your work.

¹The guideline is not a specification that must be followed exactly in every single point. However, it offers useful tips for the implementation of a project or final thesis, which makes suggestions for the design and content of final theses.

1.1 Comments on the Format

This work is double-sided. On even pages, the current chapter is automatically displayed in the header. On odd-numbered pages, the current section is displayed in the header (note: only the section, but not the subsection or subsubsection). Chapter beginnings are excluded from this, as these pages do not have a header.

Page numbers are automatically assigned and displayed in the footer. No page numbers are displayed on empty pages (e.g., at the end of a chapter).

Footnotes² can be automatically inserted in the footer of the page on which you have specified the footer.

Illustrations, tables, and other aspects are presented below as examples.

1.1.1 Figures

In Figure 1.1, the example of an automotive E/E architecture is illustrated.




Figure 1.1: Overview of an automotive E/E architecture and its individual subsystems. The Electronic Control Units (ECUs) are connected by five bus systems. Furthermore, a diagnostic tester is connected by a Controller Area Network (CAN) bus and Ethernet.

The caption of a figure should consist of two sentences at least, since you need to describe what the figure is showing. **Attention:** You always have to pay attention to copyrights when you use images!!!

1.1.2 Tables

In Table 1.1, the example of a table is shown.

²This is a footnote.

Table 1.1: Table in which the `\toprule`, `\toprule`, and `\toprule` commands are used without vertical separators. This table uses the `tabularx` package. The table width is fixed. There are multiple options to create tables.

Country	City	Students
France	Paris	500
Germany	Karlsruhe	450

In Table 1.2, another table is shown.

Table 1.2: Table in which the `\hline` command and the vertical separators are used to create the cells. There are multiple options to create tables.

1	2	3
4	5	6
7	8	9

1.1.3 Algorithms

In Algorithm 1.1, the example of a pseudocode algorithm is shown.

```
1: function TESTFUNCTION( $i \in I$ )                                ▷ Function Header
2:   init  $m \leftarrow 0$                                           ▷ Initializing values
3:   init  $M \leftarrow \{1, 2, 3, 4, 5\}$ 
4:
5:   if  $(i > 0) \cup (i \leq 5)$  then                                ▷ If-Else
6:   |    $m \leftarrow 5$ 
7:   else if  $(i > 5) \cup (i < 10)$  then
8:   |    $m \leftarrow 10$ 
9:   else
10:  |    $m \leftarrow 25$ 
11:  end if
12:
13:  while  $i > 0$  do                                              ▷ While-Loop
14:  |    $m \leftarrow m + 1$ 
15:  end while
16:
17:  for all  $n \in M$  do                                          ▷ Forall-Loop
18:  |   output  $n$                                                 ▷ Output (Print) of a number
19:  end for
20:
21:  for  $n = 1, \dots, 10$  do                                    ▷ For-Loop
22:  |   output  $n$ 
23:  end for
24:
25:  CALCULATEVALUE( $m, i$ )                                         ▷ Function call with parameters
26:  return  $m$                                                     ▷ Returning the number  $m$ , um zu prüfen, ob die breite passt
27: end function
```

Algorithm 1.1: Exemplary algorithm to demonstrate pseudocode in this thesis.

Pseudocode algorithms in this document use the LaTeX package *Algpseudocodex*. Pseudocode is typically a mix of program code, mathematical or logical symbols and operations, and textual descriptions. The purpose of pseudocode is the description of an algorithm, function, or procedure in an easy way. The focus is on readability and understandability. The formal precision of the expressions plays a minor role.

1.1.4 Code Listings

In Listing 1.1, the example of program code. The default option is C/C++.

```
1
2 void function(int limit)
3 {
4     for (int i = 0; i < limit; i++) // This is a comment!
5     {
6         if (i % 15 == 0)
7         {
8             printf("Test");
9         }
10        else if (i % 3 == 0)
11        {
12            printf("String");
13        }
14        else if (i % 5 == 0)
15        {
16            int var = 0123456789;
17            printf("Print");
18        }
19        else
20        {
21            printf(i);
22        }
23    }
24 }
```

Listing 1.1: Code example.

We recommend you to place program code in annex chapters, but not in normal text chapters. In the text, it is more reasonable to illustrate the behavior of your program in flow charts, state machines, pseudocode, etc., since these are easier to read and understand.

1.1.5 Further Remarks

The pages and captions of all figures, tables, algorithms, and code listings are automatically referenced in the *List of Figures, Tables*, etc. at the end of your document.

2 Background

3 Concept

4 Implementation

5 Evaluation

6 Conclusion

A Headline of Appendix A

In principle, the appendix contains things that are too large or too extensive to be mentioned directly in the text:

- Large tables
- Program code
- Large figures
- Measurement data
- ...

Furthermore, the appendix can be used to give detailed explanations of aspects that are too long to cover them directly in background or state of the art chapters. The appendix can also be structured in chapters (Appendix A, Appendix B, ...)

B Headline of Appendix B

List of Figures

1.1 Short caption for the *List of Figures*. 2

List of Tables

- 1.1 Table in which the `\toprule`, `\toprule`, and `\toprule` commands are used without vertical separators. This table uses the `tabularx` package. The table width is fixed. There are multiple options to create tables. 3
- 1.2 Table in which the `\hline` command and the vertical separators are used to create the cells. There are multiple options to create tables. 3

List of Algorithms

1.1 Exemplary algorithm to demonstrate pseudocode in this thesis.	4
---	---

List of Program Codes

1.1 Code example. 5

List of Abbreviations

CAN	Controller Area Network
ECU	Electronic Control Unit

List of Symbols

$I, Item$	Definition of a system model item
$Items$	Set of all system model items
$M_{Adjacent}$	Adjacency matrix of the system model, which defines connected items

Bibliography

- [1] Frank Kargl, Natasa Trkulja, Artur Hermann, Florian Sommer, Anderson Ramon Ferraz de Lucena, Alexander Kiening, and Sergej Japs. “Securing Cooperative Intersection Management through Subjective Trust Networks”. In: *2023 IEEE 97th Vehicular Technology Conference (VTC2023-Spring), Florence, Italy*. IEEE, 2023, pp. 1–7. ISBN: 979-8-3503-1114-3. DOI: [10.1109/VTC2023-Spring57618.2023.10200789](https://doi.org/10.1109/VTC2023-Spring57618.2023.10200789).
- [2] Patrick Rebling, Anna-Lena Marmein, Magdalena Kugler, Yannick Rauch, and Florian Sommer. “Development and Testing of Driver Assistance Systems with Unity”. In: *Reports on Energy Efficient Mobility 1* (2020), pp. 51–55. DOI: [10.5281/zenodo.4569339](https://doi.org/10.5281/zenodo.4569339).
- [3] Florian Sommer and Jürgen Dürrwang. *IEEM-HsKA/AAD: Automotive Attack Database (AAD)*. 2019. URL: <https://github.com/IEEM-HsKA/AAD> (visited on Dec. 3, 2023).