# Deriving the BSSN equations from the ADM equations

The following Cadabra<sup>1</sup> codes verifies, for the particular case of vacuum spacetimes, the main equations (with zero-shift) in the Phys Rev D papers Phys.Rev.D. (62) 044034 (2000) and Phys.Rev.D. (67) 084023 (2003) by Miguel Alcubierre, Bernd Brugmann et al. .

The two papers are abbreviated as pdr62 and prd67 respectively.

All of the essential BSSN equations are covered, in particular equations 9, 10, 11, 12, 15, 17, 18, 19 and 20 from prd62 and equations 19, 20 and 27 from prd67.

The first few pages provides a summary of the calculations. For each equation the summary is of the form

$$\begin{split} & \text{eq18.lcb} := \frac{1}{2} \bar{g}_{bc} \partial_a \bar{\Gamma}^c + \frac{1}{2} \bar{g}_{ac} \partial_b \bar{\Gamma}^c + \bar{g}^{cd} \bar{g}^{ef} \bar{\Gamma}_{bce} \bar{\Gamma}_{daf} + \bar{g}^{cd} \bar{g}^{ef} \bar{\Gamma}_{cae} \bar{\Gamma}_{dbf} + \bar{g}^{cd} \bar{g}^{ef} \bar{\Gamma}_{ace} \bar{\Gamma}_{dbf} + \frac{1}{2} \bar{\Gamma}^c \bar{\Gamma}_{abc} + \frac{1}{2} \bar{\Gamma}^c \bar{\Gamma}_{bac} - \frac{1}{2} \bar{g}^{cd} \partial_{cd} \bar{g}_{ab} \\ & \text{eq18.prd} := -\frac{1}{2} \bar{g}^{lm} \partial_{lm} \bar{g}_{ab} + \frac{1}{2} \bar{g}_{ka} \partial_b \bar{\Gamma}^k + \frac{1}{2} \bar{g}_{kb} \partial_a \bar{\Gamma}^k + \frac{1}{2} \bar{\Gamma}^k \bar{\Gamma}_{abk} + \frac{1}{2} \bar{\Gamma}^k \bar{\Gamma}_{bak} + \bar{g}^{lm} \bar{g}^{ke} \left( \bar{\Gamma}_{ela} \bar{\Gamma}_{bkm} + \bar{\Gamma}_{elb} \bar{\Gamma}_{akm} + \bar{\Gamma}_{kam} \bar{\Gamma}_{elb} \right) \\ & \text{eq18.chk} := 0 \end{split}$$

The first line records the output from the Cadabra code, the second line is the corresponding equation in prd62 (or prd67) while the third line shows the difference. The good news is that for each equation the difference is zero (as it should be).

The summary is then followed by the full details of the calculations for each equation. The output includes all of the steps. The odd looking equation numbers are tags that match the line in the corresponding Cadabra source. Thus the following output (from prd62 equation 11)

$$\partial_{t} \operatorname{tr} K = \partial_{t} \left( g^{ij} K_{ij} \right)$$

$$= \partial_{t} g^{ij} K_{ij} + g^{ij} \partial_{t} K_{ij}$$

$$= 2N K^{ij} K_{ij} + g^{ij} \partial_{t} K_{ij}$$

$$= 2N K^{ij} K_{ij} + g^{ij} \left( -D_{ij} N + N \left( R_{ij} + \operatorname{tr} K K_{ij} - 2K_{ic} K_{jd} g^{cd} \right) \right)$$

$$= 2N K^{ij} K_{ij} + g^{ij} \left( -D_{ij} N + N \left( R_{ij} + \operatorname{tr} K K_{ij} - 2K_{ic} K_{jd} g^{cd} \right) \right)$$

$$(eq11.102)$$

$$= 2N K^{ij} K_{ij} + g^{ij} \left( -D_{ij} N + N \left( R_{ij} + \operatorname{tr} K K_{ij} - 2K_{ic} K_{jd} g^{cd} \right) \right)$$

$$(eq11.102)$$

can be matched line-by-line with the Cadabra code

```
        substitute
        (dotK,trK)
        # cdb (eq11.102,dotK)

        product_rule
        (dotK)
        # cdb (eq11.103,dotK)

        substitute
        (dotK,DhijDt)
        # cdb (eq11.104,dotK)

        substitute
        (dotK,DKijDt)
        # cdb (eq11.105,dotK)
```

 $<sup>^1\</sup>mathrm{Based}$  on Cadabra 2.5.8 (build private dated 2024-10-25)

#### Running the codes

To run any of the codes you will need to install Cadabra. Compiling and installing Cadabra is straightforward with full details provided on the <a href="https://github.com/kpeeters/cadabra2.git">https://github.com/kpeeters/cadabra2.git</a> repository on GitHub.

You will also need to install the hybrid-latex tools. These are simple scripts and LaTeX macros that allow the Cadabra output to be caught and integrated back into the LaTeX source. See the INSTALL.txt file in hybrid-latex for full details. The documentation for hybrid-latex tools is included in the hybrid-latex directory.

To compile all of the files in one go just use

```
cd source
make
```

You can compile any one of the files (e.g., eqtn11.tex) using any of the following (from within the source directory)

```
cdblatex.sh -i eqtn11
make eqtn11
make .eqtn11
```

The first two commands will force a recompile of eqtn11 while the third command will use the magic of makefiles to determine if it (and its dependencies) needs to be recompiled.

The cdblatex.sh is the main script in the hybrid-latex codes. It does the job of extracting rhe embedded Cadabra code, running that code through Cadabra, collecting the output and finally making that output available to the LaTeX source.

You may want to look inside the Makefile to see which targets are available.

Note that there are dependencies amongst the files and these dependencies are encoded in the makefile. See the file SEQUENCE.txt for the details.

# PhysRevD.62.044034

$$\begin{split} & \texttt{eq09.lcb} := -2N\bar{A}_{ij} \\ & \texttt{eq09.prd} := -2N\bar{A}_{ij} \\ & \texttt{eq09.chk} := 0 \end{split}$$

$$\label{eq:continuous} \begin{split} & \texttt{eq10.lcb} := -\frac{1}{6} \mathrm{tr} K N \\ & \texttt{eq10.prd} := -\frac{1}{6} N \mathrm{tr} K \\ & \texttt{eq10.chk} := 0 \end{split}$$

$$\begin{split} & \texttt{eq11.lcb} := -g^{ab}D_{ab}N + N\bar{A}_{ab}\bar{A}^{ab} + \frac{1}{3}\text{tr}K^2N \\ & \texttt{eq11.prd} := -g^{ij}D_{ij}N + N\left(\bar{A}_{ij}\bar{A}^{ij} + \frac{1}{3}\text{tr}K^2\right) \\ & \texttt{eq11.chk} := 0 \end{split}$$

$$\begin{split} & \texttt{eq12.lcb} := \text{tr} K N \bar{A}_{ij} - 2 N \bar{A}_i{}^b \bar{A}_{jb} + \exp\left(-4\phi\right) \left(-D_{ij} N + N R_{ij} - \frac{1}{3} N g_{ij} g^{ab} R_{ab} + \frac{1}{3} g_{ij} g^{ab} D_{ab} N\right) \\ & \texttt{eq12.prd} := N \left(\text{tr} K \bar{A}_{ij} - 2 \bar{A}_{ia} \bar{A}^a{}_j\right) + \exp\left(-4\phi\right) \left(N R_{ij} - D_{ij} N - \frac{1}{3} g_{ij} \left(N R_{ab} - D_{ab} N\right) g^{ab}\right) \\ & \texttt{eq12.chk} := 0 \end{split}$$

$$\begin{split} & \texttt{eq15.lcb} := -2\bar{D}_{ab}\phi - 2\bar{g}_{ab}\bar{g}^{cd}\bar{D}_{cd}\phi + 4\bar{D}_a\phi\bar{D}_b\phi - 4\bar{g}_{ab}\bar{g}^{cd}\bar{D}_c\phi\bar{D}_d\phi \\ & \texttt{eq15.prd} := -2\bar{D}_{ab}\phi - 2\bar{g}_{ab}\bar{g}^{cd}\bar{D}_{cd}\phi + 4\bar{D}_a\phi\bar{D}_b\phi - 4\bar{g}_{ab}\bar{g}^{cd}\bar{D}_c\phi\bar{D}_d\phi \\ & \texttt{eq15.chk} := 0 \end{split}$$

eq17.lcb 
$$:= -\partial_b ar{g}^{ib}$$
 eq17.prd  $:= -\partial_j ar{g}^{ij}$  eq17.chk  $:= 0$ 

$$\begin{split} & \texttt{eq18.lcb} := \frac{1}{2} \bar{g}_{bc} \partial_a \bar{\Gamma}^c + \frac{1}{2} \bar{g}_{ac} \partial_b \bar{\Gamma}^c + \bar{g}^{cd} \bar{g}^{ef} \bar{\Gamma}_{bce} \bar{\Gamma}_{daf} + \bar{g}^{cd} \bar{g}^{ef} \bar{\Gamma}_{cae} \bar{\Gamma}_{dbf} + \bar{g}^{cd} \bar{g}^{ef} \bar{\Gamma}_{ace} \bar{\Gamma}_{dbf} + \frac{1}{2} \bar{\Gamma}^c \bar{\Gamma}_{abc} + \frac{1}{2} \bar{\Gamma}^c \bar{\Gamma}_{bac} - \frac{1}{2} \bar{g}^{cd} \partial_{cd} \bar{g}_{ab} \\ & \texttt{eq18.prd} := -\frac{1}{2} \bar{g}^{lm} \partial_{lm} \bar{g}_{ab} + \frac{1}{2} \bar{g}_{ka} \partial_b \bar{\Gamma}^k + \frac{1}{2} \bar{g}_{kb} \partial_a \bar{\Gamma}^k + \frac{1}{2} \bar{\Gamma}^k \bar{\Gamma}_{abk} + \frac{1}{2} \bar{\Gamma}^k \bar{\Gamma}_{bak} + \bar{g}^{lm} \bar{g}^{ke} \left( \bar{\Gamma}_{ela} \bar{\Gamma}_{bkm} + \bar{\Gamma}_{elb} \bar{\Gamma}_{akm} + \bar{\Gamma}_{kam} \bar{\Gamma}_{elb} \right) \\ & \texttt{eq18.chk} := 0 \end{split}$$

$$\begin{split} &\texttt{eq19.1cb} := -2\bar{A}^{ia}\partial_a N - 2N\partial_a \bar{A}^{ia} \\ &\texttt{eq19.prd} := -2\partial_j \left(N\bar{A}^{ij}\right) \\ &\texttt{eq19.chk} := 0 \end{split}$$

$$\begin{split} & \texttt{eq20.lcb} := -2\bar{A}^{ia}\partial_a N - 2N \left( -6\bar{A}^{ia}\partial_a \phi - \bar{A}^{ab}\bar{\Gamma}^i{}_{ab} + \frac{2}{3}\bar{g}^{ia}\partial_a \text{tr}K \right) \\ & \texttt{eq20.prd} := -2\bar{A}^{ij}\partial_j N + 2N \left( \bar{\Gamma}^i{}_{jk}\bar{A}^{kj} - \frac{2}{3}\bar{g}^{ij}\partial_j \text{tr}K + 6\bar{A}^{ij}\partial_j \phi \right) \\ & \texttt{eq20.chk} := 0 \end{split}$$

# ${\bf PhysRevD.67.084023}$

$$\mbox{prd67.eq19.lcb}:=R+\frac{2}{3}\mbox{tr}K^2-\bar{A}^{ab}\bar{A}_{ab}$$
 
$$\mbox{prd67.eq19.prd}:=R-\bar{A}_{ab}\bar{A}^{ab}+\frac{2}{3}\mbox{tr}K^2$$
 
$$\mbox{prd67.eq19.chk}:=0$$

$$\begin{split} &\operatorname{prd67.eq20.1cb} := 6\bar{A}^{ia}\partial_a\phi + \partial_a\bar{A}^{ia} + \bar{A}^{ab}\bar{\Gamma}^i{}_{ab} - \frac{2}{3}\bar{g}^{ia}\partial_a\mathrm{tr}K \\ &\operatorname{prd67.eq20.prd} := \partial_a\bar{A}^{ia} + 6\bar{A}^{ia}\partial_a\phi + \bar{A}^{ab}\bar{\Gamma}^i{}_{ab} - \frac{2}{3}\bar{g}^{ia}\partial_a\mathrm{tr}K \\ &\operatorname{prd67.eq20.chk} := 0 \end{split}$$

$$\begin{split} & \texttt{prd67.eq27.lcb} := 2\bar{g}^a{}_c\partial_b\phi + 2\bar{g}^a{}_b\partial_c\phi - 2\bar{g}^{ae}\partial_e\phi\bar{g}_{bc} + \bar{\Gamma}^a{}_{bc} \\ & \texttt{prd67.eq27.prd} := \bar{\Gamma}^a{}_{bc} + 2\bar{g}^a{}_c\partial_b\phi + 2\bar{g}^a{}_b\partial_c\phi - 2\bar{g}_{bc}\bar{g}^{ae}\partial_e\phi \\ & \texttt{prd67.eq27.chk} := 0 \end{split}$$

### PhysRevD.62.044034 equation (9)

```
from shared import *
    import cdblib
    jsonfile = 'eqtn09.json'
    cdblib.create (jsonfile)
    DgijDt = cdblib.get ('adm.DgijDt', 'adm.json')
    DhijDt = cdblib.get ('adm.DhijDt', 'adm.json')
    DphiDt = cdblib.get ('DphiDt', 'eqtn10.json')
11
12
13
    gBarij := gBar_{i j} -> \exp(-4\phi) g_{i j}. # prd62 eqn 05
14
    Kij := K_{ij} \rightarrow A_{ij} + (1/3) g_{ij} trK. # prd62 eqn 07
17
    A2ABar := \exp(-4\phi) A_{i j} -> ABar_{i j}. # prd62 eqn 08
19
    # dgBar_{ij}/dt
21
    dotgBarij := \partial_{t}{gBar_{i j}}. # cdb (eq09.101,dotgBarij)
23
    substitute (dotgBarij, gBarij)
                                                # cdb (eq09.102,dotgBarij)
    product_rule (dotgBarij)
                                                # cdb (eq09.103,dotgBarij)
    substitute (dotgBarij, dexp)
                                               # cdb (eq09.104,dotgBarij)
    substitute (dotgBarij, DgijDt)
                                               # cdb (eq09.105,dotgBarij)
    substitute (dotgBarij, DphiDt)
                                               # cdb (eq09.106,dotgBarij)
    substitute (dotgBarij, Kij)
                                               # cdb (eq09.107,dotgBarij)
                                               # cdb (eq09.108,dotgBarij)
    distribute (dotgBarij)
    map_sympy
                (dotgBarij, "simplify")
                                                # cdb (eq09.109,dotgBarij)
    substitute (dotgBarij, A2ABar)
                                                 # cdb (eq09.110,dotgBarij)
    DgBarijDt := \partial_{t}{gBar_{i j}} -> @(dotgBarij).
35
```

$$\begin{split} \partial_t \bar{g}_{ij} &= \partial_t \left( \exp \left( -4\phi \right) g_{ij} \right) &= \partial_t \left( \exp \left( -4\phi \right) \right) g_{ij} + \exp \left( -4\phi \right) \partial_t g_{ij} &= -4 \exp \left( -4\phi \right) \partial_t \phi g_{ij} + \exp \left( -4\phi \right) \partial_t g_{ij} &= -4 \exp \left( -4\phi \right) \partial_t \phi g_{ij} + \exp \left( -4\phi \right) N K_{ij} &= -4 \exp \left( -4\phi \right) \partial_t \phi g_{ij} - 2 \exp \left( -4\phi \right) N K_{ij} &= \frac{2}{3} \exp \left( -4\phi \right) \operatorname{tr} K N g_{ij} - 2 \exp \left( -4\phi \right) N K_{ij} &= \frac{2}{3} \exp \left( -4\phi \right) \operatorname{tr} K N g_{ij} - 2 \exp \left( -4\phi \right) N \left( A_{ij} + \frac{1}{3} g_{ij} \operatorname{tr} K \right) &= \frac{2}{3} \exp \left( -4\phi \right) \operatorname{tr} K N g_{ij} - 2 \exp \left( -4\phi \right) N A_{ij} - \frac{2}{3} \exp \left( -4\phi \right) N g_{ij} \operatorname{tr} K &= -2N \exp \left( -4\phi \right) A_{ij} &= -2N \exp \left( -4\phi \right) A_{ij} &= -2N \bar{A}_{ij} &= -2N \bar{A}_{ij} &= -2N \exp \left( -4\phi \right) N g_{ij} \exp \left( -4\phi \right) N g_{ij} \exp \left( -4\phi \right) N g_{ij} &= -2N \exp$$

$$\begin{split} & \texttt{eq09.1cb} := -2N\bar{A}_{ij} \\ & \texttt{eq09.prd} := -2N\bar{A}_{ij} \\ & \texttt{eq09.chk} := 0 \end{split}$$

# PhysRevD.62.044034 equation (10)

```
from shared import *
     import cdblib
     jsonfile = 'eqtn10.json'
     cdblib.create (jsonfile)
     DgijDt = cdblib.get ('adm.DgijDt', 'adm.json')
     DdetgDt = cdblib.get ('adm.DdetgDt', 'adm.json')
11
     phi := \phi (1/12) \log(\det g).
12
     gdotK := g^{i} j K_{i} -> trK.
13
14
     # d\phi/dt
     dotphi := \partial_{t}{\phi}. # cdb (eq10.101,dotphi)
18
19
     substitute (dotphi, phi) # cdb (eq10.102,dotphi)
     substitute (dotphi, dlog) # cdb (eq10.103,dotphi)
     substitute (dotphi, DdetgDt) # cdb (eq10.104,dotphi)
     substitute (dotphi, DgijDt) # cdb (eq10.105,dotphi)
substitute (dotphi, gdotK) # cdb (eq10.106,dotphi)
23
     map_sympy (dotphi, "simplify") # cdb (eq10.107,dotphi)
26
     DphiDt := \partial_{t}{\phi} -> @(dotphi).
28
     cdblib.put ('DphiDt',DphiDt,jsonfile)
```

$$\partial_{t}\phi = \frac{1}{12}\partial_{t}(\log g)$$
 (eq10.102)  

$$= \frac{1}{12}g^{-1}\partial_{t}g$$
 (eq10.103)  

$$= \frac{1}{12}g^{-1}gg^{ij}\partial_{t}g_{ij}$$
 (eq10.104)  

$$= -\frac{1}{6}g^{-1}gg^{ij}NK_{ij}$$
 (eq10.105)  

$$= -\frac{1}{6}g^{-1}g\text{tr}KN$$
 (eq10.106)  

$$= -\frac{1}{6}\text{tr}KN$$
 (eq10.107)

$$\begin{split} & \texttt{eq10.lcb} := -\frac{1}{6} \mathrm{tr} K N \\ & \texttt{eq10.prd} := -\frac{1}{6} N \mathrm{tr} K \\ & \texttt{eq10.chk} := 0 \end{split}$$

#### PhysRevD.62.044034 equation (11)

```
from shared import *
     import cdblib
     jsonfile = 'eqtn11.json'
     cdblib.create (jsonfile)
     DhijDt = cdblib.get ('adm.DhijDt', 'adm.json')
     DKijDt = cdblib.get ('adm.DKijDt', 'adm.json')
11
     trK := trK \rightarrow g^{i} j K_{i}.
12
     gdotK := g^{i} j K_{i} -> trK.
13
14
     Kup := g^{i} a g^{i} b K_{i} -> K^{i} b.
16
     Ham := g^{i} j R_{i} > K_{i} K^{i} - trK trK.
18
     Kij := K_{ij} -> A_{ij} + (1/3) g_{ij} trK. # prd62 eqn 07
19
    Lij := K^{i} = K^{i} + (1/3) g^{i} + (1/3) g^{i} trK. # prd62 eqn 07
21
     trA1 := A_{ij} g^{i} -> 0.
                                                      # Aij is trace free
     trA2 := A^{i} j g_{i} -> 0.
23
     Asq := A_{i j} A^{i j} -> ABar_{i j} ABar^{i j}.
25
26
     gdotg := g_{i j} g^{i j} -> 3.
28
     # dK/dt
30
31
     dotK := \partial_{t}{trK}.
                                       # cdb (eq11.101,dotK)
33
                                        # cdb (eq11.102,dotK)
     substitute
                    (dotK,trK)
                    (dotK)
                                        # cdb (eq11.103,dotK)
     product_rule
35
                                         # cdb (eq11.104,dotK)
                    (dotK,DhijDt)
     substitute
```

```
(dotK,DKijDt)
                                          # cdb (eq11.105,dotK)
     substitute
     distribute
                     (dotK)
                                          # cdb (eq11.106,dotK)
     substitute
                     (dotK,gdotK)
                                          # cdb (eq11.107,dotK)
39
     substitute
                     (dotK,Kup)
                                          # cdb (eq11.108,dotK)
40
     dotK = product_sort (dotK)
                                          # cdb (eq11.109,dotK)
41
     substitute
                     (dotK, Ham)
                                          # cdb (eq11.110,dotK)
42
     distribute
                     (dotK)
                                          # cdb (eq11.111,dotK)
     substitute
                     (dotK,Kij)
                                          # cdb (eq11.112,dotK)
                                          # cdb (eq11.113,dotK)
     substitute
                     (dotK,Lij)
     distribute
                     (dotK)
                                          # cdb (eq11.114,dotK)
46
                     (dotK,trA1)
                                          # cdb (eq11.115,dotK)
     substitute
47
                     (dotK,trA2)
                                          # cdb (eq11.116,dotK)
     substitute
48
     substitute
                     (dotK,Asq)
                                          # cdb (eq11.117,dotK)
49
                                          # cdb (eq11.118,dotK)
     substitute
                     (dotK,gdotg)
                     (dotK, "simplify")
                                          # cdb (eq11.119,dotK)
     map_sympy
51
52
     DKDt := \partial_{t}{trK} -> @(dotK).
53
54
     cdblib.put ('DKDt',DKDt,jsonfile)
```

$$\begin{split} \partial_{t} \mathrm{tr} K &= \partial_{t} \left( g^{ij} K_{ij} \right) & & & & & & & \\ &= \partial_{t} g^{ij} K_{ij} + g^{ij} \partial_{t} K_{ij} & & & & & \\ &= 2N K^{ij} K_{ij} + g^{ij} \partial_{t} K_{ij} & & & & & \\ &= 2N K^{ij} K_{ij} + g^{ij} \partial_{t} K_{ij} & & & & & \\ &= 2N K^{ij} K_{ij} + g^{ij} \left( -D_{ij} N + N \left( R_{ij} + \mathrm{tr} K K_{ij} - 2 K_{ic} K_{jd} g^{cd} \right) \right) & & & & \\ &= 2N K^{ij} K_{ij} - g^{ij} D_{ij} N + g^{ij} N R_{ij} + g^{ij} N \mathrm{tr} K K_{ij} - 2 g^{ij} N K_{ic} K_{jd} g^{cd} & & & \\ &= 2N K^{ij} K_{ij} - g^{ij} D_{ij} N + g^{ij} N R_{ij} + \mathrm{tr} K N \mathrm{tr} K - 2 g^{ij} N K_{ic} K_{jd} g^{cd} & & & \\ &= 2N K^{ij} K_{ij} - g^{ij} D_{ij} N + g^{ij} N R_{ij} + \mathrm{tr} K N \mathrm{tr} K - 2 g^{ij} N K_{ic} K_{jd} g^{cd} & & & \\ &= 2N K^{ij} K_{ij} - g^{ij} D_{ij} N + g^{ij} N R_{ij} + \mathrm{tr} K N \mathrm{tr} K - 2 K^{jd} N K_{jd} & & & \\ &= 2N K^{ij} K_{ij} - g^{ij} D_{ij} N + g^{ij} N R_{ij} + \mathrm{tr} K N \mathrm{tr} K - 2 K^{jd} N K_{jd} & & & \\ &= -g^{ab} D_{ab} N + N g^{ab} R_{ab} + N \mathrm{tr} K \mathrm{tr} K & & & \\ &= -g^{ab} D_{ab} N + N G^{ab} R_{ab} - \mathrm{tr} K \mathrm{tr} K + N \mathrm{tr} K \mathrm{tr} K & & \\ &= -g^{ab} D_{ab} N + N \left( A_{ab} + \frac{1}{3} g_{ab} \mathrm{tr} K \right) K^{ab} & & & \\ &= -g^{ab} D_{ab} N + N \left( A_{ab} + \frac{1}{3} g_{ab} \mathrm{tr} K \right) K^{ab} & & & \\ &= -g^{ab} D_{ab} N + N \left( A_{ab} + \frac{1}{3} g_{ab} \mathrm{tr} K \right) \left( A^{ab} + \frac{1}{3} N g_{ab} \mathrm{tr} K A^{ab} + \frac{1}{9} N g_{ab} \mathrm{tr} K g^{ab} \mathrm{tr} K & & \\ &= -g^{ab} D_{ab} N + N A_{ab} A^{ab} + \frac{1}{3} N g_{ab} \mathrm{tr} K A^{ab} + \frac{1}{9} N g_{ab} \mathrm{tr} K g^{ab} \mathrm{tr} K & & \\ &= -g^{ab} D_{ab} N + N A_{ab} A^{ab} + \frac{1}{9} N g_{ab} \mathrm{tr} K g^{ab} \mathrm{tr} K & & \\ &= -g^{ab} D_{ab} N + N \bar{A}_{ab} \bar{A}^{ab} + \frac{1}{9} N g_{ab} \mathrm{tr} K g^{ab} \mathrm{tr} K & & \\ &= -g^{ab} D_{ab} N + N \bar{A}_{ab} \bar{A}^{ab} + \frac{1}{3} N \mathrm{tr} K \mathrm{tr} K & & \\ &= -g^{ab} D_{ab} N + N \bar{A}_{ab} \bar{A}^{ab} + \frac{1}{3} N \mathrm{tr} K \mathrm{tr} K & & \\ &= -g^{ab} D_{ab} N + N \bar{A}_{ab} \bar{A}^{ab} + \frac{1}{3} N \mathrm{tr} K \mathrm{tr} K & & \\ &= -g^{ab} D_{ab} N + N \bar{A}_{ab} \bar{A}^{ab} + \frac{1}{3} N \mathrm{tr} K K \mathrm{tr} K & & \\ &= -g^{ab} D_{ab} N + N \bar{A}_{ab} \bar{A}^{ab} + \frac{1}{3} N \mathrm{tr} K K \mathrm{$$

```
# Check against prd62.
    foo := @(dotK).
                                                          # cdb(eq11.1cb,foo)
                                                          # cdb(eq11.prd,bah)
     bah = cdblib.get('prd62.eq11.rhs','prd62.json')
    diff := @(foo) - @(bah).
    distribute
                    (diff)
    diff = product_sort (diff)
10
    rename_dummies (diff)
11
    map_sympy
                    (diff, "simplify")
                                                          # cdb(eq11.chk,diff)
     canonicalise
                    (diff)
```

$$\begin{split} & \texttt{eq11.lcb} := -g^{ab}D_{ab}N + N\bar{A}_{ab}\bar{A}^{ab} + \frac{1}{3}\text{tr}K^2N \\ & \texttt{eq11.prd} := -g^{ij}D_{ij}N + N\left(\bar{A}_{ij}\bar{A}^{ij} + \frac{1}{3}\text{tr}K^2\right) \\ & \texttt{eq11.chk} := 0 \end{split}$$

### PhysRevD.62.044034 equation (12)

```
from shared import *
                import cdblib
                jsonfile = 'eqtn12.json'
                cdblib.create (jsonfile)
                DgijDt = cdblib.get ('adm.DgijDt', 'adm.json')
                DKijDt = cdblib.get ('adm.DKijDt', 'adm.json')
                DphiDt = cdblib.get ('DphiDt', 'eqtn10.json')
                DKDt = cdblib.get ('DKDt', 'eqtn11.json')
11
12
13
                ABar2A := ABar_{i j} \rightarrow \exp(-4\phi) A_{i j}. # prd62 eqn 08
14
                A2ABar := A_{i j} \rightarrow \exp(4\pi) ABar_{i j}. # prd62 eqn 08
                Aij := A_{ij} \rightarrow K_{ij} - (1/3) g_{ij} trK. # prd62 eqn 07
17
                Kij := K_{ij} \rightarrow A_{ij} + (1/3) g_{ij} trK. # prd62 eqn 07
18
19
                gginv := \{g_{i} a\} g^{a} \} -> g_{i}^{i},
                                               g_{i} = g^{i} = g^{i}^{j}.
21
                ABarUp := ABar_{i j} g^{i k} \rightarrow \exp(-4\pi) ABar_{i}^{k}.
23
24
                ABardotABar := ABar_{i j} ABar^{i j} ->
25
                                                                (K_{i j}-(1/3)g_{i j} trK) (K^{i j}-(1/3)g^{i j} trK).
26
27
                trg := g_{i} = g_{i}
28
                trK := {K_{i j} g^{i j} -> trK,
30
                                         K^{\{i j\}} g_{\{i j\}} \rightarrow trK\}.
31
32
                Ham := trK**2 \rightarrow K_{i j} K^{i j} - g^{i j} R_{i j}.
35
                # dABarij/dt
```

```
37
     dotABarij := \partial_{t}{ABar_{i j}}.
                                                     # cdb (eq12.101,dotABarij)
39
     substitute
                    (dotABarij, ABar2A)
                                                     # cdb (eq12.102,dotABarij)
40
                                                     # cdb (eq12.103,dotABarij)
                    (dotABarij)
     product_rule
41
                    (dotABarij, "simplify")
                                                     # cdb (eq12.104,dotABarij)
     map_sympy
                    (dotABarij, DphiDt)
                                                     # cdb (eq12.105,dotABarij)
     substitute
                    (dotABarij, Aij)
                                                     # cdb (eq12.106,dotABarij)
     substitute
                    (dotABarij)
                                                     # cdb (eq12.107,dotABarij)
     distribute
                    (dotABarij, DKijDt)
                                                     # cdb (eq12.108,dotABarij)
     substitute
46
                                                     # cdb (eq12.109,dotABarij)
     product_rule
                    (dotABarij)
47
                    (dotABarij)
                                                     # cdb (eq12.110,dotABarij)
     distribute
                    (dotABarij, DKDt)
                                                     # cdb (eq12.111,dotABarij)
     substitute
                    (dotABarij, DgijDt)
                                                     # cdb (eq12.112,dotABarij)
     substitute
                                                     # cdb (eq12.113,dotABarij)
                    (dotABarij)
     distribute
     substitute
                    (dotABarij, Kij)
                                                     # cdb (eq12.114,dotABarij)
                                                     # cdb (eq12.115,dotABarij)
     distribute
                    (dotABarij)
53
                    (dotABarij, gginv)
                                                     # cdb (eq12.116,dotABarij)
     substitute
                                                     # cdb (eq12.117,dotABarij)
     eliminate_kronecker (dotABarij)
                    (dotABarij, A2ABar)
                                                     # cdb (eq12.118,dotABarij)
     substitute
     canonicalise
                    (dotABarij)
                                                     # cdb (eq12.119,dotABarij)
                    (dotABarij, ABardotABar)
                                                     # cdb (eq12.120,dotABarij)
     substitute
58
                    (dotABarij)
                                                     # cdb (eq12.121,dotABarij)
     distribute
59
                                                     # cdb (eq12.122,dotABarij)
     substitute
                    (dotABarij, trg)
60
                    (dotABarij, trK)
                                                     # cdb (eq12.123,dotABarij)
     substitute
61
                    (dotABarij, "simplify")
                                                     # cdb (eq12.124,dotABarij)
     map_sympy
                    (dotABarij, Ham)
                                                     # cdb (eq12.125,dotABarij)
     substitute
63
                    (dotABarij)
                                                     # cdb (eq12.126,dotABarij)
     distribute
64
     dotABarij = product_sort (dotABarij)
                                                     # cdb (eq12.127,dotABarij)
65
                    (dotABarij, ABarUp)
                                                     # cdb (eq12.128,dotABarij)
     substitute
66
                    (dotABarij, "simplify")
                                                     # cdb (eq12.129,dotABarij)
     map_sympy
67
                    (dotABarij,$\exp(-4\phi)$)
     factor_out
                                                     # cdb (eq12.130,dotABarij)
68
69
     DABarijDt := \partial_{t}{ABar_{ij}} -> @(dotABarij).
70
71
     cdblib.put ('DABarijDt',DABarijDt,jsonfile)
```

$$\begin{split} \partial_t \bar{A}_{ij} &= \partial_t \left( \exp\left( - 4\phi \right) A_{ij} \right) & (\text{eq12.102}) \\ &= \partial_t \left( \exp\left( - 4\phi \right) \right) A_{ij} + \exp\left( - 4\phi \right) \partial_t A_{ij} & (\text{eq12.103}) \\ &= - 4 \exp\left( - 4\phi \right) \partial_t \phi A_{ij} + \exp\left( - 4\phi \right) \partial_t A_{ij} & (\text{eq12.104}) \\ &= \frac{2}{3} \exp\left( - 4\phi \right) \operatorname{tr} K N A_{ij} + \exp\left( - 4\phi \right) \partial_t A_{ij} & (\text{eq12.105}) \\ &= \frac{2}{3} \exp\left( - 4\phi \right) \operatorname{tr} K N \left( K_{ij} - \frac{1}{3} g_{ij} \operatorname{tr} K \right) + \exp\left( - 4\phi \right) \partial_t \left( K_{ij} - \frac{1}{3} g_{ij} \operatorname{tr} K \right) & (\text{eq12.106}) \\ &= \frac{2}{3} \exp\left( - 4\phi \right) \operatorname{tr} K N K_{ij} - \frac{2}{9} \exp\left( - 4\phi \right) \operatorname{tr} K N g_{ij} \operatorname{tr} K + \exp\left( - 4\phi \right) \partial_t K_{ij} - \frac{1}{3} \exp\left( - 4\phi \right) \partial_t \left( g_{ij} \operatorname{tr} K \right) & (\text{eq12.107}) \\ &= \frac{2}{3} \exp\left( - 4\phi \right) \operatorname{tr} K N K_{ij} - \frac{2}{9} \exp\left( - 4\phi \right) \operatorname{tr} K N g_{ij} \operatorname{tr} K + \exp\left( - 4\phi \right) \left( - D_{ij} N + N \left( R_{ij} + \operatorname{tr} K K_{ij} - 2 K_{ic} K_{jd} g^{cd} \right) \right) \\ &- \frac{1}{3} \exp\left( - 4\phi \right) \partial_t \left( g_{ij} \operatorname{tr} K \right) & (\text{eq12.108}) \\ &= \frac{2}{3} \exp\left( - 4\phi \right) \operatorname{tr} K N K_{ij} - \frac{2}{9} \exp\left( - 4\phi \right) \operatorname{tr} K N g_{ij} \operatorname{tr} K + \exp\left( - 4\phi \right) \left( - D_{ij} N + N \left( R_{ij} + \operatorname{tr} K K_{ij} - 2 K_{ic} K_{jd} g^{cd} \right) \right) \\ &- \frac{1}{3} \exp\left( - 4\phi \right) \partial_t \left( g_{ij} \operatorname{tr} K \right) & (\text{eq12.108}) \\ &= \frac{2}{3} \exp\left( - 4\phi \right) \operatorname{tr} K N K_{ij} - \frac{2}{9} \exp\left( - 4\phi \right) \operatorname{tr} K N g_{ij} \operatorname{tr} K - \exp\left( - 4\phi \right) \left( - D_{ij} N + N \left( R_{ij} + \operatorname{tr} K K_{ij} - 2 K_{ic} K_{jd} g^{cd} \right) \right) \\ &- \frac{1}{3} \exp\left( - 4\phi \right) \left( \partial_t g_{ij} \operatorname{tr} K \right) & (\text{eq12.109}) \\ &= \frac{2}{3} \exp\left( - 4\phi \right) \operatorname{tr} K N K_{ij} - \frac{2}{9} \exp\left( - 4\phi \right) \operatorname{tr} K N g_{ij} \operatorname{tr} K - \exp\left( - 4\phi \right) D_{ij} N + \exp\left( - 4\phi \right) N R_{ij} + \exp\left( - 4\phi \right) N \operatorname{tr} K K_{ij} \right) \\ &- 2 \exp\left( - 4\phi \right) \operatorname{tr} K N K_{ij} - \frac{2}{9} \exp\left( - 4\phi \right) \operatorname{tr} K N g_{ij} \operatorname{tr} K - \exp\left( - 4\phi \right) D_{ij} N + \exp\left( - 4\phi \right) N R_{ij} + \exp\left( - 4\phi \right) N \operatorname{tr} K K_{ij} \\ &- 2 \exp\left( - 4\phi \right) \operatorname{tr} K N K_{ij} - \frac{2}{9} \exp\left( - 4\phi \right) \operatorname{tr} K N g_{ij} \operatorname{tr} K - \exp\left( - 4\phi \right) D_{ij} N + \exp\left( - 4\phi \right) N R_{ij} + \exp\left( - 4\phi \right) N \operatorname{tr} K K_{ij} \\ &- 2 \exp\left( - 4\phi \right) \operatorname{tr} K N K_{ij} - \frac{2}{9} \exp\left( - 4\phi \right) \operatorname{tr} K N g_{ij} \operatorname{tr} K - \exp\left( - 4\phi \right) D_{ij} N + \exp\left( - 4\phi \right) N R_{ij} + \exp\left( - 4\phi \right) N \operatorname{tr} K K_{ij} \\ &- 2 \exp\left( - 4\phi \right) \operatorname{tr} K N K_{ij} - \frac{2$$

$$\begin{split} \partial_t \bar{A}_{ij} &= \frac{2}{3} \exp\left(-4\phi\right) \operatorname{tr} K N K_{ij} - \frac{2}{9} \exp\left(-4\phi\right) \operatorname{tr} K N g_{ij} \operatorname{tr} K - \exp\left(-4\phi\right) D_{ij} N + \exp\left(-4\phi\right) N R_{ij} + \exp\left(-4\phi\right) N \operatorname{tr} K K_{ij} - 2 \exp\left(-4\phi\right) N K_{ic} K_{jd} g^{cd} \\ &+ \frac{2}{3} \exp\left(-4\phi\right) N K_{ij} \operatorname{tr} K + \frac{1}{3} \exp\left(-4\phi\right) g_{ij} g^{ab} D_{ab} N - \frac{1}{3} \exp\left(-4\phi\right) g_{ij} N \bar{A}_{ab} \bar{A}^{ab} - \frac{1}{9} \exp\left(-4\phi\right) N \operatorname{tr} K N_{ij} \\ &= \frac{2}{3} \exp\left(-4\phi\right) \operatorname{tr} K N \left(A_{ij} + \frac{1}{3} g_{ij} \operatorname{tr} K\right) - \frac{2}{9} \exp\left(-4\phi\right) \operatorname{tr} K N g_{ij} \operatorname{tr} K - \exp\left(-4\phi\right) D_{ij} N + \exp\left(-4\phi\right) N R_{ij} \\ &+ \exp\left(-4\phi\right) N \operatorname{tr} K \left(A_{ij} + \frac{1}{3} g_{ij} \operatorname{tr} K\right) - 2 \exp\left(-4\phi\right) N \left(A_{ic} + \frac{1}{3} g_{ij} \operatorname{tr} K\right) \left(A_{jd} + \frac{1}{3} g_{ij} \operatorname{tr} K\right) g^{cd} + \frac{2}{3} \exp\left(-4\phi\right) N \left(A_{ij} + \frac{1}{3} g_{ij} \operatorname{tr} K\right) \operatorname{tr} K \\ &+ \frac{1}{3} \exp\left(-4\phi\right) g_{ij} g^{ab} D_{ab} N - \frac{1}{3} \exp\left(-4\phi\right) g_{ij} N \bar{A}_{ab} \bar{A}^{ab} - \frac{1}{9} \exp\left(-4\phi\right) g_{ij} \operatorname{tr} K^2 N \right. \end{aligned} \tag{eq12.114}$$

$$&= \frac{2}{3} \exp\left(-4\phi\right) \operatorname{tr} K N A_{ij} - \exp\left(-4\phi\right) D_{ij} N + \exp\left(-4\phi\right) N R_{ij} + \exp\left(-4\phi\right) N \operatorname{tr} K A_{ij} + \frac{1}{3} \exp\left(-4\phi\right) N \operatorname{tr} K g_{ij} \operatorname{tr} K + 2 \exp\left(-4\phi\right) N A_{ic} A_{jd} g^{cd} \\ &- \frac{2}{3} \exp\left(-4\phi\right) N A_{ic} g_{jd} \operatorname{tr} K g^{cd} - \frac{2}{3} \exp\left(-4\phi\right) N g_{ic} \operatorname{tr} K A_{jd} g^{cd} - \frac{2}{9} \exp\left(-4\phi\right) N g_{ic} \operatorname{tr} K g_{jd} \operatorname{tr} K g^{cd} + \frac{2}{3} \exp\left(-4\phi\right) N A_{ic} A_{jd} g^{cd} \\ &- \frac{2}{3} \exp\left(-4\phi\right) N g_{ij} \operatorname{tr} K \operatorname{tr} K + \frac{1}{3} \exp\left(-4\phi\right) D_{ij} N + \exp\left(-4\phi\right) N g_{ij} \operatorname{tr} K A_{id} a^{b} - \frac{1}{9} \exp\left(-4\phi\right) N \operatorname{tr} K g_{jd} \operatorname{tr} K Y \right) \\ &- \frac{2}{3} \exp\left(-4\phi\right) N g_{ij} \operatorname{tr} K \operatorname{tr} K - \frac{1}{3} \exp\left(-4\phi\right) D_{ij} N + \exp\left(-4\phi\right) N g_{ij} \operatorname{tr} K g_{jd} \operatorname{tr} K + \frac{2}{3} \exp\left(-4\phi\right) N A_{ic} g_{jd} \operatorname{tr} K g_{jd} r \\ &- \frac{2}{3} \exp\left(-4\phi\right) N g_{ij} \operatorname{tr} K \operatorname{tr} K + \frac{1}{3} \exp\left(-4\phi\right) B_{ij} R^{ib} D_{ab} N - \frac{1}{3} \exp\left(-4\phi\right) N g_{i} \operatorname{tr} K g_{jd} \operatorname{tr} K + \frac{2}{3} \exp\left(-4\phi\right) N A_{ic} A_{jd} g^{cd} \\ &- \frac{2}{3} \exp\left(-4\phi\right) N g_{ij} \operatorname{tr} K \operatorname{tr} K + \frac{1}{3} \exp\left(-4\phi\right) g_{ij} g^{ab} D_{ab} N - \frac{1}{3} \exp\left(-4\phi\right) N g_{i} \operatorname{tr} K g_{jd} \operatorname{tr} K + \frac{2}{3} \exp\left(-4\phi\right) N A_{ic} g_{jd} \operatorname{tr} K \\ &+ \frac{2}{9} \exp\left(-4\phi\right) N g_{ij} \operatorname{tr} K \operatorname{tr} K + \frac{1}{3} \exp\left(-4\phi\right) g_{ij$$

$$\begin{split} \partial_t \bar{A}_{ij} &= \frac{2}{3} \exp\left(-4\phi\right) \text{tr} K N \exp\left(4\phi\right) \bar{A}_{ij} - \exp\left(-4\phi\right) D_{ij} N + \exp\left(-4\phi\right) N R_{ij} + \exp\left(-4\phi\right) N \text{tr} K \exp\left(4\phi\right) \bar{A}_{ij} + \frac{1}{3} \exp\left(-4\phi\right) N \text{tr} K g_{ij} \text{tr} K K \\ &- 2 \exp\left(-4\phi\right) N \exp\left(4\phi\right) \bar{A}_{ic} \exp\left(4\phi\right) \bar{A}_{jd} g^{cd} - \frac{2}{3} \exp\left(-4\phi\right) N \text{tr} K \exp\left(4\phi\right) \bar{A}_{ji} - \frac{2}{9} \exp\left(-4\phi\right) N \text{tr} K g_{ji} \text{tr} K + \frac{2}{9} \exp\left(-4\phi\right) N g_{ij} \text{tr} K \text{tr} K \\ &+ \frac{1}{3} \exp\left(-4\phi\right) g_{ij} g^{ab} D_{ab} N - \frac{1}{3} \exp\left(-4\phi\right) g_{ij} N \bar{A}_{ab} \bar{A}^{ab} - \frac{1}{9} \exp\left(-4\phi\right) g_{ij} \text{tr} K^2 N \\ &= \frac{2}{3} \exp\left(-4\phi\right) \text{tr} K N \exp\left(4\phi\right) \bar{A}_{ij} - \exp\left(-4\phi\right) D_{ij} N + \exp\left(-4\phi\right) N R_{ij} + \frac{1}{3} \exp\left(-4\phi\right) N \text{tr} K \exp\left(4\phi\right) \bar{A}_{ij} + \frac{1}{9} \exp\left(-4\phi\right) N \text{tr} K g_{ij} \text{tr} K \\ &- 2 \exp\left(-4\phi\right) N \exp\left(4\phi\right) \bar{A}_{ic} \exp\left(4\phi\right) \bar{A}_{jd} g^{cd} + \frac{2}{9} \exp\left(-4\phi\right) N g_{ij} \text{tr} K \text{tr} K + \frac{1}{3} \exp\left(-4\phi\right) g_{ij} g^{ab} D_{ab} N - \frac{1}{3} \exp\left(-4\phi\right) N \text{tr} K g_{ij} \text{tr} K \\ &- \frac{1}{9} \exp\left(-4\phi\right) g_{ij} \text{tr} K^2 N \\ &= \frac{2}{3} \exp\left(-4\phi\right) \text{tr} K N \exp\left(4\phi\right) \bar{A}_{ij} - \exp\left(-4\phi\right) D_{ij} N + \exp\left(-4\phi\right) N g_{ij} \text{tr} K \text{tr} K + \frac{1}{3} \exp\left(-4\phi\right) N \text{tr} K \exp\left(4\phi\right) \bar{A}_{ij} + \frac{1}{9} \exp\left(-4\phi\right) N \text{tr} K g_{ij} \text{tr} K \\ &- 2 \exp\left(-4\phi\right) N \exp\left(4\phi\right) \bar{A}_{ij} - \exp\left(-4\phi\right) D_{ij} N + \exp\left(-4\phi\right) N g_{ij} \text{tr} K \text{tr} K + \frac{1}{3} \exp\left(-4\phi\right) N \text{tr} K \exp\left(4\phi\right) \bar{A}_{ij} + \frac{1}{9} \exp\left(-4\phi\right) N \text{tr} K g_{ij} \text{tr} K \\ &- 2 \exp\left(-4\phi\right) N \exp\left(4\phi\right) \bar{A}_{ic} \exp\left(4\phi\right) \bar{A}_{jd} g^{cd} + \frac{2}{9} \exp\left(-4\phi\right) N g_{ij} \text{tr} K \text{tr} K + \frac{1}{3} \exp\left(-4\phi\right) g_{ij} g^{ab} D_{ab} N \\ &- \frac{1}{3} \exp\left(-4\phi\right) H K N \exp\left(4\phi\right) \bar{A}_{ij} - \exp\left(-4\phi\right) D_{ij} N + \exp\left(-4\phi\right) N g_{ij} \text{tr} K \text{tr} K + \frac{1}{3} \exp\left(-4\phi\right) N \text{tr} K \exp\left(4\phi\right) \bar{A}_{ij} + \frac{1}{9} \exp\left(-4\phi\right) N \text{tr} K g_{ij} \text{tr} K \\ &- \frac{2}{3} \exp\left(-4\phi\right) H K N \exp\left(4\phi\right) \bar{A}_{ij} - \exp\left(-4\phi\right) D_{ij} N + \exp\left(-4\phi\right) N g_{ij} \text{tr} K \text{tr} K + \frac{1}{3} \exp\left(-4\phi\right) N \text{tr} K \exp\left(4\phi\right) \bar{A}_{ij} + \frac{1}{9} \exp\left(-4\phi\right) N \text{tr} K g_{ij} \text{tr} K \\ &- \frac{2}{3} \exp\left(-4\phi\right) H K \exp\left(4\phi\right) \bar{A}_{ij} - \exp\left(-4\phi\right) D_{ij} N + \exp\left(-4\phi\right) N g_{ij} \text{tr} K H K + \frac{1}{3} \exp\left(-4\phi\right) N \text{tr} K \exp\left(4\phi\right) \bar{A}_{ij} + \frac{1}{9} \exp\left(-4\phi\right) N \text{tr} K g_{ij} \right$$
 
$$= \frac{2}{3} \exp\left(-4\phi\right)$$

$$\begin{split} \partial_t \bar{A}_{ij} &= \frac{2}{3} \exp \left( -4\phi \right) \operatorname{tr} K N \exp \left( 4\phi \right) \bar{A}_{ij} - \exp \left( -4\phi \right) D_{ij} N + \exp \left( -4\phi \right) N R_{ij} + \frac{1}{3} \exp \left( -4\phi \right) N \operatorname{tr} K \exp \left( 4\phi \right) \bar{A}_{ij} + \frac{1}{9} \exp \left( -4\phi \right) N \operatorname{tr} K g_{ij} \operatorname{tr} K K + \frac{1}{3} \exp \left( -4\phi \right) N \exp \left( 4\phi \right) \bar{A}_{ic} \exp \left( 4\phi \right) A_{jd} g^{cd} + \frac{2}{9} \exp \left( -4\phi \right) N g_{ij} \operatorname{tr} K \operatorname{tr} K + \frac{1}{3} \exp \left( -4\phi \right) g_{ij} g^{ab} D_{ab} N - \frac{1}{3} \exp \left( -4\phi \right) g_{ij} N K_{ab} K^{ab} \\ &+ \frac{1}{9} \exp \left( -4\phi \right) g_{ij} N K_{ab} g^{ab} \operatorname{tr} K + \frac{1}{9} \exp \left( -4\phi \right) g_{ij} N g_{ab} \operatorname{tr} K K^{ab} - \frac{1}{9} \exp \left( -4\phi \right) g_{ij} N \operatorname{tr} K \operatorname{tr} K - \frac{1}{9} \exp \left( -4\phi \right) g_{ij} \operatorname{tr} K^2 N \right. \\ &= \frac{2}{3} \exp \left( -4\phi \right) \operatorname{tr} K N \exp \left( 4\phi \right) \bar{A}_{ij} - \exp \left( -4\phi \right) D_{ij} N + \exp \left( -4\phi \right) N R_{ij} + \frac{1}{3} \exp \left( -4\phi \right) N \operatorname{tr} K \exp \left( 4\phi \right) \bar{A}_{ij} + \frac{1}{9} \exp \left( -4\phi \right) N \operatorname{tr} K g_{ij} \operatorname{tr} K K \\ &- 2 \exp \left( -4\phi \right) N \exp \left( 4\phi \right) \bar{A}_{ic} \exp \left( 4\phi \right) \bar{A}_{jd} g^{cd} + \frac{2}{9} \exp \left( -4\phi \right) N g_{ij} \operatorname{tr} K \operatorname{tr} K + \frac{1}{3} \exp \left( -4\phi \right) g_{ij} g^{ab} D_{ab} N - \frac{1}{3} \exp \left( -4\phi \right) g_{ij} N K_{ab} K^{ab} \\ &+ \frac{1}{9} \exp \left( -4\phi \right) g_{ij} N \operatorname{tr} K \operatorname{tr} K - \frac{1}{9} \exp \left( -4\phi \right) g_{ij} \operatorname{tr} K^2 N \right. \\ &= \operatorname{tr} K N \bar{A}_{ij} - \exp \left( -4\phi \right) D_{ij} N + N \exp \left( -4\phi \right) g_{ij} \operatorname{tr} K^2 N \exp \left( -4\phi \right) g_{ij} - 2N \exp \left( 4\phi \right) \bar{A}_{ic} \bar{A}_{jd} g^{cd} + \frac{1}{3} \exp \left( -4\phi \right) g_{ij} g^{ab} D_{ab} N \right. \\ &= \operatorname{tr} K N \bar{A}_{ij} - \exp \left( -4\phi \right) D_{ij} N + N \exp \left( -4\phi \right) g_{ij} K_{ab} K^{ab} \right. \\ &= \operatorname{tr} K N \bar{A}_{ij} - \exp \left( -4\phi \right) D_{ij} N + N \exp \left( -4\phi \right) g_{ij} K_{ab} K^{ab} \right. \\ &= \operatorname{tr} K N \bar{A}_{ij} - \exp \left( -4\phi \right) D_{ij} N + N \exp \left( -4\phi \right) g_{ij} K_{ab} K^{ab} \right. \\ &= \operatorname{tr} K N \bar{A}_{ij} - \exp \left( -4\phi \right) D_{ij} N + N \exp \left( -4\phi \right) g_{ij} K_{ab} K^{ab} \right. \\ &= \operatorname{tr} K N \bar{A}_{ij} - \exp \left( -4\phi \right) D_{ij} N + N \exp \left( -4\phi \right) g_{ij} K_{ab} K^{ab} \right. \\ &= \operatorname{tr} K N \bar{A}_{ij} - \exp \left( -4\phi \right) D_{ij} N + N \exp \left( -4\phi \right) g_{ij} K_{ab} K^{ab} \right. \\ &= \operatorname{tr} K N \bar{A}_{ij} - \exp \left( -4\phi \right) D_{ij} N + N \exp \left( -4\phi \right) g_{ij} K_{ab} K^{ab} \right. \\ &= \operatorname{tr} K N \bar{A}_{ij} - \operatorname{tr} \left( -4\phi \right) B_{ij} g^{ab} D_{ab} N - \frac{1}{3} N \exp \left( -4\phi \right) g_{ij} K_{ab} K$$

$$\partial_{t}\bar{A}_{ij} = N \operatorname{tr} K \bar{A}_{ij} - D_{ij} N \exp(-4\phi) + N R_{ij} \exp(-4\phi) - \frac{1}{3} N g_{ij} g^{ab} R_{ab} \exp(-4\phi) - 2N \exp(-4\phi) \bar{A}_{i}{}^{b} \bar{A}_{jb} \exp(4\phi)$$

$$+ \frac{1}{3} g_{ij} g^{ab} D_{ab} N \exp(-4\phi)$$

$$= \operatorname{tr} K N \bar{A}_{ij} - D_{ij} N \exp(-4\phi) + N \exp(-4\phi) R_{ij} - \frac{1}{3} N \exp(-4\phi) g_{ij} g^{ab} R_{ab} - 2N \bar{A}_{i}{}^{b} \bar{A}_{jb} + \frac{1}{3} g_{ij} g^{ab} D_{ab} N \exp(-4\phi) \left( \operatorname{eq12.129} \right)$$

$$= \operatorname{tr} K N \bar{A}_{ij} - 2N \bar{A}_{i}{}^{b} \bar{A}_{jb} + \exp(-4\phi) \left( -D_{ij} N + N R_{ij} - \frac{1}{3} N g_{ij} g^{ab} R_{ab} + \frac{1}{3} g_{ij} g^{ab} D_{ab} N \right)$$

$$(\operatorname{eq12.129})$$

$$= \operatorname{tr} K N \bar{A}_{ij} - 2N \bar{A}_{i}{}^{b} \bar{A}_{jb} + \exp(-4\phi) \left( -D_{ij} N + N R_{ij} - \frac{1}{3} N g_{ij} g^{ab} R_{ab} + \frac{1}{3} g_{ij} g^{ab} D_{ab} N \right)$$

$$(\operatorname{eq12.130})$$

```
# Check against prd62.
    foo := @(dotABarij).
                                                           # cdb(eq12.1cb,foo)
     bah = cdblib.get('prd62.eq12.rhs','prd62.json')
                                                           # cdb(eq12.prd,bah)
     diff := @(foo) - @(bah).
     foo := ABar_{a}^{b} -> gBar^{b c} ABar_{a c}.
     bah := ABar^{a}_{b} -> gBar^{a} c ABar_{c}.
10
11
                    (diff, foo)
     substitute
                    (diff, bah)
     substitute
                    (diff)
     distribute
     diff = product_sort (diff)
15
     rename_dummies (diff)
16
                     (diff, "simplify")
     map_sympy
17
                                                           # cdb(eq12.chk,diff)
     canonicalise
                     (diff)
```

$$\begin{split} & \texttt{eq12.1cb} := \text{tr} K N \bar{A}_{ij} - 2 N \bar{A}_i{}^b \bar{A}_{jb} + \exp\left(-4\phi\right) \left(-D_{ij} N + N R_{ij} - \frac{1}{3} N g_{ij} g^{ab} R_{ab} + \frac{1}{3} g_{ij} g^{ab} D_{ab} N\right) \\ & \texttt{eq12.prd} := N \left(\text{tr} K \bar{A}_{ij} - 2 \bar{A}_{ia} \bar{A}^a{}_j\right) + \exp\left(-4\phi\right) \left(N R_{ij} - D_{ij} N - \frac{1}{3} g_{ij} \left(N R_{ab} - D_{ab} N\right) g^{ab}\right) \\ & \texttt{eq12.chk} := 0 \end{split}$$

### PhysRevD.62.044034 equation (15)

```
from shared import *
     import cdblib
     jsonfile = 'eqtn15.json'
     cdblib.create (jsonfile)
     defG2GBar = cdblib.get ('defG2GBar', 'gamma.json')
     # Rphi = the part of Rab from the conformal factor
11
     Rab := R_{ab}.
                                                                        # cdb (eq15.101, Rab)
12
13
                    (Rab, defRab)
                                                                        # cdb (eq15.102, Rab)
     substitute
14
     substitute (Rab, defRiem)
                                                                        # cdb (eq15.103, Rab)
                                                                        # cdb (eq15.104, Rab)
     substitute (Rab, defG2GBar)
                                                                        # cdb (eq15.105, Rab)
     distribute
                    (Rab)
                                                                        # cdb (eq15.106, Rab)
     product_rule
                    (Rab)
     Rab = product_sort (Rab)
                                                                        # cdb (eq15.107, Rab)
                                                                        # cdb (eq15.108, Rab)
     rename_dummies (Rab)
     canonicalise
                    (Rab)
                                                                        # cdb (eq15.109, Rab)
                    (Rab, $gBar_{b c} gBar^{c a} -> gBar^{a}_{b}$)
     substitute
                    (Rab, $\partial_{a}{gBar^{a}_{b}} -> 0$)
     substitute
23
                    (Rab, \alpha_{a}{gBar_{b}^{c}} \rightarrow 0)
     substitute
                    (Rab, \$gBar^{a}_{a} -> 3\$)
     substitute
25
     eliminate_kronecker (Rab)
                                                                        # cdb (eq15.110, Rab)
     Rab = product_sort (Rab)
                                                                        # cdb (eq15.111, Rab)
     rename_dummies (Rab)
                                                                        # cdb (eq15.112, Rab)
28
     canonicalise
                                                                        # cdb (eq15.113, Rab)
                    (Rab)
                    (Rab, $gBar_{b c} gBar^{c a} -> gBar^{a}_{b}$)
                                                                        # cdb (eq15.114, Rab)
     substitute
30
                    (Rab, $gBar^{a}_{a} -> 3$)
                                                                        # cdb (eq15.115, Rab)
     substitute
31
     eliminate_kronecker (Rab)
                                                                        # cdb (eq15.116, Rab)
33
     #
34
```

```
# isolate Rphi from Rab by switching to local RNC
36
     Rphi := Q(Rab).
37
     substitute (Rphi, $GammaBar^{a}_{b c}->0$)
                                                                        # cdb (eq15.117, Rphi)
39
     substitute (Rphi, $\partial_{a}{gBar_{b c}}->0$)
                                                                        # cdb (eq15.118, Rphi)
40
     substitute (Rphi, $\partial_{a}{gBar^{b c}}->0$)
                                                                        # cdb (eq15.119, Rphi)
41
42
     substitute (Rphi, $\partial_{a b}{\phi} -> DBar_{a b}{\phi}$)
                                                                        # cdb (eq15.120, Rphi)
     substitute (Rphi, $\partial_{a}{\phi} -> DBar_{a}{\phi}$)
                                                                        # cdb (eq15.121, Rphi)
44
45
     defRphi := Rphi_{a b} -> @(Rphi).
46
47
     cdblib.put ('defRphi',defRphi,jsonfile)
```

```
R_{ab} = 2\partial_a\phi\partial_c\bar{q}^c_{\ b} + 2\partial_{ca}\phi\bar{q}^c_{\ b} + 2\partial_b\phi\partial_c\bar{q}^c_{\ a} + 2\partial_{cb}\phi\bar{q}^c_{\ a} - 2\bar{q}_{ab}\partial_c\phi\partial_d\bar{q}^{dc} - 2\bar{q}_{ab}\bar{q}^{cd}\partial_c\phi - 2\bar{q}^{dc}\partial_c\phi\partial_d\bar{q}_{ab} + \partial_c\bar{\Gamma}^c_{\ ab} + 4\partial_a\phi\partial_c\phi\bar{q}^c_{\ b}\bar{q}^d_{\ d} + 4\partial_b\phi\partial_c\phi\bar{q}^c_{\ a}\bar{q}^d_{\ d}
                        -4\bar{q}_{ab}\bar{q}^{cd}\partial_{c}\phi\partial_{d}\phi\bar{q}^{e}_{\ e}+2\bar{\Gamma}^{c}_{\ ab}\partial_{c}\phi\bar{q}^{d}_{\ d}+4\partial_{a}\phi\partial_{c}\phi\bar{q}^{c}_{\ d}\bar{q}^{d}_{\ b}-4\bar{q}_{ab}\bar{q}^{ed}\partial_{c}\phi\partial_{d}\phi\bar{q}^{c}_{\ e}+2\bar{\Gamma}^{c}_{\ ab}\partial_{d}\phi\bar{q}^{d}_{\ c}-4\bar{q}_{de}\bar{q}^{ec}\partial_{a}\phi\partial_{c}\phi\bar{q}^{d}_{\ b}-4\bar{q}_{de}\bar{q}^{ec}\partial_{b}\phi\partial_{c}\phi\bar{q}^{d}_{\ a}
                        +4\bar{g}_{ab}\bar{g}_{ef}\bar{g}^{fc}\bar{g}^{ed}\partial_{c}\phi\partial_{d}\phi -2\bar{g}_{ce}\bar{g}^{ed}\bar{\Gamma}^{c}{}_{ab}\partial_{d}\phi +2\bar{\Gamma}^{c}{}_{dc}\partial_{a}\phi\bar{g}^{d}{}_{b} +2\bar{\Gamma}^{c}{}_{dc}\partial_{b}\phi\bar{g}^{d}{}_{a} -2\bar{g}_{ab}\bar{g}^{de}\bar{\Gamma}^{c}{}_{dc}\partial_{e}\phi +\bar{\Gamma}^{c}{}_{ab}\bar{\Gamma}^{d}{}_{cd} -2\partial_{a}\phi\partial_{b}\bar{g}^{c}{}_{c} -2\partial_{ba}\phi\bar{g}^{c}{}_{c} -2\partial_{c}\phi\partial_{b}\bar{g}^{c}{}_{a}
                        -2\partial_{bc}\phi\bar{q}^{c}{}_{a}+2\bar{q}_{ad}\partial_{c}\phi\partial_{b}\bar{q}^{dc}+2\bar{q}_{ad}\bar{q}^{dc}\partial_{bc}\phi+2\bar{q}^{dc}\partial_{c}\phi\partial_{b}\bar{q}_{ad}-\partial_{b}\bar{\Gamma}^{c}{}_{ac}-4\partial_{a}\phi\partial_{c}\phi\bar{q}^{d}{}_{b}\bar{q}^{c}{}_{d}-4\partial_{c}\phi\partial_{d}\phi\bar{q}^{c}{}_{b}\bar{q}^{d}{}_{a}+4\bar{q}_{ae}\bar{q}^{cd}\partial_{c}\phi\partial_{d}\phi\bar{q}^{e}{}_{b}-2\bar{\Gamma}^{c}{}_{ad}\partial_{c}\phi\bar{q}^{d}{}_{b}
                        -4\partial_a\phi\partial_b\phi\bar{g}^c{}_d\bar{g}^d{}_c+4\bar{g}_{ad}\bar{g}^{ec}\partial_b\phi\partial_c\phi\bar{g}^d{}_e-2\bar{\Gamma}^c{}_{ad}\partial_b\phi\bar{g}^d{}_c+4\bar{g}_{db}\bar{g}^{ec}\partial_a\phi\partial_c\phi\bar{g}^d{}_e+4\bar{g}_{eb}\bar{g}^{cd}\partial_c\phi\partial_d\phi\bar{g}^e{}_a-4\bar{g}_{ae}\bar{g}_{fb}\bar{g}^{ec}\bar{g}^{fd}\partial_c\phi\partial_d\phi+2\bar{g}_{cb}\bar{g}^{de}\bar{\Gamma}^c{}_{ad}\partial_e\phi
                        -2\bar{\Gamma}^{c}_{\phantom{c}db}\partial_{a}\phi\bar{q}^{d}_{\phantom{c}c}-2\bar{\Gamma}^{c}_{\phantom{c}db}\partial_{c}\phi\bar{q}^{d}_{\phantom{c}a}+2\bar{q}_{ac}\bar{q}^{de}\bar{\Gamma}^{c}_{\phantom{c}db}\partial_{e}\phi-\bar{\Gamma}^{c}_{\phantom{c}db}\bar{\Gamma}^{d}_{\phantom{c}ac}
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 (eq15.108)
               =2\partial_{a}\phi\partial_{c}\bar{q}_{b}{}^{c}+2\partial_{ac}\phi\bar{q}_{b}{}^{c}+2\partial_{b}\phi\partial_{c}\bar{q}_{a}{}^{c}-2\bar{q}_{ab}\partial_{c}\phi\partial_{d}\bar{q}^{cd}-2\bar{q}_{ab}\bar{q}^{cd}\partial_{cd}\phi-2\bar{q}^{cd}\partial_{c}\phi\partial_{d}\bar{q}_{ab}+\partial_{c}\bar{\Gamma}_{ab}^{c}+4\partial_{a}\phi\partial_{c}\phi\bar{q}_{b}{}^{c}\bar{q}^{d}_{d}+4\partial_{b}\phi\partial_{c}\phi\bar{q}_{a}{}^{c}\bar{q}^{d}_{d}-4\bar{q}_{ab}\bar{q}^{cd}\partial_{c}\phi\partial_{d}\phi\bar{q}^{e}_{e}
                        +2\bar{\Gamma}^{c}{}_{ab}\partial_{c}\phi\bar{g}^{d}{}_{d}-4\bar{g}_{ab}\bar{g}^{cd}\partial_{c}\phi\partial_{e}\phi\bar{g}_{d}{}^{e}+2\bar{\Gamma}^{c}{}_{ab}\partial_{d}\phi\bar{g}_{c}{}^{d}-4\bar{g}_{cd}\bar{g}^{ce}\partial_{a}\phi\partial_{e}\phi\bar{g}_{b}{}^{d}-4\bar{g}_{cd}\bar{g}^{ce}\partial_{b}\phi\partial_{e}\phi\bar{g}_{a}{}^{d}+4\bar{g}_{ab}\bar{g}_{cd}\bar{g}^{ce}\bar{g}^{df}\partial_{e}\phi\partial_{f}\phi-2\bar{g}_{cd}\bar{g}^{ce}\bar{\Gamma}^{d}{}_{ab}\partial_{e}\phi
                        +2\bar{\Gamma}^{c}{}_{cd}\partial_{a}\phi\bar{q}_{b}{}^{d}+2\bar{\Gamma}^{c}{}_{cd}\partial_{b}\phi\bar{q}_{a}{}^{d}-2\bar{q}_{ab}\bar{q}^{cd}\bar{\Gamma}^{e}{}_{ce}\partial_{d}\phi+\bar{\Gamma}^{c}{}_{ab}\bar{\Gamma}^{d}{}_{cd}-2\partial_{a}\phi\partial_{b}\bar{q}^{c}{}_{c}-2\partial_{ab}\phi\bar{q}^{c}{}_{c}-2\partial_{c}\phi\partial_{b}\bar{q}_{a}{}^{c}+2\bar{q}_{ac}\partial_{d}\phi\partial_{b}\bar{q}^{cd}+2\bar{q}_{ac}\bar{q}^{cd}\partial_{bd}\phi+2\bar{q}^{cd}\partial_{c}\phi\partial_{b}\bar{q}_{ad}
                        -\partial_b\bar{\Gamma}^c_{ac} - 4\partial_c\phi\partial_d\phi\bar{q}_a{}^c\bar{q}_b{}^d + 4\bar{q}_{ac}\bar{q}^{de}\partial_d\phi\partial_e\phi\bar{q}_b{}^c - 2\bar{\Gamma}^c_{ad}\partial_c\phi\bar{q}_b{}^d - 4\partial_a\phi\partial_b\phi\bar{q}^c_{d}\bar{q}_c{}^d + 4\bar{q}_{ac}\bar{q}^{de}\partial_b\phi\partial_d\phi\bar{q}^c_{e} - 2\bar{\Gamma}^c_{ad}\partial_b\phi\bar{q}_c{}^d + 4\bar{q}_{bc}\bar{q}^{de}\partial_a\phi\partial_d\phi\bar{q}^c_{e}
                        +4\bar{q}_{bc}\bar{q}^{de}\partial_{d}\phi\partial_{e}\phi\bar{q}_{a}{}^{c}-4\bar{q}_{ac}\bar{q}_{bd}\bar{q}^{ce}\bar{q}^{df}\partial_{e}\phi\partial_{f}\phi+2\bar{q}_{bc}\bar{q}^{de}\bar{\Gamma}^{c}{}_{ad}\partial_{e}\phi-2\bar{\Gamma}^{c}{}_{bd}\partial_{a}\phi\bar{q}_{c}{}^{d}-2\bar{\Gamma}^{c}{}_{bd}\partial_{c}\phi\bar{q}_{a}{}^{d}+2\bar{q}_{ac}\bar{q}^{de}\bar{\Gamma}^{c}{}_{bd}\partial_{e}\phi-\bar{\Gamma}^{c}{}_{ad}\bar{\Gamma}^{d}{}_{bc}
              = -4\partial_{ab}\phi - 2\bar{q}_{ab}\partial_{c}\phi\partial_{d}\bar{q}^{cd} - 2\bar{q}_{ab}\bar{q}^{cd}\partial_{cd}\phi - 2\bar{q}^{cd}\partial_{c}\phi\partial_{d}\bar{q}_{ab} + \partial_{c}\bar{\Gamma}^{c}{}_{ab} + 8\partial_{a}\phi\partial_{b}\phi + 12\partial_{b}\phi\partial_{a}\phi - 12\bar{q}_{ab}\bar{q}^{cd}\partial_{c}\phi\partial_{d}\phi + 4\bar{\Gamma}^{c}{}_{ab}\partial_{c}\phi - 4\bar{q}_{ab}\bar{q}^{ce}\partial_{c}\phi\partial_{e}\phi
                        +2\bar{\Gamma}^{d}{}_{ab}\partial_{d}\phi -4\bar{q}_{cb}\bar{q}^{ce}\partial_{a}\phi\partial_{e}\phi -4\bar{q}_{ca}\bar{q}^{ce}\partial_{b}\phi\partial_{e}\phi +4\bar{q}_{ab}\bar{q}^{fe}\partial_{e}\phi\partial_{f}\phi -2\bar{q}_{cd}\bar{q}^{ce}\bar{\Gamma}^{d}{}_{ab}\partial_{e}\phi +2\bar{\Gamma}^{c}{}_{cb}\partial_{a}\phi +2\bar{\Gamma}^{c}{}_{ca}\partial_{b}\phi -2\bar{q}_{ab}\bar{q}^{cd}\bar{\Gamma}^{e}{}_{ce}\partial_{d}\phi +\bar{\Gamma}^{c}{}_{ab}\bar{\Gamma}^{d}{}_{cd}
                        +2\bar{q}_{ac}\partial_{d}\phi\partial_{b}\bar{q}^{cd}+2\partial_{ba}\phi+2\bar{q}^{cd}\partial_{c}\phi\partial_{b}\bar{q}_{ad}-\partial_{b}\bar{\Gamma}^{c}_{ac}+4\bar{q}_{ab}\bar{q}^{de}\partial_{d}\phi\partial_{e}\phi-4\partial_{a}\phi\partial_{b}\phi\bar{q}_{d}^{d}+4\bar{q}_{ae}\bar{q}^{de}\partial_{b}\phi\partial_{d}\phi-2\bar{\Gamma}^{d}_{ad}\partial_{b}\phi+4\bar{q}_{be}\bar{q}^{de}\partial_{a}\phi\partial_{d}\phi
                        +4\bar{g}_{ba}\bar{g}^{de}\partial_{d}\phi\partial_{e}\phi-4\bar{g}_{bd}\bar{g}^{df}\partial_{a}\phi\partial_{f}\phi+2\bar{g}_{bc}\bar{g}^{de}\bar{\Gamma}^{c}{}_{ad}\partial_{e}\phi-2\bar{\Gamma}^{d}{}_{bd}\partial_{a}\phi-2\bar{\Gamma}^{c}{}_{ba}\partial_{c}\phi+2\bar{g}_{ac}\bar{g}^{de}\bar{\Gamma}^{c}{}_{bd}\partial_{e}\phi-\bar{\Gamma}^{c}{}_{ad}\bar{\Gamma}^{d}{}_{bc}
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                (eq15.110)
                = -4\partial_{ab}\phi - 2\bar{q}_{ab}\partial_{c}\phi\partial_{d}\bar{q}^{cd} - 2\bar{q}_{ab}\bar{q}^{cd}\partial_{cd}\phi - 2\bar{q}^{cd}\partial_{c}\phi\partial_{d}\bar{q}_{ab} + \partial_{c}\bar{\Gamma}^{c}{}_{ab} + 20\partial_{a}\phi\partial_{b}\phi - 12\bar{q}_{ab}\bar{q}^{cd}\partial_{c}\phi\partial_{d}\phi + 6\bar{\Gamma}^{c}{}_{ab}\partial_{c}\phi - 4\bar{q}_{cb}\bar{q}^{cd}\partial_{a}\phi\partial_{d}\phi - 4\bar{q}_{ca}\bar{q}^{cd}\partial_{b}\phi\partial_{d}\phi
                        +4\bar{q}_{ab}\bar{q}^{cd}\partial_{d}\phi\partial_{c}\phi-2\bar{q}_{cd}\bar{q}^{ce}\bar{\Gamma}^{d}{}_{ab}\partial_{e}\phi+2\bar{\Gamma}^{c}{}_{cb}\partial_{a}\phi+2\bar{\Gamma}^{c}{}_{ca}\partial_{b}\phi-2\bar{q}_{ab}\bar{q}^{cd}\bar{\Gamma}^{e}{}_{ce}\partial_{d}\phi+\bar{\Gamma}^{c}{}_{ab}\bar{\Gamma}^{d}{}_{cd}+2\bar{q}_{ac}\partial_{d}\phi\partial_{b}\bar{q}^{cd}+2\partial_{ba}\phi+2\bar{q}^{dc}\partial_{d}\phi\partial_{b}\bar{q}_{ac}-\partial_{b}\bar{\Gamma}^{c}{}_{ac}
                        -4\partial_{a}\phi\partial_{b}\phi\bar{q}_{c}^{c}+4\bar{q}_{ac}\bar{q}^{dc}\partial_{b}\phi\partial_{d}\phi-2\bar{\Gamma}^{c}_{ac}\partial_{b}\phi+4\bar{q}_{bc}\bar{q}^{dc}\partial_{a}\phi\partial_{d}\phi+4\bar{q}_{ba}\bar{q}^{cd}\partial_{c}\phi\partial_{d}\phi-4\bar{q}_{bc}\bar{q}^{cd}\partial_{a}\phi\partial_{d}\phi+2\bar{q}_{bc}\bar{q}^{dc}\bar{\Gamma}^{c}_{ad}\partial_{e}\phi-2\bar{\Gamma}^{c}_{ba}\partial_{c}\phi
                        +2\bar{q}_{ac}\bar{q}^{de}\bar{\Gamma}^{c}_{bd}\partial_{e}\phi -\bar{\Gamma}^{c}_{ad}\bar{\Gamma}^{d}_{bc}
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 (eq15.111)
              = -4\partial_{ab}\phi - 2\bar{q}_{ab}\partial_{c}\phi\partial_{d}\bar{q}^{cd} - 2\bar{q}_{ab}\bar{q}^{cd}\partial_{cd}\phi - 2\bar{q}^{cd}\partial_{c}\phi\partial_{d}\bar{q}_{ab} + \partial_{c}\bar{\Gamma}^{c}{}_{ab} + 20\partial_{a}\phi\partial_{b}\phi - 12\bar{q}_{ab}\bar{q}^{cd}\partial_{c}\phi\partial_{d}\phi + 6\bar{\Gamma}^{c}{}_{ab}\partial_{c}\phi - 4\bar{q}_{db}\bar{q}^{dc}\partial_{a}\phi\partial_{c}\phi - 4\bar{q}_{da}\bar{q}^{dc}\partial_{b}\phi\partial_{c}\phi
                        +4\bar{q}_{ab}\bar{q}^{dc}\partial_{c}\phi\partial_{d}\phi -2\bar{q}_{ec}\bar{q}^{ed}\bar{\Gamma}^{c}{}_{ab}\partial_{d}\phi +2\bar{\Gamma}^{c}{}_{cb}\partial_{a}\phi +2\bar{\Gamma}^{c}{}_{ca}\partial_{b}\phi -2\bar{q}_{ab}\bar{q}^{de}\bar{\Gamma}^{c}{}_{dc}\partial_{e}\phi +\bar{\Gamma}^{c}{}_{ab}\bar{\Gamma}^{d}{}_{cd} +2\bar{q}_{ad}\partial_{c}\phi\partial_{b}\bar{q}^{dc} +2\partial_{ba}\phi +2\bar{q}^{cd}\partial_{c}\phi\partial_{b}\bar{q}_{ad} -\partial_{b}\bar{\Gamma}^{c}{}_{ac}\partial_{c}\phi\partial_{c}\phi\partial_{b}\bar{q}^{dc}
                        -4\partial_{a}\phi\partial_{b}\phi\bar{q}_{c}^{c}+4\bar{q}_{ad}\bar{q}^{cd}\partial_{b}\phi\partial_{c}\phi-2\bar{\Gamma}^{c}_{ac}\partial_{b}\phi+4\bar{q}_{bd}\bar{q}^{cd}\partial_{a}\phi\partial_{c}\phi+4\bar{q}_{ba}\bar{q}^{cd}\partial_{c}\phi\partial_{d}\phi-4\bar{q}_{bd}\bar{q}^{dc}\partial_{a}\phi\partial_{c}\phi+2\bar{q}_{bc}\bar{q}^{de}\bar{\Gamma}^{c}_{ad}\partial_{e}\phi-2\bar{\Gamma}^{c}_{bc}\partial_{a}\phi-2\bar{\Gamma}^{c}_{ba}\partial_{c}\phi
                        +2\bar{q}_{ac}\bar{q}^{de}\bar{\Gamma}^{c}_{bd}\partial_{e}\phi-\bar{\Gamma}^{c}_{ad}\bar{\Gamma}^{d}_{bc}
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 (eq15.112)
```

The above doesn't look much like equation (15). So, what do we do? First note that (eq15.116) represents the full  $R_{ab}$ , that is, equation (14). To isolate the contributions from  $\phi$  we can first set  $\bar{\Gamma}$  and its derivatives to zero (which in turn requires setting  $\partial_a \bar{g}_{bc} = 0$ ). The result is equation (eq15.119) below. Having set  $\bar{\Gamma}$  to zero means that we can replace  $\partial$  with  $\bar{D}$  leading to equation (eq15.121). But that is clearly a tensor equation and so by the usual arguments it must be true in all frames (not just this frame with  $\bar{\Gamma} = 0$ ). It's a standard argument and I've probably overdone the discussion. Anyway, equation (eq15.121) is exactly equation (15) from the paper. Yeah.

$$\begin{split} R_{ab}^{\phi} &= -2\partial_{ab}\phi - 2\bar{g}_{ab}\partial_{c}\phi\partial_{d}\bar{g}^{cd} - 2\bar{g}_{ab}\bar{g}^{cd}\partial_{cd}\phi - 2\bar{g}^{cd}\partial_{c}\phi\partial_{d}\bar{g}_{ab} + 4\partial_{a}\phi\partial_{b}\phi - 4\bar{g}_{ab}\bar{g}^{cd}\partial_{c}\phi\partial_{d}\phi + 2\bar{g}_{ac}\partial_{d}\phi\partial_{b}\bar{g}^{cd} + 2\bar{g}^{cd}\partial_{c}\phi\partial_{b}\bar{g}_{ad} & \text{(eq15.117)} \\ &= -2\partial_{ab}\phi - 2\bar{g}_{ab}\partial_{c}\phi\partial_{d}\bar{g}^{cd} - 2\bar{g}_{ab}\bar{g}^{cd}\partial_{cd}\phi + 4\partial_{a}\phi\partial_{b}\phi - 4\bar{g}_{ab}\bar{g}^{cd}\partial_{c}\phi\partial_{d}\phi + 2\bar{g}_{ac}\partial_{d}\phi\partial_{b}\bar{g}^{cd} & \text{(eq15.118)} \\ &= -2\partial_{ab}\phi - 2\bar{g}_{ab}\bar{g}^{cd}\partial_{cd}\phi + 4\partial_{a}\phi\partial_{b}\phi - 4\bar{g}_{ab}\bar{g}^{cd}\partial_{c}\phi\partial_{d}\phi & \text{(eq15.120)} \\ &= -2\bar{D}_{ab}\phi - 2\bar{g}_{ab}\bar{g}^{cd}\bar{D}_{cd}\phi + 4\bar{D}_{a}\phi\bar{D}_{b}\phi - 4\bar{g}_{ab}\bar{g}^{cd}\bar{D}_{c}\phi\bar{D}_{d}\phi & \text{(eq15.121)} \end{split}$$

```
# Check against prd62.
    foo := @(Rphi).
                                                          # cdb(eq15.1cb,foo)
     bah = cdblib.get('prd62.eq15.rhs','prd62.json')
                                                         # cdb(eq15.prd,bah)
     diff := @(foo) - @(bah).
     distribute
                    (diff)
     diff = product_sort (diff)
10
     rename_dummies (diff)
11
     map_sympy
                    (diff, "simplify")
                                                          # cdb(eq15.chk,diff)
     canonicalise
                    (diff)
```

$$\begin{split} & \text{eq15.lcb} := -2\bar{D}_{ab}\phi - 2\bar{g}_{ab}\bar{g}^{cd}\bar{D}_{cd}\phi + 4\bar{D}_a\phi\bar{D}_b\phi - 4\bar{g}_{ab}\bar{g}^{cd}\bar{D}_c\phi\bar{D}_d\phi \\ & \text{eq15.prd} := -2\bar{D}_{ab}\phi - 2\bar{g}_{ab}\bar{g}^{cd}\bar{D}_{cd}\phi + 4\bar{D}_a\phi\bar{D}_b\phi - 4\bar{g}_{ab}\bar{g}^{cd}\bar{D}_c\phi\bar{D}_d\phi \\ & \text{eq15.chk} := 0 \end{split}$$

### PhysRevD.62.044034 equation (17)

```
from shared import *
    import cdblib
    jsonfile = 'eqtn17.json'
    cdblib.create (jsonfile)
    # -----
    defGammaBar := GammaBar^{a}_{b c} ->
                  (1/2) gBar^{a e} ( \partial_{b}{gBar_{e c}})
                                    + \partial_{c}{gBar_{b e}}
10
                                    - \partial_{e}{gBar_{b c}}).
11
12
    foo := \frac{a}{gBar_{b c}} gBar_{i b} gBar_{i c} -> - \frac{a}{gBar_{i j}}.
13
    bah := \hat{a}_{a} \{gBar_{b c}\} gBar^{b c} -> 0. # follows from det gBar = 1
14
15
    # GiBar
17
18
    GiBar := gBar^{j k} GammaBar^{i}_{j k}.
# cdb (eq17.101, GiBar)
19
20
    substitute (GiBar, defGammaBar)
                                                    # cdb (eq17.102, GiBar)
    distribute (GiBar)
                                                    # cdb (eq17.103, GiBar)
                                                    # cdb (eq17.104, GiBar)
    GiBar = product_sort (GiBar)
23
    rename_dummies (GiBar)
                                                    # cdb (eq17.105, GiBar)
                                                    # cdb (eq17.106, GiBar)
    canonicalise
                  (GiBar)
                  (GiBar, foo)
                                                    # cdb (eq17.107, GiBar)
    substitute
26
    substitute (GiBar, bah)
                                                    # cdb (eq17.108, GiBar)
28
    defGiBar := GammaBar^{i} -> @(GiBar).
29
30
    cdblib.put ('defGiBar',defGiBar,jsonfile)
31
```

$$\begin{split} \bar{g}^{jk}\bar{\Gamma}^{i}{}_{jk} &= \frac{1}{2}\bar{g}^{jk}\bar{g}^{ie}\left(\partial_{j}\bar{g}_{ek} + \partial_{k}\bar{g}_{je} - \partial_{e}\bar{g}_{jk}\right) \\ &= \frac{1}{2}\bar{g}^{jk}\bar{g}^{ie}\partial_{j}\bar{g}_{ek} + \frac{1}{2}\bar{g}^{jk}\bar{g}^{ie}\partial_{k}\bar{g}_{je} - \frac{1}{2}\bar{g}^{jk}\bar{g}^{ie}\partial_{e}\bar{g}_{jk} \\ &= \frac{1}{2}\bar{g}^{ia}\bar{g}^{cb}\partial_{c}\bar{g}_{ak} + \frac{1}{2}\bar{g}^{ib}\bar{g}^{ac}\partial_{c}\bar{g}_{ab} - \frac{1}{2}\bar{g}^{ic}\bar{g}^{ab}\partial_{c}\bar{g}_{ab} \\ &= \frac{1}{2}\bar{g}^{ib}\bar{g}^{ac}\partial_{a}\bar{g}_{bc} + \frac{1}{2}\bar{g}^{ib}\bar{g}^{ca}\partial_{a}\bar{g}_{cb} - \frac{1}{2}\bar{g}^{ia}\bar{g}^{bc}\partial_{a}\bar{g}_{bc} \\ &= \bar{g}^{ia}\bar{g}^{bc}\partial_{b}\bar{g}_{ac} - \frac{1}{2}\bar{g}^{ia}\bar{g}^{bc}\partial_{a}\bar{g}_{bc} \\ &= -\partial_{b}\bar{g}^{ib} - \frac{1}{2}\bar{g}^{ia}\bar{g}^{bc}\partial_{a}\bar{g}_{bc} \end{aligned} \tag{eq17.106} \\ &= -\partial_{b}\bar{g}^{ib} \tag{eq17.108}$$

```
# Check against prd62.
    foo := @(GiBar).
                                                          # cdb(eq17.1cb,foo)
    bah = cdblib.get('prd62.eq17.rhs','prd62.json')
                                                        # cdb(eq17.prd,bah)
    diff := @(foo) - @(bah).
    distribute
                    (diff)
    diff = product_sort (diff)
10
    rename_dummies (diff)
11
    map_sympy
                    (diff, "simplify")
     canonicalise (diff)
                                                          # cdb(eq17.chk,diff)
```

eq17.lcb 
$$:= -\partial_b ar{g}^{ib}$$
 eq17.prd  $:= -\partial_j ar{g}^{ij}$  eq17.chk  $:= 0$ 

# PhysRevD.62.044034 equation (18)

```
from shared import *
    import cdblib
    jsonfile = 'eqtn18.json'
    cdblib.create (jsonfile)
    # -----
    # RBar pt.1 = split into two terms
    defGammaBar := GammaBar^{a}_{b c} ->
10
                   (1/2) gBar^{a e} ( \partial_{b}{gBar_{e c}})
11
                                    + \partial_{c}{gBar_{b e}}
12
                                    - \partial_{e}{gBar_{b c}}).
13
14
    defRiemBar := RBar^{a}_{b c d} ->
                 \partial_{c}{GammaBar^{a}_{b d}} + GammaBar^{a}_{e c} GammaBar^{e}_{b d}
16
               - \partial_{d}{GammaBar^{a}_{b c}} - GammaBar^{a}_{e d} GammaBar^{e}_{b c}.
17
18
    defRBar := RBar_{a b} -> RBar^{c}_{a c b}.
19
20
    RBar := RBar_{a b}.
                                                                      # cdb(eq18.000,RBar)
21
                                                                      # cdb(eq18.001, RBar)
    substitute (RBar, defRBar)
23
    substitute (RBar, defRiemBar)
                                                                      # cdb(eq18.002,RBar)
^{24}
    substitute (RBar, $GammaBar^{a}_{b a} -> 0$)
                                                                      \# cdb(eq18.003,RBar) \# follows from det g = 1
25
    canonicalise (RBar)
```

$$\begin{split} \bar{R}_{ab} &= \bar{R}^c{}_{acb} \\ &= \partial_c \bar{\Gamma}^c{}_{ab} + \bar{\Gamma}^c{}_{ec} \bar{\Gamma}^e{}_{ab} - \partial_b \bar{\Gamma}^c{}_{ac} - \bar{\Gamma}^c{}_{eb} \bar{\Gamma}^e{}_{ac} \\ &= \partial_c \bar{\Gamma}^c{}_{ab} - \bar{\Gamma}^c{}_{eb} \bar{\Gamma}^e{}_{ac} \end{split} \tag{eq18.002}$$
 
$$= \partial_c \bar{\Gamma}^c{}_{ab} - \bar{\Gamma}^c{}_{eb} \bar{\Gamma}^e{}_{ac} \tag{eq18.003}$$

From here the computations will be splt into two threads, one for each of the two terms in the above result.

$$\begin{split} & \text{tmp18.101} := \partial_c \bar{\Gamma}^c{}_{ab} - \bar{\Gamma}^c{}_{ae} \bar{\Gamma}^e{}_{bc} \\ & \text{tmp18.102} := \partial_c \bar{\Gamma}^c{}_{ab} \\ & \text{tmp18.103} := -\bar{\Gamma}^c{}_{ae} \bar{\Gamma}^e{}_{bc} \end{split}$$

$$\begin{split} \partial_c \bar{\Gamma}^c{}_{ab} &= \frac{1}{2} \partial_c \left( \bar{g}^{ce} \left( \partial_a \bar{g}_{eb} + \partial_b \bar{g}_{ae} - \partial_e \bar{g}_{ab} \right) \right) \\ &= \frac{1}{2} \partial_c \left( \bar{g}^{ce} \partial_a \bar{g}_{eb} \right) + \frac{1}{2} \partial_c \left( \bar{g}^{ce} \partial_b \bar{g}_{ae} \right) - \frac{1}{2} \partial_c \left( \bar{g}^{ce} \partial_e \bar{g}_{ab} \right) \\ &= \frac{1}{2} \partial_c \bar{g}^{ce} \partial_a \bar{g}_{eb} + \frac{1}{2} \bar{g}^{ce} \partial_{ca} \bar{g}_{eb} + \frac{1}{2} \partial_c \bar{g}^{ce} \partial_b \bar{g}_{ae} + \frac{1}{2} \bar{g}^{ce} \partial_{cb} \bar{g}_{ae} - \frac{1}{2} \partial_c \bar{g}^{ce} \partial_e \bar{g}_{ab} - \frac{1}{2} \bar{g}^{ce} \partial_{ce} \bar{g}_{ab} \\ &= -\frac{1}{2} \bar{\Gamma}^e \partial_a \bar{g}_{eb} + \frac{1}{2} \bar{g}^{ce} \partial_{ca} \bar{g}_{eb} - \frac{1}{2} \bar{\Gamma}^e \partial_b \bar{g}_{ae} + \frac{1}{2} \bar{g}^{ce} \partial_{cb} \bar{g}_{ae} + \frac{1}{2} \bar{\Gamma}^e \partial_e \bar{g}_{ab} - \frac{1}{2} \bar{g}^{ce} \partial_{ce} \bar{g}_{ab} \end{split} \tag{tmp18.203}$$

Notice that this result contains two terms contains second derivatives of  $\bar{g}_{ij}$ . This pair of terms will now be replaced with an expression built from the first derivatives of  $\Gamma^i$ .

```
# tmpC
     defGi := GammaBar^{i} -> - \partial_{j}{gBar^{i j}}.
     # lower the indices on gBar^{b c}
     defLowerIndices := \partial_{a}{gBar^{b c}} -> - gBar^{i b} gBar^{j c} \partial_{a}{gBar_{i j}}.
     substitute (defGi, defLowerIndices)
10
11
     tmpC := gBar_{a i} \partial_{b}{GammaBar^{i}}
           + gBar_{b i} \partial_{a}{GammaBar^{i}}.
                                                                             # cdb(tmp18.301,tmpC)
13
     saveC := @(tmpC).
15
16
                  (tmpC, defGi)
                                                                             # cdb(tmp18.302,tmpC)
     substitute
17
     product_rule (tmpC)
                                                                             # cdb(tmp18.303,tmpC)
                                                                             # cdb(tmp18.304,tmpC)
     distribute
                  (tmpC)
     canonicalise (tmpC)
                                                                             # cdb(tmp18.305,tmpC)
                  (tmpC, $gBar_{a b} gBar^{b c} -> gBar_{a}^{c}$)
                                                                             # cdb(tmp18.306,tmpC)
     substitute
21
                                                                             # cdb(tmp18.307,tmpC)
     eliminate_kronecker (tmpC)
22
23
     # foo is the target expression to be moved to the lhs
24
     foo := gBar^{i j} \partial_{a i}{gBar_{b j}}
26
          + gBar^{i j} \partial_{b i}{gBar_{a j}} -> X_{a b}.
27
28
     # bah helps when rebuilding the equation
29
30
     bah := X_{a} b \rightarrow
31
            gBar^{i j} \partial_{a i}{gBar_{b j}}
32
          + gBar^{i j} \partial_{b i}{gBar_{a j}}.
33
34
     substitute (tmpC, foo)
                                                                             # cdb(tmp18.308,tmpC)
35
37
```

```
# rearrange to move the target to the lhs
39
     tmpE := @(tmpC).
     tmpF := @(tmpC).
41
42
    X_{a b}::Weight(label=numX).
43
44
     # get the two pieces of the equation
45
     keep_weight (tmpE, $numX=0$)
                                                                            # cdb(tmp18.309,tmpE)
     keep_weight (tmpF, $numX=1$)
                                                                            # cdb(tmp18.310,tmpF)
47
48
     substitute (tmpF, bah)
                                                                            # cdb(tmp18.311,tmpF)
49
50
     # now rebuild with terms reorderd
     tmpG := @(saveC) - @(tmpE).
                                                                            # cdb(tmp18.312,tmpG)
53
     defTmpSub := @(tmpF) -> @(tmpG).
                                                                            # cdb(tmp18.313,defTmpSub)
54
```

$$\begin{split} \bar{g}_{ai}\partial_{b}\bar{\Gamma}^{i} + \bar{g}_{bi}\partial_{a}\bar{\Gamma}^{i} &= \bar{g}_{ai}\partial_{b}\left(\bar{g}^{ci}\bar{g}^{dj}\partial_{j}\bar{g}_{cd}\right) + \bar{g}_{bi}\partial_{a}\left(\bar{g}^{ci}\bar{g}^{dj}\partial_{j}\bar{g}_{cd}\right) \\ &= \bar{g}_{ai}\left(\partial_{b}\bar{g}^{ci}\bar{g}^{dj}\partial_{j}\bar{g}_{cd} + \bar{g}^{ci}\partial_{b}\bar{g}^{dj}\partial_{j}\bar{g}_{cd} + \bar{g}^{ci}\bar{g}^{dj}\partial_{bj}\bar{g}_{cd}\right) + \bar{g}_{bi}\left(\partial_{a}\bar{g}^{ci}\bar{g}^{dj}\partial_{j}\bar{g}_{cd} + \bar{g}^{ci}\partial_{a}\bar{g}^{dj}\partial_{j}\bar{g}_{cd} + \bar{g}^{ci}\bar{g}^{dj}\partial_{aj}\bar{g}_{cd}\right) \\ &= \bar{g}_{ai}\partial_{b}\bar{g}^{ci}\bar{g}^{dj}\partial_{j}\bar{g}_{cd} + \bar{g}^{ci}\partial_{b}\bar{g}^{dj}\partial_{j}\bar{g}_{cd} + \bar{g}_{ai}\bar{g}^{ci}\partial_{b}\bar{g}^{dj}\partial_{j}\bar{g}_{cd} + \bar{g}_{ai}\bar{g}^{ci}\bar{g}^{dj}\partial_{bj}\bar{g}_{cd} + \bar{g}_{bi}\bar{g}^{ci}\bar{g}^{dj}\partial_{j}\bar{g}_{cd} + \bar{g}_{bi}\bar{g}^{ci}\partial_{a}\bar{g}^{dj}\partial_{j}\bar{g}_{cd} + \bar{g}_{bi}\bar{g}^{ci}\partial_{a}\bar{g}^{dj}\partial_{j}\bar{g}_{cd} + \bar{g}_{bi}\bar{g}^{ci}\partial_{a}\bar{g}^{dj}\partial_{j}\bar{g}_{cd} + \bar{g}_{bi}\bar{g}^{ci}\bar{g}^{dj}\partial_{aj}\bar{g}_{cd} \\ &= \bar{g}_{ac}\partial_{b}\bar{g}^{cd}\bar{g}^{ij}\partial_{i}\bar{g}_{dj} + \bar{g}_{ac}\bar{g}^{cd}\partial_{b}\bar{g}^{ij}\partial_{i}\bar{g}_{dj} + \bar{g}_{ac}\bar{g}^{cd}\bar{g}^{ij}\partial_{bi}\bar{g}_{dj} + \bar{g}_{bc}\partial_{a}\bar{g}^{cd}\bar{g}^{ij}\partial_{i}\bar{g}_{dj} + \bar{g}_{bc}\partial_{a}\bar{g}^{cd}\bar{g}^{ij}\partial_{i}\bar{g}_{dj} + \bar{g}_{bc}\partial_{a}\bar{g}^{cd}\bar{g}^{ij}\partial_{i}\bar{g}_{dj} + \bar{g}_{bc}\partial_{a}\bar{g}^{cd}\bar{g}^{ij}\partial_{i}\bar{g}_{dj} + \bar{g}_{bc}\partial_{a}\bar{g}^{cd}\bar{g}^{ij}\partial_{i}\bar{g}_{dj} + \bar{g}_{bc}\partial_{a}\bar{g}^{cd}\bar{g}^{ij}\partial_{i}\bar{g}_{dj} + \bar{g}_{a}\bar{g}^{ij}\partial_{i}\bar{g}_{dj} \\ &= \bar{g}_{ac}\partial_{b}\bar{g}^{cd}\bar{g}^{ij}\partial_{i}\bar{g}_{dj} + \partial_{b}\bar{g}^{ij}\partial_{i}\bar{g}_{aj} + \bar{g}^{ij}\partial_{bi}\bar{g}_{aj} + \bar{g}_{bc}\partial_{a}\bar{g}^{cd}\bar{g}^{ij}\partial_{i}\bar{g}_{dj} + \partial_{a}\bar{g}^{ij}\partial_{i}\bar{g}_{bj} + \bar{g}^{ij}\partial_{ai}\bar{g}_{bj} \\ &= \bar{g}_{ac}\partial_{b}\bar{g}^{cd}\bar{g}^{ij}\partial_{i}\bar{g}_{dj} + \partial_{b}\bar{g}^{ij}\partial_{i}\bar{g}_{aj} + \bar{g}_{bc}\partial_{a}\bar{g}^{cd}\bar{g}^{ij}\partial_{i}\bar{g}_{dj} + \partial_{a}\bar{g}^{ij}\partial_{i}\bar{g}_{bj} \\ &= \bar{g}_{ac}\partial_{b}\bar{g}^{cd}\bar{g}^{ij}\partial_{i}\bar{g}_{dj} + \partial_{b}\bar{g}^{ij}\partial_{i}\bar{g}_{aj} + \bar{g}_{bc}\partial_{a}\bar{g}^{cd}\bar{g}^{ij}\partial_{i}\bar{g}_{dj} + \partial_{a}\bar{g}^{ij}\partial_{i}\bar{g}_{bj} \\ &= \bar{g}_{ac}\partial_{b}\bar{g}^{cd}\bar{g}^{ij}\partial_{i}\bar{g}_{dj} + \partial_{b}\bar{g}^{ij}\partial_{i}\bar{g}_{aj} + \bar{g}_{bc}\partial_{a}\bar{g}^{cd}\bar{g}^{ij}\partial_{i}\bar{g}_{dj} + \partial_{a}\bar{g}^{ij}\partial_{i}\bar{g}_{dj} \\ &= \bar{g}_{ac}\partial_{b}\bar{g}^$$

$$\bar{g}^{ij}\partial_{bi}\bar{g}_{aj} + \bar{g}^{ij}\partial_{ai}\bar{g}_{bj} = X_{ba} \tag{tmp18.310}$$

$$= \bar{g}_{ai}\partial_{b}\bar{\Gamma}^{i} + \bar{g}_{bi}\partial_{a}\bar{\Gamma}^{i} - \bar{g}_{ac}\partial_{b}\bar{g}^{cd}\bar{g}^{ij}\partial_{i}\bar{g}_{dj} - \partial_{b}\bar{g}^{ij}\partial_{i}\bar{g}_{aj} - \bar{g}_{bc}\partial_{a}\bar{g}^{cd}\bar{g}^{ij}\partial_{i}\bar{g}_{dj} - \partial_{a}\bar{g}^{ij}\partial_{i}\bar{g}_{bj} \tag{tmp18.312}$$

This result will now be applied to the earlier equation (tmp18.204).

```
# tmpA pt.2 eliminate second partial derivatives of gBar
     canonicalise (tmpA)
                                                                             # cdb(tmp18.401,tmpA)
                     (tmpA, defTmpSub)
     substitute
                                                                             # cdb(tmp18.402,tmpA)
     tmpA = product_sort (tmpA)
     rename_dummies (tmpA)
     canonicalise (tmpA)
                                                                             # cdb(tmp18.403,tmpA)
10
     foo := gBar^{d e} \partial_{c}{gBar_{e f}} -> - gBar_{e f} \partial_{c}{gBar^{d e}}.
11
     bah := \partial_{d}{gBar^{d f}} -> - GammaBar^{f}.
                     (tmpA, foo)
                                                                             # cdb(tmp18.404,tmpA)
     substitute
14
     substitute
                    (tmpA, bah)
                                                                             # cdb(tmp18.405,tmpA)
15
16
     foo := gBar_{e f} \operatorname{gBar}_{a}_{a} = - \operatorname{gBar}_{a f} - - \operatorname{gBar}_{e f} gBar_{e f}.
17
18
                                                                             # cdb(tmp18.406,tmpA)
                    (tmpA, foo)
     substitute
19
20
     foo := gBar_{b} d gBar^{d} = -> gBar_{b}^{e}.
21
                     (tmpA, foo)
     substitute
                                                                             # cdb(tmp18.407,tmpA)
     eliminate_kronecker (tmpA)
                                                                              # cdb(tmp18.408,tmpA)
     tmpA = product_sort (tmpA)
     rename_dummies (tmpA)
26
                                                                             # cdb(tmp18.409,tmpA)
     canonicalise (tmpA)
```

$$\begin{split} \partial_c \bar{\Gamma}^c{}_{ob} &= -\frac{1}{2} \bar{\Gamma}^c \partial_a g_{bc} + \frac{1}{2} g^{ac} \partial_{ac} g_{bc} - \frac{1}{2} \bar{\Gamma}^c \partial_b g_{ac} + \frac{1}{2} g^{ac} \partial_{bc} g_{ac} + \frac{1}{2} \bar{\Gamma}^c \partial_c g_{ab} - \frac{1}{2} g^{ac} \partial_{cc} g_{ab} \\ &= -\frac{1}{2} \bar{\Gamma}^c \partial_a \bar{g}_{bc} + \frac{1}{2} g_{bc} \partial_a \bar{\Gamma}^c + \frac{1}{2} g_{ac} \partial_b \bar{\Gamma}^c - \frac{1}{2} \bar{g}_{bf} \partial_a \bar{g}^{fd} g^{cc} \partial_c g_{dc} - \frac{1}{2} \partial_a g^{ac} \partial_c g_{bc} - \frac{1}{2} \bar{g}_{af} \partial_b \bar{g}^{fd} g^{cc} \partial_c g_{dc} - \frac{1}{2} \partial_b g^{ac} \partial_c g_{dc} - \frac{1}{2} \partial_b g^{ac} \partial_c g_{dc} - \frac{1}{2} \partial_a g^{ac} \partial_c g_{dc} - \frac{1}{2} \partial_a g^{ac} \partial_c g_{dc} - \frac{1}{2} \partial_b g^{ac} \partial_c g_{dc} - \frac{1}{2} \partial_a g^{ac} \partial_d g^{cc} \partial_c g_{dc} - \frac{1}{2} \partial_b g^{ac} \partial_c g^{cc} \partial_c g_{dc} - \frac{1}{2} \partial_a g^{ac} \partial_c g^{cc} \partial_c g_{dc} - \frac{1}{2} \partial_a g^{ac} \partial_c g^{cc} \partial_c g_{dc} - \frac{1}{2} \partial_a g^{ac} \partial_d g^{cc} \partial_c g^{cc} \partial_c g_{dc} - \frac{1}{2} \partial_a g^{ac} \partial_d g^{cc} \partial_c g^{cc} \partial_c g_{dc} - \frac{1}{2} \partial_a g^{ac} \partial_d g^{cc} \partial_c g^{cc} \partial_c g_{dc} - \frac{1}{2} \partial_a g^{ac} \partial_d g^{cc} \partial_c g^{cc} \partial_c$$

```
# ------
# tmpB

substitute (tmpB, defGammaBar) # cdb(tmp18.501,tmpB)

distribute (tmpB) # cdb(tmp18.502,tmpB)

tmpB = product_sort (tmpB) # cdb(tmp18.503,tmpB)

rename_dummies (tmpB) # cdb(tmp18.504,tmpB)

canonicalise (tmpB) # cdb(tmp18.504,tmpB)

# cdb(tmp18.505,tmpB)
```

$$\begin{split} -\bar{\Gamma}^c{}_{ae}\bar{\Gamma}^e{}_{bc} &= -\frac{1}{4}\bar{g}^{cd}\left(\partial_a\bar{g}_{de} + \partial_e\bar{g}_{ad} - \partial_d\bar{g}_{ae}\right)\bar{g}^{ef}\left(\partial_b\bar{g}_{fc} + \partial_c\bar{g}_{bf} - \partial_f\bar{g}_{bc}\right) \\ &= -\frac{1}{4}\bar{g}^{cd}\partial_a\bar{g}_{de}\bar{g}^{ef}\partial_b\bar{g}_{fc} - \frac{1}{4}\bar{g}^{cd}\partial_a\bar{g}_{de}\bar{g}^{ef}\partial_c\bar{g}_{bf} + \frac{1}{4}\bar{g}^{cd}\partial_a\bar{g}_{de}\bar{g}^{ef}\partial_f\bar{g}_{bc} - \frac{1}{4}\bar{g}^{cd}\partial_e\bar{g}_{ad}\bar{g}^{ef}\partial_b\bar{g}_{fc} - \frac{1}{4}\bar{g}^{cd}\partial_e\bar{g}_{ad}\bar{g}^{ef}\partial_c\bar{g}_{bf} + \frac{1}{4}\bar{g}^{cd}\partial_a\bar{g}_{de}\bar{g}^{ef}\partial_f\bar{g}_{bc} \\ &+ \frac{1}{4}\bar{g}^{cd}\partial_d\bar{g}_{ae}\bar{g}^{ef}\partial_b\bar{g}_{fc} + \frac{1}{4}\bar{g}^{cd}\partial_d\bar{g}_{ae}\bar{g}^{ef}\partial_c\bar{g}_{bf} - \frac{1}{4}\bar{g}^{cd}\partial_d\bar{g}_{ae}\bar{g}^{ef}\partial_f\bar{g}_{bc} \\ &= -\frac{1}{4}\bar{g}^{fc}\bar{g}^{de}\partial_a\bar{g}_{cd}\partial_b\bar{g}_{ef} - \frac{1}{4}\bar{g}^{fc}\bar{g}^{de}\partial_a\bar{g}_{cd}\partial_f\bar{g}_{be} + \frac{1}{4}\bar{g}^{ec}\bar{g}^{df}\partial_a\bar{g}_{cd}\partial_f\bar{g}_{be} - \frac{1}{4}\bar{g}^{de}\bar{g}^{fc}\partial_b\bar{g}_{cd}\partial_f\bar{g}_{ae} - \frac{1}{4}\bar{g}^{cd}\bar{g}^{ef}\partial_e\bar{g}_{ac}\partial_f\bar{g}_{bd} \\ &+ \frac{1}{4}\bar{g}^{df}\bar{g}^{ec}\partial_b\bar{g}_{cd}\partial_f\bar{g}_{ae} + \frac{1}{4}\bar{g}^{ef}\bar{g}^{dc}\partial_e\bar{g}_{bc}\partial_f\bar{g}_{ad} - \frac{1}{4}\bar{g}^{de}\bar{g}^{ef}\partial_e\bar{g}_{ac}\partial_f\bar{g}_{bd} \\ &+ \frac{1}{4}\bar{g}^{de}\bar{g}^{ef}\partial_a\bar{g}_{de}\partial_b\bar{g}_{fc} - \frac{1}{4}\bar{g}^{cd}\bar{g}^{ef}\partial_a\bar{g}_{de}\partial_c\bar{g}_{bf} + \frac{1}{4}\bar{g}^{de}\bar{g}^{ef}\partial_e\bar{g}_{ac}\partial_f\bar{g}_{bd} \\ &+ \frac{1}{4}\bar{g}^{de}\bar{g}^{ef}\partial_a\bar{g}_{de}\partial_b\bar{g}_{fc} - \frac{1}{4}\bar{g}^{ed}\bar{g}^{ef}\partial_a\bar{g}_{de}\partial_c\bar{g}_{bf} + \frac{1}{4}\bar{g}^{de}\bar{g}^{ef}\partial_e\bar{g}_{ac}\partial_f\bar{g}_{bd} \\ &+ \frac{1}{4}\bar{g}^{de}\bar{g}^{ef}\partial_a\bar{g}_{de}\partial_b\bar{g}_{fc} - \frac{1}{4}\bar{g}^{ed}\bar{g}^{ef}\partial_a\bar{g}_{de}\partial_c\bar{g}_{bf} + \frac{1}{4}\bar{g}^{de}\bar{g}^{ef}\partial_e\bar{g}_{ac}\partial_f\bar{g}_{bd} \\ &+ \frac{1}{4}\bar{g}^{de}\bar{g}^{ef}\partial_a\bar{g}_{de}\partial_b\bar{g}_{fc} - \frac{1}{4}\bar{g}^{ed}\bar{g}^{ef}\partial_a\bar{g}_{de}\partial_e\bar{g}_{bf} \\ &+ \frac{1}{4}\bar{g}^{de}\bar{g}^{ef}\partial_a\bar{g}_{de}\partial_b\bar{g}_{fc} - \frac{1}{4}\bar{g}^{ed}\bar{g}^{ef}\partial_a\bar{g}_{de}\partial_e\bar{g}_{bf} \\ &+ \frac{1}{4}\bar{g}^{de}\bar{g}^{ef}\partial_a\bar{g}_{de}\partial_e\bar{g}_{fe} \\ &+ \frac{1}{4}\bar{g}^{ed}\bar{g}^{ef}\partial_a\bar{g}_{de}\partial_e\bar{g}_{fe} \\ &+ \frac{1}{4}\bar{g}^{ed}\bar{g}^{ef}\partial_a\bar{g}_{de}\partial_e\bar{g}_{fe} \\ &+ \frac{1}{4}\bar{g}^{ed}\bar{g}^{ef}\partial_a\bar{g}_{de}\partial_e\bar{g}_{fe} \\ &+ \frac{1}{4}\bar{g}^{ed}\bar{g}^{ef}\partial_a\bar{g}_{fe}\partial_e\bar{g}_{fe} \\ &+ \frac{1}{4}\bar{g}^{ed}\bar{g}^{e$$

```
# RBar pt.2 = Rebuild Rab from tmpA and tmpB
     RBar := @(tmpA) + @(tmpB).
     canonicalise
                    (RBar)
                                                                           # cdb(eq18.601,RBar)
     foo := \frac{a}{gBar^{c d}} -> - gBar^{c i} gBar^{d j} \operatorname{gBar_{i j}}.
     substitute
                    (RBar, foo)
10
                    (RBar)
     distribute
11
     RBar = product_sort (RBar)
     rename_dummies (RBar)
                    (RBar)
                                                                          # cdb(eq18.602,RBar)
     canonicalise
15
     foo := \partial_{a}{gBar_{b c}} -> GammaBar_{b c a} + GammaBar_{c b a}.
16
17
                                                                          # cdb(eq18.603,RBar)
     substitute
                    (RBar, foo)
     distribute
                    (RBar)
     RBar = product_sort (RBar)
     rename_dummies (RBar)
21
                                                                          # cdb(eq18.604, RBar)
     canonicalise (RBar)
     foo := GammaBar_{d e f} gBar^{d e} -> 0.
24
                    (RBar, foo)
                                                                          # cdb(eq18.605, RBar)
     substitute
26
27
     defRab := RBar_{a b} -> @(RBar).
```

$$\begin{split} \bar{R}_{ab} &= \partial_c \bar{\Gamma}^c{}_{ab} - \bar{\Gamma}^c{}_{eb} \bar{\Gamma}^e{}_{ac} \\ &= \frac{1}{2} \bar{g}_{bc} \partial_a \bar{\Gamma}^c + \frac{1}{2} \bar{g}_{ac} \partial_b \bar{\Gamma}^c - \frac{1}{2} \partial_c \bar{g}_{bd} \partial_a \bar{g}^{cd} - \frac{1}{2} \partial_c \bar{g}_{ad} \partial_b \bar{g}^{ed} + \frac{1}{2} \bar{\Gamma}^c \partial_c \bar{g}_{ab} - \frac{1}{2} \bar{g}^{cd} \partial_{cd} \bar{g}_{ab} - \frac{1}{4} \bar{g}^{cd} \bar{g}^{ef} \partial_a \bar{g}_{ce} \partial_b \bar{g}_{df} - \frac{1}{2} \bar{g}^{cd} \bar{g}^{ef} \partial_c \bar{g}_{ae} \partial_f \bar{g}_{bd} \\ &+ \frac{1}{2} \bar{g}^{cd} \bar{g}^{ef} \partial_c \bar{g}_{ae} \partial_d \bar{g}_{bf} & (\text{eq18.601}) \\ &= \frac{1}{2} \bar{g}_{bc} \partial_a \bar{\Gamma}^c + \frac{1}{2} \bar{g}_{ac} \partial_b \bar{\Gamma}^c + \frac{1}{2} \bar{g}^{cd} \bar{g}^{ef} \partial_a \bar{g}_{ce} \partial_d \bar{g}_{bf} + \frac{1}{2} \bar{g}^{cd} \bar{g}^{ef} \partial_b \bar{g}_{ce} \partial_d \bar{g}_{af} + \frac{1}{2} \bar{\Gamma}^c \partial_c \bar{g}_{ab} - \frac{1}{2} \bar{g}^{cd} \partial_c \bar{g}_{ab} - \frac{1}{4} \bar{g}^{cd} \bar{g}^{ef} \partial_a \bar{g}_{ce} \partial_b \bar{g}_{df} - \frac{1}{2} \bar{g}^{cd} \bar{g}^{ef} \partial_c \bar{g}_{ae} \partial_f \bar{g}_{bd} \\ &+ \frac{1}{2} \bar{g}^{cd} \bar{g}^{ef} \partial_c \bar{g}_{ae} \partial_d \bar{g}_{bf} & (\text{eq18.602}) \\ &= \frac{1}{2} \bar{g}_{bc} \partial_a \bar{\Gamma}^c + \frac{1}{2} \bar{g}_{ac} \partial_b \bar{\Gamma}^c + \frac{1}{2} \bar{g}^{cd} \bar{g}^{ef} \left( \bar{\Gamma}_{cea} + \bar{\Gamma}_{eca} \right) \left( \bar{\Gamma}_{bfd} + \bar{\Gamma}_{fbd} \right) + \frac{1}{2} \bar{g}^{cd} \bar{g}^{ef} \left( \bar{\Gamma}_{aec} + \bar{\Gamma}_{eac} \right) \left( \bar{\Gamma}_{afb} + \bar{\Gamma}_{fad} \right) + \frac{1}{2} \bar{g}^{cd} \bar{g}^{ef} \left( \bar{\Gamma}_{aec} + \bar{\Gamma}_{eac} \right) \left( \bar{\Gamma}_{bfb} + \bar{\Gamma}_{fbd} \right) \\ &= \frac{1}{2} \bar{g}_{bc} \partial_a \bar{\Gamma}^c + \frac{1}{2} \bar{g}_{ac} \partial_b \bar{\Gamma}^c + \frac{1}{2} \bar{g}^{cd} \bar{g}^{ef} \bar{\Gamma}_{bcc} \bar{\Gamma}_{daf} + \bar{g}^{cd} \bar{g}^{ef} \bar{\Gamma}_{cac} \bar{\Gamma}_{dbf} + \bar{g}^{cd} \bar{g}^{ef} \bar{\Gamma}_{acc} \bar{\Gamma}_{dbf} + \bar{\Gamma}_{fbf} \right) \\ &= \frac{1}{2} \bar{g}_{bc} \partial_a \bar{\Gamma}^c + \frac{1}{2} \bar{g}_{ac} \partial_b \bar{\Gamma}^c + \bar{g}^{cd} \bar{g}^{ef} \bar{\Gamma}_{bcc} \bar{\Gamma}_{daf} + \bar{g}^{cd} \bar{g}^{ef} \bar{\Gamma}_{cac} \bar{\Gamma}_{dbf} + \bar{g}^{cd} \bar{g}^{ef} \bar{\Gamma}_{acc} \bar{\Gamma}_{dbf} + \bar{g}^{cd} \bar{g}^{ef} \bar{\Gamma}_{acc} \bar{\Gamma}_{dbf} + \frac{1}{2} \bar{\Gamma}^c \bar{\Gamma}_{abc} + \frac{1}{2} \bar{g}^{cd} \partial_{cd} \bar{g}_{ab} \end{split}$$

```
# Check against prd62.
    foo := @(RBar).
                                                           # cdb(eq18.1cb,foo)
     bah = cdblib.get('prd62.eq18.rhs', 'prd62.json')
                                                           # cdb(eq18.prd,bah)
    diff := @(foo) - @(bah).
     distribute
                    (diff)
    diff = product_sort (diff)
    rename_dummies (diff)
11
                    (diff, "simplify")
     map_sympy
                                                           # cdb(eq18.chk,diff)
     canonicalise
                    (diff)
```

$$\begin{split} & \text{eq18.lcb} := \frac{1}{2} \bar{g}_{bc} \partial_a \bar{\Gamma}^c + \frac{1}{2} \bar{g}_{ac} \partial_b \bar{\Gamma}^c + \bar{g}^{cd} \bar{g}^{ef} \bar{\Gamma}_{bce} \bar{\Gamma}_{daf} + \bar{g}^{cd} \bar{g}^{ef} \bar{\Gamma}_{cae} \bar{\Gamma}_{dbf} + \bar{g}^{cd} \bar{g}^{ef} \bar{\Gamma}_{ace} \bar{\Gamma}_{dbf} + \frac{1}{2} \bar{\Gamma}^c \bar{\Gamma}_{abc} + \frac{1}{2} \bar{\Gamma}^c \bar{\Gamma}_{bac} - \frac{1}{2} \bar{g}^{cd} \partial_{cd} \bar{g}_{ab} \\ & \text{eq18.prd} := -\frac{1}{2} \bar{g}^{lm} \partial_{lm} \bar{g}_{ab} + \frac{1}{2} \bar{g}_{ka} \partial_b \bar{\Gamma}^k + \frac{1}{2} \bar{g}_{kb} \partial_a \bar{\Gamma}^k + \frac{1}{2} \bar{\Gamma}^k \bar{\Gamma}_{abk} + \frac{1}{2} \bar{\Gamma}^k \bar{\Gamma}_{bak} + \bar{g}^{lm} \bar{g}^{ke} \left( \bar{\Gamma}_{ela} \bar{\Gamma}_{bkm} + \bar{\Gamma}_{elb} \bar{\Gamma}_{akm} + \bar{\Gamma}_{kam} \bar{\Gamma}_{elb} \right) \\ & \text{eq18.chk} := 0 \end{split}$$

### PhysRevD.62.044034 equation (19)

```
from shared import *
     import cdblib
     jsonfile = 'eqtn19.json'
     cdblib.create (jsonfile)
     defGiBar = cdblib.get ('defGiBar', 'eqtn17.json')
     # DGiBarDt pt.1
11
     dotgBar_{a b}::Symmetric.
12
     dotgBar^{a b}::Symmetric.
13
     dotgBar{#}::LaTeXForm("{\bar{dg}}").
14
     dotGiBar := \partial_{t}{GammaBar^{i}}.
                                                       # cdb (eq19.101,dotGiBar)
     substitute (dotGiBar, defGiBar)
                                                        # cdb (eq19.102,dotGiBar)
18
     substitute (dotGiBar, $\partial_{t a}{gBar^{i a}} -> \partial_{a}{dotgBar^{i a}}$)
                                                        # cdb (eq19.103,dotGiBar)
20
     defdotgBarD := dotgBar_{i j} -> -2 N ABar_{i j}.
     defdotgBarU := dotgBar^{i j} -> 2 N ABar^{i j}.
23
     # defABarD2ABarU := ABar_{i j} -> ABar^{a b} gBar_{a i} gBar_{b j}.
25
     substitute (dotGiBar, defdotgBarU)
                                                   # cdb (eq19.104,dotGiBar)
     product_rule (dotGiBar)
                                                        # cdb (eq19.105,dotGiBar)
28
     dotGiBar = product_sort (dotGiBar)
                                                        # cdb (eq19.106,dotGiBar)
29
30
     cdblib.put ('dotGiBar',dotGiBar,jsonfile)
```

$$\begin{split} \partial_t \bar{\Gamma}^i &= -\partial_{tb} \bar{g}^{ib} & \text{(eq19.102)} \\ &= -\partial_b \bar{d} g^{ib} & \text{(eq19.103)} \\ &= -2\partial_b \left( N \bar{A}^{ib} \right) & \text{(eq19.104)} \\ &= -2\partial_b N \bar{A}^{ib} - 2N\partial_b \bar{A}^{ib} & \text{(eq19.105)} \\ &= -2\bar{A}^{ia}\partial_a N - 2N\partial_a \bar{A}^{ia} & \text{(eq19.106)} \end{split}$$

```
# Check against prd62.
    foo := @(dotGiBar).
                                                         # cdb (eq19.1cb,foo)
     bah = cdblib.get('prd62.eq19.rhs','prd62.json')
                                                        # cdb (eq19.prd,bah)
    diff := @(foo) - @(bah).
    distribute
                    (diff)
    product_rule (diff)
10
    diff = product_sort (diff)
11
    rename_dummies (diff)
                    (diff, "simplify")
    map_sympy
                   (diff)
                                                         # cdb (eq19.chk,diff)
     canonicalise
```

$$\begin{array}{l} {\rm eq19.1cb}:=-2\bar{A}^{ia}\partial_aN-2N\partial_a\bar{A}^{ia}\\ \\ {\rm eq19.prd}:=-2\partial_j\left(N\bar{A}^{ij}\right)\\ \\ {\rm eq19.chk}:=0 \end{array}$$

# PhysRevD.62.044034 equation (20)

$$\begin{split} \partial_t \bar{\Gamma}^i &= -2\bar{A}^{ia} \partial_a N - 2N \partial_a \bar{A}^{ia} \\ &= -2\bar{A}^{ia} \partial_a N - 2N \left( -6\bar{A}^{ia} \partial_a \phi - \bar{A}^{ab} \bar{\Gamma}^i{}_{ab} + \frac{2}{3} \bar{g}^{ia} \partial_a \text{tr} K \right) \end{split} \tag{eq19.106}$$

```
# Check against prd62.
    foo := @(dotGiBar).
                                                          # cdb (eq20.1cb,foo)
     bah = cdblib.get('prd62.eq20.rhs','prd62.json')
                                                        # cdb (eq20.prd,bah)
    diff := @(foo) - @(bah).
    distribute
                    (diff)
     diff = product_sort (diff)
     rename_dummies (diff)
11
                    (diff, "simplify")
    map_sympy
                    (diff)
                                                          # cdb (eq20.chk,diff)
     canonicalise
```

$$\begin{split} & \texttt{eq20.1cb} := -2\bar{A}^{ia}\partial_a N - 2N \left( -6\bar{A}^{ia}\partial_a \phi - \bar{A}^{ab}\bar{\Gamma}^i{}_{ab} + \frac{2}{3}\bar{g}^{ia}\partial_a \text{tr}K \right) \\ & \texttt{eq20.prd} := -2\bar{A}^{ij}\partial_j N + 2N \left( \bar{\Gamma}^i{}_{jk}\bar{A}^{kj} - \frac{2}{3}\bar{g}^{ij}\partial_j \text{tr}K + 6\bar{A}^{ij}\partial_j \phi \right) \\ & \texttt{eq20.chk} := 0 \end{split}$$

# PhysRevD.67.084023 equation (27)

```
from shared import *
     import cdblib
     jsonfile = 'gamma.json'
     cdblib.create (jsonfile)
     # Gamma in terms of GammaBar and phi, see prd67 eqn 27
     Gamma := \Gamma^{a}_{b c}.
                                                                         # cdb (eq27.101, Gamma)
11
                 (Gamma, defGamma)
     substitute
                                                                         # cdb (eq27.102, Gamma)
     substitute (Gamma, defG2GBarD)
                                                                         # cdb (eq27.103, Gamma)
13
     substitute (Gamma, defG2GBarU)
                                                                         # cdb (eq27.104, Gamma)
14
                                                                         # cdb (eq27.105, Gamma)
                  (Gamma)
     distribute
     product_rule (Gamma)
                                                                         # cdb (eq27.106, Gamma)
                                                                         # cdb (eq27.107, Gamma)
     substitute
                  (Gamma, dexp)
                                                                         # cdb (eq27.108, Gamma)
     distribute
                  (Gamma)
                  (Gamma, "simplify")
                                                                         # cdb (eq27.109, Gamma)
     map_sympy
20
     foo := gBar^{a e} \partial_{e}{gBar_{b c}} ->
21
            - 2 GammaBar^{a}_{b c}
            + gBar^{a e} \partial_{b}{gBar_{e c}}
23
            + gBar^{a e} \partial_{c}{gBar_{b e}}.
^{24}
25
     substitute (Gamma, foo)
                                                                         # cdb (eq27.110, Gamma)
26
     substitute (Gamma, $gBar^{a i} gBar_{i b} -> gBar^{a}_{b}$)
                                                                         # cdb (eq27.111, Gamma)
     substitute (Gamma, $gBar^{a i} gBar_{b i} -> gBar^{a}_{b}$)
                                                                         # cdb (eq27.112, Gamma)
28
29
     defG2GBar := \Gamma^{a}_{b c} -> O(Gamma).
30
31
     cdblib.put ('defG2GBar',defG2GBar,jsonfile)
```

$$\begin{split} \Gamma^{a}{}_{bc} &= \frac{1}{2} g^{ac} \left( \partial_{b} g_{ec} + \partial_{c} g_{bc} - \partial_{e} g_{bc} \right) & (\text{eq27.102}) \\ &= \frac{1}{2} g^{ac} \left( \partial_{b} \left( \exp \left( 4\phi \right) \bar{g}_{ec} \right) + \partial_{c} \left( \exp \left( 4\phi \right) \bar{g}_{bc} \right) - \partial_{c} \left( \exp \left( 4\phi \right) \bar{g}_{bc} \right) \right) & (\text{eq27.103}) \\ &= \frac{1}{2} \exp \left( -4\phi \right) \bar{g}^{ac} \left( \partial_{b} \left( \exp \left( 4\phi \right) \bar{g}_{ec} \right) + \partial_{c} \left( \exp \left( 4\phi \right) \bar{g}_{bc} \right) - \partial_{c} \left( \exp \left( 4\phi \right) \bar{g}_{bc} \right) \right) & (\text{eq27.104}) \\ &= \frac{1}{2} \exp \left( -4\phi \right) \bar{g}^{ac} \partial_{b} \left( \exp \left( 4\phi \right) \bar{g}_{ec} \right) + \partial_{c} \left( \exp \left( 4\phi \right) \bar{g}_{bc} \right) - \partial_{c} \left( \exp \left( 4\phi \right) \bar{g}_{bc} \right) - \frac{1}{2} \exp \left( -4\phi \right) \bar{g}^{ac} \partial_{c} \left( \exp \left( 4\phi \right) \bar{g}_{bc} \right) & (\text{eq27.105}) \\ &= \frac{1}{2} \exp \left( -4\phi \right) \bar{g}^{ac} \left( \partial_{b} \left( \exp \left( 4\phi \right) \right) \bar{g}_{ec} + \exp \left( 4\phi \right) \partial_{b} \bar{g}_{ec} \right) + \frac{1}{2} \exp \left( -4\phi \right) \bar{g}^{ac} \left( \partial_{c} \left( \exp \left( 4\phi \right) \right) \bar{g}_{bc} + \exp \left( 4\phi \right) \partial_{c} \bar{g}_{bc} \right) \\ &= \frac{1}{2} \exp \left( -4\phi \right) \bar{g}^{ac} \left( \partial_{c} \left( \exp \left( 4\phi \right) \right) \bar{g}_{bc} + \exp \left( 4\phi \right) \partial_{c} \bar{g}_{bc} \right) \\ &= \frac{1}{2} \exp \left( -4\phi \right) \bar{g}^{ac} \left( \partial_{c} \left( \exp \left( 4\phi \right) \right) \partial_{b} \bar{g}_{ec} + \exp \left( 4\phi \right) \partial_{c} \bar{g}_{bc} \right) \\ &= \frac{1}{2} \exp \left( -4\phi \right) \bar{g}^{ac} \left( \partial_{c} \left( \exp \left( 4\phi \right) \partial_{b} \phi \bar{g}_{bc} + \exp \left( 4\phi \right) \partial_{c} \bar{g}_{bc} \right) + \frac{1}{2} \exp \left( -4\phi \right) \bar{g}^{ac} \left( \partial_{c} \left( \exp \left( 4\phi \right) \partial_{c} \phi \bar{g}_{bc} + \exp \left( 4\phi \right) \partial_{c} \bar{g}_{bc} \right) \\ &= \frac{1}{2} \exp \left( -4\phi \right) \bar{g}^{ac} \left( \partial_{c} \left( \exp \left( 4\phi \right) \partial_{c} \phi \bar{g}_{bc} + \exp \left( 4\phi \right) \partial_{c} \bar{g}_{bc} \right) + \frac{1}{2} \exp \left( -4\phi \right) \bar{g}^{ac} \left( \partial_{c} \left( \exp \left( 4\phi \right) \partial_{c} \phi \bar{g}_{bc} + \exp \left( 4\phi \right) \partial_{c} \bar{g}_{bc} \right) \\ &= \frac{1}{2} \exp \left( -4\phi \right) \bar{g}^{ac} \exp \left( 4\phi \right) \partial_{c} \phi \bar{g}_{bc} + \exp \left( 4\phi \right) \partial_{c} \bar{g}_{bc} \right) + \frac{1}{2} \exp \left( -4\phi \right) \bar{g}^{ac} \exp \left( 4\phi \right) \partial_{c} \phi \bar{g}_{bc} + \exp \left( 4\phi \right) \partial_{c} \bar{g}_{bc} \right) \\ &= 2 \exp \left( -4\phi \right) \bar{g}^{ac} \exp \left( 4\phi \right) \partial_{c} \phi \bar{g}_{bc} + \exp \left( 4\phi \right) \partial_{c} \bar{g}_{bc} \right) + \frac{1}{2} \exp \left( -4\phi \right) \bar{g}^{ac} \exp \left( 4\phi \right) \partial_{c} \phi \bar{g}_{bc} + \frac{1}{2} \exp \left( -4\phi \right) \bar{g}^{ac} \exp \left( 4\phi \right) \partial_{c} \phi \bar{g}_{bc} \right) \\ &= 2 \exp \left( -4\phi \right) \bar{g}^{ac} \exp \left( 4\phi \right) \partial_{c} \phi \bar{g}_{bc} + \exp \left( 4\phi \right) \partial_{c} \phi \bar{g}_{bc} + \exp \left( 4\phi \right) \partial_{c} \phi \bar{g}_{bc} \right) \\ &= 2 \exp \left( -4\phi \right) \bar{g}^{ac} \exp \left( 4\phi \right) \partial_{c} \phi \bar{g}_{$$

```
# Check against prd67.
    foo := Q(Gamma).
                                                          # cdb(prd67.eq27.1cb,foo)
                                                          # cdb(prd67.eq27.prd,bah)
     bah = cdblib.get('prd67.eq27.rhs','prd67.json')
     diff := @(foo) - @(bah).
    distribute
                    (diff)
     diff = product_sort (diff)
10
     rename_dummies (diff)
11
     map_sympy
                    (diff, "simplify")
                                                          # cdb(prd67.eq27.chk,diff)
     canonicalise
                   (diff)
```

$$\begin{split} & \texttt{prd67.eq27.lcb} := 2\bar{g}^a{}_c\partial_b\phi + 2\bar{g}^a{}_b\partial_c\phi - 2\bar{g}^{ae}\partial_e\phi\bar{g}_{bc} + \bar{\Gamma}^a{}_{bc} \\ & \texttt{prd67.eq27.prd} := \bar{\Gamma}^a{}_{bc} + 2\bar{g}^a{}_c\partial_b\phi + 2\bar{g}^a{}_b\partial_c\phi - 2\bar{g}_{bc}\bar{g}^{ae}\partial_e\phi \\ & \texttt{prd67.eq27.chk} := 0 \end{split}$$

### PhysRevD.67.084023 equation (19)

```
from shared import *
    import cdblib
    jsonfile = 'hamiltonian.json'
     cdblib.create (jsonfile)
     # ------
     # Hamiltonian constraint
    Ham := R + K_{a b} g^{a b} K_{c d} g^{c d} - K_{a b} K_{c d} g^{a c} g^{b d}. # cdb (Ham. 101, Ham)
11
    defK2ABarD := K_{i j} \rightarrow \exp(4\phi) ABar_{i j} + (1/3) g_{i j} trK.
12
    defG2GBarD := g_{a b} \rightarrow \exp(4\pi) gBar_{a b}.
13
    defG2GBarU := g^{a b} \rightarrow \exp(-4\pi) gBar^{a b}.
14
                   (Ham, defK2ABarD) # cdb (Ham. 102, Ham)
    substitute
    substitute (Ham, defG2GBarD)
                                       # cdb (Ham. 103, Ham)
    substitute (Ham, defG2GBarU)
                                      # cdb (Ham. 104, Ham)
                                      # cdb (Ham. 105, Ham)
    distribute
                   (Ham)
19
    Ham = product_sort (Ham)
                                       # cdb (Ham. 106, Ham)
    rename_dummies (Ham)
                                      # cdb (Ham. 107, Ham)
     canonicalise
                   (Ham)
                                       # cdb (Ham.108, Ham)
                   (Ham, "simplify") # cdb (Ham.109, Ham)
    map_sympy
23
^{24}
    foo := gBar_{a b} gBar^{a b} -> 3.
25
    bah := gBar_{a c} gBar^{b c} -> gBar_{a}^{b}.
27
    substitute (Ham, foo)
                                       # cdb (Ham.110, Ham)
28
                           # cdb (Ham.111,Ham)
    substitute (Ham, bah)
    eliminate_kronecker (Ham) # cdb (Ham.112, Ham)
30
31
    foo := gBar_{a b} gBar^{a b} \rightarrow 3.
    bah := gBar_{a}^{a} -> 3.
    moo := ABar_{a b} gBar^{a b} -> 0.
35
                   (Ham, foo)
                                       # cdb (Ham.113, Ham)
     substitute
```

```
substitute
                     (Ham, bah)
                                         # cdb (Ham.114, Ham)
     substitute
                    (Ham, moo)
                                         # cdb (Ham.115, Ham)
38
39
     foo := ABar_{c d} gBar^{c a} gBar^{d b} -> ABar^{a b}.
40
41
     substitute
                    (Ham, foo)
                                         # cdb (Ham.116, Ham)
42
     rename_dummies (Ham)
                                         # cdb (Ham.117, Ham)
43
44
     cdblib.put ('Ham', Ham, jsonfile)
```

$$\mathcal{H} = R + K_{ab}g^{ab}K_{cd}g^{cd} - K_{ab}K_{cd}g^{ac}g^{bd} \qquad \qquad (\text{Ham.101})$$

$$= R + \left(\exp\left(4\phi\right)\bar{A}_{ab} + \frac{1}{3}g_{ab}\text{tr}K\right)g^{ab}\left(\exp\left(4\phi\right)\bar{A}_{cd} + \frac{1}{3}g_{cd}\text{tr}K\right)g^{cd} - \left(\exp\left(4\phi\right)\bar{A}_{ab} + \frac{1}{3}g_{ab}\text{tr}K\right)\left(\exp\left(4\phi\right)\bar{A}_{cd} + \frac{1}{3}g_{cd}\text{tr}K\right)g^{ac}g^{bd} \qquad (\text{Ham.102})$$

$$= R + \left(\exp\left(4\phi\right)\bar{A}_{ab} + \frac{1}{3}\exp\left(4\phi\right)\bar{g}_{ab}\text{tr}K\right)g^{ab}\left(\exp\left(4\phi\right)\bar{A}_{cd} + \frac{1}{3}\exp\left(4\phi\right)\bar{g}_{cd}\text{tr}K\right)g^{cd} - \left(\exp\left(4\phi\right)\bar{A}_{ab} + \frac{1}{3}\exp\left(4\phi\right)\bar{g}_{ab}\text{tr}K\right)\left(\exp\left(4\phi\right)\bar{A}_{cd} + \frac{1}{3}\exp\left(4\phi\right)\bar{g}_{cd}\text{tr}K\right)g^{cd} \right)$$

$$- \left(\exp\left(4\phi\right)\bar{A}_{ab} + \frac{1}{3}\exp\left(4\phi\right)\bar{g}_{ab}\text{tr}K\right)\left(\exp\left(4\phi\right)\bar{A}_{cd} + \frac{1}{3}\exp\left(4\phi\right)\bar{g}_{cd}\text{tr}K\right)g^{ac}g^{bd} \qquad (\text{Ham.103})$$

$$= R + \left(\exp\left(4\phi\right)\bar{A}_{ab} + \frac{1}{3}\exp\left(4\phi\right)\bar{g}_{ab}\text{tr}K\right)\left(\exp\left(4\phi\right)\bar{A}_{cd} + \frac{1}{3}\exp\left(4\phi\right)\bar{g}_{cd}\text{tr}K\right)\exp\left(-4\phi\right)\bar{g}^{cd} + \left(-4\phi\right)\bar{g}^{cd} \right)$$

$$- \left(\exp\left(4\phi\right)\bar{A}_{ab} + \frac{1}{3}\exp\left(4\phi\right)\bar{g}_{ab}\text{tr}K\right)\left(\exp\left(4\phi\right)\bar{A}_{cd} + \frac{1}{3}\exp\left(4\phi\right)g_{cd}\text{tr}K\right)\exp\left(-4\phi\right)\bar{g}^{ac}\exp\left(-4\phi\right)\bar{g}^{cd} \right)$$

$$- \left(\exp\left(4\phi\right)\bar{A}_{ab} + \frac{1}{3}\exp\left(4\phi\right)\bar{g}_{ab}\text{tr}K\right)\left(\exp\left(4\phi\right)\bar{A}_{cd} + \frac{1}{3}\exp\left(4\phi\right)g_{cd}\text{tr}K\right)\exp\left(-4\phi\right)\bar{g}^{ac}\exp\left(-4\phi\right)\bar{g}^{cd} \right)$$

$$- \left(\exp\left(4\phi\right)\bar{A}_{ab} + \frac{1}{3}\exp\left(4\phi\right)\bar{g}_{ab}\text{tr}K\right)\left(\exp\left(4\phi\right)\bar{A}_{cd} + \frac{1}{3}\exp\left(4\phi\right)g_{cd}\text{tr}K\right)\exp\left(-4\phi\right)\bar{g}^{ac}\exp\left(-4\phi\right)\bar{g}^{cd} \right)$$

$$- \left(\exp\left(4\phi\right)\bar{A}_{ab} + \frac{1}{3}\exp\left(4\phi\right)\bar{g}_{ab}\text{tr}K\right)\left(\exp\left(4\phi\right)\bar{g}_{cd}\text{tr}K\right)\exp\left(-4\phi\right)\bar{g}^{cd} \right)$$

$$- \left(\exp\left(4\phi\right)\bar{A}_{ab} + \frac{1}{3}\exp\left(4\phi\right)\bar{g}_{ab}\text{tr}K\right)\left(\exp\left(4\phi\right)\bar{g}_{cd}\text{tr}K\right)\exp\left(-4\phi\right)\bar{g}^{cd} \right)$$

$$- \left(\exp\left(4\phi\right)\bar{A}_{ab} + \frac{1}{3}\exp\left(4\phi\right)\bar{g}_{ab}\text{tr}K\right)\left(\exp\left(4\phi\right)\bar{g}_{cd}\text{tr}K\right)\exp\left(-4\phi\right)\bar{g}^{cd} \right)$$

$$- \exp\left(4\phi\right)\bar{g}_{ab}\text{tr}K\exp\left(-4\phi\right)\bar{g}^{cd}\exp\left(-4\phi\right)\bar{g}^{cd} + \frac{1}{3}\exp\left(4\phi\right)\bar{g}_{ab}\text{tr}K\exp\left(-4\phi\right)\bar{g}^{cd}\exp\left(-4\phi\right)\bar{g}^{cd} \right)$$

$$- \exp\left(4\phi\right)\bar{g}_{ab}\text{tr}K\exp\left(-4\phi\right)\bar{g}^{cd}\exp\left(-4\phi\right)\bar{g}^{cd} + \frac{1}{3}\exp\left(4\phi\right)\bar{g}_{ab}\text{tr}K\exp\left(-4\phi\right)\bar{g}^{cd}\exp\left(-4\phi\right)\bar{g}^{cd} \right)$$

$$- \exp\left(4\phi\right)\bar{g}_{ab}\text{tr}K\exp\left(4\phi\right)\bar{g}_{ab}\text{tr}K\exp\left(-4\phi\right)\bar{g}^{cd} + \frac{1}{3}\exp\left(4\phi\right)\bar{g}_{ab}\text{tr}K\exp\left(4\phi\right)\bar{g}_{ab}\text{tr}K\exp\left(-4\phi\right)\bar{g}^{cd} \right)$$

$$- \left(4\phi\right)\bar{g}_{ab}\text{tr}K\exp\left(-4\phi\right)\bar{g}_{ab}\text{tr}K\exp$$

$$\mathcal{H} = R + \bar{A}_{ab}\bar{A}_{cd}\bar{g}^{ab}\bar{g}^{cd} \exp\left(-4\phi\right) \exp\left(-4\phi\right) \exp\left(4\phi\right) \exp\left(4\phi\right) + \frac{1}{3} \operatorname{tr} K\bar{A}_{ab}\bar{g}_{cd}\bar{g}^{ab}\bar{g}^{cd} \exp\left(-4\phi\right) \exp\left(4\phi\right) \exp\left(4\phi\right) \exp\left(4\phi\right) + \frac{1}{3} \operatorname{tr} K\bar{A}_{ab}\bar{g}_{cd}\bar{g}^{ab}\bar{g}^{cd} \exp\left(-4\phi\right) \exp\left(4\phi\right) \exp\left(4\phi\right) + \frac{1}{3} \operatorname{tr} K\bar{A}_{ab}\bar{g}_{cd}\bar{g}^{ab}\bar{g}^{cd} \exp\left(-4\phi\right) \exp\left(4\phi\right) \exp\left(4\phi\right) \exp\left(4\phi\right) + \frac{1}{3} \operatorname{tr} K\bar{A}_{ab}\bar{g}_{cd}\bar{g}^{ab}\bar{g}^{cd} \exp\left(-4\phi\right) \exp\left(4\phi\right) \exp\left(4\phi\right) \exp\left(4\phi\right) + \frac{1}{3} \operatorname{tr} K\bar{A}_{ab}\bar{g}_{cd}\bar{g}^{ab}\bar{g}^{cd} \exp\left(-4\phi\right) \exp\left(4\phi\right) \exp\left(4\phi\right) + \frac{1}{3} \operatorname{tr} K\bar{A}_{ab}\bar{g}_{cd}\bar{g}^{ab}\bar{g}^{cd} \exp\left(-4\phi\right) \exp\left(4\phi\right) \exp\left(4\phi\right) + \frac{1}{3} \operatorname{tr} K\bar{A}_{ab}\bar{g}^{ab}\bar{g}^{cd} \exp\left(-4\phi\right) \exp\left(-4\phi\right) \exp\left(4\phi\right) \exp\left(4\phi\right) + \frac{1}{3} \operatorname{tr} K\bar{A}_{ab}\bar{g}^{ab}\bar{g}^{cd} \exp\left(-4\phi\right) \exp\left(-4\phi\right) \exp\left(4\phi\right) \exp\left(4\phi\right) + \frac{1}{3} \operatorname{tr} K\bar{A}_{ab}\bar{g}$$

```
# Check against prd67.
    foo := Q(Ham).
                                                          # cdb(prd67.eq19.lcb,foo)
     bah = cdblib.get('prd67.eq19.rhs','prd67.json')
                                                          # cdb(prd67.eq19.prd,bah)
     diff := @(foo) - @(bah).
     distribute
                    (diff)
     diff = product_sort (diff)
10
     rename_dummies (diff)
11
     map_sympy
                    (diff, "simplify")
                                                          # cdb(prd67.eq19.chk,diff)
     canonicalise
                    (diff)
```

$$\label{eq:prd67.eq19.lcb} \begin{split} \text{prd67.eq19.lcb} &:= R + \frac{2}{3} \text{tr} K^2 - \bar{A}^{ab} \bar{A}_{ab} \\ \text{prd67.eq19.prd} &:= R - \bar{A}_{ab} \bar{A}^{ab} + \frac{2}{3} \text{tr} K^2 \\ \text{prd67.eq19.chk} &:= 0 \end{split}$$

# PhysRevD.67.084023 equation (20)

```
from shared import *
     import cdblib
     jsonfile = 'momentum.json'
     cdblib.create (jsonfile)
     defG2GBar = cdblib.get ('defG2GBar', 'gamma.json')
     # Momentum constraint pt.1
11
     Mom := D_{i} K^{i} - g^{i} trK.
                                                                                   # cdb(Mom.101,Mom)
12
13
     defDgD := D_{a}{g_b c} -> 0.
14
     defDgU := D_{a}{g^{b} c} -> 0.
     defDtrK := D_{a}{trK} \rightarrow partial_{a}{trK}.
              := D_{a}{\exp(-4\phi)} \rightarrow -4\exp(-4\phi) \operatorname{lal}_{a}{\phi}.
     defDexp
19
     distribute
                   (Mom)
                                                                                   # cdb(Mom.102, Mom)
                                                                                   # cdb(Mom.103,Mom)
     product_rule (Mom)
     substitute (Mom, defDgU)
                                                                                   # cdb(Mom.104,Mom)
23
     defK2ABarU := K^{i} - \exp(-4\phi) ABar^{i} + (1/3) g^{i} trK.
^{24}
25
                 (Mom, defK2ABarU)
                                                                                   # cdb(Mom.105,Mom)
     substitute
26
                  (Mom)
                                                                                   # cdb(Mom.106,Mom)
     distribute
                                                                                   # cdb(Mom.107,Mom)
     product_rule (Mom)
28
     substitute
                  (Mom, defDtrK)
                                                                                   # cdb(Mom.108,Mom)
     substitute (Mom, defDgU)
                                                                                   # cdb(Mom.109,Mom)
30
     substitute (Mom, defDexp)
                                                                                   # cdb(Mom.110,Mom)
```

$$\begin{split} \mathcal{D}^{j} &= D_{j} \left( K^{ij} - g^{ij} \text{tr} K \right) & \text{(Mom.101)} \\ &= D_{j} K^{ij} - D_{j} \left( g^{ij} \text{tr} K \right) & \text{(Mom.102)} \\ &= D_{j} K^{ij} - D_{j} g^{ij} \text{tr} K - g^{ij} D_{j} \text{tr} K & \text{(Mom.103)} \\ &= D_{j} K^{ij} - g^{ij} D_{j} \text{tr} K & \text{(Mom.104)} \\ &= D_{j} \left( \exp\left( -4\phi \right) \bar{A}^{ij} + \frac{1}{3} g^{ij} \text{tr} K \right) - g^{ij} D_{j} \text{tr} K & \text{(Mom.105)} \\ &= D_{j} \left( \exp\left( -4\phi \right) \bar{A}^{ij} \right) + \frac{1}{3} D_{j} \left( g^{ij} \text{tr} K \right) - g^{ij} D_{j} \text{tr} K & \text{(Mom.106)} \\ &= D_{j} \left( \exp\left( -4\phi \right) \right) \bar{A}^{ij} + \exp\left( -4\phi \right) D_{j} \bar{A}^{ij} + \frac{1}{3} D_{j} g^{ij} \text{tr} K - \frac{2}{3} g^{ij} D_{j} \text{tr} K & \text{(Mom.107)} \\ &= D_{j} \left( \exp\left( -4\phi \right) \right) \bar{A}^{ij} + \exp\left( -4\phi \right) D_{j} \bar{A}^{ij} + \frac{1}{3} D_{j} g^{ij} \text{tr} K - \frac{2}{3} g^{ij} \partial_{j} \text{tr} K & \text{(Mom.108)} \\ &= D_{j} \left( \exp\left( -4\phi \right) \right) \bar{A}^{ij} + \exp\left( -4\phi \right) D_{j} \bar{A}^{ij} - \frac{2}{3} g^{ij} \partial_{j} \text{tr} K & \text{(Mom.109)} \\ &= -4 \exp\left( -4\phi \right) \partial_{j} \phi \bar{A}^{ij} + \exp\left( -4\phi \right) D_{j} \bar{A}^{ij} - \frac{2}{3} g^{ij} \partial_{j} \text{tr} K & \text{(Mom.110)} \end{split}$$

```
# Momentum constraint pt.2
     confMom := \exp(4 \phi) @(Mom).
     defG2GBarU := g^{i} + \exp(-4\pi) gBar^{i}.
                  (confMom)
     distribute
                                                                                  # cdb(confMom.101,confMom)
                  (confMom, defG2GBarU)
                                                                                  # cdb(confMom.102,confMom)
     substitute
     map_sympy
                  (confMom, "simplify")
                                                                                  # cdb(confMom.103,confMom)
10
11
     defDAabU := D_{a}{ABar^{b c}} -> \partial_{a}{ABar^{b c}}
                                      + \Gamma^{b}_{i a} ABar^{i c}
13
                                      + \Gamma^{c}_{i a} ABar^{b i}.
14
15
                    (confMom, defDAabU)
                                                                                  # cdb(confMom.104,confMom)
     substitute
16
                    (confMom, defG2GBar)
                                                                                  # cdb(confMom.105,confMom)
     substitute
17
                                                                                  # cdb(confMom.106,confMom)
     distribute
                    (confMom)
                                                                                  # cdb(confMom.107,confMom)
     confMom = product_sort (confMom)
     rename_dummies (confMom)
                                                                                  # cdb(confMom.108,confMom)
                                                                                  # cdb(confMom.109,confMom)
     canonicalise (confMom)
21
                    (confMom, $gBar^{i}_{i} -> 3$)
     substitute
                                                                                  # cdb(confMom.110,confMom)
                    (confMom, $gBar_{i j} ABar^{i j} -> 0$)
     substitute
                                                                                  # cdb(confMom.111,confMom)
                    (confMom, $gBar_{a i} gBar^{i b} -> gBar_{a}^{b}$)
                                                                                  # cdb(confMom.112,confMom)
     substitute
                    (confMom, $GammaBar^{b}_{a b} -> 0$)
     substitute
                                                                                  # cdb(confMom.113,confMom) # follows from det gBar = 1
     eliminate_kronecker (confMom)
                                                                                  # cdb(confMom.114,confMom)
26
     rename_dummies (confMom)
27
     canonicalise
                    (confMom)
                                                                                  # cdb(confMom.115,confMom)
28
29
     cdblib.put ('confMom', confMom, jsonfile)
```

$$\begin{split} \exp(4\phi)\mathcal{D}^{j} &= -4\exp\left(4\phi\right)\exp\left(-4\phi\right)\partial_{j}\phi A^{ij} + \exp\left(4\phi\right)\exp\left(-4\phi\right)D_{j}\bar{A}^{ij} - \frac{2}{3}\exp\left(4\phi\right)g^{ij}\partial_{j}\text{tr}K \right. \\ &= -4\exp\left(4\phi\right)\exp\left(-4\phi\right)\partial_{j}\phi A^{ij} + \exp\left(4\phi\right)\exp\left(-4\phi\right)D_{j}\bar{A}^{ij} - \frac{2}{3}\exp\left(4\phi\right)\exp\left(-4\phi\right)g^{ij}\partial_{j}\text{tr}K \\ &= -4\partial_{j}\phi\bar{A}^{ij} + D_{j}\bar{A}^{ij} - \frac{2}{3}g^{ij}\partial_{j}\text{tr}K \\ &= -4\partial_{j}\phi\bar{A}^{ij} + D_{j}\bar{A}^{ij} + \Gamma^{i}{}_{aj}\bar{A}^{ai} + \Gamma^{j}{}_{aj}\bar{A}^{ia} - \frac{2}{3}g^{ij}\partial_{j}\text{tr}K \\ &= -4\partial_{j}\phi\bar{A}^{ij} + \partial_{j}\bar{A}^{ij} + \Gamma^{i}{}_{aj}\bar{A}^{ai} + \Gamma^{j}{}_{aj}\bar{A}^{ia} - \frac{2}{3}g^{ij}\partial_{j}\text{tr}K \\ &= -4\partial_{j}\phi\bar{A}^{ij} + \partial_{j}\bar{A}^{ij} + \left(2g^{i}{}_{j}\partial_{a}\phi + 2g^{i}{}_{a}\partial_{j}\phi - 2g^{ic}\partial_{c}\phi\bar{g}_{aj} + \bar{\Gamma}^{i}{}_{aj}\right)\bar{A}^{aj} + \left(2g^{j}{}_{j}\partial_{a}\phi + 2g^{i}{}_{a}\partial_{j}\phi - 2g^{ic}\partial_{c}\phi\bar{g}_{aj} + \bar{\Gamma}^{i}{}_{aj}\right)\bar{A}^{ia} \\ &= -\frac{2}{3}g^{ij}\partial_{j}\text{tr}K \\ &= -4\partial_{j}\phi\bar{A}^{ij} + \partial_{j}\bar{A}^{ij} + 2\bar{g}^{i}{}_{j}\partial_{a}\phi\bar{A}^{aj} + 2\bar{g}^{i}{}_{a}\partial_{j}\phi\bar{A}^{aj} - 2\bar{g}^{ic}\partial_{c}\phi\bar{g}_{aj}\bar{A}^{aj} + \bar{\Gamma}^{i}{}_{aj}\bar{A}^{aj} + 2\bar{g}^{i}{}_{a}\partial_{j}\phi\bar{A}^{aj} + 2\bar{g}^{i}{}_{a}\partial_{j}\phi\bar{A}^{aj} + 2\bar{g}^{i}{}_{a}\partial_{j}\phi\bar{A}^{aj} + \bar{\Gamma}^{i}{}_{aj}\bar{A}^{aj} + \bar{\Gamma}^{i}{}_{aj}\bar{A}^{ai} + 2\bar{g}^{i}{}_{a}\partial_{j}\phi\bar{A}^{aj} + 2\bar{g}^{i}{}_{a}\partial_{j}\phi\bar{A}^{aj} + \bar{\Gamma}^{i}{}_{aj}\bar{A}^{aj} + \bar{\Gamma}^{i}{}_{aj}\bar{A}^{ai} + 2\bar{g}^{i}{}_{a}\partial_{j}\phi\bar{A}^{aj} + 2\bar{g}^{i}{}_{a}\partial_{j}\phi\bar{a}^{aj} + \bar{\Gamma}^{i}{}_{aj}\bar{A}^{aj} + \bar{\Gamma}^{i}{}_{aj}\bar{A}^{aj} + \bar{\Gamma}^{i}{}_{aj}\bar{A}^{ai} + 2\bar{g}^{i}{}_{a}\partial_{j}\phi\bar{A}^{aj} + 2\bar{g}^{i}{}_{a}\partial_{j}\phi\bar{a}^{aj} + 2\bar{g}^{i}{}_{a}\partial_{j}\phi\bar{a}^{aj} + \bar{\Gamma}^{i}{}_{aj}\bar{A}^{aj} + \bar{\Gamma}^{i}{}_{aj}\bar{A}^{ai} + 2\bar{g}^{i}{}_{a}\partial_{j}\phi\bar{a}^{i} + 2\bar{A}^{ab}\partial_{j}\phi\bar{g}^{i}{}_{a} - 2\bar{A}^{ab}\bar{g}_{ab}\bar{g}^{ic}\partial_{c}\phi + \bar{A}^{ab}\bar{\Gamma}^{i}{}_{ab} + 2\bar{A}^{ia}\partial_{a}\phi\bar{g}^{b}{}_{b} + 2\bar{A}^{ia}\partial_{b}\phi\bar{g}^{b}{}_{a} - 2\bar{A}^{ia}\bar{g}_{ab}\bar{g}^{ic}\partial_{c}\phi + \bar{A}^{ab}\bar{\Gamma}^{i}{}_{ab} + 2\bar{A}^{ia}\partial_{a}\phi\bar{g}^{b}{}_{b} + 2\bar{A}^{ia}\partial_{b}\phi\bar{g}^{b}{}_{a} - 2\bar{A}^{ia}\bar{g}_{ab}\bar{g}^{ic}\partial_{c}\phi + \bar{A}^{ab}\bar{\Gamma}^{i}{}_{ab} + 2\bar{A}^{ia}\partial_{b}\phi\bar{g}^{b}{}_{a} - 2\bar{A}^{ia}\bar{g}_{ab}\bar{g}^{b}\partial_{c}\phi + \bar{A}^{ab}\bar{\Gamma}^{i}{}_{ab} + 2\bar{A}^{ia}\partial_{b}\phi\bar{g}^$$

$$\begin{split} \exp(4\phi)\mathcal{D}^{j} &= 2\bar{A}^{ia}\partial_{a}\phi + \partial_{a}\bar{A}^{ia} + 4\bar{A}^{ab}\partial_{a}\phi\bar{g}^{i}{}_{b} + \bar{A}^{ab}\bar{\Gamma}^{i}{}_{ab} + 2\bar{A}^{ia}\partial_{b}\phi\bar{g}_{a}{}^{b} - 2\bar{A}^{ia}\bar{g}_{a}{}^{c}\partial_{c}\phi + \bar{A}^{ia}\bar{\Gamma}^{b}{}_{ab} - \frac{2}{3}\bar{g}^{ia}\partial_{a}\mathrm{tr}K \qquad \text{(confMom.112)} \\ &= 2\bar{A}^{ia}\partial_{a}\phi + \partial_{a}\bar{A}^{ia} + 4\bar{A}^{ab}\partial_{a}\phi\bar{g}^{i}{}_{b} + \bar{A}^{ab}\bar{\Gamma}^{i}{}_{ab} + 2\bar{A}^{ia}\partial_{b}\phi\bar{g}_{a}{}^{b} - 2\bar{A}^{ia}\bar{g}_{a}{}^{c}\partial_{c}\phi - \frac{2}{3}\bar{g}^{ia}\partial_{a}\mathrm{tr}K \qquad \text{(confMom.113)} \\ &= 2\bar{A}^{ia}\partial_{a}\phi + \partial_{a}\bar{A}^{ia} + 4\bar{A}^{ai}\partial_{a}\phi + \bar{A}^{ab}\bar{\Gamma}^{i}{}_{ab} + 2\bar{A}^{ib}\partial_{b}\phi - 2\bar{A}^{ic}\partial_{c}\phi - \frac{2}{3}\bar{g}^{ia}\partial_{a}\mathrm{tr}K \qquad \text{(confMom.114)} \\ &= 6\bar{A}^{ia}\partial_{a}\phi + \partial_{a}\bar{A}^{ia} + \bar{A}^{ab}\bar{\Gamma}^{i}{}_{ab} - \frac{2}{3}\bar{g}^{ia}\partial_{a}\mathrm{tr}K \qquad \text{(confMom.115)} \end{split}$$

```
tmpA := @(confMom).
                                                                       # cdb(confMom.201,tmpA)
     tmpB := @(confMom).
    X^{b c}_{a}::Weight(label=numX).
    Xbca := \partial_{a}{ABar^{b c}}.
                                                                       # cdb(confMom.202,Xbca)
     foo := \partial_{a}{ABar^{b c}} -> X^{b c}_{a}.
     bah := X^{b c}_{a} \rightarrow \mathcal{A}Bar^{b c}.
10
     substitute (tmpA, foo)
                                                                       # cdb(confMom.203,tmpA)
11
     substitute (tmpB, foo)
                                                                       # cdb(confMom.204,tmpB)
                                                                       # cdb(confMom.205,tmpA)
     drop_weight (tmpA, $numX=1$)
     keep_weight (tmpB, $numX=1$)
                                                                       # cdb(confMom.206,tmpB)
                                                                       # cdb(confMom.207,tmpB)
     substitute (tmpB, bah)
15
16
     tmpC := - @(tmpA).
                                                                       # cdb(confMom.208,tmpC)
17
18
     defMomSub := @(tmpB) -> @(tmpC).
                                                                        # cdb(confMom.209,defMomSub)
19
20
     cdblib.put ('defMomSub',defMomSub,jsonfile)
21
```

$$0 = 6\bar{A}^{ia}\partial_a\phi + \partial_a\bar{A}^{ia} + \bar{A}^{ab}\bar{\Gamma}^i{}_{ab} - \frac{2}{3}\bar{g}^{ia}\partial_a \text{tr}K \qquad \qquad (\texttt{confMom.201})$$

$$0 = 6\bar{A}^{ia}\partial_a\phi + X^{ia}{}_a + \bar{A}^{ab}\bar{\Gamma}^i{}_{ab} - \frac{2}{3}\bar{g}^{ia}\partial_a \text{tr}K \tag{confMom.203}$$

$$\partial_a \bar{A}^{bc} = X^{ia}{}_a \qquad \qquad (\texttt{confMom.206})$$

$$=-6\bar{A}^{ia}\partial_a\phi-\bar{A}^{ab}\bar{\Gamma}^i{}_{ab}+\frac{2}{3}\bar{g}^{ia}\partial_a\mathrm{tr}K \tag{confMom.208}$$

$$\partial_a \bar{A}^{ia} \to -6 \bar{A}^{ia} \partial_a \phi - \bar{A}^{ab} \bar{\Gamma}^i{}_{ab} + \frac{2}{3} \bar{g}^{ia} \partial_a \text{tr} K \tag{confMom.209}$$

```
# Check against prd67.
    foo := @(confMom).
                                                          # cdb(prd67.eq20.lcb,foo)
                                                          # cdb(prd67.eq20.prd,bah)
     bah = cdblib.get('prd67.eq20.rhs','prd67.json')
    diff := @(foo) - @(bah).
    distribute
                    (diff)
    diff = product_sort (diff)
    rename_dummies (diff)
11
    map_sympy
                    (diff, "simplify")
                                                          # cdb(prd67.eq20.chk,diff)
     canonicalise
                    (diff)
```

$$\begin{split} & \texttt{prd67.eq20.lcb} := 6\bar{A}^{ia}\partial_a\phi + \partial_a\bar{A}^{ia} + \bar{A}^{ab}\bar{\Gamma}^i{}_{ab} - \frac{2}{3}\bar{g}^{ia}\partial_a\text{tr}K \\ & \texttt{prd67.eq20.prd} := \partial_a\bar{A}^{ia} + 6\bar{A}^{ia}\partial_a\phi + \bar{A}^{ab}\bar{\Gamma}^i{}_{ab} - \frac{2}{3}\bar{g}^{ia}\partial_a\text{tr}K \\ & \texttt{prd67.eq20.chk} := 0 \end{split}$$