## Exercise 1.3 Christoffel symbol and dg with a single rule

```
\{a,b,c,d,e,f,h,i,j,k,l,m,n,o,p,q,r,s,t,u\#\}::Indices(position=independent).
    g_{a b}::Metric.
    g_{a}^{b}::KroneckerDelta.
    \partial{#}::PartialDerivative.
    + \partial_{c}{g_{b d}}
                                           - \partial_{d}{g_{b c}} ).
10
11
    # cdb (ex-0103.101, GammaD)
12
13
                      (GammaD, GammaU)
                                                               # cdb (ex-0103.102, GammaD) # requires Indices(position=independent)
    substitute
                                                               # cdb (ex-0103.103, GammaD)
    distribute
                      (GammaD)
15
    eliminate_metric
                      (GammaD)
                                                               # cdb (ex-0103.104, GammaD)
16
    eliminate_kronecker (GammaD)
                                                               # cdb (ex-0103.105, GammaD)
17
18
    expr := \Gamma_{a b c} + \Gamma_{b a c} - \Gamma_{c}\{g_{a b}\}.
                                                               # cdb (ex-0103.201,expr)
19
                      (expr, GammaD)
                                                               # cdb (ex-0103.202,expr)
    substitute
21
                                                               # cdb (ex-0103.203,expr)
                      (expr)
    canonicalise
```

$$\Gamma_{abc} \to g_{ad} \Gamma^d_{bc}$$
 (ex-0103.101)

$$\Gamma_{abc} \to \frac{1}{2} g_{ad} g^{de} \left( \partial_b g_{ec} + \partial_c g_{be} - \partial_e g_{bc} \right)$$
 (ex-0103.102)

$$\Gamma_{abc} \to \frac{1}{2} g_{ad} g^{de} \partial_b g_{ec} + \frac{1}{2} g_{ad} g^{de} \partial_c g_{be} - \frac{1}{2} g_{ad} g^{de} \partial_e g_{bc}$$
 (ex-0103.103)

$$\Gamma_{abc} \to \frac{1}{2} g_a{}^e \partial_b g_{ec} + \frac{1}{2} g_a{}^e \partial_c g_{be} - \frac{1}{2} g_a{}^e \partial_e g_{bc} \tag{ex-0103.104}$$

$$\Gamma_{abc} \to \frac{1}{2} \partial_b g_{ac} + \frac{1}{2} \partial_c g_{ba} - \frac{1}{2} \partial_a g_{bc} \tag{ex-0103.105}$$

$$\Gamma_{abc} + \Gamma_{bac} - \partial_c g_{ab} = \frac{1}{2} \partial_c g_{ba} - \frac{1}{2} \partial_c g_{ab}$$

$$= 0$$
(ex-0103.202)
$$= 0$$

## Exercise 1.3 Repeat but without position=independent

```
{a,b,c,d,e,f,h,i,j,k,l,m,n,o,p,q,r,s,t,u\#}::Indices.
    g_{a b}::Metric.
    g_{a}^{b}::KroneckerDelta.
    \partial{#}::PartialDerivative.
    + \partial_{c}{g_{b d}}
                                           - \partial_{d}{g_{b c}} ).
10
11
    # cdb (ex-0103.301, GammaD)
12
13
                     (GammaD, GammaU)
                                                              # cdb (ex-0103.302, GammaD)
    substitute
    distribute
                     (GammaD)
                                                              # cdb (ex-0103.303, GammaD)
15
    eliminate_metric
                     (GammaD)
                                                              # cdb (ex-0103.304, GammaD)
16
    eliminate_kronecker (GammaD)
                                                              # cdb (ex-0103.305, GammaD)
17
18
    expr := \Gamma_{a b c} + \Gamma_{b a c} - \Gamma_{c}\{g_{a b}\}.
                                                              # cdb (ex-0103.401,expr)
19
    substitute
                     (expr, GammaD)
                                                              # cdb (ex-0103.402,expr)
21
                     (expr)
                                                              # cdb (ex-0103.403,expr)
    canonicalise
```

$$\Gamma_{abc} \rightarrow g_{ad} \Gamma^{d}_{bc} \qquad (ex-0103.301)$$

$$\frac{1}{2} g_{a}{}^{d} (\partial_{b} g_{dc} + \partial_{c} g_{bd} - \partial_{d} g_{bc}) \rightarrow \frac{1}{2} g_{ad} g^{de} (\partial_{b} g_{ec} + \partial_{c} g_{be} - \partial_{e} g_{bc}) \qquad (ex-0103.302)$$

$$\frac{1}{2} g_{a}{}^{d} \partial_{b} g_{dc} + \frac{1}{2} g_{a}{}^{d} \partial_{c} g_{bd} - \frac{1}{2} g_{a}{}^{d} \partial_{d} g_{bc} \rightarrow \frac{1}{2} g_{ad} g^{de} \partial_{b} g_{ec} + \frac{1}{2} g_{ad} g^{de} \partial_{c} g_{be} - \frac{1}{2} g_{ad} g^{de} \partial_{e} g_{bc} \qquad (ex-0103.303)$$

$$\frac{1}{2} \partial_{b} g_{ac} + \frac{1}{2} \partial_{c} g_{ba} - \frac{1}{2} \partial_{a} g_{bc} \rightarrow \frac{1}{2} g_{a}{}^{e} \partial_{b} g_{ec} + \frac{1}{2} g_{a}{}^{e} \partial_{c} g_{be} - \frac{1}{2} g_{a}{}^{e} \partial_{e} g_{bc} \qquad (ex-0103.304)$$

$$\frac{1}{2}\partial_b g_{ac} + \frac{1}{2}\partial_c g_{ba} - \frac{1}{2}\partial_a g_{bc} \rightarrow \frac{1}{2}\partial_b g_{ac} + \frac{1}{2}\partial_c g_{ba} - \frac{1}{2}\partial_a g_{bc}$$
 (ex-0103.305)

$$\Gamma_{abc} + \Gamma_{bac} - \partial_c g_{ab} = \Gamma_{abc} + \Gamma_{bac} - \partial_c g_{ab}$$

$$= \Gamma_{abc} + \Gamma_{bac} - \partial_c g_{ab}$$
(ex-0103.402)
$$= \Gamma_{abc} + \Gamma_{bac} - \partial_c g_{ab}$$