

- (lowest) to 10 (highest).
  - Percent of patients who reported NO, they would not recommend the hospital.
  - Percent of patients who reported YES, they would probably recommend the hospital.
  - Percent of patients who reported YES, they would definitely recommend the hospital.
12. Number of Completed Surveys: varchar (255) Lists the total number of patients who completed a survey. The values are:
- 300 or More
  - Between 100 and 299
  - Fewer than 100
13. Survey Response Rate Percent: char (3) Lists the percentage of patients who completed the survey.
14. Hospital Footnote: char (5) Lists the footnote value when appropriate, as related to the hospital. The values are:
- Fewer than 100 patients completed the HCAHPS survey. Use these rates with caution, as the number of surveys may be too low to reliably assess hospital performance.
  - Survey results are based on less than 12 months of data.
  - Survey results are not available for this period.
  - No patients were eligible for the HCAHPS Survey.
  - There were discrepancies in the data collection process.

#### **7. Healthcare\_Associated\_Infections.csv**

The Agency Healthcare\_Associated\_Infections.csv table contains thirteen (13) fields. This table provides Healthcare Associated Infections (HAI) information in response to a Hospital Compare search.

1. Provider ID: varchar (50) Lists the hospitals by their provider identification number.
2. Hospital Name: varchar (500) Lists the name of the hospital.
3. Address 1: varchar (500) Lists the first line of the street address of the hospital.
4. Address 2: varchar (500) Lists the second line of the street address of the hospital.
5. Address 3: varchar (500) Lists the third line of the street address of the hospital.
6. City: varchar (500) Lists the city in which the hospital is located.
7. State: char (2) Lists the 2 letter State code in which the hospital is located.
8. ZIP Code: char (5) Lists the 5 digit numeric ZIP for the hospital.
9. County Name: varchar (25) Lists the county in which the hospital is located.
10. Phone Number: char (10) Lists the 10-digit numeric telephone number, including area code, for the Hospital.
11. Measure: varchar (500) Lists the measure names.
12. Score: varchar (50) Lists the score for the measure.
13. Footnote: (1) Lists the footnote value when appropriate. See the footnote table for the values.

#### **8. Healthcare\_Associated\_Infections\_State.csv**

The Agency Healthcare\_Associated\_Infections\_State.csv table contains four (4) fields. This table provides Healthcare Associated Infections (HAI) information in response to a Hospital Compare search.

1. Provider ID: varchar (50) Lists the hospitals by their provider identification number.

2. Measure: varchar (500) Lists the measure names.
3. Score: varchar (50) Lists the score for the measure.
4. Footnote: (1) Lists the footnote value when appropriate. See the footnote table for the values.

## **9. Hospital Acquired Condition – National.csv**

The Hospital Acquired Condition - National.csv table contains two (2) fields. This table provides Hospital Acquired Condition information in response to a Hospital Compare search.

1. Measure: varchar (500) Lists the measure names.
2. National: Rate (per 1,000 Discharges):varchar (1) Lists the national rate.

## **10. Hospital Acquired Condition.csv**

The Hospital Acquired Condition.csv table contains twelve (12) fields. This table provides Hospital Acquired Condition information in response to a Hospital Compare search.

1. Provider Number: varchar (50) Lists the hospitals by their provider identification number.
2. Hospital Name: varchar (500) Lists the name of the hospital.
3. Address 1: varchar (500) Lists the first line of the street address of the hospital.
4. Address 2: varchar (500) Lists the second line of the street address of the hospital.
5. Address 3: varchar (500) Lists the third line of the street address of the hospital.
6. City: varchar (500) Lists the city in which the hospital is located.
7. State: char (2) Lists the 2 letter State code in which the hospital is located.
8. ZIP Code: char (5) Lists the 5 digit numeric ZIP for the hospital.
9. County Name: varchar (25) Lists the county in which the hospital is located.
10. Phone Number: char (10) Lists the 10-digit numeric telephone number, including area code, for the Hospital.
11. Measure: varchar (500) Lists the measure names.
12. Rate (per 1,000 Discharges): varchar (50) Lists the rate of Hospital Acquired Conditions for the hospital.

## **11. Hospital\_Data.csv**

The Hospital\_Data.csv table contains thirteen (13) fields. This table provides general Hospital information in response to a Hospital Compare search.

1. Provider Number: varchar (6) Lists the hospitals by their provider identification number.
2. Hospital Name: varchar (50) Lists the name of the hospital.
3. Address 1: varchar (50) Lists the first line of the street address of the hospital.
4. Address 2: varchar (50) Lists the second line of the street address of the hospital.
5. Address 3: varchar (50) Lists the third line of the street address of the hospital.
6. City: varchar (28) Lists the city in which the hospital is located.
7. State: varchar (2) Lists the 2 letter State code in which the hospital is located.
8. ZIP Code: char (5) Lists the 5 digit numeric ZIP for the hospital.
9. County Name: char (15) Lists the county in which the hospital is located.
10. Phone Number: char (10) Lists the 10-digit numeric telephone number, including area code, for the Hospital.

11. Hospital Type: char (25) Lists the type of hospital. The values are:
  - a. Acute Care Hospital
  - b. Acute Care – VA Medical Center
  - c. Critical Access Hospital
  - d. Children’s Hospital
12. Hospital Owner: varchar (44) Lists the type of ownership the Hospital falls under. The values are:
  - a. Government – Federal
  - b. Government – Hospital District or Authority
  - c. Government – Local
  - d. Government – State
  - e. Proprietary
  - f. Voluntary non-profit – Church
  - g. Voluntary non-profit – Other
  - h. Voluntary non-profit – Private
  - i. Not Available
13. Emergency Services: char (3) Returns “Yes” or “No” to specify whether or not the hospital provides emergency services.

#### **12. Measure Dates.csv**

The Measure Dates.csv table contains four (5) fields. This table provides current collection dates for available measures included in this downloadable database.

1. Measure Name: varchar (50) Lists measures by their measure code.
2. Measure Start Quarter: varchar (10) Lists the starting quarter for current collection dates.
3. Measure Start Date: varchar (50) Lists the starting date for current collection dates.
4. Measure End Quarter: varchar (10) Lists the ending quarter for current collection dates.
5. Measure End Date: varchar (50) Lists the ending date for current collection dates.

#### **13. Medicare Payment and Volume Measures – National.csv**

The Medicare Payment and Volume Measures – National.csv contains four (4) fields. This table provides the national Medicare payment range and number of cases for the top seventy utilized Medicare Severity-Diagnosis Related Groups.

1. Diagnosis Related Group: varchar (50) Lists the name of each Medicare Severity-Diagnosis Related Group.
2. Medicare Average Payment Minimum: varchar (20) Lists the Medicare payment minimum for each Medicare Severity-Diagnosis Related group nationally.
3. Medicare Average Payment Maximum varchar (20) Lists the Medicare payment maximum for each Medicare Severity-Diagnosis Related group nationally.
4. Number Of Cases: varchar (4) Lists the number of cases for each Medicare Severity-Diagnosis Related Group nationally.

#### **14. Medicare Payment and Volume Measures – State.csv**

The Medicare Payment and Volume Measures – State.csv table contains six (6) fields. This table provides the state Medicare payment range and number of cases for the top seventy utilized Medicare Severity-Diagnosis Related Groups.

17. Number of Hospitals whose 30-Day Readmission Rates from Heart Attack are Number of Cases Too Small: integer Lists the number of hospitals for each measure/category combination.
18. Number of Hospitals whose 30-Day Readmission Rates from Heart Failure are Better than U.S. National Rate: integer Lists the number of hospitals for each measure/category combination.
19. Number of Hospitals whose 30-Day Readmission Rates from Heart Failure are No different than U.S.: National Rate: integer Lists the number of hospitals for each measure/category combination.
20. Number of Hospitals whose 30-Day Readmission Rates from Heart Failure are Worse than U.S. National Rate: integer Lists the number of hospitals for each measure/category combination.
21. Number of Hospitals whose 30-Day Readmission Rates from Heart Failure are Number of Cases Too Small: integer Lists the number of hospitals for each measure/category combination.
22. Number of Hospitals whose 30-Day Readmission Rates from Pneumonia are Better than U.S. National Rate: integer Lists the number of hospitals for each measure/category combination.
23. Number of Hospitals whose 30-Day Readmission Rates from Pneumonia are No different than U.S. National Rate: integer Lists the number of hospitals for each measure/category combination.
24. Number of Hospitals whose 30-Day Readmission Rates from Pneumonia are Worse than U.S. National Rate: integer Lists the number of hospitals for each measure/category combination.
25. Number of Hospitals whose 30-Day Readmission Rates from Pneumonia are Number of Cases Too Small: integer Lists the number of hospitals for each measure/category combination.

#### **19. Outcome of Care Measures.csv**

The Outcome of Care Measures.csv table contains forty seven (47) fields. This table provides each hospital's risk-adjusted 30-Day Death (mortality) and 30-Day Readmission category and rate.

1. Provider Number: varchar (6) Lists the hospitals by their provider identification number.
2. Hospital Name: varchar (50) Lists the name of the hospital.
3. Address 1: varchar (50) Lists the first line of the street address of the hospital.
4. Address 2: varchar (50) Lists the second line of the street address of the hospital.
5. Address 3: varchar (50) Lists the third line of the street address of the hospital.
6. City: varchar (28) Lists the city in which the hospital is located.
7. State: varchar (2) Lists the 2 letter State code in which the hospital is located.
8. ZIP Code: char (5) Lists the 5 digit numeric ZIP for the hospital.
9. County Name: char (15) Lists the county in which the hospital is located.
10. Phone Number: char (10) Lists the 10-digit numeric telephone number, including area code, for the Hospital.
11. Hospital 30-Day Death (Mortality) Rates from Heart Attack: Lists the risk adjusted rate (percentage) for each hospital.
12. Comparison to U.S. Rate - Hospital 30-Day Death (Mortality) Rates from Heart

Attack: varchar (50) Lists the mortality and readmission category in which the hospital falls. The values are:

- Better than U.S. National Average
- No Different than U.S. National Average
- Worse than U.S. National Average
- Number of Cases too Small\*

13. Lower Mortality Estimate - Hospital 30-Day Death (Mortality) Rates from Heart Attack: Lists the lower bound (Interval Estimate) for each hospital's risk-adjusted rate.
14. Upper Mortality Estimate - Hospital 30-Day Death (Mortality) Rates from Heart Attack: Lists the upper bound (Interval Estimate) for each hospital's risk-adjusted rate.
15. Number of Patients - Hospital 30-Day Death (Mortality) Rates from Heart Attack: varchar (5) Lists the number of Medicare patients treated for Heart Attack by the Hospital.
16. Footnote - Hospital 30-Day Death (Mortality) Rates from Heart Attack: Lists the footnote value when appropriate, as related to the Heart Attack Outcome of Care at the hospital.
17. Hospital 30-Day Death (Mortality) Rates from Heart Failure: Lists the risk adjusted rate (percentage) for each hospital.
18. Comparison to U.S. Rate - Hospital 30-Day Death (Mortality) Rates from Heart Failure: varchar (50) Lists the mortality and readmission category in which the hospital falls. The values are:
  - a. Better than U.S. National Average
  - b. No Different than U.S. National Average
  - c. Worse than U.S. National Average
  - d. Number of Cases too Small\*
19. Lower Mortality Estimate - Hospital 30-Day Death (Mortality) Rates from Heart Failure: Lists the lower bound (Interval Estimate) for each hospital's risk-adjusted rate.
20. Upper Mortality Estimate - Hospital 30-Day Death (Mortality) Rates from Heart Failure: Lists the upper bound (Interval Estimate) for each hospital's risk-adjusted rate.
21. Number of Patients - Hospital 30-Day Death (Mortality) Rates from Heart Failure: varchar (5) Lists the number of Medicare patients treated for Heart Failure by the Hospital.
22. Footnote - Hospital 30-Day Death (Mortality) Rates from Heart Failure: Lists the footnote value when appropriate, as related to the Heart Failure Outcome of Care at the hospital.
23. Hospital 30-Day Death (Mortality) Rates from Pneumonia: Lists the risk adjusted rate (percentage) for each hospital.
24. Comparison to U.S. Rate - Hospital 30-Day Death (Mortality) Rates from Pneumonia: varchar (50) Lists the mortality and readmission category in which the hospital falls. The values are:
  - Better than U.S. National Average
  - No Different than U.S. National Average
  - Worse than U.S. National Average
  - Number of Cases too Small\*
25. Lower Mortality Estimate - Hospital 30-Day Death (Mortality) Rates from Pneumonia: Lists the lower bound (Interval Estimate) for each hospital's risk-adjusted rate.

26. Upper Mortality Estimate - Hospital 30-Day Death (Mortality) Rates from Pneumonia: Lists the upper bound (Interval Estimate) for each hospital's risk-adjusted rate.
27. Number of Patients - Hospital 30-Day Death (Mortality) Rates from Pneumonia: varchar (5) Lists the number of Medicare patients treated for Pneumonia by the Hospital.
28. Footnote - Hospital 30-Day Death (Mortality) Rates from Pneumonia: Lists the footnote value when appropriate, as related to the Pneumonia Outcome of Care at the hospital.
29. Hospital 30-Day Readmission Rates from Heart Attack: Lists the risk adjusted rate (percentage) for each hospital.
30. Comparison to U.S. Rate - Hospital 30-Day Readmission Rates from Heart Attack: varchar (50) Lists the mortality and readmission category in which the hospital falls. The values are:
  - Better than U.S. National Average
  - No Different than U.S. National Average
  - Worse than U.S. National Average
  - Number of Cases too Small\*
32. Lower Readmission Estimate - Hospital 30-Day Readmission Rates from Heart Attack: Lists the lower bound (Interval Estimate) for each hospital's risk-adjusted rate.
33. Upper Readmission Estimate - Hospital 30-Day Readmission Rates from Heart Attack: Lists the upper bound (Interval Estimate) for each hospital's risk-adjusted rate.
34. Number of Patients - Hospital 30-Day Readmission Rates from Heart Attack: varchar (5) Lists the number of Medicare patients treated for Heart Attack.
35. Footnote - Hospital 30-Day Readmission Rates from Heart Attack: Lists the footnote value when appropriate, as related to the Heart Attack Outcome of Care at the hospital.
36. Hospital 30-Day Readmission Rates from Heart Failure: Lists the risk adjusted rate (percentage) for each hospital.
37. Comparison to U.S. Rate - Hospital 30-Day Readmission Rates from Heart Failure: varchar (50) Lists the mortality and readmission category in which the hospital falls. The values are:
  - Better than U.S. National Average
  - No Different than U.S. National Average
  - Worse than U.S. National Average
  - Number of Cases too Small\*
38. Lower Readmission Estimate - Hospital 30-Day Readmission Rates from Heart Failure: Lists the lower bound (Interval Estimate) for each hospital's risk-adjusted rate.
39. Upper Readmission Estimate - Hospital 30-Day Readmission Rates from Heart Failure: Lists the upper bound (Interval Estimate) for each hospital's risk-adjusted rate.
40. Number of Patients - Hospital 30-Day Readmission Rates from Heart Failure: varchar (5) Lists the number of Medicare patients treated for Heart Failure.
41. Footnote - Hospital 30-Day Readmission Rates from Heart Failure: Lists the footnote value when appropriate, as related to the Heart Failure Outcome of Care at the hospital.
42. Hospital 30-Day Readmission Rates from Pneumonia: Lists the risk adjusted rate (percentage) for each hospital.
43. Comparison to U.S. Rate - Hospital 30-Day Readmission Rates from Pneumonia: varchar (50) Lists the mortality and readmission category in which the hospital falls. The values are:

- Better than U.S. National Average
  - No Different than U.S. National Average
  - Worse than U.S. National Average
  - Number of Cases too Small\*
44. Lower Readmission Estimate - Hospital 30-Day Readmission Rates from Pneumonia: Lists the lower bound (Interval Estimate) for each hospital's risk-adjusted rate.
  45. Upper Readmission Estimate - Hospital 30-Day Readmission Rates from Pneumonia: Lists the upper bound (Interval Estimate) for each hospital's risk-adjusted rate.
  46. Number of Patients - Hospital 30-Day Readmission Rates from Pneumonia: varchar (5) Lists the number of Medicare patients treated for Pneumonia.
  47. Footnote - Hospital 30-Day Readmission Rates from Pneumonia: Lists the footnote value when appropriate, as related to the Pneumonia Outcome of Care at the hospital.

## **20. Outpatient Imaging Efficiency Measures – National.csv**

The Outpatient Imaging Efficiency Measures.csv table contains two (2) fields. This table provides the quality measure scores for each hospital that reported information.

1. Measure Name: varchar (100) Lists the measure names
2. Score varchar (4) Lists the score for the measure.

## **21. Outpatient Imaging Efficiency Measures – State.csv**

The Outpatient Imaging Efficiency Measures.csv table contains seven (7) fields. This table provides the quality measure scores for each state.

1. State: char (2) Lists the alphabetic postal code used to identify each individual state. All fifty (50) states are listed, as well as:
  - a. DC = Washington, D.C.
  - b. GU = Guam
  - c. MP = Northern Mariana Islands
  - d. PR = Puerto Rico
  - e. VI = Virgin Islands
2. Outpatients with low back pain who had an MRI without trying recommended treatments first such as physical therapy.: varchar (4) Lists the score for the measure corresponding to each state.
3. Outpatients who had a follow-up mammogram or ultrasound within 45 days after a screening mammogram.: varchar (4) Lists the score for the measure corresponding to each state.
4. Outpatient CT scans of the abdomen that were combination (double) scans.: varchar (4) Lists the score for the measure corresponding to each state.
5. Outpatient CT scans of the chest that were combination (double) scans.: varchar (4) Lists the score for the measure corresponding to each state.
6. Outpatients who got cardiac imaging stress tests before low-risk outpatient surgery....: varchar (4) Lists the score for the measure corresponding to each state
7. Outpatients with brain CT scans who got a sinus CT scan at the same time....: varchar (4) Lists the score for the measure corresponding to each state

## **22. Outpatient Imaging Efficiency Measures.csv**

The Outpatient Imaging Efficiency Measures.csv table contains twenty-six (26) fields. This table