BEST BRAIN EXAMINATIONS KONSORTIUM
SPECIAL PRIVATE MOCK FOR BECE CANDIDATES – SEPTEMBER 2026
MARKING SCHEME – CAREER TECHNOLOGY

QUESTION 1

(a) (i) **BREAKFAST OPTIONS SUITABLE FOR DR. NYERERE**

- Bread and egg omelette
- Hausa koko with koose (bean cakes)
- Rice water with milk and roasted groundnuts/with bread
- Bread and sardines
- Bread and baked beans
- Bread and peanut butter
- Tea with bread and boiled egg
- Oats porridge with milk
- Tom Brown with bread
- Waakye with boiled egg
- Waakye with grilled fish
- Boiled yam with egg stew
- Boiled sweet potato with fish stew
- Boiled ripe plantain with beans stew
- Kenkey with grilled tilapia

[2 marks @ 1 mark each]

(ii) **SEQUENTIAL ORDER FOR SCRAMBLING EGGS**

III. Crack eggs into a bowl, add seasoning, add-ins and whisk until frothy.
IV. Place a skillet over medium-low heat, add butter or oil, swirling to coat once melted.
V. Pour the egg mixture into the pan and let it sit for a few seconds to form curds.
VI. Then gently stir with a spatula from the edges toward the center.
I. Continue stirring slowly every 10 seconds, pushing eggs to form soft folds.
II. Take the pan off the heat when eggs are set and add extras, fold gently to combine.

[3 marks @ ½ mark each]

(b) (i) **EXPLANATION OF EDGE FINISHES**

An edge finish is a sewing technique used to secure, neaten, and stabilize the raw, cut edges of fabric garments or household items.

[2 marks]

(ii) **SUITABLE EDGE FINISHES BY GARMENT TYPE**

GARMENT TYPE	SUITABLE EDGE FINISHES
(i) Silk Dresses	french seam, baby hem, rolled hem
(ii) Trousers & Skirts	catch stitch (blind) hem, hong kong finish, overlocked / serged edge
(iii) Denim Jackets	flat-felled seam, topstitched turned hem, bias binding
(iv) T-Shirts	twin needle hem, knit ribbed banding, cover stitch hem

[4 marks @ 1 mark each]

(c) (i) **ACCIDENTS THAT MAY OCCUR IN THE FOOD LABORATORY**

Cuts; Bruises; Falls; Explosions; Scalds; Burns; Shocks

[2 marks @ ½ each]

(ii) **STATING TWO CAUSES OF ACCIDENTS IN FOOD LABORATORY**

Carelessness; Tiredness or fatigue; Wet and slippery floor; Insufficient lighting and Ventilation; Failure to apply safety rules in using tools,etc.

[2 marks @ 1 each]

QUESTION 2

(a) (i) **STATE THE USES OF EACH OF THE FOLLOWING KITCHEN ESSENTIALS**

ESSENTIAL	USE
Juicer	It is used to extract juice from fruits
Grater	It is used for cutting food into small pieces
Colander.	It is used to strain food

[3 marks @ 1 mark each]

CamScanner

(ii) **WAYS OF CARING FOR AND MAINTAINING KITCHEN ESSENTIALS**

- They should be used for their right purposes
- Metal tools and equipment should be wiped and dried after cleaning and before storage to prevent rusting
- Ashes in coal pots should be swept and disposed off properly after use.
- They should be cleaned with cleaning agents and methods suitable for the material used
- etc

[2 marks @ 1 mark each]

(b) **TYPES OF NEEDLES AND USES**

- Sharps: General sewing.
- Ballpoint: Knit fabrics.
- Embroidery: Decorative stitching.

[3 marks @ 1 mark each]

(c) **COMPLETING THE TABLE**

FOOD COMMODITIES	TWO EXAMPLES
(i) Cereals and grains	Rice, Wheat, millet, etc.
(ii) Root tubers	Yam, Potato, cassava, etc.
(iii) Fruits	Apple, Banana, guava, orange, etc.
(iv) Dairy	Milk, Cheese, etc.
(v) Meat	Beef, Chicken, mutton, pork, etc.

[5 marks @ ½ mark each]

(d) **REASONS FOR ACCURATE MEASUREMENT IN GARMENT MAKING**

- Ensures the garment fits the wearer comfortably and neatly.
- Keeps all parts (sleeves, waist, hem) in correct proportion to the body.
- Prevents waste of material by cutting only what is needed.
- Produces a well-tailored look that enhances the wearer's confidence.
- Allows free body movement without tightness or looseness.
- Reduces the need for repeated adjustments or re-sewing.
- Builds trust and repeat orders from clients who get perfect fits.
- Helps in creating patterns that match body measurements exactly.

[2 marks @ ½ mark each]

QUESTION 3

(a) **DISTINGUISHING BETWEEN FOOD-RELATED TERMS**

(i) ***Food hygiene*** refers to conditions and measures needed to ensure safety of food from production to consumption.

OR: refers to the observance of sanitary rules by food handlers to prevent food contamination, food poisoning and other food borne diseases from production to consumption,

Food preservation is the treatment given to foods to enable them stay fresh for sometime.

OR: It is the treatment given to foods to prolong their life span

OR: the act of keeping food for longer periods of time by giving it a special treatment

[3 marks @1½ mark each]

(ii) ***Food spoilage*** is a state in which food has gone bad and is usually dangerous to eat

Food poisoning is the illness resulting from eating unwholesome food

OR: Food poisoning is the illness resulting from eating contaminated food.

[3 marks @1½ mark each]

(iii) ***Food garnishing*** refers to the process of making food attractive to the eye.

Food seasoning refers to the ingredients added to food to improve taste, aroma, and appeal. It can be natural (like herbs and spices) or processed (like stock cubes).

[3 marks @1½ mark each]

CamScanner

PAPER 1

OBJECTIVE TEST

1. C	11. D	21. B	31. A
2. C	12. B	22. A	32. D
3. D	13. D	23. C	33. C
4. A	14. B	24. C	34. A
5. C	15. B	25. D	35. C
6. B	16. A	26. A	36. B
7. C	17. D	27. A	37. C
8. B	18. A	28. B	38. B
9. A	19. A	29. A	39. D
10. D	20. B	30. C	40. D

[40 marks @ 1 mark each]

CamScanner

(b) **EXAMPLES OF FOOD GARNISHES.**
Salad, radish, carrots, cucumber, herbs, tomatoes, lemon, lime, orange, berries, grapes, icing currants, sliced onions, sliced chili peppers, sliced cabbages, sliced bell peppers, spring onions, Basil leaves (Akuko besa), lettuce, etc.

[2 marks @ ½ mark each]

(c) **EDGES OF ARTICLES THAT ARE FINISHED**

[2 marks @ ½ mark each]

(d) **STEPS IN CROCHETING A PURSE FOR YOUR YOUNGER SISTER.**

- *Choose yarn and hook suitable for durability.*
- *Make a base chain to set purse width.*
- *Crochet the base into a firm rectangle.*
- *Build the body by working rounds upward.*
- *Add straps with strong chains and stitches.*
- *Finish edges and decorate with borders, buttons, or tassels.*

[2 marks]

QUESTION 4

(a) (i) **NAMING WORKSHOP TOOLS**

I: Wood chisel
II: Duct tape
IV: Pliers
VI: Hacksaw
VII: Screw/Wood screw / Self-tapping screw
VIII: Spirit level

[3 marks @ ½ mark each]

(ii) **USE OF V AND X IN WORKSHOP OPERATIONS**

- **V (Measuring Tape / Tape Measure):** for measuring distances, dimensions, and lengths of materials or workpieces accurately during layout and construction.
- **X (Hand Brace / Ratchet Brace):** for holding and manually rotating drill bits or auger bits to bore/drill holes in timber, wood, or soft materials.

[2 marks @ 1 mark each]

(iii) **WAYS OF MAINTAINING III AND IX FOR LONGER USE SPAN**

III (Electric Hand Drill):


- Keep the air vents and chuck clean of dust, sawdust, and debris after use, and apply lubricant to moving mechanical parts periodically.
- Inspect the power cord regularly for damage, avoid pulling or hanging the tool by its cord, and store it neatly coiled without tight bends.
- Use sharp, correct-sized drill bits and apply steady pressure to prevent the motor from overheating or burning out.

[2 marks @ 1 mark each]

(b) **BASIC STEPS FOR MAKING A SIMPLE KITCHEN GRATER**

- Select tin or metal sheet as the main material.
- Cut sheet to size into a rectangle for easy handling.
- Punch holes using a nail and hammer to form rough edges.
- Shape sheet by bending into a curved or box form.
- Attach handle with wood or strong wire for grip.
- Smooth edges to prevent cuts and ensure safe use.


[3 marks @ ½ mark each]




CamScanner

(c) **SKETCH OF A TRIANGULAR PRISM AND A SQUARE PYRAMID**

Triangular prism



Square pyramid



[3 marks @ 1½ mark each]

(d) **BASIC STEPS FOR A WALL BONDING TECHNIQUE IN BLOCKWORK**

- Prepare the surface with a wire brush or chisel.
- Apply bonding agent to improve adhesion.
- Mark plaster thickness using dots and strips as guides.
- Spread plaster evenly with a hawk and trowel, working between screeds.
- Flatten with a straight edge and lightly scratch the surface

[2 marks]

QUESTION 5

(a) (i) **WOOD JOINTS AND THE USE OF EACH.**

JOINT	IDENTIFICATION	USE
I	Mortise and tenon	Table legs, Chair frames, Bed frames, Door and window frames Cabinetry, connecting stiles and rails in frame-and-panel doors Attaching solid wood fronts to drawer boxes
II	Biscuit Joint	Tabletops, panels, cabinetry.
III	Lap Joint	Furniture frames, shelving, lightweight structures.

[3 marks @ ½ mark each]

(ii) **NAME TOOLS USED IN CUTTING THE JOINTS.**

- Hand Saw/Tenon Saw
- Chisel
- Router/Biscuit Jointer


[1 marks @ ½ mark each]

(b) **MATERIAL, PROPERTY & USE**

MATERIAL	ONE PROPERTY	ONE PRODUCT
Cartridge paper	Thick and absorbent	Drawing or sketching paper
Plastazote foam	Lightweight and shock-absorbent	Sports protective gear
Polymer based sheets	Flexible and waterproof	Packaging film

[3 marks @ ½ mark each

(c) **FREEHAND SKETCH OF FASTENERS**



Bolt and nut




wood screw

[4 marks @ 2 mark each

CamScanner

(d) **ISOMETRIC DRAWING OF A CUBE**



[4 marks for correct drawing]

QUESTION 7

(a) **DIFFERENCE BETWEEN DESIGN BRIEF AND DESIGN SPECIFICATION**

Design Brief : A short, clear statement of intent that describes the problem to be solved and what product needs to be designed or made.

- **Example:** *"Design and make a simple, portable wooden holder to keep students' pens and pencils organized on a study table."*

Design Specification: A detailed list of specific requirements and constraints that the final product must satisfy to be successful.

- **Example:**

- Must be made of local hardwood (e.g., Mahogany).
- Must hold at least 10 pens and 5 pencils.
- Surface must be smooth and finished with lacquer for safety.

[2 marks @ 1 mark each]

(b) (i) **DRAWING TOOLS NEEDED**

- Drawing Board: Provides a smooth, flat, and hard surface to support the paper while drawing.
- T-Square: Used as a guide to draw straight horizontal lines and to align other set squares.
- Set Squares (30^0, 60^0 & 45^0): Used together with the T-square to draw vertical lines, angled lines, and true shapes/slopes of the solids.
- Pair of Compasses: Essential for drawing the circular base and curved arcs required for the cone.
- Pencil (e.g., 2H and HB): Used for construction lines (hard pencil like 2H) and outlining/finalization (softer pencil like HB).

(Other tools such as Ruler/Scale rule, or Protractor are also acceptable).

[1 mark @ ½ mark each]

(ii) **LINE TYPES TO USE FOR THE DRAWING**

- Continuous Thick Line
- Continuous Thin Line
- Dashed Thin Line (Hidden Line
- Chain Thin Line / Centerline
- Long Dashes
- Short Dashes

[1 mark @ ½ mark each]

CamScanner

(c) **COMPLETING THE TABLE**


ARTEFACT	MARKING OUT TOOLS	FINISHES TO APPLY
	- calipers - micrometer - steel rule - centre punch - scriber - combination square - surface plate	- powder coating - anodizing - brushed finish - galvanizing - paint - lacquer - polished or chrome finish
	- plumb line - tape measure - carpenter's square - line and pins - mason's gauge - chalk	- sealants - masonry paint - limewash - stucco or render - brick slip cladding - trowel finish - exposed aggregate - waterproof coatings
	- chalk - tape measure - steel ruler - square - marking gauge - combination square - pencil or marking knife - vernier caliper - pencil - folding rule	- stain - varnish - polyurethane - shellac - oil finishes - wax - lacquer - French polish

[6 marks @ ½ mark each]

(c) **MAKING A FREEHAND SKETCH OF TOOLS**



firmer chisel



sliding bevel

[4 marks @ 2½ marks each]

USE OF EACH TOOL

(ii) Firmer Chisel: for general-purpose woodworking, such as cutting, shaping, and trenching wood, as well as light chiseling, gouging, and paring operations.

(iii) Sliding Bevel: for setting, testing, and transferring non-standard angles (angles other than 90^0) from a drawing or workpiece to another surface.

[1 mark @ ½ mark each]

CamScanner