

Statement on Chemicals, Regulations and Standards



Product reference: **Push Through Foil - Primera**
Identifier: TDSP0527-E, DDA38
as supplied by: AMCOR FLEXIBLES KREUZLINGEN AG
Finkernstrasse 34, 8280 Kreuzlingen, Switzerland

1. CONEG "Toxics in Packaging" Model Legislation

The product is manufactured in compliance with the Model Toxics in Packaging Legislation (formerly known as CONEG). More specifically, the combined total amount of Lead, Cadmium, Mercury and hexavalent Chromium in above-mentioned material does not exceed 100 ppm.

2. Directive 2011/65/EU (RoHS)

The product meets the relevant requirements of Directive 2011/65/EU as amended regarding Restriction of the use of certain Hazardous Substances in electrical and electronic equipment: Pb, Hg, Cr(VI), PBB, PBDE, DEHP, BBP, DBP, DIBP < 0.1 wt%, Cd < 0.01 wt%.

3. California Proposition 65

The product may contain residue traces of the following substances which are listed on the California Proposition 65 List.

- Formaldehyde (CAS 50-00-0)
- Vinyl chloride (CAS 75-01-4)
- Vinyl acetate (CAS 108-05-4)
- Acetaldehyde (CAS 75-07-0)
- Ethylene benzene (CAS 100-41-4)
- Toluene (CAS 108-88-3)

Furthermore, with regards to heavy metals mentioned in California Proposition 65, this product is manufactured in compliance with the Model Toxics in Packaging Legislation (see section 1).

The concentration of these substances is in compliance with the European plastics food contact Regulation (EU) No 10/2011 and meet the respective specific migration limits (SML).

4. Animal Origin / Halal / Kosher

The product listed above consists of synthetic and mineral-based raw materials and is neither Halal nor Kosher certified. However, the following substances are neither intentionally used for the production of the above listed materials nor in the manufacture of the respective raw materials:

- ethanol for drinking purposes

Nevertheless raw materials derived from animal origin are used for the manufacture of this product. The heat seal lacquer of the foil mentioned above contains a wax, for which the usage of animal-sourced substances (fatty acids derived from bovine tallow) cannot be excluded.

Raw materials derived from animal origin used for the manufacture of this product are produced in compliance with EMEA/410/01 rev.3 "Note for Guidance on minimising the risk of transmitting animal spongiform agents via human and veterinary medicinal products" and therefore do not present a risk of BSE/TSE.

5. Residual Solvents (ICH Q3C)

The production of the material mentioned above uses only such solvents which are categorized as EMA/CPMP/ICH/82260/2006 Class 3 'Solvents with low toxic potential'. The content of residual solvents does not exceed 20 mg/m².

6. Vinyl chloride

The Heat Seal lacquer of the above listed product contains a copolymer made of vinyl chloride and vinyl acetate and complies with Regulation (EU) 2011/10.

Consequently, the SML for vinyl chloride (SML = ND; DL = 0.01 mg/kg) is met and the foil complies with Directive 78/142/EEC of 30 January 1978.

7. Nanomaterials

Please note that the Print Primer of the foil contains raw materials which use following substance which could be present as nanoparticles in the product:

- silica

These substances contain a fraction of particles, which lies in the nanoparticle range, but is bound into the polymeric matrix of the lacquer. Therefore, they are considered to be non-migratory.

8. Nitrosamines

The print primer of the above mentioned product contains nitrocellulose as a binder material.

For the packaging of e. g. tablets or capsules, the push-through foil is heat sealed against the bottom web e. g. PVC in the blister packaging line of our customers. During this sealing process temperatures of 180 °C or more are applied to the outside for a very short period of time, normally less than one second. It is well known that nitrocellulose may decompose at high temperatures above 120 °C to form oxides of nitrogen. The rate and extent of decomposition depends on several factors, including temperature and time, as well as the environment and composition of the print primer/printing ink layer and any impurities which may catalyze or retard the reaction. The nitrogen oxides must then find a source of secondary or tertiary amine with which to react to form a N-nitrosamine.

As our print primer is formulated by Amcor itself and there are no raw materials used, which intentionally contain secondary or tertiary amines, a formation of nitrosamines cannot be expected/can be excluded.

In addition, aluminium foil represents an absolute migration barrier and as soon as the lidding foil is sealed onto the blister material a migration of substances through the foil is not possible anymore. Based on this information the risk of nitrosamines being generated as a result of our materials is very low.

9. Regulation (EU) 2025/40 (PPWR)

Regulation 2025/40 on packaging and packaging waste (PPWR) establishes requirements for the entire life-cycle of packaging as regards environmental sustainability and labelling, to allow its placing on the market. It also establishes requirements for extended producer responsibility, packaging waste prevention, such as the reduction of unnecessary packaging and the re-use or refill of packaging, as well as the collection and treatment, including recycling, of packaging waste. The obligation of compliance with the PPWR is on the manufacturer of packaging, that is the packer/filler making the packed product and placing it on the market.

As a supplier of materials for making packaging, Amcor will contribute to this compliance assessment but cannot take responsibility on the compliance of the finished packaging. At the moment of the publication of the PPWR, this Regulation defines the core principles and mechanisms on how packaging will be regulated on the EU market. The precise details against which the compliance of packaging can be assessed, still remain to be published at a later date.

To give some key examples among the many others:

- Article 5 on requirements for substances in packaging: the Commission will prepare a report on substances in packaging by end of 2026. Actions to deal with those substances will follow later in the form of REACH Restrictions and/or design for recycling criteria.

Our product is not food packaging, consequently the requirements of Article 5 point 5 don't apply. Nevertheless, following status can be described in accordance with regards to Article 5 point 5:

- PFAS are not used

In conclusion, the details of the PPWR compliance requirements will only become known in the coming years. Until these are implemented, it is not possible to give any sort of general compliance statement with the PPWR. We expect the situation to stabilise in the months leading up to the 1/1/2030 starting date for the minimum recycled content in packaging. Note that the existing requirements on packaging and packaging waste under Directive 94/62/EC are progressively being eliminated between mid-2026 and end-2029, in other words they remain in place today

10. Recycled Material

Following substances are neither intentionally used for the production of the above listed material nor in the manufacturing of the respective raw materials:

- Post-Consumer recycling material

Blank Aluminum rolled products used consist on average of Recycled Metal Content (RMC) as follows:

- a) Post-consumer recycled materials: 0%
- b) Pre-consumer recycled materials: 3.9%.

The following definitions apply:

- Post-consumer recycled material: Material generated by households or by commercial, industrial, and institutional facilities in their role as end-users of the product, which can no longer be used for its intended purpose. This includes returns of material from the distribution chain.
- Pre-consumer recycled material: Material diverted from the waste stream during a manufacturing process. Excluded is reutilization of materials such as rework, regrind or scrap generated in a process and capable of being reclaimed within the same process that generated it.

11. Elemental Impurities (ICH Q3D)

Amcor Flexibles herewith confirms that following metals (according ICH Q3D Elemental impurities) are present in the material:

Elemental Impurity	Class		Likely to be Present*			If known, please Identify the Expected Concentration /Units/Range (ppm)	Comments Regarding Source of Information (eg. frequency of testing, process understanding etc)
			Yes	No	Unknown		
Arsenic (inorganic)	1	As	☐	☐	☒	Not intentionally added	
Cadmium	1	Cd	☐	☐	☒	Not intentionally added	Material complies with American CONEG resp EU Directive 94/62/EC Art. 11 (Overall content of Pb, Cd, Hg and Cr(VI) < 100 ppm) Analysis done by foil stock supplier via ICP-MS, random testing
Lead	1	Pb	☐	☐	☒	Not intentionally added	Material complies with American CONEG resp EU Directive 94/62/EC Art. 11 (Overall content of Pb, Cd, Hg and Cr(VI) < 100 ppm) Analysis done by foil stock supplier via ICP-MS, random testing
Mercury (inorganic)	1	Hg	☐	☐	☒	Not intentionally added	Material complies with American CONEG resp EU Directive 94/62/EC Art. 11 (Overall content of Pb, Cd, Hg and Cr(VI) < 100 ppm) Analysis done by foil stock supplier via ICP-MS, random testing
Cobalt	2A	Co	☐	☐	☒	Not intentionally added	
Nickel	2A	Ni	☐	☐	☒	Not intentionally added	
Vanadium	2A	V	☐	☐	☒	Not intentionally added	
Gold	2B	Au	☐	☐	☒	Not intentionally added	
Iridium	2B	Ir	☐	☐	☒	Not intentionally added	
Osmium	2B	Os	☐	☐	☒	Not intentionally added	
Palladium	2B	Pd	☐	☐	☒	Not intentionally added	
Platinum	2B	Pt	☐	☐	☒	Not intentionally added	
Rhodium	2B	Rh	☐	☐	☒	Not intentionally added	
Ruthenium	2B	Ru	☐	☐	☒	Not intentionally added	
Selenium	2B	Se	☐	☐	☒	Not intentionally added	
Silver	2B	Ag	☐	☐	☒	Not intentionally added	
Thallium	2B	Tl	☐	☐	☒	Not intentionally added	
Antimony	3	Sb	☐	☐	☒	Not intentionally added	

Elemental Impurity	Class		Likely to be Present*			If known, please Identify the Expected Concentration /Units/Range (ppm)	Comments Regarding Source of Information (eg. frequency of testing, process understanding etc)
			Yes	No	Unknown		
Barium	3	Ba	☐	☐	☒	Not intentionally added	
Chromium	3	Cr	☐	☐	☒	Not intentionally added	Material complies with American CONEG resp EU Directive 94/62/EC Art. 11 (Overall content of Pb, Cd, Hg and Cr(VI) < 100 ppm) Analysis done by foil stock supplier via ICP-MS, random testing
Copper	3	Cu	☒	☐	☐	0.05 %	Content in aluminium alloy Analysis done by foil stock supplier via OES-MS 1x/ingot batch
Lithium	3	Li	☐	☐	☒	Not intentionally added	
Molybdenum	3	Mo	☐	☐	☒	Not intentionally added	
Tin	3	Sn	☐	☐	☒	Not intentionally added	
Aluminum**	4	Al	☒	☐	☐	Main component of foil	Material consists of aluminium foil Content in alloy >98% Analysis done by foil stock supplier via OES-MS 1x/ingot batch
Boron**	4	B	☐	☐	☒	Not intentionally added	
Calcium	4	Ca	☐	☐	☒	Not intentionally added	
Iron	4	Fe	☒	☐	☐	0.0 – 1.0 %	Content in aluminium alloy Analysis done by foil stock supplier via OES-MS 1x/ingot batch
Magnesium	4	Mg	☐	☐	☒	Not intentionally added	
Manganese	4	Mn	☒	☐	☐	0.05 %	Content in aluminium alloy Analysis done by foil stock supplier via OES-MS 1x/ingot batch
Potassium	4	K	☐	☐	☒	Not intentionally added	
Sodium	4	Na	☐	☐	☒	Not intentionally added	
Tungsten**	4	W	☐	☐	☒	Not intentionally added	
Zinc	4	Zn	☒	☐	☐	0.1 %	Content in aluminium alloy Analysis done by foil stock supplier via OES-MS 1x/ingot batch

* Likely to be present refers to the metal used in the final manufacturing step and to metals that are used in earlier manufacturing steps and not removed consistently by the manufacturing process.

** These elements are currently not in USP <232>/ EP7.7 (5.20 & 2.4.20), but are elements of potential interest.

12. Drug Master File

Amcor Flexibles Kreuzlingen owns Drug Master Files at the US FDA (DMF No. 15067) and Health Canada (DMF No. 9560).

This specification has also been registered at National Medical Product Administration, NMPA Center for Drug Evaluation under file No. B20190002168.

Letters of authorisation (LoA) can be issued for this material on request.

13. Pharmacopoeiae

European Pharmacopoeia

The product mentioned above contains a lacquer as product contact layer, which is not in scope of the packaging-related chapters of the European Pharmacopoeia.

US Pharmacopoeia

The product mentioned above contains a lacquer as product contact layer, which is not in scope of the packaging-related chapters of the USP.

Chinese Pharmacopoeia

The product mentioned above has not been tested according to Chinese Pharmacopoeia requirements.

14. Substances

Amcor Flexibles hereby confirms that the following substance is neither intentionally used for the production of the above listed materials nor in the manufacture of the respective raw materials:

- per- and polyfluoroalkyl substances (PFAS)
- allergens as listed in EU 1169/2011 annex II, as amended
- MOSH (Mineral Oil Saturated Hydrocarbons) and MOAH (Mineral Oil Aromatic Hydrocarbons)
- PVC or PVDC
- phthalates
- bisphenol A
- melamine
- polychlorinated biphenyl compounds
- polybrominated biphenyl compounds
- aflatoxin
- herbicide/pesticide
- galactomannans
- genetically modified organisms GMO
- latex
- BADGE/BFDGE
- dioxins

- titanium dioxide
- SVHC-substances $\geq 0,1\%$ (according REACH legislation)
- Photoinitiators such as e.g. ITX or DETX, Benzophenone
- Nonylphenol
- styrene
- regenerated cellulose
- oxo- or biodegradable polymers

15. Disclaimer

This declaration is given in good faith and to the best of our current knowledge. It only covers the food contact compliance status of our product as it leaves our premises and does not imply any conclusions regarding technical aspects of the use of our product nor any unforeseen interactions of our product with the packaging process or the filling good.

Kindly also take note of the fact that analyses of our product for the absence of substances are not carried out. The confirmation is based on raw material regulatory data sheet information supplied.

This declaration replaces all previous declarations for the same specification/product. It remains valid until a change in the legislation or new scientific information change the legal status. At such time we will inform our customers accordingly.

Amcor Flexibles Kreuzlingen AG



Monika Kündig Lienert
Product Safety Compliance Specialist