

1. General Product Information

Date:	07.05.2026		Rev. Nr.	05
Producer:	Constantia Patz Ges.m.b.H Guntramserstraße 7 A-2620 Loipersbach	office.patz@cflex.com www.cflex.com		
Customer:	Sanofi Global			
Constantia Spec. No.:	PATZ 42170/ALU-H 20 dull – unprinted PATZ 42170/ALU-H 25 dull – unprinted			
Material description:	Aluminum lidding foil sealable to PVC and PVdC-coated PVC			

Material description (from the outer to the inner layer):

Layer	based on
Print primer	Acrylate
Aluminium hard	Alloy min. EN AW-8079
Heatseal lacquer	BMA Vinyl copolymer

Filling good contact layer: Heat-seal lacquer.

Type of package/application: Packaging material for solid pharmaceutical products

2. Regulatory Information

2.1 General

The product fulfils the applicable requirements of

- EU “Framework” Regulation (EC) No. 1935/2004
- Regulation (EC) No. 2023/2006 on good manufacturing practice
- Directive 94/62/EC (as amended) and the Model Toxics in Packaging Legislation (as drafted by the Toxics in Packaging Clearinghouse/ Source Reduction Council of CONEG) regarding the sum of concentration levels of lead, cadmium, mercury and hexavalent chromium
-

2.2 Conditions of Use

The product is suitable for direct contact with the packed product.

Filling good: solid pharmaceutical product.

Time/temperature conditions: long term storage > 30 days at room temperature

The product has been tested and evaluated according to procedures as set out in food contact legislation.

2.3 Overall Migration Limit (OML) of the Contact Layers

EU Regulation No. 10/2011 sets out the test conditions for plastic materials and articles.

Other test conditions for the determination of the overall migration may be considered for products which do not fall under the scope of 10/2011/EC or for which specific measures exist on national level.

The product is in compliance with the OML of 10 mg/dm² following evaluation of relevant samples under following test conditions:

Food simulant	Testing conditions (time/temperature)	Global Migration in [mg/dm ²]
Tenax	10 days 40°C	<10

The compliance refers only to migration compliance and not to technical fit-for-use.

2.4 Information about Non Product Contact Side

2.4.1 Print primer

The lacquer fulfils the requirements of Article 3 of the EU-Framework Regulation 1935/2004/EC if applied on the non-food contact surface of food packaging.

2.5 Functional Barrier

Aluminium foils > 6 µm are regarded as a functional barrier.

The aluminium foil contains a variable amount of recycled material. The chemical composition of the used alloy complies with the EN 602 "Aluminium and aluminium alloys – Wrought products – Chemical composition of semi products used for the fabrication of articles for use in contact with food."

The product complies with the applicable requirements of the Council of Europe Resolution CM/Res(2013)9 on metals and alloys used as food contact materials.

The used rolling oil complies with FDA 21 CFR § 178.3910 (a) Surface lubricants used in manufacture of metallic articles.

2.6 Information about Product Contact Layers

Layer	Country	Legal Provisions (recommendations, code of practice, decrees) for plastics, paper, adhesives, coatings and other components
Heat seal Lacquer/	EU	All starting monomers and additives are listed in the union list of EU Regulation No. 10/2011 as amended Council of Europe Resolution AP (2004) 1 on coatings
	USA	21 CFR § 175.300

2.7 Information about Specific Restrictions

The used raw materials contain substances that have a restriction according to EU Regulation No. 10/2011 as amended.

The restricted substances listed in the following table may be present in the finished product:

CAS No. / PM Ref Nr.	Substance	Restriction*
0000050-00-0	FORMALDEHYDE	SML 15 mg/kg
0000075-01-4	VINYL CHLORIDE	QM 1 mg/kg DL 0.01 mg/kg
0000075-07-0	ACETALDEHYDE	SML 6 mg/kg
0000077-99-6	1,1,1-TTRIMETHYLOLPROPANE	SML 6 mg/kg
0000079-06-1	ACRYLAMIDE	DL 0.01 mg/kg
0000079-10-7	ACRYLIC ACID	SML 6 mg/kg
0000080-62-6	METHACRYLIC ACID, METHYL ESTER	SML 6 mg/kg
0000097-88-1	METHACRYLIC ACID, BUTYL ESTER	SML 6 mg/kg
0000107-15-3	1,2-DIAMINOETHANE	SML 12 mg/kg
0000108-01-0	DIMETHYLAMINOETHANOL	SML 18 mg/kg
0000108-05-4	ACETIC ACID, VINYL ESTER	SML 12 mg/kg
0000108-78-1	MELAMINE	SML 2.5 mg/kg
0000141-32-2	ACRYLIC ACID, n-BUTYL ESTER	SML 6 mg/kg
0000577-11-7	SULPHOSUCCINIC ACID, BIS(2-ETHYLHEXYL)ESTER, SODIUM SALT	SML 5 mg/kg
0002682-20-4	2-METHYL-4-ISOTHIAZOLIN-3-ONE	SML 0.5 mg/kg
0004767-03-7	2,2-BIS(HYDROXYMETHYL)PROPIONIC ACID	SML 0.05 mg/kg
0000629-11-8	1,6-HEXANEDIOL	SML 0.05 mg/kg
0000126-30-7	2,2-DIMETHYL-1,3-PROPANEDIOL	SML 0.05 mg/kg
0000121-91-5	ISOPHTHALIC ACID	SML 5 mg/kg
0000123-31-9	1,4-DIHYDROXYBENZENE	SML 0.6 mg/kg
0000141-43-5	2-AMINOETHANOL	SML 0.05 mg/kg
-	Aluminium (Al) from aluminium compounds	SML 1 mg/kg
0000106-91-2	GLYCIDYL METHACRYLATE	SML 0.02 mg/kg
0000110-16-7	MALEIC ACID	SML 30 mg/kg
0023949-66-8	2-ETHOXY-2'-ETHYLOXANILIDE	SML 30 mg/kg

* restrictions can be a specific migration limit (SML), a maximum concentration (QM), a maximum quantity per surface area (QMA), or a 'no detectable migration' (ND) requirement at a certain detection limit (DL). Suffix (T) indicates a combined restriction for 2 or more substances.

The above list of restricted substances is complete to the extent that accurate information was received from our raw material suppliers.

The restrictions have been checked by an accredited 3rd party laboratory. For migration tests suitable food simulants have been used. The restrictions were proved not to be exceeded either by analytical testing or by worst case calculation when used under the conditions specified in section 2.2 For the evaluation an area / volume ratio of 6 dm² / 1 kg food was taken into account.

2.8 Dual Use Additives

As required by EU Regulation No. 10/2011 the following table identifies substances used as additives in plastics and subject to a restriction in food through an authorization as food additive or flavouring (as listed in the Union Guideline on Regulation (EU) No 10/2011 on plastic materials and articles intended to come into contact with food, point 3.6.3 table 1 and 2.)

CAS Nr.	Substance	Food Additive	Restriction in plastics
0000057-55-6	1,2-PROPANEDIOL	E 1520	-
0000110-17-8	FUMARIC ACID	E 297	-
0007631-86-9	SILICON DIOXIDE*	E 551	-
0009004-65-3	HYDROXYPROPYLMETHYLCELLULOSE	E 464	-
0000124-04-9	ADIPIC ACID	E 355	-
0063148-62-9	POLYDIMETHYLSILOXANE OIL (Mw> 6800)	E 900	-
0007631-99-4	SODIUM NITRATE	E 251	-
0000064-19-7	ACETIC ACID	E 260	-
0025322-68-3	POLYETHYLENEGLYCOL 200	E 1521	-
0001336-21-6	AMMONIUM HYDROXIDE	E 527	-
0001310-58-3	POTASSIUM HYDROXIDE	E 525	-

*substance is fixed in the matrix in such a way that no migration into food is expected

The above list of dual use additives is complete to the extent that accurate information was received from our raw material suppliers.

2.9 Bisphenol A and other bisphenols and bisphenol derivatives

Bisphenol A and other bisphenols and bisphenol derivatives are no compositional component of the used raw materials and we do not add them during the manufacture of the product.

Thus, the product complies with the applicable requirements of EU Regulation 2024/3190/EC and with the requirements set out in Articles 3, 15 and 17 of Regulation (EC) No 1935/2004.

2.10 Chlorinated Polymers

The product contains chlorinated polymers / vinyl chloride monomer. They are present in the heat seal lacquer. We confirm that the product complies with the restriction on vinyl chloride monomer according to 10/2011/EC.

2.11 Recycled materials

The product contains recycled plastics

☐ Yes

☒ No

The product contains recycled paper

☐ Yes

☒ No

2.12 Phthalates

We confirm that the product constitutionally does not contain phthalate plasticizers. This information is based on a theoretical evaluation of the formulation/specification and the confirmations from raw material suppliers. Since we do not expect these substances to be present, we do not analyze for them in the delivered product.

2.13 Allergens

To the best of our current knowledge, we do not use any raw materials that constitutionally contain allergens listed in Annex II of Regulation (EU) No. 1169/2011 or natural rubber latex and we do not intentionally add these substances during production. This information is based on a theoretical evaluation of the recipe and the confirmations from our raw material suppliers. Since we do not expect these substances to be present, we do not analyze for them in the delivered products.

2.14 TSE/BSE Risk

According to statements by our suppliers, the raw materials used for the above mentioned complex do not contain animal derived products as a constituent. This information is based on a theoretical evaluation of the recipe and the confirmations from our raw material suppliers. We do not analyze for this substance in the delivered products.

3. Supporting Documents

Appropriate documentation including supplier DoCs, test results, calculations and other evidence on the safety or reasoning demonstrating compliance are retained on the production site and can be shown to the competent authority on their request.

4. Disclaimer

This declaration is given in good faith and to the best of our current knowledge. It describes the status of the products specified under General Product Information.

The user of the material (or downstream user, if applicable) is responsible for ensuring that all relevant legislation (e.g. work safety, etc.) is complied with during the production process and that the finished packed product complies with specific limits applicable for the pharmaceutical product itself under actual conditions of use. Furthermore, the packer is responsible for verifying possible interactions of the material or its components with the pharmaceutical product (e.g. modification of odour, taste, consistency, migration, seal integrity, extractables & leachables etc.) prior to use and especially in cases of changes in the pharmaceutical product, processing parameters or end-use of the product, in order to ensure that the packaging material is still appropriate for the intended use.

This declaration replaces all previous declarations for the same specification. It remains valid until a relevant change in the legislation or new relevant scientific information changes the legal status of the delivered specification.

i.A. Dr. Katharina Wohlmuth
Regulatory Affairs Manager

i.A. Daniel Bujdoso
Regulatory Affairs Manager

This document has been electronically issued and is valid without signature.