

 Vertical FFS Machines-Packaging Material	<i>Declaration of Compliance</i>	N. DIC 03
	WHITE PVC/PE 150 MY.	REVISION 13 of 25/02/2026

DECLARATION OF COMPLIANCE REGARDING THE POLYVINYLCHLORIDE (PVC) AND POLYETHYLENE (PE) FILMS

DENOMINATION: "PVC/PE 150µm"

We hereby confirm that the material supplied by us is in accordance with:

EU REGULATIONS:

- Regulation (EC) No. 1935/2004;
- Commission Regulation (EC) No. 2023/2006 and subsequent amendments;
- Commission Regulation (EU) No. 10/2011 and subsequent amendments;
- European Directive 94/62/EC and subsequent amendments, regarding of heavy metal (the sum of the concentrations of lead, mercury, cadmium and hexavalent chromium does not exceed 100 ppm);
- European Pharmacopeia 10th Edition: paragraphs 3.1.11.

US REGULATIONS:

The film is certified and attested to in IMA-Sarong DMF 24025.

INTENDED USE

This film is intended as primary packaging for pharma; PE layer is intended as contact layer.

This film is suitable for thermoforming blisters and unit doses; not microwaving, not freezing, not pasteurising and not sterilization.

As for the verification of the technological suitability with the filled products, it is the responsibility of the user.

All the substances used for the manufacturing of the raw materials are authorized if requested, and those used and included in the Regulation 10/2011 comply with respective specific migration limit like presented hereunder:

SUBSTANCE	CAS OR REF	SML (mg/kg)
-----------	------------	-------------

 Vertical FFS Machines-Packaging Material	Declaration of Compliance	N. DIC 03
	WHITE PVC/PE 150 MY.	REVISION 13 of 25/02/2026

acetic acid, vinyl ester	10120	12
Vinylchlorid	26050	QM = 1
Diphenylmethane-4,4'-diisocyanate	101-68-8	QM = 1 in final product
octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	68320	6
Alkyl (C8-C22)sulphonic acids	34230	6
di-n-octyltin bis(2-ethylhexyl mercaptoacetate)	50320	0.006
mono-n-octyltin tris(2-ethylhexyl mercaptoacetate)	67680	1.20
2-ethyl-1-hexanol	17050	30
acrylic acid, n-butyl ester	10780	6 (T) 22
methacrylic acid, methyl ester	21130	6 (T) 23
butadiene	13630	QM = 1
soybean oil, epoxidised	88640	30 (reduced)
ethyleneglycol	16990/53650	30
2,6-di-tert-butyl-p-cresol	46640	3
tert-butyl-4-hydroxyanisole	40720	30
adipic acid, bis(2-ethylhexyl) ester	31920	18
triethyleneglycol bis[3-(3-tert-butyl-4-hydroxy-5-methylphenyl) propionate]	94400	9
2,4-dimethyl-6-(1-methylpentadecyl)phenol	49485	1
crotonic acid	14800	0.05
divinylbenzene	16690	ND = 0.01
Triisopropanolamine	122-20-3	5
1-exene	592-41-6	6
aluminium	-	1
Monomethyltin tris(ethylhexyl mercaptoacetate)	67515	0.18 (T) express tin
Dimethyltin bis(ethylhexyl mercaptoacetate)	49595	0.18 (T) express tin
Diphenylmethane-2,4'-diisocyanate	5873-54-1	QM = 1 in final product
Propylene oxide	75-56-9	ND=0.01
1,2-propanediol	57-55-6	60
Mono-n-octylzinntris(isooctylthioglycolat)	67760	As Sn = 1.2
Di-n-octylzinnbis(isooctylthioglycolat)	50480	As Sn = 0.006
Polyester of adipic acid with glycerol or pentaerythritol, esters with even numbered, unbranched C12-C22 fatty acids	76815	60
(butadiene, styrene, methyl	40563	in hard polyvinyl

 Vertical FFS Machines-Packaging Material	Declaration of Compliance	N. DIC 03
	WHITE PVC/PE 150 MY.	REVISION 13 of 25/02/2026

methacrylate, butyl acrylate) copolymer cross-linked with divinylbenzene or 1,3-butanediol dimethacrylate		chloride (PVC), not more than 12%, at room temperature or below
2-Hydroxy-4-noctyloxybenzophenon	1600	6
2,4-Toluene diisocyanate	584-84-9	ND
2,6-Toluene diisocyanate	91-08-7	ND
Acetaldehyde	75-07-0	6
Pentaerythritol-tetrakis[3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate]	6683-19-8	60
Poly(Hexamethylene diisocyanate)	28182-81-2	-

We are aware of the following dual-use additives in our films:

SUBSTANCE	REF. NO.
calcium carbonate	42500
titanium dioxide	93440
fatty acids	-
glycerolester	-
oxidized polyethylene wax	80077
talc	92080
silica	86240
citric acid	14680/44160
methylhydroxypropylcellulose	66700
butylated hydroxytoluene	4660
Phosphoric acid	-
sodium carbonate	42500
sodium phosphate	-

There are substances deriving from inks with restriction limits, but confidential (protected by NDA agreement).

Based on the best of our knowledge, we declare that in the manufacturing process of above mentioned material following substances are not used as raw materials or intentionally added:

- Bisfenol A;
- Phthalates;
- materials in BSE risk, in accordance with “Note for guidance on minimizing the risk of transmitting animal spongiform encephalopathy agents via human and veterinary medicinal product” (EMA/410/01 Rev.3 – March 2011).

 Vertical FFS Machines-Packaging Material	<i>Declaration of Compliance</i>	N. DIC 03
	WHITE PVC/PE 150 MY.	REVISION 13 of 25/02/2026

This declaration is valid after the date shown below, and will be reviewed in the event of changes in the production/formulation of the material, or if the legal references in point three will be reviewed and updated.

Dr. SELMI Massimo
(Technical Director)

